



## Safety Data Sheet

Copyright,2024, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 42-0721-3  
**Revision date:** 26/07/2024

**Version number:** 1.09  
**Supersedes date:** 19/04/2024

**Transportation version number:**

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

### IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Electrical Kit with Lubricant and Mastic

#### Product Identification Numbers

|                |                |                |                |                |
|----------------|----------------|----------------|----------------|----------------|
| KE-2321-2895-6 | TE-1000-5051-3 | UU-0047-7439-2 | UU-0048-6881-4 | UU-0090-7645-4 |
| UU-0090-7683-5 | UU-0103-4098-0 | UU-0103-4274-7 | UU-0114-7188-3 | UU-0118-6000-2 |
| 7100066093     | 7100155042     | 7100154720     | 7100206926     | 7100095953     |
| 7100095758     | 7100259034     | 7100278365     | 7000099483     | 7100230584     |

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

**Address:** 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.  
**Telephone:** +44 (0)1344 858 000  
**E Mail:** tox.uk@mmm.com

**Website:** [www.3M.com/uk](http://www.3M.com/uk)

#### 1.4. Emergency telephone number

+44 (0)1344 858 000

This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet for each of these components is included. Please do not separate the component Safety Data Sheets from this cover page. The document numbers of the MSDSs for components of this product are:

11-1458-6, 11-2530-1

### TRANSPORTATION INFORMATION

Refer to section 14 of the kit components for transport information.

## KIT LABEL

## 2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

**CLASSIFICATION:**

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended for Great Britain, on classification, labelling, and packaging of substances and mixtures.

## 2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

Not applicable

## Contains:

Synthetic amorphous silica, fumed, crystalline-free; 1,1,2,3,3,3-Hexafluoro-1-propene, oxidised, polymd.

## SUPPLEMENTAL INFORMATION:

### **Supplemental Hazard Statements:**

EUH210

Safety data sheet available on request.

### Revision information:

Section 1: Product identification numbers information was modified.

## Section 01: SAP Material Numbers information was modified.



## Safety Data Sheet

Copyright,2023, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 11-2530-1      **Version number:** 8.13  
**Revision date:** 14/06/2023      **Supersedes date:** 13/01/2023

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

3M Brand Gleitpaste P55/1

#### Product Identification Numbers

|                |                |                |                |
|----------------|----------------|----------------|----------------|
| DE-7130-0742-0 | KE-2320-6260-1 | KE-2321-2551-5 | UU-0090-7684-3 |
| 7000063474     | 7000146569     | 7000092183     | 7100154729     |

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Lubricant

#### 1.3. Details of the supplier of the safety data sheet

**Address:** 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.  
**Telephone:** +44 (0)1344 858 000  
**E Mail:** tox.uk@mmm.com  
**Website:** www.3M.com/uk

#### 1.4. Emergency telephone number

+44 (0)1344 858 000

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

##### CLASSIFICATION:

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended for Great Britain, on classification, labelling, and packaging of substances and mixtures.

#### 2.2. Label elements

**The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain**

Not applicable

| Ingredient  | CAS Nbr     | EC No. | % by Wt  |
|---|-------------|--------|----------|
| 1,1,2,3,3,3-Hexafluoro-1-propene, oxidised, polymd. | 69991-67-9  |        | 95 - 100 |
| Synthetic amorphous silica, fumed, crystalline-free | 112945-52-5 |        | <= 5     |

**2.3. Other hazards**

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

**SECTION 3: Composition/information on ingredients****3.1. Substances**

Not applicable

**3.2. Mixtures**

| Ingredient  | Identifier(s)         | %        | Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB |
|---|-----------------------|----------|--|
| 1,1,2,3,3,3-Hexafluoro-1-propene, oxidised, polymd. | (CAS-No.) 69991-67-9  | 95 - 100 | Substance not classified as hazardous  |
| Synthetic amorphous silica, fumed, crystalline-free | (CAS-No.) 112945-52-5 | <= 5     | Substance with a national occupational exposure limit                              |

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation**

No need for first aid is anticipated. If symptoms develop, remove the affected person to fresh air. Get medical attention.

**Skin contact**

Wash with soap and water. If signs/symptoms develop, get medical attention.

**Eye contact**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

**If swallowed**

Do not induce vomiting. Rinse mouth. If you feel unwell, get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### Hazardous Decomposition or By-Products

| <u>Substance</u>    | <u>Condition</u>   |
|---------------------|--------------------|
| Carbonyl fluoride.  | During combustion. |
| Carbon monoxide     | During combustion. |
| Carbon dioxide.     | During combustion. |
| Hydrogen Fluoride   | During combustion. |
| Oxides of nitrogen. | During combustion. |

### 5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid release to the environment. Keep away from reactive metals (eg. Aluminium, zinc etc.) to avoid the formation of hydrogen gas that could create an explosion hazard.

### 7.2. Conditions for safe storage including any incompatibilities

Store away from acids. Store away from strong bases.

### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient      | CAS Nbr     | Agency | Limit type  | Additional comments |
|-----------------|-------------|--------|---|---------------------|
| Silicon dioxide | 112945-52-5 | UK HSC | TWA(as respirable dust):2.4 mg/m <sup>3</sup> ;TWA(as inhalable dust):6 mg/m <sup>3</sup> |                     |

UK HSC : UK Health and Safety Commission

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

### Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

None required.

#### Skin/hand protection

No chemical protective gloves are required.

#### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

#### Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                              |   |
|------------------------------|---|
| Physical state               | Liquid.   |
| Specific Physical Form:      | Paste   |
| Colour                       | White   |
| Odor                         | Odourless                                       |
| Odour threshold              | <i>No data available.</i>                       |
| Melting point/freezing point | <i>No data available.</i>                       |
| Boiling point/boiling range  | 270 °C [Details: MITS data (per supplier info)] |
| Flammability (solid, gas)    | Not applicable.                                 |
| Flammable Limits(LEL)        | <i>No applicable.</i>                           |

|   |  |
|---|--|
| <b>Flammable Limits(UEL)</b>                  | <i>Not applicable.</i>                             |
| <b>Flash point</b>                            | Flash point > 93 °C (200 °F)                       |
| <b>Autoignition temperature</b>               | <i>Not applicable.</i>                             |
| <b>Decomposition temperature</b>              | <i>No data available.</i>                          |
| <b>pH</b>                                     | <i>substance/mixture is non-soluble (in water)</i> |
| <b>Kinematic Viscosity</b>                    | <i>No data available.</i>                          |
| <b>Water solubility</b>                       | Nil  |
| <b>Solubility- non-water</b>                  | <i>No data available.</i>                          |
| <b>Partition coefficient: n-octanol/water</b> | <i>No data available.</i>                          |
| <b>Vapour pressure</b>                        | <=1.3 Pa   |
| <b>Density</b>                                | 1.99 g/cm <sup>3</sup>                             |
| <b>Relative density</b>                       | approximately 1.99 N/A [Ref Std:WATER=1]           |
| <b>Relative Vapour Density</b>                | <i>No data available.</i>                          |

## 9.2. Other information

### 9.2.2 Other safety characteristics

|                                      |                           |
|--------------------------------------|---------------------------|
| <b>Average particle size</b>         | <i>No data available.</i> |
| <b>Bulk density</b>                  | <i>No data available.</i> |
| <b>EU Volatile Organic Compounds</b> | <i>No data available.</i> |
| <b>Evaporation rate</b>              | <i>No data available.</i> |
| <b>Molecular weight</b>              | <i>No data available.</i> |
| <b>Percent volatile</b>              | 0 %                       |
| <b>Softening point</b>               | <i>No data available.</i> |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

Not determined

### 10.5 Incompatible materials

Strong acids.  
Reactive metals  
Strong bases.

### 10.6 Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
|------------------|------------------|

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

Extreme heat arising from situations such as misuse or equipment failure can generate hydrogen fluoride as a decomposition product.

## SECTION 11: Toxicological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

**11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.**

**Signs and Symptoms of Exposure**

Based on test data and/or information on the components, this material may produce the following health effects:

**Inhalation**

No health effects are expected.

**Skin contact**

Contact with the skin during product use is not expected to result in significant irritation.

**Eye contact**

Contact with the eyes during product use is not expected to result in significant irritation.

**Ingestion**

No known health effects.

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

| Name  | Route                          | Species | Value  |
|---|--------------------------------|---------|--|
| Overall product                                     | Ingestion                      |         | No data available; calculated ATE >5,000 mg/kg |
| Synthetic amorphous silica, fumed, crystalline-free | Dermal                         | Rabbit  | LD50 > 5,000 mg/kg                             |
| Synthetic amorphous silica, fumed, crystalline-free | Inhalation-Dust/Mist (4 hours) | Rat     | LC50 > 0.691 mg/l                              |
| Synthetic amorphous silica, fumed, crystalline-free | Ingestion                      | Rat     | LD50 > 5,110 mg/kg                             |

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

| Name  | Species | Value                     |
|---|---------|---------------------------|
| Synthetic amorphous silica, fumed, crystalline-free | Rabbit  | No significant irritation |

**Serious Eye Damage/Irritation**

| Name  | Species | Value                     |
|---|---------|---------------------------|
| Synthetic amorphous silica, fumed, crystalline-free | Rabbit  | No significant irritation |

**Skin Sensitisation**

| Name  | Species          | Value          |
|---|------------------|----------------|
| Synthetic amorphous silica, fumed, crystalline-free | Human and animal | Not classified |

**Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Germ Cell Mutagenicity**

| Name  | Route    | Value         |
|---|----------|---------------|
| Synthetic amorphous silica, fumed, crystalline-free | In Vitro | Not mutagenic |

**Carcinogenicity**

| Name  | Route         | Species | Value  |
|---|---------------|---------|--|
| Synthetic amorphous silica, fumed, crystalline-free | Not specified | Mouse   | Some positive data exist, but the data are not sufficient for classification |

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

| Name  | Route     | Value                                  | Species | Test result           | Exposure Duration    |
|---|-----------|--|---------|-----------------------|----------------------|
| Synthetic amorphous silica, fumed, crystalline-free | Ingestion | Not classified for female reproduction | Rat     | NOAEL 509 mg/kg/day   | 1 generation         |
| Synthetic amorphous silica, fumed, crystalline-free | Ingestion | Not classified for male reproduction   | Rat     | NOAEL 497 mg/kg/day   | 1 generation         |
| Synthetic amorphous silica, fumed, crystalline-free | Ingestion | Not classified for development         | Rat     | NOAEL 1,350 mg/kg/day | during organogenesis |

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Specific Target Organ Toxicity - repeated exposure**

| Name  | Route      | Target Organ(s)                | Value          | Species | Test result         | Exposure Duration     |
|---|------------|--------------------------------|----------------|---------|---------------------|-----------------------|
| Synthetic amorphous silica, fumed, crystalline-free | Inhalation | respiratory system   silicosis | Not classified | Human   | NOAEL Not available | occupational exposure |

**Aspiration Hazard**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.**

**11.2. Information on other hazards**

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

**SECTION 12: Ecological information**

**The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.**

**12.1. Toxicity**

No product test data available.

| Material | CAS # | Organism | Type | Exposure | Test endpoint | Test result |
|----------|-------|----------|------|----------|---------------|-------------|
|          |       |          |      |          |               |             |

|   |             |                   |   |          |       |                          |
|---|-------------|-------------------|---|----------|-------|--------------------------|
| 1,1,2,3,3,3-Hexafluoro-1-propene, oxidised, polymd. | 69991-67-9  | N/A               | Data not available or insufficient for classification | N/A      | N/A   | N/A                      |
| Synthetic amorphous silica, fumed, crystalline-free | 112945-52-5 | Green algae       | Analogous Compound                                    | 72 hours | ErC50 | >173.1 mg/l              |
| Synthetic amorphous silica, fumed, crystalline-free | 112945-52-5 | Sediment organism | Analogous Compound                                    | 96 hours | EC50  | 8,500 mg/kg (Dry Weight) |
| Synthetic amorphous silica, fumed, crystalline-free | 112945-52-5 | Water flea        | Analogous Compound                                    | 24 hours | EL50  | >10,000 mg/l             |
| Synthetic amorphous silica, fumed, crystalline-free | 112945-52-5 | Zebra Fish        | Analogous Compound                                    | 96 hours | LL50  | >10,000 mg/l             |
| Synthetic amorphous silica, fumed, crystalline-free | 112945-52-5 | Green algae       | Analogous Compound                                    | 72 hours | NOEC  | 173.1 mg/l               |
| Synthetic amorphous silica, fumed, crystalline-free | 112945-52-5 | Water flea        | Analogous Compound                                    | 21 days  | NOEC  | 68 mg/l                  |
| Synthetic amorphous silica, fumed, crystalline-free | 112945-52-5 | Activated sludge  | Experimental  | 3 hours  | EC50  | >1,000 mg/l              |

## 12.2. Persistence and degradability

| Material  | CAS Nbr     | Test type                     | Duration | Study Type | Test result | Protocol |
|---|-------------|-------------------------------|----------|------------|-------------|----------|
| 1,1,2,3,3,3-Hexafluoro-1-propene, oxidised, polymd. | 69991-67-9  | Data not availbl-insufficient | N/A      | N/A        | N/A         | N/A      |
| Synthetic amorphous silica, fumed, crystalline-free | 112945-52-5 | Data not availbl-insufficient | N/A      | N/A        | N/A         | N/A      |

## 12.3 : Bioaccumulative potential

| Material  | Cas No.     | Test type   | Duration | Study Type | Test result | Protocol |
|---|-------------|---|----------|------------|-------------|----------|
| 1,1,2,3,3,3-Hexafluoro-1-propene, oxidised, polymd. | 69991-67-9  | Data not available or insufficient for classification | N/A      | N/A        | N/A         | N/A      |
| Synthetic amorphous silica, fumed, crystalline-free | 112945-52-5 | Data not available or insufficient for classification | N/A      | N/A        | N/A         | N/A      |

## 12.4. Mobility in soil

No test data available.

## 12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

## 12.6. Other adverse effects

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Combustion products will include HF. Facility must be capable of handling halogenated materials. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

### EU waste code (product as sold)

070699                    Wastes not otherwise specified

## SECTION 14: Transportation information

Not hazardous for transportation.

|  | Ground Transport (ADR)   | Air Transport (IATA)   | Marine Transport (IMDG)  |
|--|--|--|--|
| <b>14.1 UN number</b>  | No data available.   | No data available.   | No data available.   |
| <b>14.2 UN proper shipping name</b>  | No data available.   | No data available.   | No data available.   |
| <b>14.3 Transport hazard class(es)</b>   | No data available.   | No data available.   | No data available.   |
| <b>14.4 Packing group</b>  | No data available.   | No data available.   | No data available.   |
| <b>14.5 Environmental hazards</b>  | No data available.   | No data available.   | No data available.   |
| <b>14.6 Special precautions for user</b>   | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
| <b>14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code</b> | No data available.   | No data available.   | No data available.   |
| <b>Control Temperature</b>   | No data available.   | No data available.   | No data available.   |
| <b>Emergency Temperature</b>   | No data available.   | No data available.   | No data available.   |

|                                |                    |                    |                    |
|--------------------------------|--------------------|--------------------|--------------------|
| <b>ADR Classification Code</b> | No data available. | No data available. | No data available. |
| <b>IMDG Segregation Code</b>   | No data available. | No data available. | No data available. |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Global inventory status

Contact 3M for more information.

#### COMAH Regulation, SI 2015/483

Seveso hazard categories, Annex 1, Part 1

None

Seveso named dangerous substances, Annex 1, Part 2

None

#### Regulation (EU) No 649/2012, as amended for GB

No chemicals listed

### 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

## SECTION 16: Other information

#### Revision information:

GB Section 02: CLP Ingredient table information was added.

GB Section 02: Other hazards phrase information was added.

GB Section 04: Information on toxicological effects information was added.

GB Section 12: Classification Warning information was added.

GB Section 15: Chemical Safety Assessment information was added.

GBSDS Section 14 Transport in bulk - Main Heading information was added.

GBSDS Section 14 UN Number information was added.

Section 02: CLP Classification Statements information was deleted.

Section 02: GB Classification Statements information was added.

Section 2: Other hazards phrase information was deleted.

Section 3: Composition/ Information of ingredients table information was added.

Section 3: Composition/ Information of ingredients table information was deleted.

Section 04: Information on toxicological effects information was deleted.

Section 11: Classification disclaimer information was deleted.

Section 11: GB Classification disclaimer information was added.

Section 11: GB No endocrine disruptor information available warning information was added.

Section 11: No endocrine disruptor information available warning information was deleted.

Section 12: 12.6. Endocrine Disrupting Properties information was deleted.

Section 12: 12.6. Other adverse effects information was added.

Section 12: 12.7. Other adverse effects information was deleted.

Section 12: Classification Warning information was deleted.

Prints No Data if Adverse effects information is not present information was deleted.

Section 12: No endocrine disruptor information available warning information was added.

Section 12: No endocrine disruptor information available warning information was deleted.

Section 14 Marine transport in bulk according to IMO instruments – Main Heading information was deleted.

Section 14 UN Number information was deleted.

Section 15: Chemical Safety Assessment information was deleted.

Section 16: Web address information was added.

Section 16: Web address information was deleted.

**DISCLAIMER:** The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

**3M SDSs for Great Britain are available at [www.3M.com/uk](http://www.3M.com/uk)**

For Northern Ireland documents, please contact your 3M representative to obtain a copy.



## Safety Data Sheet

Copyright,2025, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 11-1458-6 **Version number:** 14.08  
**Revision date:** 07/08/2025 **Supersedes date:** 21/02/2025

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

3M™ SCOTCH-WELD™ Preformed Sealant Black 5313

#### Product Identification Numbers

|                |                |                |                |                |
|----------------|----------------|----------------|----------------|----------------|
| FS-5313-0203-2 | FS-9000-0277-5 | FS-9000-2019-9 | FS-9000-2037-1 | FS-9000-2079-3 |
| FS-9100-0095-9 | FS-9100-0153-6 | FS-9100-0290-6 |                |                |
| 7000079781     | 7000033721     | 7000033722     | 7000079797     | 7000079809     |
| 7000079808     | 7000079786     | 7000079807     |                |                |

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Sealant

#### 1.3. Details of the supplier of the safety data sheet

**Address:** 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.  
**Telephone:** +44 (0)1344 858 000  
**E Mail:** ner-productstewardship@mmm.com  
**Website:** www.3M.com/uk

#### 1.4. Emergency telephone number

+44 (0)1344 858 000

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

##### CLASSIFICATION:

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended for Great Britain, on classification, labelling, and packaging of substances and mixtures.

**2.2. Label elements****The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain**

Not applicable

**SUPPLEMENTAL INFORMATION:****Supplemental Hazard Statements:**

EUH210

Safety data sheet available on request.

Nota L applied to CASRN 64741-88-4.

**2.3. Other hazards**

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

**SECTION 3: Composition/information on ingredients****3.1. Substances**

Not applicable

**3.2. Mixtures**

| Ingredient  | Identifier(s)                              | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB |
|---|--|---------|--|
| Butene, polymer with 2-methyl-1-propene                   | (CAS-No.) 9044-17-1                        | 15 - 40 | Substance not classified as hazardous  |
| Carbon black  | (CAS-No.) 1333-86-4<br>(EC-No.) 215-609-9  | 10 - 30 | Substance with a national occupational exposure limit                              |
| Kaolin  | (CAS-No.) 1332-58-7<br>(EC-No.) 310-194-1  | 10 - 30 | Substance with a national occupational exposure limit                              |
| Isobutylene - isoprene polymer                            | (CAS-No.) 9010-85-9                        | 7 - 20  | Substance not classified as hazardous  |
| Resin acids and rosin acids, esters with glycerol         | (CAS-No.) 8050-31-5<br>(EC-No.) 232-482-5  | 1 - 5   | Substance not classified as hazardous  |
| Distillates (petroleum), solvent-refined heavy paraffinic | (CAS-No.) 64741-88-4<br>(EC-No.) 265-090-8 | 1 - 5   | Nota L<br>Asp. Tox. 1, H304<br>EUH066  |
| Talc  | (CAS-No.) 14807-96-6<br>(EC-No.) 238-877-9 | 1 - 5   | Substance with a national occupational exposure limit                              |
| Quartz  | (CAS-No.) 14808-60-7<br>(EC-No.) 238-878-4 | < 1     | STOT RE 1, H372  |
| Titanium dioxide  | (CAS-No.) 13463-67-7<br>(EC-No.) 236-675-5 | <= 0.5  | Carc. 2, H351 (inhalation)   |

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If swallowed

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### Hazardous Decomposition or By-Products

#### Substance

Carbon monoxide  
Carbon dioxide.  
Irritant vapours or gases.

#### Condition

During combustion.  
During combustion.  
During combustion.

### 5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a

sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Observe precautions from other sections.

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

## 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

# SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

## 7.2. Conditions for safe storage including any incompatibilities

Store away from acids. Store away from oxidising agents.

## 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient       | CAS Nbr    | Agency | Limit type   | Additional comments |
|------------------|------------|--------|--|---------------------|
| Kaolin           | 1332-58-7  | UK HSE | TWA (as respirable dust): 2 mg/m <sup>3</sup>                            |                     |
| Carbon black     | 1333-86-4  | UK HSE | TWA: 3.5 mg/m <sup>3</sup> ; STEL: 7 mg/m <sup>3</sup>                   |                     |
| Titanium dioxide | 13463-67-7 | UK HSE | TWA(respirable):4 mg/m <sup>3</sup> ;TWA(Inhalable):10 mg/m <sup>3</sup> |                     |
| Talc             | 14807-96-6 | UK HSE | TWA(as respirable dust):1 mg/m <sup>3</sup>                              |                     |
| Quartz           | 14808-60-7 | UK HSE | TWA(respirable):0.1 mg/m <sup>3</sup>                                    |                     |

UK HSE : UK Health and Safety Commission

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

### Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

## 8.2. Exposure controls

**8.2.1. Engineering controls**

Not applicable.

**8.2.2. Personal protective equipment (PPE)****Eye/face protection**

None required.

**Skin/hand protection**

No chemical protective gloves are required.

**Respiratory protection**

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

|   |  |
|---|--|
| <b>Physical state</b>                         | Solid.   |
| <b>Specific Physical Form:</b>                | Paste  |
| <b>Colour</b>                                 | Black  |
| <b>Odor</b>                                   | Odourless  |
| <b>Odour threshold</b>                        | <i>No data available.</i>                                    |
| <b>Melting point/freezing point</b>           | <i>No data available.</i>                                    |
| <b>Boiling point/boiling range</b>            | <i>Not applicable.</i>                                       |
| <b>Flammability</b>                           | Not applicable.  |
| <b>Flammable Limits(LEL)</b>                  | <i>Not applicable.</i>                                       |
| <b>Flammable Limits(UEL)</b>                  | <i>Not applicable.</i>                                       |
| <b>Flash point</b>                            | $\geq 93.3\text{ }^{\circ}\text{C}$ [Test Method:Closed Cup] |
| <b>Autoignition temperature</b>               | <i>Not applicable.</i>                                       |
| <b>Decomposition temperature</b>              | <i>No data available.</i>                                    |
| <b>pH</b>                                     | <i>substance/mixture is non-soluble (in water)</i>           |
| <b>Kinematic Viscosity</b>                    | <i>No data available.</i>                                    |
| <b>Water solubility</b>                       | Nil  |
| <b>Solubility- non-water</b>                  | <i>No data available.</i>                                    |
| <b>Partition coefficient: n-octanol/water</b> | <i>No data available.</i>                                    |
| <b>Vapour pressure</b>                        | <i>Not applicable.</i>                                       |
| <b>Density</b>                                | 1.25 - 1.35 g/ml   |
| <b>Relative density</b>                       | 1.25 - 1.35 [Ref Std:WATER=1]                                |
| <b>Relative Vapour Density</b>                | <i>Not applicable.</i>                                       |
| <b>Particle Characteristics</b>               | <i>Not applicable.</i>                                       |

**9.2. Other information****9.2.2 Other safety characteristics****EU Volatile Organic Compounds**

*No data available.*

**Evaporation rate**

*No data available.*

**Percent volatile**

0 %

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

None known.

### 10.5 Incompatible materials

None known.

### 10.6 Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
|------------------|------------------|

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

### 11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

No known health effects.

#### Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

#### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

#### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

| Name | Route | Species | Value |
|------|-------|---------|-------|
|------|-------|---------|-------|

|   |                                |        |  |
|---|--------------------------------|--------|--|
| Overall product   | Ingestion                      |        | No data available; calculated ATE >5,000 mg/kg |
| Kaolin  | Dermal                         |        | LD50 estimated to be > 5,000 mg/kg             |
| Kaolin  | Ingestion                      | Human  | LD50 > 15,000 mg/kg                            |
| Carbon black  | Dermal                         | Rabbit | LD50 > 3,000 mg/kg                             |
| Carbon black  | Ingestion                      | Rat    | LD50 > 8,000 mg/kg                             |
| Isobutylene - isoprene polymer                            | Dermal                         |        | LD50 estimated to be > 5,000 mg/kg             |
| Isobutylene - isoprene polymer                            | Ingestion                      |        | LD50 estimated to be > 5,000 mg/kg             |
| Talc  | Dermal                         |        | LD50 estimated to be > 5,000 mg/kg             |
| Talc  | Ingestion                      |        | LD50 estimated to be > 5,000 mg/kg             |
| Distillates (petroleum), solvent-refined heavy paraffinic | Dermal                         | Rabbit | LD50 > 2,000 mg/kg                             |
| Distillates (petroleum), solvent-refined heavy paraffinic | Ingestion                      | Rat    | LD50 > 5,000                                   |
| Resin acids and rosin acids, esters with glycerol         | Dermal                         | Rabbit | LD50 > 5,000 mg/kg                             |
| Resin acids and rosin acids, esters with glycerol         | Ingestion                      | Rat    | LD50 > 2,000 mg/kg                             |
| Quartz  | Dermal                         |        | LD50 estimated to be > 5,000 mg/kg             |
| Quartz  | Ingestion                      |        | LD50 estimated to be > 5,000 mg/kg             |
| Titanium dioxide  | Dermal                         | Rabbit | LD50 > 10,000 mg/kg                            |
| Titanium dioxide  | Inhalation-Dust/Mist (4 hours) | Rat    | LC50 > 6.82 mg/l                               |
| Titanium dioxide  | Ingestion                      | Rat    | LD50 > 10,000 mg/kg                            |

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

| Name  | Species                | Value                     |
|---|------------------------|---------------------------|
| Kaolin  | Professional judgement | No significant irritation |
| Carbon black  | Rabbit                 | No significant irritation |
| Isobutylene - isoprene polymer                            | Rabbit                 | No significant irritation |
| Distillates (petroleum), solvent-refined heavy paraffinic | Rabbit                 | Minimal irritation        |
| Talc  | Rabbit                 | No significant irritation |
| Resin acids and rosin acids, esters with glycerol         | Rabbit                 | Minimal irritation        |
| Quartz  | Professional judgement | No significant irritation |
| Titanium dioxide  | Rabbit                 | No significant irritation |

#### Serious Eye Damage/Irritation

| Name  | Species                | Value                     |
|---|------------------------|---------------------------|
| Kaolin  | Professional judgement | No significant irritation |
| Carbon black  | Rabbit                 | No significant irritation |
| Isobutylene - isoprene polymer                            | Professional judgement | No significant irritation |
| Distillates (petroleum), solvent-refined heavy paraffinic | Rabbit                 | Mild irritant             |
| Talc  | Rabbit                 | No significant irritation |
| Resin acids and rosin acids, esters with glycerol         | Rabbit                 | Mild irritant             |
| Titanium dioxide  | Rabbit                 | No significant irritation |

#### Skin Sensitisation

| Name | Species | Value |
|------|---------|-------|
|      |         |       |

|   |                  |                |
|---|------------------|----------------|
| Distillates (petroleum), solvent-refined heavy paraffinic | Guinea pig       | Not classified |
| Resin acids and rosin acids, esters with glycerol         | Guinea pig       | Not classified |
| Titanium dioxide  | Human and animal | Not classified |

**Respiratory Sensitisation**

| Name | Species | Value          |
|------|---------|----------------|
| Talc | Human   | Not classified |

**Germ Cell Mutagenicity**

| Name  | Route    | Value  |
|---|----------|--|
| Carbon black  | In Vitro | Not mutagenic  |
| Carbon black  | In vivo  | Some positive data exist, but the data are not sufficient for classification |
| Distillates (petroleum), solvent-refined heavy paraffinic | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Talc  | In Vitro | Not mutagenic  |
| Talc  | In vivo  | Not mutagenic  |
| Resin acids and rosin acids, esters with glycerol         | In Vitro | Not mutagenic  |
| Quartz  | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Quartz  | In vivo  | Some positive data exist, but the data are not sufficient for classification |
| Titanium dioxide  | In Vitro | Not mutagenic  |
| Titanium dioxide  | In vivo  | Not mutagenic  |

**Carcinogenicity**

| Name  | Route      | Species                 | Value  |
|---|------------|-------------------------|--|
| Kaolin  | Inhalation | Multiple animal species | Not carcinogenic   |
| Carbon black  | Dermal     | Mouse                   | Not carcinogenic   |
| Carbon black  | Ingestion  | Mouse                   | Not carcinogenic   |
| Carbon black  | Inhalation | Rat                     | Carcinogenic.  |
| Distillates (petroleum), solvent-refined heavy paraffinic | Dermal     | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| Talc  | Inhalation | Rat                     | Some positive data exist, but the data are not sufficient for classification |
| Quartz  | Inhalation | Human and animal        | Carcinogenic.  |
| Titanium dioxide  | Ingestion  | Multiple animal species | Not carcinogenic   |
| Titanium dioxide  | Inhalation | Rat                     | Carcinogenic.  |

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

| Name | Route     | Value                          | Species | Test result       | Exposure Duration    |
|------|-----------|--------------------------------|---------|-------------------|----------------------|
| Talc | Ingestion | Not classified for development | Rat     | NOAEL 1,600 mg/kg | during organogenesis |

**Target Organ(s)**

**Specific Target Organ Toxicity - single exposure**

| Name  | Route      | Target Organ(s)                   | Value                             | Species                | Test result         | Exposure Duration |
|---|------------|-----------------------------------|-----------------------------------|------------------------|---------------------|-------------------|
| Distillates (petroleum), solvent-refined heavy paraffinic | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal       | NOAEL Not available |                   |
| Distillates (petroleum), solvent-refined heavy paraffinic | Ingestion  | central nervous system depression | May cause drowsiness or dizziness | Professional judgement | NOAEL Not available |                   |

**Specific Target Organ Toxicity - repeated exposure**

| Name  | Route      | Target Organ(s)   | Value   | Species | Test result           | Exposure Duration     |
|---|------------|---|---|---------|-----------------------|-----------------------|
| Kaolin  | Inhalation | pneumoconiosis  | Causes damage to organs through prolonged or repeated exposure                      | Human   | NOAEL NA              | occupational exposure |
| Kaolin  | Inhalation | pulmonary fibrosis  | Not classified  | Rat     | NOAEL Not available   |                       |
| Carbon black  | Inhalation | pneumoconiosis  | Not classified  | Human   | NOAEL Not available   | occupational exposure |
| Distillates (petroleum), solvent-refined heavy paraffinic | Inhalation | respiratory system  | Not classified  | Rat     | NOAEL 0.21 mg/l       | 28 days               |
| Talc  | Inhalation | pneumoconiosis  | Repeated and prolonged exposure to large amounts of talc dust can cause lung injury | Human   | NOAEL Not available   | occupational exposure |
| Talc  | Inhalation | pulmonary fibrosis   respiratory system   | Not classified  | Rat     | NOAEL 18 mg/m³        | 113 weeks             |
| Resin acids and rosin acids, esters with glycerol         | Ingestion  | liver   heart   skin   endocrine system   bone, teeth, nails, and/or hair   blood   bone marrow   hematopoietic system   immune system   muscles   nervous system   eyes   kidney and/or bladder   respiratory system | Not classified  | Rat     | NOAEL 5,000 mg/kg/day | 90 days               |
| Quartz  | Inhalation | silicosis   | Causes damage to organs through prolonged or repeated exposure                      | Human   | NOAEL Not available   | occupational exposure |
| Titanium dioxide  | Inhalation | respiratory system  | Some positive data exist, but the data are not sufficient for classification        | Rat     | LOAEL 0.01 mg/l       | 2 years               |
| Titanium dioxide  | Inhalation | pulmonary fibrosis  | Not classified  | Human   | NOAEL Not available   | occupational exposure |

**Aspiration Hazard**

| Name  | Value             |
|---|-------------------|
| Distillates (petroleum), solvent-refined heavy paraffinic | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**11.2. Information on other hazards**

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

**SECTION 12: Ecological information**

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and

**data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.**

## 12.1. Toxicity

No product test data available.

| Material  | CAS #      | Organism         | Type  | Exposure | Test endpoint                  | Test result |
|---|------------|------------------|---|----------|--------------------------------|-------------|
| Butene, polymer with 2-methyl-1-propene                   | 9044-17-1  | N/A              | Data not available or insufficient for classification | N/A      | N/A                            | N/A         |
| Carbon black  | 1333-86-4  | Green algae      | Experimental  | 72 hours | No tox obs at lmt of water sol | >100 mg/l   |
| Carbon black  | 1333-86-4  | Zebra Fish       | Experimental  | 96 hours | No tox obs at lmt of water sol | >100 mg/l   |
| Carbon black  | 1333-86-4  | Green algae      | Experimental  | 72 hours | No tox obs at lmt of water sol | 100 mg/l    |
| Carbon black  | 1333-86-4  | Activated sludge | Experimental  | 3 hours  | NOEC                           | >800 mg/l   |
| Kaolin  | 1332-58-7  | Water flea       | Experimental  | 48 hours | LC50                           | >1,100 mg/l |
| Isobutylene - isoprene polymer                            | 9010-85-9  | N/A              | Data not available or insufficient for classification | N/A      | N/A                            | N/A         |
| Resin acids and rosin acids, esters with glycerol         | 8050-31-5  | Green algae      | Estimated   | 72 hours | No tox obs at lmt of water sol | >100 mg/l   |
| Resin acids and rosin acids, esters with glycerol         | 8050-31-5  | Rainbow trout    | Estimated   | 96 hours | No tox obs at lmt of water sol | >100 mg/l   |
| Resin acids and rosin acids, esters with glycerol         | 8050-31-5  | Water flea       | Experimental  | 48 hours | No tox obs at lmt of water sol | >100 mg/l   |
| Resin acids and rosin acids, esters with glycerol         | 8050-31-5  | Green algae      | Estimated   | 72 hours | No tox obs at lmt of water sol | >100 mg/l   |
| Distillates (petroleum), solvent-refined heavy paraffinic | 64741-88-4 | Fathead minnow   | Analogous Compound                                    | 96 hours | LL50                           | >100 mg/l   |
| Distillates (petroleum), solvent-refined heavy paraffinic | 64741-88-4 | Water flea       | Analogous Compound                                    | 48 hours | EC50                           | >100 mg/l   |
| Distillates (petroleum), solvent-refined heavy paraffinic | 64741-88-4 | Green algae      | Experimental  | 96 hours | EL50                           | >100 mg/l   |
| Distillates (petroleum), solvent-refined heavy paraffinic | 64741-88-4 | Green algae      | Experimental  | 96 hours | NOEL                           | 100 mg/l    |
| Distillates (petroleum), solvent-refined heavy paraffinic | 64741-88-4 | Water flea       | Experimental  | 21 days  | NOEL                           | 100 mg/l    |
| Talc  | 14807-96-6 | N/A              | Data not available or insufficient for classification | N/A      | N/A                            | N/A         |
| Quartz  | 14808-60-7 | Green algae      | Estimated   | 72 hours | EC50                           | 440 mg/l    |
| Quartz  | 14808-60-7 | Water flea       | Estimated   | 48 hours | EC50                           | 7,600 mg/l  |
| Quartz  | 14808-60-7 | Zebra Fish       | Estimated   | 96 hours | LC50                           | 5,000 mg/l  |
| Quartz  | 14808-60-7 | Green algae      | Estimated   | 72 hours | NOEC                           | 60 mg/l     |

|                  |            |                  |              |          |      |              |
|------------------|------------|------------------|--------------|----------|------|--------------|
| Titanium dioxide | 13463-67-7 | Activated sludge | Experimental | 3 hours  | NOEC | >=1,000 mg/l |
| Titanium dioxide | 13463-67-7 | Diatom           | Experimental | 72 hours | EC50 | >10,000 mg/l |
| Titanium dioxide | 13463-67-7 | Fathead minnow   | Experimental | 96 hours | LC50 | >100 mg/l    |
| Titanium dioxide | 13463-67-7 | Water flea       | Experimental | 48 hours | EC50 | >100 mg/l    |
| Titanium dioxide | 13463-67-7 | Diatom           | Experimental | 72 hours | NOEC | 5,600 mg/l   |

## 12.2. Persistence and degradability

| Material  | CAS Nbr    | Test type                     | Duration | Study Type    | Test result                       | Protocol                          |
|---|------------|-------------------------------|----------|---------------|-----------------------------------|-----------------------------------|
| Butene, polymer with 2-methyl-1-propene                   | 9044-17-1  | Data not availbl-insufficient | N/A      | N/A           | N/A                               | N/A                               |
| Carbon black  | 1333-86-4  | Data not availbl-insufficient | N/A      | N/A           | N/A                               | N/A                               |
| Kaolin  | 1332-58-7  | Data not availbl-insufficient | N/A      | N/A           | N/A                               | N/A                               |
| Isobutylene - isoprene polymer                            | 9010-85-9  | Data not availbl-insufficient | N/A      | N/A           | N/A                               | N/A                               |
| Resin acids and rosin acids, esters with glycerol         | 8050-31-5  | Experimental Biodegradation   | 28 days  | CO2 evolution | 0 %CO2 evolution/THCO2 evolution  | OECD 301B - Modified sturm or CO2 |
| Distillates (petroleum), solvent-refined heavy paraffinic | 64741-88-4 | Experimental Biodegradation   | 28 days  | CO2 evolution | 22 %CO2 evolution/THCO2 evolution | OECD 301B - Modified sturm or CO2 |
| Talc  | 14807-96-6 | Data not availbl-insufficient | N/A      | N/A           | N/A                               | N/A                               |
| Quartz  | 14808-60-7 | Data not availbl-insufficient | N/A      | N/A           | N/A                               | N/A                               |
| Titanium dioxide  | 13463-67-7 | Data not availbl-insufficient | N/A      | N/A           | N/A                               | N/A                               |

## 12.3 : Bioaccumulative potential

| Material  | Cas No.    | Test type   | Duration | Study Type             | Test result | Protocol   |
|---|------------|---|----------|------------------------|-------------|------------|
| Butene, polymer with 2-methyl-1-propene                   | 9044-17-1  | Data not available or insufficient for classification | N/A      | N/A                    | N/A         | N/A        |
| Carbon black  | 1333-86-4  | Data not available or insufficient for classification | N/A      | N/A                    | N/A         | N/A        |
| Kaolin  | 1332-58-7  | Data not available or insufficient for classification | N/A      | N/A                    | N/A         | N/A        |
| Isobutylene - isoprene polymer                            | 9010-85-9  | Data not available or insufficient for classification | N/A      | N/A                    | N/A         | N/A        |
| Resin acids and rosin acids, esters with glycerol         | 8050-31-5  | Data not available or insufficient for classification | N/A      | N/A                    | N/A         | N/A        |
| Distillates (petroleum), solvent-refined heavy paraffinic | 64741-88-4 | Modeled Bioconcentration                              |          | Bioaccumulation factor | 7.5         | Catalogic™ |
| Talc  | 14807-96-6 | Data not available or insufficient for classification | N/A      | N/A                    | N/A         | N/A        |
| Quartz  | 14808-60-7 | Data not available or insufficient for classification | N/A      | N/A                    | N/A         | N/A        |

|                  |            |                            |         |                           |     |  |
|------------------|------------|----------------------------|---------|---------------------------|-----|--|
| Titanium dioxide | 13463-67-7 | Experimental BCF<br>- Fish | 42 days | Bioaccumulation<br>factor | 9.6 |  |
|------------------|------------|----------------------------|---------|---------------------------|-----|--|

#### 12.4. Mobility in soil

| Material  | Cas No.   | Test type                  | Study Type | Test result | Protocol  |
|---|-----------|----------------------------|------------|-------------|-----------|
| Resin acids and rosin acids, esters with glycerol | 8050-31-5 | Estimated Mobility in Soil | Koc        | >1000 l/kg  | Episuite™ |

#### 12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

#### 12.6. Other adverse effects

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. If no other disposal options are available, waste product may be placed in a landfill properly designed for industrial waste.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

#### EU waste code (product as sold)

|          |  |
|----------|--|
| 08 04 10 | Waste adhesives and sealants other than those mentioned in 08 04 09      |
| 20 01 28 | Paint, inks, adhesives and resins other than those mentioned in 20 01 27 |

### SECTION 14: Transportation information

Not hazardous for transportation.

|  | Ground Transport (ADR) | Air Transport (IATA) | Marine Transport (IMDG) |
|--|------------------------|----------------------|-------------------------|
| <b>14.1 UN number</b>                  | No data available.     | No data available.   | No data available.      |
| <b>14.2 UN proper shipping name</b>    | No data available.     | No data available.   | No data available.      |
| <b>14.3 Transport hazard class(es)</b> | No data available.     | No data available.   | No data available.      |
| <b>14.4 Packing group</b>              | No data available.     | No data available.   | No data available.      |
| <b>14.5 Environmental hazards</b>      | No data available.     | No data available.   | No data available.      |

|  |  |  |  |
|--|--|--|--|
| <b>14.6 Special precautions for user</b>   | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
| <b>14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code</b> | No data available.   | No data available.   | No data available.   |
| <b>Control Temperature</b>   | No data available.   | No data available.   | No data available.   |
| <b>Emergency Temperature</b>   | No data available.   | No data available.   | No data available.   |
| <b>ADR Classification Code</b>   | No data available.   | No data available.   | No data available.   |
| <b>IMDG Segregation Code</b>   | No data available.   | No data available.   | No data available.   |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| <u>Carcinogenicity</u><br><u>Ingredient</u> | <u>CAS Nbr</u> | <u>Classification</u>          | <u>Regulation</u>                           |
|---|----------------|--------------------------------|---|
| Carbon black                                | 1333-86-4      | Grp. 2B: Possible human carc.  | International Agency for Research on Cancer |
| Quartz                                      | 14808-60-7     | Grp. 1: Carcinogenic to humans | International Agency for Research on Cancer |
| Talc  | 14807-96-6     | Grp. 2A: Probable human carc.  | International Agency for Research on Cancer |
| Titanium dioxide                            | 13463-67-7     | Grp. 2B: Possible human carc.  | International Agency for Research on Cancer |

### Global inventory status

Contact 3M for more information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA.

### COMAH Regulation, SI 2015/483

Seveso hazard categories, Annex 1, Part 1  
None

Seveso named dangerous substances, Annex 1, Part 2  
None

### Regulation (EU) No 649/2012, as amended for GB

No chemicals listed

## 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

## SECTION 16: Other information

### List of relevant H statements

|        |   |
|--------|---|
| EUH066 | Repeated exposure may cause skin dryness or cracking.           |
| H304   | May be fatal if swallowed and enters airways.                   |
| H351i  | Suspected of causing cancer by inhalation.                      |
| H372   | Causes damage to organs through prolonged or repeated exposure. |

### Revision information:

GB Section 15: Carcinogenicity information information was modified.  
Section 1: E-mail address information was modified.  
Section 1: Product identification numbers information was modified.  
Section 01: SAP Material Numbers information was modified.  
Section 3: Composition/ Information of ingredients table information was modified.  
Section 12: Component ecotoxicity information information was modified.  
Section 12: Persistence and Degradability information information was modified.  
Section 12: Biocumulative potential information information was modified.

**DISCLAIMER:** The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer or record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

**3M SDSs for Great Britain are available at [www.3M.com/uk](http://www.3M.com/uk)**

For Northern Ireland documents, please contact your 3M representative to obtain a copy.