



## Safety Data Sheet

Copyright, 2026, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |            |                         |            |
|------------------------|------------|-------------------------|------------|
| <b>Document Group:</b> | 09-2119-7  | <b>Version Number:</b>  | 9.00       |
| <b>Issue Date:</b>     | 14/04/2026 | <b>Supersedes Date:</b> | 24/05/2023 |

This Safety Data Sheet has been prepared in accordance with the Malaysia Occupational Safety and Health (Chemical Classification, Labelling and Safety Data Sheets) Regulations 2013.

### SECTION 1: Identification

#### 1.1. Product identifier

3M™ Scotch-Weld™ Epoxy Adhesive DP-460 EG (Part A)

#### Product Identification Numbers

62-2887-8530-6      62-2887-9935-6      XA-0041-2213-2      XA-0041-3960-7      XA-0041-3984-7

XA-0067-9724-6

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Adhesive, Part A of 2 part adhesive

#### 1.3. Supplier's details

**ADDRESS:** 3M Malaysia Sdn. Bhd., Level 8, Block F, Oasis Square, No.2, Jalan PJU 1A/7A, Ara Damansara 47301  
Petaling, Jaya, Selangor  
**Telephone:** 03-7884 2888  
**E Mail:** 3mmyehsr@mmm.com  
**Website:** www.3M.com.my

#### 1.4. Emergency telephone number

+60 03-7884 2888

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

Skin Corrosion/Irritation: Category 1.

Serious Eye Damage/Irritation: Category 1.

Skin Sensitizer: Category 1.

#### 2.2. Label elements

**Signal word**

Danger

**Symbols**

Corrosion | Exclamation mark |

**Pictograms**



**Hazard Statements:**

H314 Causes severe skin burns and eye damage.  
 H317 May cause an allergic skin reaction.

**Precautionary statements**

**Prevention:**

P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
 P280 Wear protective gloves, protective clothing, eye protection, and face protection.

**Response:**

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER or doctor.  
 P333 + P313 If skin irritation or rash occurs: Get medical attention.

**2.3. Other hazards**

May cause chemical gastrointestinal burns., Persons previously sensitized to amines may develop a cross-sensitization reaction to certain other amines.

**SECTION 3: Composition/information on ingredients**

This material is a mixture.

| Ingredient                                    | C.A.S. No.   | % by Wt |
|---|--------------|---------|
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | 4246-51-9    | 40 - 70 |
| Adduct  | Trade Secret | 15 - 40 |
| amorphous silica                              | 92797-60-9   | 3 - 7   |
| Tris(2,4,6-dimethylaminomonomethyl)phenol     | 90-72-2      | 1 - 5   |

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**Inhalation:**

Remove person to fresh air. If you feel unwell, get medical attention.

**Skin Contact:**

Immediately flush with large amounts of water for at least 15 minutes. Remove contaminated clothing. Get immediate medical attention. Wash clothing before reuse.

**Eye Contact:**

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

**If Swallowed:**

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

Skin burns (localized redness, swelling, itching, intense pain, blistering, and tissue destruction). Allergic skin reaction (redness, swelling, blistering, and itching). Serious damage to the eyes (corneal cloudiness, severe pain, tearing, ulcerations, and significantly impaired or loss of vision).

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

**SECTION 5: Fire-fighting measures**

**5.1. Suitable extinguishing media**

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

**5.2. Special hazards arising from the substance or mixture**

None inherent in this product.

**Hazardous Decomposition or By-Products**

**Substance**

Aldehydes  
Carbon monoxide  
Carbon dioxide  
Hydrogen Chloride  
Irritant Vapors or Gases

**Condition**

During Combustion  
During Combustion  
During Combustion  
During Combustion  
During Combustion

**5.3. Special protective actions for fire-fighters**

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

**6.2. Environmental precautions**

Avoid release to the environment.

**6.3. Methods and material for containment and cleaning up**

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible.

Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

Avoid breathing of vapors created during cure cycle. For industrial/occupational use only. Not for consumer sale or use. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

### **7.2. Conditions for safe storage including any incompatibilities**

Store away from acids. Store away from oxidizing agents.

## **SECTION 8: Exposure controls/personal protection**

### **8.1. Control parameters**

#### **Occupational exposure limits**

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

### **8.2. Exposure controls**

#### **8.2.1. Engineering controls**

Provide ventilated enclosure for curing. Curing enclosures must be exhausted to outdoors or to a suitable emission control device. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

#### **8.2.2. Personal protective equipment (PPE)**

##### **Eye/face protection**

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full Face Shield

Indirect Vented Goggles

##### **Skin/hand protection**

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

For prolonged or repeated contact, gloves made from the following material(s) are recommended (breakthrough times are >4 hours): Butyl Rubber, Neoprene, Nitrile Rubber

Any glove recommended for prolonged/repeated contact is also suitable for short-term/splash contact.

If this product is used in a manner that presents a higher potential for exposure (e.g., spraying, high splash potential, etc.), then use of a protective apron may be necessary. See recommended glove material(s) for determining appropriate apron

material(s). If a glove material is not available as an apron, polymer laminate is a suitable option.

### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

Half facepiece or full facepiece supplied-air respirator

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |  |
|---|--|
| Physical state                                    | Liquid   |
| Specific Physical Form:                           | Viscous  |
| Color   | Amber  |
| Odor  | Very Mild Amine                                  |
| Odor threshold                                    | No Data Available                                |
| pH  | Not Applicable                                   |
| Melting point/Freezing point                      | Not Applicable                                   |
| Boiling point/Initial boiling point/Boiling range | No Data Available                                |
| Flash Point                                       | >=250 °C [Test Method:Open Cup]                  |
| Evaporation rate                                  | Not Applicable                                   |
| Flammability                                      | Not Applicable                                   |
| Flammable Limits(LEL)                             | No Data Available                                |
| Flammable Limits(UEL)                             | No Data Available                                |
| Vapor Pressure                                    | <=0.003 mmHg [@ 20 °C]                           |
| Relative Vapor Density                            | No Data Available                                |
| Density   | 1.06 g/ml  |
| Relative Density                                  | 1.06 [Ref Std:WATER=1]                           |
| Water solubility                                  | Negligible                                       |
| Solubility- non-water                             | No Data Available                                |
| Partition coefficient: n-octanol/ water           | No Data Available                                |
| Autoignition temperature                          | No Data Available                                |
| Decomposition temperature                         | No Data Available                                |
| Kinematic Viscosity                               | 9,906 mm <sup>2</sup> /sec                       |
| Volatile Organic Compounds                        | 10.6 g/l [Test Method:tested per EPA method 24A] |
| Percent volatile                                  | 0 % weight                                       |
| VOC Less H <sub>2</sub> O & Exempt Solvents       | 10.6 g/l [Test Method:tested per EPA method 24A] |
| Molecular weight                                  | No Data Available                                |

|                          |                |
|--------------------------|----------------|
| Particle Characteristics | Not Applicable |
|--------------------------|----------------|

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Heat is generated during cure. Do not cure a mass larger than 50 grams in a confined space to prevent a premature exothermic reaction with production of intense heat and smoke.

### 10.5. Incompatible materials

Strong acids

Strong oxidizing agents

### 10.6. Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known.      |                  |

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin Contact:

May be harmful in contact with skin.

Corrosive (Skin Burns): Signs/symptoms may include localized redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.

Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eye Contact:

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

#### Ingestion:

May be harmful if swallowed.

Gastrointestinal Corrosion: Signs/symptoms may include severe mouth, throat and abdominal pain; nausea; vomiting; and diarrhea; blood in the feces and/or vomitus may also be seen.

#### Additional Information:

Persons previously sensitized to amines may develop a cross-sensitization reaction to certain other amines.

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

| Name  | Route     | Species | Value   |
|---|-----------|---------|---|
| Overall product                               | Dermal    |         | No data available; calculated ATE >2,000 - =5,000 mg/kg |
| Overall product                               | Ingestion |         | No data available; calculated ATE >2,000 - =5,000 mg/kg |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Dermal    | Rabbit  | LD50 2,525 mg/kg  |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Ingestion | Rat     | LD50 2,850 mg/kg  |
| amorphous silica                              | Dermal    |         | LD50 estimated to be > 5,000 mg/kg                      |
| amorphous silica                              | Ingestion | Rat     | LD50 > 5,340 mg/kg                                      |
| Tris(2,4,6-dimethylaminomonomethyl)phenol     | Dermal    | Rat     | LD50 1,280 mg/kg  |
| Tris(2,4,6-dimethylaminomonomethyl)phenol     | Ingestion | Rat     | LD50 1,000 mg/kg  |

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

| Name  | Species | Value     |
|---|---------|-----------|
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Rabbit  | Corrosive |
| Tris(2,4,6-dimethylaminomonomethyl)phenol     | Rabbit  | Corrosive |

**Serious Eye Damage/Irritation**

| Name  | Species | Value     |
|---|---------|-----------|
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Rabbit  | Corrosive |
| Tris(2,4,6-dimethylaminomonomethyl)phenol     | Rabbit  | Corrosive |

**Sensitization:****Skin Sensitization**

| Name  | Species                | Value          |
|---|------------------------|----------------|
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Professional judgement | Sensitizing    |
| Tris(2,4,6-dimethylaminomonomethyl)phenol     | Guinea pig             | Not classified |

**Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity**

| Name  | Route    | Value         |
|---|----------|---------------|
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | In Vitro | Not mutagenic |
| Tris(2,4,6-dimethylaminomonomethyl)phenol     | In Vitro | Not mutagenic |

**Carcinogenicity**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

| Name | Route | Value | Species | Test Result | Exposure |
|------|-------|-------|---------|-------------|----------|
|------|-------|-------|---------|-------------|----------|

**3M™ Scotch-Weld™ Epoxy Adhesive DP-460 EG (Part A)**

|   |           |  |        |                     | <b>Duration</b>          |
|---|-----------|--|--------|---------------------|--------------------------|
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Ingestion | Not classified for female reproduction | Rat    | NOAEL 600 mg/kg/day | premating into lactation |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Ingestion | Not classified for male reproduction   | Rat    | NOAEL 600 mg/kg/day | 59 days                  |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Ingestion | Not classified for development         | Rat    | NOAEL 600 mg/kg/day | premating into lactation |
| Tris(2,4,6-dimethylaminomonomethyl)phenol     | Ingestion | Not classified for male reproduction   | Rat    | NOAEL 150 mg/kg/day | 2 generation             |
| Tris(2,4,6-dimethylaminomonomethyl)phenol     | Ingestion | Not classified for female reproduction | Rat    | NOAEL 50 mg/kg/day  | 2 generation             |
| Tris(2,4,6-dimethylaminomonomethyl)phenol     | Ingestion | Not classified for development         | Rabbit | NOAEL 15 mg/kg/day  | during gestation         |

**Target Organ(s)**
**Specific Target Organ Toxicity - single exposure**

| Name  | Route      | Target Organ(s)        | Value  | Species                | Test Result         | Exposure Duration |
|---|------------|------------------------|--|------------------------|---------------------|-------------------|
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available |                   |
| Tris(2,4,6-dimethylaminomonomethyl)phenol     | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available |                   |

**Specific Target Organ Toxicity - repeated exposure**

| Name  | Route     | Target Organ(s)                 | Value          | Species | Test Result         | Exposure Duration |
|---|-----------|---------------------------------|----------------|---------|---------------------|-------------------|
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Ingestion | gastrointestinal tract          | Not classified | Rat     | NOAEL 600 mg/kg/day | 59 days           |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Ingestion | heart                           | Not classified | Rat     | NOAEL 600 mg/kg/day | 59 days           |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Ingestion | endocrine system                | Not classified | Rat     | NOAEL 600 mg/kg/day | 59 days           |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Ingestion | bone, teeth, nails, and/or hair | Not classified | Rat     | NOAEL 600 mg/kg/day | 59 days           |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Ingestion | hematopoietic system            | Not classified | Rat     | NOAEL 600 mg/kg/day | 59 days           |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Ingestion | liver                           | Not classified | Rat     | NOAEL 600 mg/kg/day | 59 days           |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Ingestion | immune system                   | Not classified | Rat     | NOAEL 600 mg/kg/day | 59 days           |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Ingestion | muscles                         | Not classified | Rat     | NOAEL 600 mg/kg/day | 59 days           |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Ingestion | nervous system                  | Not classified | Rat     | NOAEL 600 mg/kg/day | 59 days           |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Ingestion | eyes                            | Not classified | Rat     | NOAEL 600 mg/kg/day | 59 days           |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Ingestion | kidney and/or bladder           | Not classified | Rat     | NOAEL 600 mg/kg/day | 59 days           |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | Ingestion | respiratory system              | Not classified | Rat     | NOAEL 600 mg/kg/day | 59 days           |
| BIS(3-AMINOPROPYL)                            | Ingestion | vascular system                 | Not classified | Rat     | NOAEL 600           | 59 days           |

**3M™ Scotch-Weld™ Epoxy Adhesive DP-460 EG (Part A)**

| ETHER OF DIETHYLENE GLYCOL                |           |                                 |                |     | mg/kg/day           |         |
|---|-----------|---------------------------------|----------------|-----|---------------------|---------|
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Dermal    | skin                            | Not classified | Rat | NOAEL 25 mg/kg/day  | 4 weeks |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Dermal    | liver                           | Not classified | Rat | NOAEL 125 mg/kg/day | 4 weeks |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Dermal    | nervous system                  | Not classified | Rat | NOAEL 125 mg/kg/day | 4 weeks |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Dermal    | auditory system                 | Not classified | Rat | NOAEL 125 mg/kg/day | 4 weeks |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Dermal    | hematopoietic system            | Not classified | Rat | NOAEL 125 mg/kg/day | 4 weeks |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Dermal    | eyes                            | Not classified | Rat | NOAEL 125 mg/kg/day | 4 weeks |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Ingestion | heart                           | Not classified | Rat | NOAEL 150 mg/kg/day | 90 days |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Ingestion | endocrine system                | Not classified | Rat | NOAEL 150 mg/kg/day | 90 days |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Ingestion | hematopoietic system            | Not classified | Rat | NOAEL 150 mg/kg/day | 90 days |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Ingestion | liver                           | Not classified | Rat | NOAEL 150 mg/kg/day | 90 days |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Ingestion | muscles                         | Not classified | Rat | NOAEL 150 mg/kg/day | 90 days |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Ingestion | nervous system                  | Not classified | Rat | NOAEL 150 mg/kg/day | 90 days |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Ingestion | kidney and/or bladder           | Not classified | Rat | NOAEL 150 mg/kg/day | 90 days |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Ingestion | respiratory system              | Not classified | Rat | NOAEL 150 mg/kg/day | 90 days |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Ingestion | vascular system                 | Not classified | Rat | NOAEL 150 mg/kg/day | 90 days |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Ingestion | auditory system                 | Not classified | Rat | NOAEL 150 mg/kg/day | 90 days |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Ingestion | skin                            | Not classified | Rat | NOAEL 150 mg/kg/day | 90 days |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Ingestion | gastrointestinal tract          | Not classified | Rat | NOAEL 150 mg/kg/day | 90 days |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Ingestion | bone, teeth, nails, and/or hair | Not classified | Rat | NOAEL 150 mg/kg/day | 90 days |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Ingestion | immune system                   | Not classified | Rat | NOAEL 150 mg/kg/day | 90 days |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | Ingestion | eyes                            | Not classified | Rat | NOAEL 150 mg/kg/day | 90 days |

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

## SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labeling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

### 12.1. Toxicity

#### Acute aquatic hazard:

Not acutely toxic to aquatic life by GHS criteria.

#### Chronic aquatic hazard:

Not chronically toxic to aquatic life by GHS criteria.

No product test data available

| Material                                      | Cas #        | Organism                      | Type  | Exposure | Test Endpoint | Test Result   |
|---|--------------|-------------------------------|---|----------|---------------|---------------|
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | 4246-51-9    | Bacteria                      | Experimental  | 17 hours | EC50          | 4,000 mg/l    |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | 4246-51-9    | Golden Orfe                   | Experimental  | 96 hours | LC50          | >1,000 mg/l   |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | 4246-51-9    | Green algae                   | Experimental  | 72 hours | EC50          | >500 mg/l     |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | 4246-51-9    | Water flea                    | Experimental  | 48 hours | EC50          | 218.16 mg/l   |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | 4246-51-9    | Green algae                   | Experimental  | 72 hours | EC10          | 5.4 mg/l      |
| Adduct  | Trade Secret | N/A                           | Data not available or insufficient for classification | N/A      | N/A           | N/A           |
| amorphous silica                              | 92797-60-9   | Algae or other aquatic plants | Experimental  | 72 hours | EC50          | >=10,000 mg/l |
| amorphous silica                              | 92797-60-9   | Water flea                    | Experimental  | 24 hours | EL50          | >10,000 mg/l  |
| amorphous silica                              | 92797-60-9   | Zebra Fish                    | Experimental  | 96 hours | LC50          | >10,000 mg/l  |
| Tris(2,4,6-dimethylaminomethyl)phenol         | 90-72-2      | N/A                           | Experimental  | 96 hours | LC50          | 718 mg/l      |
| Tris(2,4,6-dimethylaminomethyl)phenol         | 90-72-2      | Common Carp                   | Experimental  | 96 hours | LC50          | >100 mg/l     |

**3M™ Scotch-Weld™ Epoxy Adhesive DP-460 EG (Part A)**

|   |         |             |              |          |      |           |
|---|---------|-------------|--------------|----------|------|-----------|
| Tris(2,4,6-dimethylaminomonomethyl)phenol | 90-72-2 | Green algae | Experimental | 72 hours | EC50 | 46.7 mg/l |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | 90-72-2 | Water flea  | Experimental | 48 hours | EC50 | >100 mg/l |
| Tris(2,4,6-dimethylaminomonomethyl)phenol | 90-72-2 | Green algae | Experimental | 72 hours | NOEC | 6.44 mg/l |

**12.2. Persistence and degradability**

| Material                                      | CAS No.      | Test Type                       | Duration | Study Type                    | Test Result                       | Protocol                       |
|---|--------------|---------------------------------|----------|-------------------------------|-----------------------------------|--------------------------------|
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | 4246-51-9    | Experimental Biodegradation     | 25 days  | Carbon dioxide evolution      | -8 %CO2 evolution/THCO2 evolution | OECD 301B - Mod. Sturm or CO2  |
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | 4246-51-9    | Estimated Photolysis            |          | Photolytic half-life (in air) | 2.96 hours (t 1/2)                |                                |
| Adduct  | Trade Secret | Data not available/insufficient | N/A      | N/A                           | N/A                               | N/A                            |
| amorphous silica                              | 92797-60-9   | Data not available/insufficient | N/A      | N/A                           | N/A                               | N/A                            |
| Tris(2,4,6-dimethylaminomonomethyl)phenol     | 90-72-2      | Experimental Biodegradation     | 28 days  | Biological Oxygen Demand      | 4 %BOD/ThOD                       | OECD 301D - Closed Bottle Test |

**12.3. Bioaccumulative potential**

| Material                                      | CAS No.      | Test Type   | Duration | Study Type                     | Test Result | Protocol                       |
|---|--------------|---|----------|--------------------------------|-------------|--------------------------------|
| BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL | 4246-51-9    | Experimental Bioconcentration                         |          | Log of Octanol/H2O part. coeff | -1.25       |                                |
| Adduct  | Trade Secret | Data not available or insufficient for classification | N/A      | N/A                            | N/A         | N/A                            |
| amorphous silica                              | 92797-60-9   | Data not available or insufficient for classification | N/A      | N/A                            | N/A         | N/A                            |
| Tris(2,4,6-dimethylaminomonomethyl)phenol     | 90-72-2      | Experimental Bioconcentration                         |          | Log of Octanol/H2O part. coeff | -0.66       | 830.7550 Part.Coef Shake Flask |

**12.4. Mobility in soil**

Please contact manufacturer for more details

**12.5 Other adverse effects**

No information available

**SECTION 13: Disposal considerations****13.1. Disposal methods**

According to the Environmental Quality (Scheduled Wastes) Regulations 2005, scheduled waste has to be sent to a prescribed premise for recycling, treatment or disposal. Please approach Kualiti Alam for proper schedule waste classification and disposal.

## SECTION 14: Transport Information

### Marine Transport (IMDG)

**UN Number:**UN2735

**Proper Shipping Name:**AMINES, LIQUID, CORROSIVE, N.O.S.

**Technical Name:**None assigned.

**Hazard Class/Division:**8

**Subsidiary Risk:**None assigned.

**Packing Group:**II

**Limited Quantity:**None assigned.

**Marine Pollutant:** None assigned.

**Marine Pollutant Technical Name:** None assigned.

**Other Dangerous Goods Descriptions:**

None assigned.

### Air Transport (IATA)

**UN Number:**UN2735

**Proper Shipping Name:**AMINES, LIQUID, CORROSIVE, N.O.S.

**Technical Name:**None assigned.

**Hazard Class/Division:**8

**Subsidiary Risk:**None assigned.

**Packing Group:**II

**Limited Quantity:**None assigned.

**Marine Pollutant:** None assigned.

**Marine Pollutant Technical Name:** None assigned.

**Other Dangerous Goods Descriptions:**

None assigned.

Transportation classifications are provided as a customer service. As for shipping, YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. 3M's transportation classifications are based on product formulation, packaging, 3M policies and 3M's understanding of applicable current regulations. 3M does not guarantee the accuracy of this classification information. This information applies only to transportation classification and not the packaging, labeling or marking requirements. The above information is only for reference. If you are shipping by air or ocean, YOU are advised to check & meet applicable regulatory requirements.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical

Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

## **SECTION 16: Other information**

DISCLAIMER: The information in this Safety Data Sheet (SDS) is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this SDS or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own evaluation to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into Malaysia, you are responsible for all applicable regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration/notification.

**3M Malaysia SDSs are available at [www.3M.com.my](http://www.3M.com.my)**