

## Safety Data Sheet

Copyright, 2025, Solventum India Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Solventum products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Solventum, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 08-7419-8 **Version number:** 1.01

**Issue Date:** 29/08/2025 **Supersedes date:** 22/06/2021

This Safety Data Sheet has been prepared in accordance with the GHS guidelines & India Hazardous substances (Classification, Labeling & Packaging) Draft Rules 2011.

### **SECTION 1: Identification**

#### 1.1. Product identifier

Filtek™ P60 Posterior Restorative Paste

#### **Product Identification Numbers**

IE-4501-3609-8 IE-4501-3610-6

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Dental Product, Restorative

#### Restrictions on use

For use by dental professionals only.

### 1.3. Supplier's details

Address: KCI Medical India Private Limited, S - 327, Greater Kailash - II, New Delhi, Delhi, 110048, India

**Telephone:** 1-855-423-6725

E Mail: psops\_supportteam@solventum.com

Website: , Solventum India Company. All rights reserved. Copying and/or downloading of this information for

the purpose of properly utilizing Solventum products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Solventum, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit

thereon.

### 1.4. Emergency telephone number

CHEMTREC 1-800-424-9300 OR 1-703-527-3887, Contract number# 1015211

### **SECTION 2: Hazard identification**

Under MSIHC Rules, information is noted below on flammability, acute toxicity and explosivity relevant to this product. In line with international standards, information on other hazard classes and associated precautionary statements relevant to this product are included as well.

#### 2.1. Classification of the substance or mixture

Acute Toxicity (oral): Category 5. Skin Sensitizer: Category 1B.

Reproductive Toxicity: Category 1B.

### 2.2. Label elements

### Signal Word

Danger

### **Symbols**

Exclamation mark | Health Hazard |

### **Pictograms**





### **HAZARD STATEMENTS:**

H303 May be harmful if swallowed.
H317 May cause an allergic skin reaction.
H360 May damage fertility or the unborn child.

### PRECAUTIONARY STATEMENTS

**Prevention:** 

P201 Obtain special instructions before use.

P280E Wear protective gloves.

**Response:** 

P308 + P313 IF exposed or concerned: Get medical advice/attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

### 2.3. Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

This material is a mixture.

Ingredient	CAS Nbr	% by Wt
Silane treated silica	444758-98-9	75 - 85
(1-methylethylidene)bis[4,1-	1565-94-2	1 - 10
phenyleneoxy(2-hydroxy-3,1-propanediyl)]		
bismethacrylate		
Bisphenol A polyethylene glycol diether	41637-38-1	1 - 10
dimethacrylate (polymer)		
Diurethane Dimethacrylate (UDMA)	Trade Secret	1 - 10
Triethylene Glycol Dimethacrylate	109-16-0	< 3
(TEGDMA)		
Aluminium oxide	1344-28-1	<= 1
N,N-Dimethylbenzocaine (EDMAB)	10287-53-3	<= 0.3

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### Filtek™ P60 Posterior Restorative Paste

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Allergic skin reaction (redness, swelling, blistering, and itching).

#### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### **Hazardous Decomposition or By-Products**

Substance

Carbon monoxide.

Carbon dioxide.

#### Condition

During combustion.

During combustion.

### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Use PPE - Exposure Assessment

Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

### **6.2.** Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not get in eyes. Use personal protective equipment (eg. gloves, respirators...) as required.

### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
CAS NO M~AL~F	1344-28-1	ACGIH	TWA(respirable fraction):1 mg/m3	A4: Not class. as human carcin
Particles (insoluble or poorly soluble) not otherwise specified, inhalable particles	1344-28-1	ACGIH	TWA(inhalable particulates):10 mg/m3	
Particles (insoluble or poorly soluble) not otherwise specified, respirable particles	1344-28-1	ACGIH	TWA(respirable particles):3 mg/m3	

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

### 8.2. Exposure controls

### 8.2.1. Engineering controls

Use in a well-ventilated area.

### 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

### Skin/hand protection

See Section 7.1 for additional information on skin protection.

### **Respiratory protection**

None required.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

nformation on basic physical and chemical properties				
Physical state	Solid.			
Specific Physical Form:	Paste			
Color	White			
Odor	Slight Acrylate			
Odour threshold	No data available.			
pH	Not applicable.			
Melting point/Freezing point: NA	No data available.			
Boiling point/Initial boiling point/Boiling range	Not applicable.			
Flash point	No flash point			
Evaporation rate	Not applicable.			
Flammability	Not applicable.			
Flammable Limits(LEL)	No data available.			
Flammable Limits(UEL)	No data available.			
Vapour pressure	Not applicable.			
Relative Vapor Density	Not applicable.			
Density	2.1 g/cm3			
Relative density	2.1 [Ref Std:WATER=1]			
Water solubility	Negligible			
Solubility- non-water	No data available.			
Partition coefficient: n-octanol/water	Not applicable.			
Autoignition temperature	No data available.			
Decomposition temperature	No data available.			
Kinematic Viscosity	142,857 mm²/sec			
Volatile organic compounds (VOC)	No data available.			
Percent volatile	No data available.			
VOC less H2O & exempt solvents	No data available.			
Molecular weight	No data available.			
	-			

Particle Characteristics	Not applicable.
--------------------------	-----------------

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

None known.

### 10.5 Incompatible materials

None known.

# 10.6 Hazardous decomposition products

### **Substance**

#### Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1 Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

This product may have a characteristic odour; however, no adverse health effects are anticipated.

#### Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion

May be harmful if swallowed.

May cause additional health effects (see below).

### **Additional Health Effects:**

### Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >2,000 - =5,000 mg/kg
Silane treated silica	Dermal		LD50 estimated to be > 5,000 mg/kg
Silane treated silica	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
Diurethane Dimethacrylate (UDMA)	Dermal	Rat	LD50 > 2,000 mg/kg
Diurethane Dimethacrylate (UDMA)	Ingestion	Rat	LD50 > 5,000 mg/kg
Bisphenol A polyethylene glycol diether dimethacrylate (polymer)	Dermal	Rat	LD50 > 2,000 mg/kg
Bisphenol A polyethylene glycol diether dimethacrylate (polymer)	Ingestion	Rat	LD50 > 35,000 mg/kg
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-	Dermal	Professio	LD50 estimated to be > 5,000 mg/kg

Dagge 6 of 1

### Filtek<sup>TM</sup> P60 Posterior Restorative Paste

propanediyl)] bismethacrylate		nal judgeme nt	
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Ingestion	Rat	LD50 > 11,700 mg/kg
Triethylene Glycol Dimethacrylate (TEGDMA)	Dermal	Mouse	LD50 > 2,000
Triethylene Glycol Dimethacrylate (TEGDMA)	Ingestion	Rat	LD50 10,837 mg/kg
Aluminium oxide	Dermal		LD50 estimated to be > 5,000 mg/kg
Aluminium oxide	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 2.3 mg/l
Aluminium oxide	Ingestion	Rat	LD50 > 5,000 mg/kg
N,N-Dimethylbenzocaine (EDMAB)	Dermal	Rat	LD50 > 2,000 mg/kg
N,N-Dimethylbenzocaine (EDMAB)	Ingestion	Rat	LD50 > 2,000 mg/kg

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

Name	Species	Value
Silane treated silica	similar compoun ds	No significant irritation
Diurethane Dimethacrylate (UDMA)	Rabbit	No significant irritation
Bisphenol A polyethylene glycol diether dimethacrylate (polymer)	Rabbit	Minimal irritation
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)]	Rabbit	No significant irritation
bismethacrylate		
Triethylene Glycol Dimethacrylate (TEGDMA)	Rabbit	No significant irritation
Aluminium oxide	Rabbit	No significant irritation
N,N-Dimethylbenzocaine (EDMAB)	Rabbit	No significant irritation

**Serious Eye Damage/Irritation** 

Name	Species	Value
Silane treated silica	similar	Mild irritant
	compoun	
	ds	
Diurethane Dimethacrylate (UDMA)	Rabbit	No significant irritation
Bisphenol A polyethylene glycol diether dimethacrylate (polymer)	Rabbit	No significant irritation
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)]	In vitro	No significant irritation
bismethacrylate	data	
Triethylene Glycol Dimethacrylate (TEGDMA)	Rabbit	No significant irritation
Aluminium oxide	Rabbit	No significant irritation
N,N-Dimethylbenzocaine (EDMAB)	Rabbit	No significant irritation

### **Sensitization:**

# **Skin Sensitisation**

Name	Species	Value
Silane treated silica	similar compoun ds	Not classified
Diurethane Dimethacrylate (UDMA)	Multiple animal species	Sensitising
Bisphenol A polyethylene glycol diether dimethacrylate (polymer)	Guinea pig	Not classified
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Mouse	Not classified
Triethylene Glycol Dimethacrylate (TEGDMA)	Mouse	Sensitising
N,N-Dimethylbenzocaine (EDMAB)		Not classified

# **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

Name	Route	Value		
Diurethane Dimethacrylate (UDMA)	In Vitro	Not mutagenic		
Bisphenol A polyethylene glycol diether dimethacrylate (polymer)	In Vitro	Not mutagenic		
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)]	In Vitro	Not mutagenic		
bismethacrylate				
Triethylene Glycol Dimethacrylate (TEGDMA)	In Vitro	Some positive data exist, but the data are not		
		sufficient for classification		
Aluminium oxide	In Vitro	Not mutagenic		
N,N-Dimethylbenzocaine (EDMAB)	In vivo	Not mutagenic		
N,N-Dimethylbenzocaine (EDMAB)	In Vitro	Some positive data exist, but the data are not		
		sufficient for classification		

Carcinogenicity

N S S S S S S S S S S S S S S S S S S S	D /	c ·	X7 X
Name	Route	Species	Value
Silane treated silica	Inhalation	similar	Some positive data exist, but the data are not
		compoun	sufficient for classification
		ds	
Triethylene Glycol Dimethacrylate (TEGDMA)	Dermal	Mouse	Not carcinogenic
Aluminium oxide	Inhalation	Rat	Not carcinogenic

### Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Diurethane Dimethacrylate (UDMA)	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
Diurethane Dimethacrylate (UDMA)	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	56 days
Diurethane Dimethacrylate (UDMA)	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
(1-methylethylidene)bis[4,1- phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	during gestation
Triethylene Glycol Dimethacrylate (TEGDMA)	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
Triethylene Glycol Dimethacrylate (TEGDMA)	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	5 weeks
Triethylene Glycol Dimethacrylate (TEGDMA)	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
N,N-Dimethylbenzocaine (EDMAB)	Ingestion	Not classified for female reproduction	Rat	NOAEL 600 mg/kg/day	premating into lactation
N,N-Dimethylbenzocaine (EDMAB)	Ingestion	Not classified for development	Rat	NOAEL 50 mg/kg/day	premating into lactation
N,N-Dimethylbenzocaine (EDMAB)	Ingestion	Toxic to male reproduction	Rat	NOAEL 50 mg/kg/day	53 days

### Target Organ(s)

### **Specific Target Organ Toxicity - single exposure**

For the component/components, either no data are currently available or the data are not sufficient for classification.

### Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Silane treated silica	Inhalation	pulmonary fibrosis	Not classified	similar compoun ds	NOAEL Not available	
Diurethane Dimethacrylate (UDMA)	Ingestion	liver   kidney and/or bladder   heart   skin   endocrine system   gastrointestinal tract   bone, teeth, nails, and/or hair   hematopoietic system   immune system   muscles   nervous system   eyes   respiratory system   vascular system	Not classified	Rat	NOAEL 1,000 mg/kg/day	56 days
(1- methylethylidene)bis[4,1- phenyleneoxy(2-hydroxy- 3,1-propanediyl)] bismethacrylate	Ingestion	endocrine system   hematopoietic system   liver   heart   skin   gastrointestinal tract   bone, teeth, nails, and/or hair   immune system   muscles   nervous system   eyes   kidney and/or bladder   respiratory system   vascular system	Not classified	Rat	NOAEL 1,000 mg/kg/day	90 days
Triethylene Glycol Dimethacrylate (TEGDMA)	Dermal	liver	Not classified	Mouse	NOAEL 2,000 mg/kg/day	13 weeks
Triethylene Glycol Dimethacrylate (TEGDMA)	Dermal	skin	Not classified	Mouse	NOAEL 100 mg/kg/day	13 weeks
Triethylene Glycol Dimethacrylate (TEGDMA)	Dermal	gastrointestinal tract   hematopoietic system   nervous system   kidney and/or bladder   respiratory system	Not classified	Mouse	NOAEL 2,000 mg/kg/day	13 weeks
Triethylene Glycol Dimethacrylate (TEGDMA)	Ingestion	hematopoietic system   liver   nervous system   kidney and/or bladder   eyes	Not classified	Rat	NOAEL 3,849 mg/kg/day	13 weeks
Aluminium oxide	Inhalation	pneumoconiosis	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	occupational exposure
Aluminium oxide	Inhalation	pulmonary fibrosis	Not classified	Human	NOAEL Not available	occupational exposure
N,N-Dimethylbenzocaine (EDMAB)	Ingestion	hematopoietic system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 74 mg/kg/day	28 days
N,N-Dimethylbenzocaine (EDMAB)	Ingestion	liver   heart   endocrine system   gastrointestinal tract   bone, teeth, nails, and/or hair   immune system   muscles   nervous system   eyes   kidney and/or bladder   respiratory system   vascular system	Not classified	Rat	NOAEL 900 mg/kg/day	28 days

Page: 9 of 14

#### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

### **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

### 12.1. Toxicity

#### Acute aquatic hazard:

Not acutely toxic to aquatic life by GHS criteria.

### Chronic aquatic hazard:

Not chronically toxic to aquatic life by GHS criteria.

No product test data available.

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
Silane treated silica	444758-98-9	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2	Common Carp	Analogous Compound	96 hours	No tox obs at lmt of water sol	>100 mg/l
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2	Green algae	Endpoint not reached	96 hours	EC50	>100 mg/l
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2	Green algae	Experimental	96 hours	EC10	1.1 mg/l
Bisphenol A polyethylene glycol diether dimethacrylate (polymer)	41637-38-1	Activated sludge	Estimated	3 hours	EC50	>1,000 mg/l
Bisphenol A polyethylene glycol diether dimethacrylate (polymer)	41637-38-1	Green algae	Estimated	72 hours	EL50	>100 mg/l
Bisphenol A polyethylene glycol	41637-38-1	Water flea	Estimated	48 hours	EL50	>100 mg/l

diether						
dimethacrylate						
(polymer)						
Bisphenol A	41637-38-1	Zebra Fish	Estimated	96 hours	LL50	>100 mg/l
polyethylene glycol						
diether						
dimethacrylate						
(polymer)	T 1 C .		F 1	72.1	F. 050	. 100 //
Diurethane	Trade Secret	Green algae	Endpoint not reached	72 hours	ErC50	>100 mg/l
Dimethacrylate (UDMA)			reacned			
Diurethane	Trade Secret	Water flea	Experimental	48 hours	EC50	>100 mg/l
Dimethacrylate	Trade Secret	water fiea	Experimental	46 110015	ECSU	-100 mg/1
(UDMA)						
Diurethane	Trade Secret	Zebra Fish	Experimental	96 hours	LC50	10.1 mg/l
Dimethacrylate						
(UDMA)						
Diurethane	Trade Secret	Green algae	Endpoint not	72 hours	ErC10	>100 mg/l
Dimethacrylate			reached			
(UDMA)						
Triethylene Glycol	109-16-0	Green algae	Experimental	72 hours	ErC50	>100 mg/l
Dimethacrylate						
(TEGDMA)						
Triethylene Glycol	109-16-0	Zebra Fish	Experimental	96 hours	LC50	16.4 mg/l
Dimethacrylate						
(TEGDMA) Triethylene Glycol	109-16-0	C	F	72 1	NOEC	19 6//
Dimethacrylate	109-10-0	Green algae	Experimental	72 hours	NOEC	18.6 mg/l
(TEGDMA)						
Triethylene Glycol	109-16-0	Water flea	Experimental	21 days	NOEC	32 mg/l
Dimethacrylate	107 10 0	, vater fied	Experimental	21 days	I TOLE	J2 mg/
(TEGDMA)						
Aluminium oxide	1344-28-1	Fish	Experimental	96 hours	LC50	>100 mg/l
Aluminium oxide	1344-28-1	Green algae	Experimental	72 hours	EC50	>100 mg/l
Aluminium oxide	1344-28-1	Water flea	Experimental	48 hours	LC50	>100 mg/l
Aluminium oxide	1344-28-1	Green algae	Experimental	72 hours	NOEC	>100 mg/l
N,N-	10287-53-3	Activated sludge	Experimental	3 hours	EC50	>1,000 mg/l
Dimethylbenzocain						
e (EDMAB)						
N,N-	10287-53-3	Green algae	Experimental	72 hours	EL50	2.8 mg/l
Dimethylbenzocain						
e (EDMAB)			<u> </u>			
N,N-	10287-53-3	Rainbow trout	Experimental	96 hours	LC50	1.9 mg/l
Dimethylbenzocain						
e (EDMAB)	10207 52 2	XXX + C	D : 1	40.1	EGEO	4.5 0
N,N-	10287-53-3	Water flea	Experimental	48 hours	EC50	4.5 mg/l
Dimethylbenzocain						
e (EDMAB) N.N-	10287-53-3	Green algae	Experimental	72 hours	ErC10	0.71 mg/l
Dimethylbenzocain	10207-33-3	Orecii aigae	Experimental	/2 Hours	EICIU	0.71 mg/1
e (EDMAB)						
V (LDIMID)	L					

# 12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Silane treated silica	444758-98-9	Data not available-insufficient	N/A	N/A	N/A	N/A
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1-	1565-94-2	Experimental Biodegradation	28 days	BOD	21 %BOD/ThOD	similar to OECD 301F

propanediyl)] bismethacrylate						
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	29 days (t 1/2)	
Bisphenol A polyethylene glycol diether dimethacrylate (polymer)	41637-38-1	Experimental Biodegradation	28 days	Percent degraded	24 %degraded	
Diurethane Dimethacrylate (UDMA)	Trade Secret	Experimental Biodegradation	28 days	CO2 evolution	22 %CO2 evolution/THCO2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2
Triethylene Glycol Dimethacrylate (TEGDMA)	109-16-0	Experimental Biodegradation	28 days	CO2 evolution	85 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
Aluminium oxide	1344-28-1	Data not available- insufficient	N/A	N/A	N/A	N/A
N,N- Dimethylbenzocain e (EDMAB)	10287-53-3	Experimental Biodegradation	28 days	CO2 evolution	40 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
N,N- Dimethylbenzocain e (EDMAB)	10287-53-3	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	>1 years (t 1/2)	OECD 111 Hydrolysis func of pH

# 12.3 : Bioaccumulative potential

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Silane treated silica	444758-98-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2	Experimental Bioconcentration		Log Kow	4.63	
Bisphenol A polyethylene glycol diether dimethacrylate (polymer)	41637-38-1	Estimated Bioconcentration		Bioaccumulation factor	6.6	
Diurethane Dimethacrylate (UDMA)	Trade Secret	Experimental Bioconcentration		Log Kow	3.39	
Triethylene Glycol Dimethacrylate (TEGDMA)	109-16-0	Experimental Bioconcentration		Log Kow	2.3	EC A.8 Partition Coefficient
Aluminium oxide	1344-28-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
N,N- Dimethylbenzocain e (EDMAB)	10287-53-3	Experimental Bioconcentration		Log Kow	3.2	OECD 117 log Kow HPLC method

**12.4. Mobility in soil** Please contact manufacturer for more details

### 12.5 Other Adverse effects

No information available.

# **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility.

## **SECTION 14: Transport Information**

Not hazardous for transportation.

### Air Transport (IATA)Regulations

UN No Not applicable

Proper Shipping Name Not applicable Hazard Classs/Division Not applicable Subsidiary Risk Not applicable

Packing Group: Not applicable

### Marine Transport (IMDG)

UN No Not applicable

Proper Shipping Name Not applicable Hazard Classs/Division Not applicable Subsidiary Risk Not applicable Packing Group: Not applicable

Environmental Hazards: Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Global inventory status

Contact manufacturer for more information

### Applicable Environmental, Health and Safety Regulations

The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989

The Bio Medical Waste (Management & Handling) Rules, 1998

Hazardous Chemicals (Classification, Packaging and Labelling Draft Rules), 2011

The following ingredients are listed as hazardous on Part II of Schedule I of the India Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) rules

None.

The following ingredients are classified as hazardous based on the criteria listed under Part I of Schedule I of the India Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) rules:

The product is classified as Non-Hazardous as per MSIHC Rules, 1989.

### **SECTION 16: Other information**

NFPA Hazard Classification

Health: 2 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

#### **Revision information:**

Section 1: Address information was modified.

Company Telephone information was modified.

Section 1: E-mail address information was modified.

Section 1: Emergency telephone information was modified.

Section 1: Product name information was modified.

Label: GHS Classification information was modified.

Label: GHS Precautionary - Prevention information was modified.

Label: GHS Precautionary - Response information was modified.

Label: Graphic information was modified.

Label: Signal Word information was modified.

Label: Symbol information was modified.

Section 2: Ingredient table information was modified.

Section 6: Accidental release personal information information was modified.

Section 7: Precautions safe handling information information was modified.

Section 8: Occupational exposure limit table information was modified.

Section 9: Flammability (solid, gas) information information was deleted.

Section 09: Flammability information information was added.

Section 09: Kinematic Viscosity information information was added.

Section 09: Nanoparticle information was deleted.

Section 09: Particle Characteristics N/A information was added.

Section 09: Vapor Density Value information was modified.

Section 09: Viscosity information was deleted.

Section 11: Acute Toxicity table information was modified.

Section 11: Carcinogenicity Table information was modified.

Section 11: Germ Cell Mutagenicity Table information was modified.

Section 11: Health Effects - Ingestion information information was modified.

Section 11: Reproductive Hazards information information was added.

Section 11: Reproductive Toxicity Table information was modified.

Section 11: Serious Eye Damage/Irritation Table information was modified.

Section 11: Skin Corrosion/Irritation Table information was modified.

Section 11: Skin Sensitization Table information was modified.

Section 11: Target Organs - Repeated Table information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

Section 15: Regulations - Inventories information was modified.

Section 16: Web address information was modified.

DISCLAIMER: The information in this Safety Data Sheet (SDS) is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this SDS or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own evaluation to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into India, you are responsible to comply with all applicable regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration/notification.

### Solventum India SDSs are available at Solventum.com