



## Safety Data Sheet

Copyright, 2026, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |            |                         |            |
|------------------------|------------|-------------------------|------------|
| <b>Document group:</b> | 28-8077-1  | <b>Version number:</b>  | 13.00      |
| <b>Revision date:</b>  | 18/06/2026 | <b>Supersedes date:</b> | 28/04/2023 |

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006) as amended by Regulation (EU) 2020/878

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

3M™ Scotch-Weld™ Acrylic Structural Adhesive DP-8005 (Part B)

#### Product Identification Numbers

FS-9100-3811-6

7000080038

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Structural adhesive.

#### 1.3. Details of the supplier of the safety data sheet

**Address:** 3M Ireland Limited, 70 SIR JOHN ROGERSON'S QUAY, D02R296 DUBLIN 2  
**Telephone:** +353 1 280 3555  
**E Mail:** ner-productstewardship@mmm.com  
**Website:** www.3M.com

#### 1.4. Emergency telephone number

Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland. Telephone Number: +353 (0)1 809 2166

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

##### CLASSIFICATION:

Serious Eye Damage/Eye Irritation, Category 1 - Eye Dam. 1; H318

Skin Sensitization, Category 1 - Skin Sens. 1; H317  
 Reproductive Toxicity, Category 1B - Repr. 1B; H360Df  
 Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

**2.2. Label elements**

**CLP REGULATION (EC) No 1272/2008**

**SIGNAL WORD**

DANGER.

**Symbols**

GHS05 (Corrosion) |GHS07 (Exclamation mark) |GHS08 (Health Hazard) |

**Pictograms**



**Ingredients:**

| Ingredient   | Identifier(s) | EC No.    | % by Wt |
|--|---------------|-----------|---------|
| Tetrahydrofurfuryl methacrylate                        | 2455-24-5     | 219-529-5 | 40 - 50 |
| 2-Ethylhexyl methacrylate                              | 688-84-6      | 211-708-6 | 10 - 20 |
| [2-[(2-Methyl-1-oxoallyl)oxy]ethyl] hydrogen succinate | 20882-04-6    | 244-096-4 | < 7     |
| succinic anhydride                                     | 108-30-5      | 203-570-0 | < 1     |
| 2-hydroxyethyl methacrylate                            | 868-77-9      | 212-782-2 | < 0.3   |
| methyl methacrylate                                    | 80-62-6       | 201-297-1 | < 0.3   |

**HAZARD STATEMENTS:**

|        |   |
|--------|---|
| H318   | Causes serious eye damage.                                    |
| H317   | May cause an allergic skin reaction.                          |
| H360Df | May damage the unborn child. Suspected of damaging fertility. |
| H412   | Harmful to aquatic life with long lasting effects.            |

**PRECAUTIONARY STATEMENTS**

**Prevention:**

|       |   |
|-------|---|
| P201  | Obtain special instructions before use.         |
| P280B | Wear protective gloves and eye/face protection. |

**Response:**

|                    |  |
|--------------------|--|
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310               | Immediately call a POISON CENTRE or doctor/physician.  |
| P333 + P313        | If skin irritation or rash occurs: Get medical advice/attention.   |

**For containers not exceeding 125 ml the following Hazard and Precautionary statements may be used:**

**<=125 ml Hazard statements**

H318 Causes serious eye damage.  
 H317 May cause an allergic skin reaction.  
 H360Df May damage the unborn child. Suspected of damaging fertility.

H412 Harmful to aquatic life with long lasting effects.

**<=125 ml Precautionary statements**

**Prevention:**

P201 Obtain special instructions before use.  
 P280B Wear protective gloves and eye/face protection.

**Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTRE or doctor/physician.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

**SUPPLEMENTAL INFORMATION:**

**Supplemental Precautionary Statements:**

Restricted to professional users.

27% of the mixture consists of components of unknown acute oral toxicity.

**2.3. Other hazards**

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

**SECTION 3: Composition/information on ingredients**

**3.1. Substances**

Not applicable

**3.2. Mixtures**

| Ingredient   | Identifier(s)   | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP]    |
|--|---|---------|--|
| Tetrahydrofurfuryl methacrylate                                      | (CAS-No.) 2455-24-5<br>(EC-No.) 219-529-5<br>(REACH-No.) 01-2120748481-53 | 40 - 50 | Skin Sens. 1A, H317<br>Repr. 1B, H360Df<br>Aquatic Chronic 3, H412 |
| Acrylate polymer   | Trade Secret  | 20 - 30 | Substance not classified as hazardous                              |
| 2-Ethylhexyl methacrylate  | (CAS-No.) 688-84-6<br>(EC-No.) 211-708-6<br>(REACH-No.) 01-2119490166-35  | 10 - 20 | Skin Sens. 1B, H317<br>Aquatic Chronic 3, H412                     |
| [2-[(2-Methyl-1-oxoallyl)oxy]ethyl] hydrogen succinate               | (CAS-No.) 20882-04-6<br>(EC-No.) 244-096-4                                | < 7     | Eye Dam. 1, H318<br>Skin Sens. 1, H317                             |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | (CAS-No.) 21282-97-3  | < 7     | Substance not classified as hazardous                              |

|                               |  |       |   |
|-------------------------------|--|-------|---|
|                               | (EC-No.) 244-311-1<br>(REACH-No.) 01-2119970348-28                         |       |   |
| Ashes (residues), cenospheres | (CAS-No.) 93924-19-7<br>(EC-No.) 300-212-6<br>(REACH-No.) 01-2119563688-21 | < 3   | Substance not classified as hazardous   |
| succinic anhydride            | (CAS-No.) 108-30-5<br>(EC-No.) 203-570-0<br>(REACH-No.) 01-2119485841-30   | < 1   | EUH071<br>Acute Tox. 4, H302<br>Skin Corr. 1, H314<br>Eye Dam. 1, H318<br>Resp. Sens. 1, H334<br>Skin Sens. 1, H317   |
| methyl methacrylate           | (CAS-No.) 80-62-6<br>(EC-No.) 201-297-1                                    | < 0.3 | Flam. Liq. 2, H225<br>Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>STOT SE 3, H335<br>Nota D  |
| styrene                       | (CAS-No.) 100-42-5<br>(EC-No.) 202-851-5<br>(REACH-No.) 01-2119457861-32   | < 0.3 | Flam. Liq. 3, H226<br>Acute Tox. 4, H332<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Repr. 2, H361d<br>STOT RE 1, H372<br>Nota D<br>Asp. Tox. 1, H304<br>STOT SE 3, H335<br>Aquatic Chronic 3, H412 |
| 2-hydroxyethyl methacrylate   | (CAS-No.) 868-77-9<br>(EC-No.) 212-782-2                                   | < 0.3 | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1, H317<br>Nota D   |

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

## **SECTION 4: First aid measures**

### **4.1. Description of first aid measures**

#### **Inhalation**

Remove person to fresh air. If you feel unwell, get medical attention.

#### **Skin contact**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### **Eye contact**

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

#### **If swallowed**

Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the CLP classification include:

Allergic skin reaction (redness, swelling, blistering, and itching). Serious damage to the eyes (corneal cloudiness, severe pain, tearing, ulcerations, and significantly impaired or loss of vision).

#### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

### SECTION 5: Fire-fighting measures

#### 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### Hazardous Decomposition or By-Products

| <u>Substance</u>    | <u>Condition</u>   |
|---------------------|--------------------|
| Hydrocarbons.       | During combustion. |
| Carbon monoxide     | During combustion. |
| Carbon dioxide.     | During combustion. |
| Hydrogen cyanide.   | During combustion. |
| Oxides of nitrogen. | During combustion. |

#### 5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

#### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

#### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

#### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

Do not use in a confined area with minimal air exchange. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (eg. gloves, respirators...) as required. This material contains a Synthetic Polymer Microparticle, ensure product is contained to minimize release, including preventing release via sewers.

### **7.2. Conditions for safe storage including any incompatibilities**

Store in a well-ventilated place. Keep cool. Protect from sunlight. Store away from heat. Store away from acids. Store away from oxidising agents.

### **7.3. Specific end use(s)**

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Occupational exposure limits**

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| <b>Ingredient</b>   | <b>Identifier(s)</b> | <b>Agency</b> | <b>Limit type</b>  | <b>Additional comments</b> |
|---------------------|----------------------|---------------|--|----------------------------|
| styrene             | 100-42-5             | Ireland OELs  | TWA(8 hours):85 mg/m <sup>3</sup> (20 ppm);STEL(15 minutes):170 mg/m <sup>3</sup> (40 ppm) |                            |
| methyl methacrylate | 80-62-6              | Ireland OELs  | TWA(8 hours):50 ppm;STEL(15 minutes):100 ppm   | Resp/Dermal sensitizer     |

Ireland OELs : Ireland. OELs  
 TWA: Time-Weighted-Average  
 STEL: Short Term Exposure Limit  
 CEIL: Ceiling

#### **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

**Recommended monitoring procedures:**Information on recommended monitoring procedures can be obtained from Indust. Inspect./Ministry (IE)

### **8.2. Exposure controls**

#### **8.2.1. Engineering controls**

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

#### **8.2.2. Personal protective equipment (PPE)**

##### **Eye/face protection**

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full face shield.

Indirect vented goggles.

*Applicable Norms/Standards*

Use eye/face protection conforming to EN 16321

**Skin/hand protection**

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended:

| <b>Material</b>  | <b>Thickness (mm)</b> | <b>Breakthrough Time</b> |
|------------------|-----------------------|--------------------------|
| Polymer laminate | No data available     | No data available        |

*Applicable Norms/Standards*

Use gloves tested to EN 374

If this product is used in a manner that presents a higher potential for exposure (e.g., spraying, high splash potential, etc.), then use of a protective apron may be necessary. See recommended glove material(s) for determining appropriate apron material(s). If a glove material is not available as an apron, polymer laminate is a suitable option.

**Respiratory protection**

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

*Applicable Norms/Standards*

Use a respirator conforming to EN 140 or EN 136: filter types A & P

## **SECTION 9: Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

|                                     |   |
|-------------------------------------|---|
| <b>Physical state</b>               | Liquid.   |
| <b>Specific Physical Form:</b>      | Paste   |
| <b>Colour</b>                       | Off-White   |
| <b>Odor</b>                         | Acrylic   |
| <b>Odour threshold</b>              | <i>No data available.</i>   |
| <b>Melting point/freezing point</b> | <i>Not applicable.</i>  |
| <b>Boiling point/boiling range</b>  | $\geq 110$ °C [ <i>Details: CAS #688-84-6</i> ]                                   |
| <b>Flammability</b>                 | Not applicable.   |
| <b>Flammable Limits(LEL)</b>        | <i>No data available.</i>   |
| <b>Flammable Limits(UEL)</b>        | <i>No data available.</i>   |
| <b>Flash point</b>                  | $\geq 94$ °C [ <i>Test Method: Closed Cup</i> ] [ <i>Details: CAS #688-84-6</i> ] |
| <b>Autoignition temperature</b>     | <i>No data available.</i>   |
| <b>Decomposition temperature</b>    | <i>No data available.</i>   |

|  |  |
|--|--|
| pH                                     | <i>substance/mixture is non-soluble (in water)</i> |
| Kinematic Viscosity                    | 17,708 mm <sup>2</sup> /sec                        |
| Water solubility                       | <i>Not applicable.</i>                             |
| Solubility- non-water                  | <i>No data available.</i>                          |
| Partition coefficient: n-octanol/water | <i>No data available.</i>                          |
| Vapour pressure                        | <i>No data available.</i>                          |
| Density                                | 0.96 - 1 g/ml                                      |
| Relative density                       | 0.96 - 1 [Ref Std:WATER=1]                         |
| Relative Vapour Density                | <i>No data available.</i>                          |
| Particle Characteristics               | <i>Not applicable.</i>                             |

## 9.2. Other information

### 9.2.2 Other safety characteristics

|                               |                           |
|-------------------------------|---------------------------|
| EU Volatile Organic Compounds | <i>No data available.</i> |
| Evaporation rate              | <i>Not applicable.</i>    |
| Percent volatile              | 1 %                       |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

Heat.  
Sparks and/or flames.  
Light.

### 10.5 Incompatible materials

Strong acids.  
Strong oxidising agents.

### 10.6 Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known.      |                  |

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Signs and Symptoms of Exposure**

Based on test data and/or information on the components, this material may produce the following health effects:

**Inhalation**

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. Allergic respiratory reaction: Signs/symptoms may include difficulty breathing, wheezing, cough, and tightness of chest. May cause additional health effects (see below).

**Skin contact**

May be harmful in contact with skin. Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

**Eye contact**

Corrosive (eye burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

**Ingestion**

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

**Additional Health Effects:**

**Reproductive/Developmental Toxicity:**

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

**Carcinogenicity:**

Contains a chemical or chemicals which can cause cancer.

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

| Name   | Route     | Species                | Value   |
|--|-----------|------------------------|---|
| Overall product  | Dermal    |                        | No data available; calculated ATE >2,000 - =5,000 mg/kg |
| Overall product  | Ingestion |                        | No data available; calculated ATE >5,000 mg/kg          |
| Tetrahydrofurfuryl methacrylate                                      | Ingestion | Rat                    | LD50 4,000 mg/kg  |
| Tetrahydrofurfuryl methacrylate                                      | Dermal    | similar health hazards | LD50 estimated to be 2,000 - 5,000 mg/kg                |
| 2-Ethylhexyl methacrylate  | Dermal    | Professional judgement | LD50 estimated to be > 5,000 mg/kg                      |
| 2-Ethylhexyl methacrylate  | Ingestion | Rat                    | LD50 > 2,000 mg/kg                                      |
| [2-[(2-Methyl-1-oxoallyl)oxy]ethyl] hydrogen succinate               | Dermal    | Professional judgement | LD50 estimated to be > 5,000 mg/kg                      |
| [2-[(2-Methyl-1-oxoallyl)oxy]ethyl] hydrogen succinate               | Ingestion | Rat                    | LD50 > 2,000 mg/kg                                      |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | Dermal    | Rat                    | LD50 > 2,000 mg/kg                                      |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | Ingestion | Rat                    | LD50 > 5,000 mg/kg                                      |
| succinic anhydride   | Dermal    | Rat                    | LD50 > 2,000 mg/kg                                      |

**3M™ Scotch-Weld™ Acrylic Structural Adhesive DP-8005 (Part B)**

|                             |                             |        |                    |
|-----------------------------|-----------------------------|--------|--------------------|
| succinic anhydride          | Ingestion                   | Rat    | LD50 1,510 mg/kg   |
| methyl methacrylate         | Dermal                      | Rabbit | LD50 > 5,000 mg/kg |
| methyl methacrylate         | Inhalation-Vapour (4 hours) | Rat    | LC50 29.8 mg/l     |
| methyl methacrylate         | Ingestion                   | Rat    | LD50 7,900 mg/kg   |
| 2-hydroxyethyl methacrylate | Dermal                      | Rabbit | LD50 > 5,000 mg/kg |
| 2-hydroxyethyl methacrylate | Ingestion                   | Rat    | LD50 5,564 mg/kg   |
| styrene                     | Dermal                      | Rat    | LD50 > 2,000 mg/kg |
| styrene                     | Inhalation-Vapour (4 hours) | Rat    | LC50 11.8 mg/l     |
| styrene                     | Ingestion                   | Rat    | LD50 5,000 mg/kg   |

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

| Name   | Species                | Value                     |
|--|------------------------|---------------------------|
| Tetrahydrofurfuryl methacrylate                                      | Rabbit                 | No significant irritation |
| 2-Ethylhexyl methacrylate  | Rabbit                 | Minimal irritation        |
| [2-[(2-Methyl-1-oxoallyl)oxy]ethyl] hydrogen succinate               | Professional judgement | Mild irritant             |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | Rabbit                 | No significant irritation |
| succinic anhydride   | In vitro data          | Corrosive                 |
| methyl methacrylate  | Rabbit                 | Irritant                  |
| 2-hydroxyethyl methacrylate  | Rabbit                 | Minimal irritation        |
| styrene  | Professional judgement | Mild irritant             |

**Serious Eye Damage/Irritation**

| Name   | Species                | Value                     |
|--|------------------------|---------------------------|
| Tetrahydrofurfuryl methacrylate                                      | Rabbit                 | No significant irritation |
| 2-Ethylhexyl methacrylate  | Rabbit                 | No significant irritation |
| [2-[(2-Methyl-1-oxoallyl)oxy]ethyl] hydrogen succinate               | In vitro data          | Corrosive                 |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | Rabbit                 | No significant irritation |
| succinic anhydride   | similar health hazards | Corrosive                 |
| methyl methacrylate  | Rabbit                 | Mild irritant             |
| 2-hydroxyethyl methacrylate  | Rabbit                 | Moderate irritant         |
| styrene  | Professional judgement | Moderate irritant         |

**Skin Sensitisation**

| Name   | Species                 | Value       |
|--|-------------------------|-------------|
| Tetrahydrofurfuryl methacrylate                        | official classification | Sensitising |
| 2-Ethylhexyl methacrylate                              | Guinea pig              | Sensitising |
| [2-[(2-Methyl-1-oxoallyl)oxy]ethyl] hydrogen succinate | Professional judgement  | Sensitising |

**3M™ Scotch-Weld™ Acrylic Structural Adhesive DP-8005 (Part B)**

|  |                  |                |
|--|------------------|----------------|
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | Mouse            | Not classified |
| succinic anhydride   | Mouse            | Sensitising    |
| methyl methacrylate  | Human and animal | Sensitising    |
| 2-hydroxyethyl methacrylate  | Human and animal | Sensitising    |
| styrene  | Guinea pig       | Not classified |

**Respiratory Sensitisation**

| Name                | Species           | Value          |
|---------------------|-------------------|----------------|
| succinic anhydride  | similar compounds | Sensitising    |
| methyl methacrylate | Human             | Not classified |

**Germ Cell Mutagenicity**

| Name   | Route    | Value  |
|--|----------|--|
| Tetrahydrofurfuryl methacrylate                                      | In Vitro | Not mutagenic  |
| 2-Ethylhexyl methacrylate  | In Vitro | Not mutagenic  |
| [2-[(2-Methyl-1-oxoallyl)oxy]ethyl] hydrogen succinate               | In Vitro | Not mutagenic  |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | In vivo  | Not mutagenic  |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| succinic anhydride   | In Vitro | Not mutagenic  |
| methyl methacrylate  | In vivo  | Not mutagenic  |
| methyl methacrylate  | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| 2-hydroxyethyl methacrylate  | In vivo  | Not mutagenic  |
| 2-hydroxyethyl methacrylate  | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| styrene  | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| styrene  | In vivo  | Some positive data exist, but the data are not sufficient for classification |

**Carcinogenicity**

| Name                | Route      | Species                 | Value            |
|---------------------|------------|-------------------------|------------------|
| succinic anhydride  | Ingestion  | Multiple animal species | Not carcinogenic |
| methyl methacrylate | Ingestion  | Rat                     | Not carcinogenic |
| methyl methacrylate | Inhalation | Human and animal        | Not carcinogenic |
| styrene             | Ingestion  | Mouse                   | Carcinogenic.    |
| styrene             | Inhalation | Human and animal        | Carcinogenic.    |

**Reproductive Toxicity**
**Reproductive and/or Developmental Effects**

| Name                            | Route     | Value                                | Species | Test result         | Exposure Duration          |
|---------------------------------|-----------|--------------------------------------|---------|---------------------|----------------------------|
| Tetrahydrofurfuryl methacrylate | Ingestion | Not classified for male reproduction | Rat     | NOAEL 300 mg/kg/day | 29 days                    |
| Tetrahydrofurfuryl methacrylate | Ingestion | Toxic to female reproduction         | Rat     | NOAEL 120 mg/kg/day | prematuring into lactation |

**3M™ Scotch-Weld™ Acrylic Structural Adhesive DP-8005 (Part B)**

|  |            |  |                         |                       |                                |
|--|------------|--|-------------------------|-----------------------|--------------------------------|
| Tetrahydrofurfuryl methacrylate                                      | Ingestion  | Toxic to development                   | Rat                     | NOAEL 120 mg/kg/day   | prematuring into lactation     |
| 2-Ethylhexyl methacrylate  | Ingestion  | Not classified for male reproduction   |                         | NOAEL 1,000 mg/kg/day | 49 days                        |
| 2-Ethylhexyl methacrylate  | Ingestion  | Not classified for female reproduction |                         | NOAEL 300 mg/kg/day   | prematuring into lactation     |
| 2-Ethylhexyl methacrylate  | Ingestion  | Not classified for development         |                         | NOAEL 300 mg/kg/day   | during gestation               |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | Ingestion  | Not classified for female reproduction | Rat                     | NOAEL 500 mg/kg/day   | prematuring into lactation     |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | Ingestion  | Not classified for male reproduction   | Rat                     | NOAEL 500 mg/kg/day   | 56 days                        |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | Ingestion  | Not classified for development         | Rat                     | NOAEL 1,000 mg/kg/day | during gestation               |
| methyl methacrylate  | Ingestion  | Not classified for female reproduction | Rat                     | NOAEL 400 mg/kg/day   | 2 generation                   |
| methyl methacrylate  | Ingestion  | Not classified for male reproduction   | Rat                     | NOAEL 400 mg/kg/day   | 2 generation                   |
| methyl methacrylate  | Ingestion  | Not classified for development         | Rabbit                  | NOAEL 450 mg/kg/day   | during gestation               |
| methyl methacrylate  | Inhalation | Not classified for development         | Rat                     | NOAEL 8.3 mg/l        | during organogenesis           |
| 2-hydroxyethyl methacrylate  | Ingestion  | Not classified for female reproduction | Rat                     | NOAEL 1,000 mg/kg/day | prematuring & during gestation |
| 2-hydroxyethyl methacrylate  | Ingestion  | Not classified for male reproduction   | Rat                     | NOAEL 1,000 mg/kg/day | 49 days                        |
| 2-hydroxyethyl methacrylate  | Ingestion  | Not classified for development         | Rat                     | NOAEL 1,000 mg/kg/day | prematuring & during gestation |
| styrene  | Ingestion  | Not classified for female reproduction | Rat                     | NOAEL 21 mg/kg/day    | 3 generation                   |
| styrene  | Inhalation | Not classified for female reproduction | Rat                     | NOAEL 2.1 mg/l        | 2 generation                   |
| styrene  | Inhalation | Not classified for male reproduction   | Rat                     | NOAEL 2.1 mg/l        | 2 generation                   |
| styrene  | Ingestion  | Not classified for male reproduction   | Rat                     | NOAEL 400 mg/kg/day   | 60 days                        |
| styrene  | Ingestion  | Not classified for development         | Rat                     | NOAEL 400 mg/kg/day   | during gestation               |
| styrene  | Inhalation | Not classified for development         | Multiple animal species | NOAEL 2.1 mg/l        | during gestation               |

**Target Organ(s)**
**Specific Target Organ Toxicity - single exposure**

| Name   | Route      | Target Organ(s)        | Value  | Species                 | Test result         | Exposure Duration     |
|--|------------|------------------------|--|-------------------------|---------------------|-----------------------|
| [2-[(2-Methyl-1-oxoallyl)oxy]ethyl] hydrogen succinate | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards  | NOAEL Not available |                       |
| succinic anhydride                                     | Inhalation | respiratory irritation | May cause respiratory irritation   | similar health hazards  | NOAEL Not available |                       |
| methyl methacrylate                                    | Inhalation | respiratory irritation | May cause respiratory irritation   | Human                   | NOAEL Not available | occupational exposure |
| styrene  | Inhalation | auditory system        | Causes damage to organs  | Multiple animal species | LOAEL 4.3 mg/l      | not available         |
| styrene  | Inhalation | liver                  | Causes damage to organs  | Mouse                   | LOAEL 2.1 mg/l      | not available         |
| styrene  | Inhalation | central nervous        | May cause drowsiness or  | Human                   | NOAEL Not           | occupational          |

**3M™ Scotch-Weld™ Acrylic Structural Adhesive DP-8005 (Part B)**

|         |            |   |   |                         |                     |               |
|---------|------------|---|---|-------------------------|---------------------|---------------|
|         |            | system depression<br>respiratory irritation | dizziness<br>May cause respiratory irritation |                         | available           | exposure      |
| styrene | Inhalation |   |   | Human and animal        | NOAEL Not available |               |
| styrene | Inhalation | endocrine system                            | Not classified                                | Rat                     | NOAEL Not available | not available |
| styrene | Inhalation | kidney and/or bladder                       | Not classified                                | Multiple animal species | NOAEL 2.1 mg/l      | not available |

**Specific Target Organ Toxicity - repeated exposure**

| Name   | Route      | Target Organ(s)  | Value  | Species                 | Test result          | Exposure Duration     |
|--|------------|--|--|-------------------------|----------------------|-----------------------|
| Tetrahydrofurfuryl methacrylate                                      | Ingestion  | endocrine system   hematopoietic system   immune system   heart   liver   nervous system   kidney and/or bladder   respiratory system  | Not classified   | Rat                     | NOAEL 300 mg/kg/day  | 29 days               |
| 2-Ethylhexyl methacrylate  | Ingestion  | heart   endocrine system   hematopoietic system   liver   immune system   nervous system   eyes   kidney and/or bladder  | Not classified   | Rat                     | NOAEL 360 mg/kg/day  | 90 days               |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | Ingestion  | hematopoietic system   nervous system   eyes   | Not classified   | Rat                     | NOAEL 500 mg/kg/day  | 90 days               |
| succinic anhydride   | Ingestion  | heart   skin   endocrine system   bone, teeth, nails, and/or hair   hematopoietic system   liver   immune system   nervous system   kidney and/or bladder   respiratory system | Not classified   | Mouse                   | NOAEL 300 mg/kg/day  | 13 weeks              |
| methyl methacrylate  | Dermal     | peripheral nervous system  | Not classified   | Human                   | NOAEL Not available  | occupational exposure |
| methyl methacrylate  | Inhalation | olfactory system   | Causes damage to organs through prolonged or repeated exposure | Human                   | NOAEL Not available  | occupational exposure |
| methyl methacrylate  | Inhalation | kidney and/or bladder  | Not classified   | Multiple animal species | NOAEL Not available  | 14 weeks              |
| methyl methacrylate  | Inhalation | liver  | Not classified   | Mouse                   | NOAEL 12.3 mg/l      | 14 weeks              |
| methyl methacrylate  | Inhalation | respiratory system   | Not classified   | Human                   | NOAEL Not available  | occupational exposure |
| methyl methacrylate  | Ingestion  | kidney and/or bladder   heart   skin   endocrine system   gastrointestinal tract   hematopoietic system   liver   muscles   nervous system   respiratory system                | Not classified   | Rat                     | NOAEL 90.3 mg/kg/day | 2 years               |
| styrene  | Inhalation | auditory system  | Causes damage to organs through prolonged or repeated exposure | Human                   | NOAEL not available  | occupational exposure |
| styrene  | Inhalation | eyes   | Causes damage to organs through prolonged or repeated exposure | Human                   | NOAEL Not available  | occupational exposure |
| styrene  | Inhalation | liver  | May cause damage to organs                                     | Mouse                   | LOAEL 0.85           | 13 weeks              |

**3M™ Scotch-Weld™ Acrylic Structural Adhesive DP-8005 (Part B)**

|         |            |  |  |                         |                     |               |
|---------|------------|--|--|-------------------------|---------------------|---------------|
|         |            |  | though prolonged or repeated exposure  |                         | mg/l                |               |
| styrene | Inhalation | nervous system   | Some positive data exist, but the data are not sufficient for classification | Multiple animal species | LOAEL 1.1 mg/l      | not available |
| styrene | Inhalation | hematopoietic system   | Not classified   | Rat                     | NOAEL 0.85 mg/l     | 7 days        |
| styrene | Inhalation | endocrine system   | Not classified   | Rat                     | NOAEL 0.6 mg/l      | 10 days       |
| styrene | Inhalation | respiratory system   | Not classified   | Multiple animal species | LOAEL 0.09 mg/l     | not available |
| styrene | Inhalation | heart   gastrointestinal tract   bone, teeth, nails, and/or hair   muscles   kidney and/or bladder | Not classified   | Multiple animal species | NOAEL 4.3 mg/l      | 2 years       |
| styrene | Ingestion  | nervous system   | Some positive data exist, but the data are not sufficient for classification | Rat                     | LOAEL 500 mg/kg/day | 8 weeks       |
| styrene | Ingestion  | immune system  | Some positive data exist, but the data are not sufficient for classification | Multiple animal species | NOAEL Not available | not available |
| styrene | Ingestion  | liver   kidney and/or bladder  | Not classified   | Rat                     | NOAEL 677 mg/kg/day | 6 months      |
| styrene | Ingestion  | hematopoietic system   | Not classified   | Dog                     | NOAEL 600 mg/kg/day | 470 days      |
| styrene | Ingestion  | heart   respiratory system   | Not classified   | Rat                     | NOAEL 35 mg/kg/day  | 105 weeks     |

**Aspiration Hazard**

| Name    | Value             |
|---------|-------------------|
| styrene | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**11.2. Information on other hazards**

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

**SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

**12.1. Toxicity**

No product test data available.

| Material                        | Identifier(s) | Organism       | Type         | Exposure | Test endpoint | Test result |
|---------------------------------|---------------|----------------|--------------|----------|---------------|-------------|
| Tetrahydrofurfuryl methacrylate | 2455-24-5     | Fathead minnow | Experimental | 96 hours | LC50          | 34.7 mg/l   |
| Tetrahydrofurfuryl methacrylate | 2455-24-5     | Green algae    | Experimental | 72 hours | ErC50         | >100 mg/l   |
| Tetrahydrofurfuryl methacrylate | 2455-24-5     | Green algae    | Experimental | 72 hours | ErC10         | 100 mg/l    |
| Tetrahydrofurfuryl methacrylate | 2455-24-5     | Water flea     | Experimental | 21 days  | NOEC          | 37.2 mg/l   |

**3M™ Scotch-Weld™ Acrylic Structural Adhesive DP-8005 (Part B)**

|  |              |                  |   |          |       |             |
|--|--------------|------------------|---|----------|-------|-------------|
| Acrylate polymer   | Trade Secret | N/A              | Data not available or insufficient for classification | N/A      | N/A   | N/A         |
| 2-Ethylhexyl methacrylate  | 688-84-6     | Green algae      | Experimental  | 72 hours | ErC50 | 5.3 mg/l    |
| 2-Ethylhexyl methacrylate  | 688-84-6     | Medaka           | Experimental  | 96 hours | LC50  | 2.8 mg/l    |
| 2-Ethylhexyl methacrylate  | 688-84-6     | Water flea       | Experimental  | 48 hours | EC50  | 4.6 mg/l    |
| 2-Ethylhexyl methacrylate  | 688-84-6     | Green algae      | Experimental  | 72 hours | NOEC  | 0.81 mg/l   |
| 2-Ethylhexyl methacrylate  | 688-84-6     | Water flea       | Experimental  | 21 days  | NOEC  | 0.105 mg/l  |
| [2-[(2-Methyl-1-oxoallyl)oxy]ethyl] hydrogen succinate               | 20882-04-6   | Green algae      | Experimental  | 72 hours | ErC50 | >312 mg/l   |
| [2-[(2-Methyl-1-oxoallyl)oxy]ethyl] hydrogen succinate               | 20882-04-6   | Water flea       | Experimental  | 48 hours | EC50  | >515.4 mg/l |
| [2-[(2-Methyl-1-oxoallyl)oxy]ethyl] hydrogen succinate               | 20882-04-6   | Green algae      | Experimental  | 72 hours | ErC10 | >=161 mg/l  |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | 21282-97-3   | Activated sludge | Experimental  | 3 hours  | NOEC  | 320 mg/l    |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | 21282-97-3   | Green algae      | Experimental  | 72 hours | ErC50 | >100 mg/l   |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | 21282-97-3   | Rainbow trout    | Experimental  | 96 hours | LC50  | >100 mg/l   |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | 21282-97-3   | Water flea       | Experimental  | 48 hours | EL50  | >100 mg/l   |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | 21282-97-3   | Green algae      | Experimental  | 72 hours | NOEC  | 11.1 mg/l   |
| Ashes (residues), cenospheres  | 93924-19-7   | Activated sludge | Experimental  | 3 hours  | NOEC  | 1,000 mg/l  |
| Ashes (residues), cenospheres  | 93924-19-7   | Green algae      | Experimental  | 72 hours | EL50  | >100 mg/l   |
| Ashes (residues), cenospheres  | 93924-19-7   | Guppy            | Experimental  | 96 hours | LL50  | >100 mg/l   |
| Ashes (residues), cenospheres  | 93924-19-7   | Water flea       | Experimental  | 48 hours | EL50  | >100 mg/l   |
| Ashes (residues), cenospheres  | 93924-19-7   | Green algae      | Experimental  | 72 hours | NOEL  | 100 mg/l    |
| Ashes (residues), cenospheres  | 93924-19-7   | Water flea       | Experimental  | 21 days  | NOEL  | 100 mg/l    |
| succinic anhydride   | 108-30-5     | Green algae      | Hydrolysis Product                                    | 72 hours | ErC50 | >100 mg/l   |
| succinic anhydride   | 108-30-5     | Water flea       | Hydrolysis Product                                    | 48 hours | EC50  | >100 mg/l   |
| succinic anhydride   | 108-30-5     | Zebra Fish       | Hydrolysis Product                                    | 96 hours | LC50  | >1,000 mg/l |
| succinic anhydride   | 108-30-5     | Water flea       | Analogous Compound                                    | 21 days  | NOEC  | 95.2 mg/l   |
| succinic anhydride   | 108-30-5     | Green algae      | Hydrolysis Product                                    | 72 hours | NOEC  | 100 mg/l    |
| succinic anhydride   | 108-30-5     | Activated sludge | Hydrolysis Product                                    | 3 hours  | EC20  | >300 mg/l   |
| 2-hydroxyethyl methacrylate  | 868-77-9     | Turbot           | Analogous Compound                                    | 96 hours | LC50  | 833 mg/l    |

**3M™ Scotch-Weld™ Acrylic Structural Adhesive DP-8005 (Part B)**

|                             |          |                  |              |            |       |                             |
|-----------------------------|----------|------------------|--------------|------------|-------|-----------------------------|
| 2-hydroxyethyl methacrylate | 868-77-9 | Fathead minnow   | Experimental | 96 hours   | LC50  | 227 mg/l                    |
| 2-hydroxyethyl methacrylate | 868-77-9 | Green algae      | Experimental | 72 hours   | EC50  | 710 mg/l                    |
| 2-hydroxyethyl methacrylate | 868-77-9 | Water flea       | Experimental | 48 hours   | EC50  | 380 mg/l                    |
| 2-hydroxyethyl methacrylate | 868-77-9 | Green algae      | Experimental | 72 hours   | NOEC  | 160 mg/l                    |
| 2-hydroxyethyl methacrylate | 868-77-9 | Water flea       | Experimental | 21 days    | NOEC  | 24.1 mg/l                   |
| 2-hydroxyethyl methacrylate | 868-77-9 | N/A              | Experimental | 16 hours   | EC0   | >3,000 mg/l                 |
| 2-hydroxyethyl methacrylate | 868-77-9 | N/A              | Experimental | 18 hours   | LD50  | <98 mg per kg of bodyweight |
| methyl methacrylate         | 80-62-6  | Green algae      | Experimental | 72 hours   | EC50  | >110 mg/l                   |
| methyl methacrylate         | 80-62-6  | Rainbow trout    | Experimental | 96 hours   | LC50  | >79 mg/l                    |
| methyl methacrylate         | 80-62-6  | Water flea       | Experimental | 48 hours   | EC50  | 69 mg/l                     |
| methyl methacrylate         | 80-62-6  | Green algae      | Experimental | 72 hours   | NOEC  | 110 mg/l                    |
| methyl methacrylate         | 80-62-6  | Water flea       | Experimental | 21 days    | NOEC  | 37 mg/l                     |
| methyl methacrylate         | 80-62-6  | Activated sludge | Experimental | 30 minutes | EC20  | 150 mg/l                    |
| methyl methacrylate         | 80-62-6  | Soil microbes    | Experimental | 28 days    | NOEC  | >1,000 mg/kg (Dry Weight)   |
| styrene                     | 100-42-5 | Fathead minnow   | Experimental | 96 hours   | LC50  | 4.02 mg/l                   |
| styrene                     | 100-42-5 | Green algae      | Experimental | 72 hours   | ErC50 | 4.9 mg/l                    |
| styrene                     | 100-42-5 | Water flea       | Experimental | 48 hours   | EC50  | 4.7 mg/l                    |
| styrene                     | 100-42-5 | Green algae      | Experimental | 96 hours   | ErC10 | 0.28 mg/l                   |
| styrene                     | 100-42-5 | Water flea       | Experimental | 21 days    | NOEC  | 1.01 mg/l                   |
| styrene                     | 100-42-5 | Activated sludge | Experimental | 30 minutes | EC50  | 500 mg/l                    |
| styrene                     | 100-42-5 | Redworm          | Experimental | 14 days    | LC50  | 120 mg/kg (Dry Weight)      |

**12.2. Persistence and degradability**

| Material   | Identifier(s) | Test type                         | Duration | Study Type                  | Test result                     | Protocol                            |
|--|---------------|-----------------------------------|----------|-----------------------------|---------------------------------|-------------------------------------|
| Tetrahydrofurfuryl methacrylate                                      | 2455-24-5     | Experimental Biodegradation       | 28 days  | BOD                         | 75 %BOD/ThOD (< 10 day window)  | OECD 301F - Manometric respirometry |
| Acrylate polymer   | Trade Secret  | Data not available - insufficient | N/A      | N/A                         | N/A                             | N/A                                 |
| 2-Ethylhexyl methacrylate  | 688-84-6      | Experimental Biodegradation       | 28 days  | BOD                         | 88 %BOD/ThOD                    | OECD 301C - MITI test (I)           |
| [2-[(2-Methyl-1-oxoallyl)oxy]ethyl] hydrogen succinate               | 20882-04-6    | Experimental Biodegradation       | 28 days  | BOD                         | ≥80 %BOD/ThOD (< 10 day window) | OECD 301F - Manometric respirometry |
| [2-[(2-Methyl-1-oxoallyl)oxy]ethyl] hydrogen succinate               | 20882-04-6    | Experimental Hydrolysis           |          | Hydrolytic half-life (pH 7) | >1 years (t 1/2)                | OECD 111 Hydrolysis func of pH      |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | 21282-97-3    | Experimental Biodegradation       | 28 days  | BOD                         | 64 %BOD/ThOD                    | OECD 301C - MITI test (I)           |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | 21282-97-3    | Experimental Hydrolysis           |          | Hydrolytic half-life (pH 7) | 6.5 days (t 1/2)                | OECD 111 Hydrolysis func of pH      |
| Ashes (residues),  | 93924-19-7    | Data not available -              | N/A      | N/A                         | N/A                             | N/A                                 |

**3M™ Scotch-Weld™ Acrylic Structural Adhesive DP-8005 (Part B)**

|                             |          |                                      |          |                                |                                     |                                |
|-----------------------------|----------|--------------------------------------|----------|--------------------------------|-------------------------------------|--------------------------------|
| cenospheres                 |          | insufficient                         |          |                                |                                     |                                |
| succinic anhydride          | 108-30-5 | Hydrolysis product Biodegradation    | 28 days  | Dissolv. Organic Carbon Deplet | 96.55 %removal of DOC               | OECD 301E - Modif. OECD Screen |
| succinic anhydride          | 108-30-5 | Experimental Hydrolysis              |          | Hydrolytic half-life (pH 7)    | 4.3 minutes (t 1/2)                 |                                |
| 2-hydroxyethyl methacrylate | 868-77-9 | Experimental Biodegradation          | 28 days  | BOD                            | 84 %BOD/CO D                        | OECD 301D - Closed bottle test |
| 2-hydroxyethyl methacrylate | 868-77-9 | Experimental Hydrolysis              |          | Hydrolytic half-life basic pH  | 10.9 days (t 1/2)                   | OECD 111 Hydrolysis func of pH |
| methyl methacrylate         | 80-62-6  | Experimental Biodegradation          | 14 days  | BOD                            | 94 %BOD/ThO D                       | OECD 301C - MITI test (I)      |
| styrene                     | 100-42-5 | Experimental Biodegradation          | 33 days  | CO2 evolution                  | >50 %CO2 evolution/THC O2 evolution |                                |
| styrene                     | 100-42-5 | Experimental Biodegradation          | 28 days  | BOD                            | 100 %BOD/CO D                       | ISO 9408 Ult Aerobic Biodeg    |
| styrene                     | 100-42-5 | Experimental Photolysis              |          | Photolytic half-life (in air)  | 6.6 hours (t 1/2)                   |                                |
| styrene                     | 100-42-5 | Experimental Soil Metabolism Aerobic | 112 days | CO2 evolution                  | 95 %CO2 evolution/THC O2 evolution  |                                |

**12.3 : Bioaccumulative potential**

| Material   | Identifier(s) | Test type   | Duration | Study Type             | Test result    | Protocol                        |
|--|---------------|---|----------|------------------------|----------------|---------------------------------|
| Tetrahydrofurfuryl methacrylate                                      | 2455-24-5     | Experimental Bioconcentration                         |          | Log Kow                | 1.76           | OECD 117 log Kow HPLC method    |
| Acrylate polymer   | Trade Secret  | Data not available or insufficient for classification | N/A      | N/A                    | N/A            | N/A                             |
| 2-Ethylhexyl methacrylate  | 688-84-6      | Experimental Bioconcentration                         | 96 hours | Bioaccumulation factor | 37             | OECD305-Bioconcentration        |
| 2-Ethylhexyl methacrylate  | 688-84-6      | Experimental Bioconcentration                         |          | Log Kow                | 4.95           | similar to OECD 107             |
| [2-[(2-Methyl-1-oxoallyl)oxy]ethyl] hydrogen succinate               | 20882-04-6    | Experimental Bioconcentration                         |          | Log Kow                | 0.782          | EC A.8 Partition Coefficient    |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | 21282-97-3    | Experimental Bioconcentration                         |          | Log Kow                | 0.9            | OECD 107 log Kow shke flask mtd |
| Ashes (residues), cenospheres  | 93924-19-7    | Data not available or insufficient for classification | N/A      | N/A                    | N/A            | N/A                             |
| succinic anhydride   | 108-30-5      | Hydrolysis product Bioconcentration                   |          | Log Kow                | -0.59          |                                 |
| succinic anhydride   | 108-30-5      | Experimental Bioconcentration                         |          | Log Kow                | 2.44           | OECD 117 log Kow HPLC method    |
| 2-hydroxyethyl methacrylate  | 868-77-9      | Experimental Bioconcentration                         |          | Log Kow                | 0.42           | OECD 107 log Kow shke flask mtd |
| methyl methacrylate  | 80-62-6       | Experimental Bioconcentration                         |          | Log Kow                | 1.38           | OECD 107 log Kow shke flask mtd |
| styrene  | 100-42-5      | Experimental Aquatic Inherent Biodegrad.              | 14 days  | BOD                    | 100 %BOD/Th OD | OECD 302C - Modified MITI (II)  |
| styrene  | 100-42-5      | Experimental BCF - Fish                               |          | Bioaccumulation factor | 13.5           |                                 |
| styrene  | 100-42-5      | Experimental Bioconcentration                         |          | Log Kow                | 2.96           | similar to OECD 107             |

**12.4. Mobility in soil**

| Material                        | Identifier(s) | Test type                | Study Type | Test result | Protocol  |
|---------------------------------|---------------|--------------------------|------------|-------------|-----------|
| Tetrahydrofurfuryl methacrylate | 2455-24-5     | Modeled Mobility in Soil | Koc        | 25 l/kg     | Episuite™ |
| 2-Ethylhexyl methacrylate       | 688-84-6      | Modeled Mobility         | Koc        | 2,348 l/kg  | Episuite™ |

|  |            |                               |     |             |                                |
|--|------------|-------------------------------|-----|-------------|--------------------------------|
|  |            | in Soil                       |     |             |                                |
| [2-[(2-Methyl-1-oxoallyl)oxy]ethyl]hydrogen succinate                | 20882-04-6 | Modeled Mobility in Soil      | Koc | 1 l/kg      | ACD/Labs ChemSketch™           |
| Butanoic acid, 3-oxo-, 2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl ester | 21282-97-3 | Experimental Mobility in Soil | Koc | 51-129 l/kg | OECD 106 Adsp-Desb Batch Equil |
| 2-hydroxyethyl methacrylate  | 868-77-9   | Experimental Mobility in Soil | Koc | 42.7 l/kg   |                                |
| methyl methacrylate  | 80-62-6    | Experimental Mobility in Soil | Koc | 8.7-72 l/kg |                                |
| styrene  | 100-42-5   | Modeled Mobility in Soil      | Koc | 370 l/kg    | Episuite™                      |

**12.5. Results of the PBT and vPvB assessment**

This material does not contain any substances that are assessed to be a PBT or vPvB

**12.6. Endocrine disrupting properties**

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

**12.7. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. If no other disposal options are available, waste product that has been completely cured or polymerised may be placed in a landfill properly designed for industrial waste. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

**EU waste code (product as sold)**

- 08 04 09\* Waste adhesives and sealants containing organic solvents or other dangerous substances
- 20 01 27\* Paint, inks, adhesives and resins containing dangerous substances

**SECTION 14: Transportation information**

Not hazardous for transportation.

|  |                               |                             |                                |
|--|-------------------------------|-----------------------------|--------------------------------|
|  | <b>Ground Transport (ADR)</b> | <b>Air Transport (IATA)</b> | <b>Marine Transport (IMDG)</b> |
|--|-------------------------------|-----------------------------|--------------------------------|

|   |  |  |  |
|---|--|--|--|
| <b>14.1 - UN Number or ID number</b>                              | No data available.   | No data available.   | No data available.   |
| <b>14.2 UN proper shipping name</b>                               | No data available.   | No data available.   | No data available.   |
| <b>14.3 Transport hazard class(es)</b>                            | No data available.   | No data available.   | No data available.   |
| <b>14.4 Packing group</b>   | No data available.   | No data available.   | No data available.   |
| <b>14.5 Environmental hazards</b>                                 | No data available.   | No data available.   | No data available.   |
| <b>14.6 Special precautions for user</b>                          | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
| <b>14.7 Marine Transport in bulk according to IMO instruments</b> | No data available.   | No data available.   | No data available.   |
| <b>Control Temperature</b>  | No data available.   | No data available.   | No data available.   |
| <b>Emergency Temperature</b>                                      | No data available.   | No data available.   | No data available.   |
| <b>ADR Classification Code</b>                                    | No data available.   | No data available.   | No data available.   |
| <b>IMDG Segregation Code</b>                                      | No data available.   | No data available.   | No data available.   |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Carcinogenicity

| <u>Ingredient</u>   | <u>Identifier(s)</u> | <u>Classification</u>         | <u>Regulation</u>                           |
|---------------------|----------------------|-------------------------------|---|
| methyl methacrylate | 80-62-6              | Gr. 3: Not classifiable       | International Agency for Research on Cancer |
| styrene             | 100-42-5             | Grp. 2A: Probable human carc. | International Agency for Research on Cancer |
| succinic anhydride  | 108-30-5             | Gr. 3: Not classifiable       | International Agency for Research on Cancer |

#### Restrictions on the manufacture, placing on the market and use:

The synthetic polymer microparticles supplied is subject to conditions laid down by entry 78 of Annex XVII to Regulation

(EC) No 1907/2006 of the European Parliament and of the Council.

| <b>Ingredient</b>                              | <b>%</b> |
|--|----------|
| 3902 Polymers of propylene or of other olefins | <= 25    |

**Global inventory status**

Contact 3M for more information.

**DIRECTIVE 2012/18/EU**

Seveso hazard categories, Annex 1, Part 1

None

Seveso named dangerous substances, Annex 1, Part 2

None

**Regulation (EU) No 649/2012**

No chemicals listed

**15.2. Chemical Safety Assessment**

A chemical safety assessment has not been carried out for this mixture. Chemical safety assessments for the contained substances may have been carried out by the registrants of the substances in accordance with Regulation (EC) No 1907/2006, as amended.

**SECTION 16: Other information****List of relevant H statements**

|        |  |
|--------|--|
| EUH071 | Corrosive to the respiratory tract.  |
| H225   | Highly flammable liquid and vapour.  |
| H226   | Flammable liquid and vapour.   |
| H302   | Harmful if swallowed.  |
| H304   | May be fatal if swallowed and enters airways.                              |
| H314   | Causes severe skin burns and eye damage.                                   |
| H315   | Causes skin irritation.  |
| H317   | May cause an allergic skin reaction.                                       |
| H318   | Causes serious eye damage.   |
| H319   | Causes serious eye irritation.   |
| H332   | Harmful if inhaled.  |
| H334   | May cause allergy or asthma symptoms or breathing difficulties if inhaled. |
| H335   | May cause respiratory irritation.  |
| H360Df | May damage the unborn child. Suspected of damaging fertility.              |
| H361d  | Suspected of damaging the unborn child.                                    |
| H372   | Causes damage to organs through prolonged or repeated exposure.            |
| H412   | Harmful to aquatic life with long lasting effects.                         |

**List of Relevant Notas**

|        |  |
|--------|--|
| Nota D | Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'. |
|--------|--|

**Revision information:**

EU Section 14 - Table Data information was added.  
EU Section 14 - Table Headers information was added.  
Section 1: Address information was modified.  
Section 1: E-mail address information was modified.  
Section 2: <125ml Hazard - Health information was modified.  
CLP: Ingredient table information was modified.  
Section 02: CLP Physical and Health Hazard Statements information was modified.  
Label: CLP Classification information was modified.  
Label: Graphic information was modified.  
Section 3: Composition/ Information of ingredients table information was modified.  
Section 6: Accidental release personal information information was modified.  
Section 7: Conditions safe storage information was modified.  
Section 8: Occupational exposure limit table information was modified.  
Section 08: Personal Protection - Apron Statement information was added.  
Section 8: Personal Protection - Skin/body information information was deleted.  
Section 8: Skin protection - protective clothing information information was deleted.  
Section 9: Flammability (solid, gas) information information was deleted.  
Section 09: Flammability information information was added.  
Section 09: Particle Characteristics N/A information was added.  
Section 9: Vapour pressure value information was added.  
Section 9: Vapour pressure value information was deleted.  
Section 11: Acute Toxicity table information was modified.  
Section 11: Reproductive Toxicity Table information was modified.  
Section 11: Serious Eye Damage/Irritation Table information was modified.  
Section 11: Skin Corrosion/Irritation Table information was modified.  
Section 11: Skin Sensitization Table information was modified.  
Section 11: Target Organs - Repeated Table information was modified.  
Section 12: Component ecotoxicity information information was modified.  
Section 12: Mobility in soil information information was modified.  
Section 12: Persistence and Degradability information information was modified.  
Section 12: Biocumulative potential information information was modified.  
Section 14 Classification Code – Main Heading information was deleted.  
Section 14 Classification Code – Regulation Data information was deleted.  
Section 14 Control Temperature – Main Heading information was deleted.  
Section 14 Control Temperature – Regulation Data information was deleted.  
Section 14 Emergency Temperature – Main Heading information was deleted.  
Section 14 Emergency Temperature – Regulation Data information was deleted.  
Section 14 Hazard Class + Sub Risk – Main Heading information was deleted.  
Section 14 Hazard Class + Sub Risk – Regulation Data information was deleted.  
Section 14 Other Dangerous Goods – Main Heading information was deleted.  
Section 14 Other Dangerous Goods – Regulation Data information was deleted.  
Section 14 Packing Group – Main Heading information was deleted.  
Section 14 Packing Group – Regulation Data information was deleted.  
Section 14 Proper Shipping Name information was deleted.  
Section 14 Regulations – Main Headings information was deleted.  
Section 14 Segregation – Regulation Data information was deleted.  
Section 14 Segregation Code – Main Heading information was deleted.  
Section 14 Special Precautions – Main Heading information was deleted.  
Section 14 Special Precautions – Regulation Data information was deleted.  
Section 14 Transport in bulk – Regulation Data information was deleted.  
Section 14 Marine transport in bulk according to IMO instruments – Main Heading information was deleted.  
Section 14 UN Number Column data information was deleted.  
Section 14 UN Number information was deleted.  
Section 14: Transportation classification information was deleted.  
Section 15: Microparticles Header information was added.

Section 15: Microparticles Statement information was added.

Section 15: Microplastics Table information was added.

Section 15: Seveso Substance Text information was deleted.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was modified.

Section 16: Two-column table displaying the unique list of Notas for all components of the given material. information was added.

Section 7.1: Microparticles Statement information was added.

**DISCLAIMER:** The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

**3M Ireland MSDSs are available at [www.3M.com](http://www.3M.com)**