



## Safety Data Sheet

Copyright, 2025, Meguiar's Inc.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document Group:** 28-2192-4  
**Issue Date:** 01/28/25

**Version Number:** 8.02  
**Supersedes Date:** 03/05/24

### SECTION 1: Identification

#### 1.1. Product identifier

Convertible Top Cleaner G20 [G2016]

#### Product Identification Numbers

14-1000-0634-6, 14-1000-6331-3  
7000043825, 7100299666

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Automotive, Cleaner

#### 1.3. Supplier's details

**MANUFACTURER:** Meguiar's, Inc.  
**DIVISION:** Meguiar's  
**ADDRESS:** 213 Technology Dr, Irvine, CA 92618  
**Telephone:** 1-800-347-5700

#### 1.4. Emergency telephone number

CHEMTREC 1-800-424-9300 (24 hours)

### SECTION 2: Hazard identification

The label elements below were prepared in accordance with OSHA Hazard Communication Standard, 29 CFR 1910.1200. This information may be different from the actual product label information for labels regulated by other agencies.

#### 2.1. Hazard classification

Serious Eye Damage/Irritation: Category 1.  
Skin Corrosion/Irritation: Category 2.

#### 2.2. Label elements

##### Signal word

Danger

##### Symbols

Corrosion |

### Pictograms



### Hazard Statements

Causes serious eye damage.

Causes skin irritation.

### Precautionary Statements

#### General:

Keep out of reach of children.

#### Prevention:

Wear protective gloves and eye/face protection.

Wash thoroughly after handling.

#### Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water.

Immediately call a POISON CENTER or doctor/physician.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

## SECTION 3: Composition/information on ingredients

| Ingredient                 | C.A.S. No. | % by Wt              |
|----------------------------|------------|----------------------|
| ETHOXYLATED C9-11 ALCOHOLS | 68439-46-3 | 1 - 5 Trade Secret * |
| LAURYL DIMETHYLAMINE OXIDE | 1643-20-5  | 1 - 5 Trade Secret * |
| SODIUM CARBONATE           | 497-19-8   | 1 - 5 Trade Secret * |
| SODIUM METASILICATE        | 6834-92-0  | 1 - 5 Trade Secret * |

Any remaining components do not contribute to the hazards of this material.

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye Contact:

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

**If Swallowed:**

Rinse mouth. If you feel unwell, get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

Serious damage to the eyes (corneal cloudiness, severe pain, tearing, ulcerations, and significantly impaired or loss of vision).

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

**SECTION 5: Fire-fighting measures**

**5.1. Suitable extinguishing media**

In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

**5.2. Special hazards arising from the substance or mixture**

Closed containers exposed to heat from fire may build pressure and explode.

**Hazardous Decomposition or By-Products**

**Substance**

Carbon monoxide  
Carbon dioxide  
Irritant Vapors or Gases

**Condition**

During Combustion  
During Combustion  
During Combustion

**5.3. Special protective actions for fire-fighters**

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

**6.2. Environmental precautions**

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

**6.3. Methods and material for containment and cleaning up**

Contain spill. For large spills, if necessary, get assistance from professional spill clean up team. For small spills, carefully neutralize spill by adding appropriate dilute acid such as vinegar. Work slowly to avoid boiling or spattering. Continue to add neutralizing agent until reaction stops. Let cool before collecting. Or use a commercially available caustic (alkaline or basic) spill clean-up kit. Follow kit directions exactly. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a metal container approved for use in transportation by appropriate authorities. The container must be lined with polyethylene plastic or contain a plastic drum liner made of polyethylene. Clean up residue with water. Cover, but do not seal for 48 hours. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Keep away from reactive metals (eg. Aluminum, zinc etc.) to avoid the formation of hydrogen gas that could create an explosion hazard.

**7.2. Conditions for safe storage including any incompatibilities**

Store away from acids.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Occupational exposure limits**

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

**8.2. Exposure controls****8.2.1. Engineering controls**

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

**8.2.2. Personal protective equipment (PPE)****Eye/face protection**

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full Face Shield

Indirect Vented Goggles

**Skin/hand protection**

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

**Respiratory protection**

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties****Appearance**

Physical state

Liquid

Color

Colorless

|                                         |                                                        |
|-----------------------------------------|--------------------------------------------------------|
| Odor                                    | Fresh Clean                                            |
| Odor threshold                          | No Data Available                                      |
| pH                                      | 12 - 13.5 Units not avail. or not appl.                |
| Melting point                           | Not Applicable                                         |
| Boiling Point                           | No Data Available                                      |
| Flash Point                             | >= 200 °F [Test Method:Pensky-Martens Closed Cup]      |
| Evaporation rate                        | No Data Available                                      |
| Flammability (solid, gas)               | Not Applicable                                         |
| Flammable Limits(LEL)                   | No Data Available                                      |
| Flammable Limits(UEL)                   | No Data Available                                      |
| Vapor Pressure                          | No Data Available                                      |
| Vapor Density                           | No Data Available                                      |
| Density                                 | 1.0 g/ml                                               |
| Specific Gravity                        | 1 - 1.075 [Ref Std:WATER=1]                            |
| Solubility in Water                     | Complete                                               |
| Solubility- non-water                   | Complete                                               |
| Partition coefficient: n-octanol/ water | No Data Available                                      |
| Autoignition temperature                | No Data Available                                      |
| Decomposition temperature               | No Data Available                                      |
| Viscosity                               | 1 centipoise                                           |
| Hazardous Air Pollutants                | 0 % weight                                             |
| Molecular weight                        | No Data Available                                      |
| Volatile Organic Compounds              | 0.2 % weight [Test Method:calculated per CARB title 2] |
| Percent volatile                        | No Data Available                                      |
| VOC Less H2O & Exempt Solvents          | 318.8 g/l [Test Method:calculated per CARB title 2]    |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Strong acids

### 10.6. Hazardous decomposition products

#### Substance

#### Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient

classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

##### Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

##### Skin Contact:

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

##### Eye Contact:

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

##### Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

#### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

##### Acute Toxicity

| Name                       | Route                          | Species           | Value                                          |
|----------------------------|--------------------------------|-------------------|------------------------------------------------|
| Overall product            | Dermal                         |                   | No data available; calculated ATE >5,000 mg/kg |
| Overall product            | Ingestion                      |                   | No data available; calculated ATE >5,000 mg/kg |
| ETHOXYLATED C9-11 ALCOHOLS | Dermal                         | similar compounds | LD50 > 2,000 mg/kg                             |
| ETHOXYLATED C9-11 ALCOHOLS | Inhalation-Dust/Mist (4 hours) | similar compounds | LC50 > 1.6 mg/l                                |
| ETHOXYLATED C9-11 ALCOHOLS | Ingestion                      | similar compounds | LD50 3,488 mg/kg                               |
| SODIUM METASILICATE        | Dermal                         | Rabbit            | LD50 > 4,640 mg/kg                             |
| SODIUM METASILICATE        | Ingestion                      | Rat               | LD50 500 mg/kg                                 |
| LAURYLDIMETHYLAMINE OXIDE  | Dermal                         | similar compounds | LD50 > 2,000 mg/kg                             |
| LAURYLDIMETHYLAMINE OXIDE  | Ingestion                      | similar compounds | LD50 1,064 mg/kg                               |
| SODIUM CARBONATE           | Dermal                         | Rabbit            | LD50 > 2,000 mg/kg                             |
| SODIUM CARBONATE           | Ingestion                      | Rat               | LD50 2,800 mg/kg                               |

ATE = acute toxicity estimate

##### Skin Corrosion/Irritation

| Name            | Species      | Value    |
|-----------------|--------------|----------|
| Overall product | Professional | Irritant |

|                            |                   |                           |
|----------------------------|-------------------|---------------------------|
|                            | judgement         |                           |
| ETHOXYLATED C9-11 ALCOHOLS | similar compounds | Minimal irritation        |
| SODIUM METASILICATE        | Rabbit            | Corrosive                 |
| LAURYL DIMETHYLAMINE OXIDE | similar compounds | Irritant                  |
| SODIUM CARBONATE           | Rabbit            | No significant irritation |

**Serious Eye Damage/Irritation**

| Name                       | Species                | Value             |
|----------------------------|------------------------|-------------------|
| Overall product            | In vitro data          | Corrosive         |
| ETHOXYLATED C9-11 ALCOHOLS | Professional judgement | Moderate irritant |
| SODIUM METASILICATE        | In vitro data          | Corrosive         |
| LAURYL DIMETHYLAMINE OXIDE | similar compounds      | Corrosive         |
| SODIUM CARBONATE           | Rabbit                 | Corrosive         |

**Skin Sensitization**

| Name                       | Species    | Value          |
|----------------------------|------------|----------------|
| ETHOXYLATED C9-11 ALCOHOLS | Guinea pig | Not classified |
| SODIUM METASILICATE        | Mouse      | Not classified |
| LAURYL DIMETHYLAMINE OXIDE | Guinea pig | Not classified |

**Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity**

| Name                       | Route    | Value         |
|----------------------------|----------|---------------|
| ETHOXYLATED C9-11 ALCOHOLS | In Vitro | Not mutagenic |
| SODIUM METASILICATE        | In Vitro | Not mutagenic |
| SODIUM METASILICATE        | In vivo  | Not mutagenic |
| LAURYL DIMETHYLAMINE OXIDE | In Vitro | Not mutagenic |
| SODIUM CARBONATE           | In Vitro | Not mutagenic |

**Carcinogenicity**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

| Name                       | Route     | Value                                  | Species | Test Result         | Exposure Duration |
|----------------------------|-----------|----------------------------------------|---------|---------------------|-------------------|
| ETHOXYLATED C9-11 ALCOHOLS | Dermal    | Not classified for female reproduction | Rat     | NOAEL 250 mg/kg/day | 2 generation      |
| ETHOXYLATED C9-11 ALCOHOLS | Dermal    | Not classified for development         | Rat     | NOAEL 250 mg/kg/day | 2 generation      |
| ETHOXYLATED C9-11 ALCOHOLS | Dermal    | Not classified for male reproduction   | Rat     | NOAEL 100 mg/kg/day | 2 generation      |
| SODIUM METASILICATE        | Ingestion | Not classified for development         | Mouse   | NOAEL 200           | during            |

|                  |           |                                |       |                     |                      |
|------------------|-----------|--------------------------------|-------|---------------------|----------------------|
|                  |           |                                |       | mg/kg/day           | gestation            |
| SODIUM CARBONATE | Ingestion | Not classified for development | Mouse | NOAEL 340 mg/kg/day | during organogenesis |

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

| Name                       | Route      | Target Organ(s)        | Value                                                                        | Species                 | Test Result         | Exposure Duration |
|----------------------------|------------|------------------------|------------------------------------------------------------------------------|-------------------------|---------------------|-------------------|
| ETHOXYLATED C9-11 ALCOHOLS | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards  | NOAEL Not available |                   |
| SODIUM METASILICATE        | Inhalation | respiratory irritation | May cause respiratory irritation                                             | official classification | NOAEL Not available |                   |
| LAURYL DIMETHYLAMINE OXIDE | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards  | NOAEL Not Available |                   |

**Specific Target Organ Toxicity - repeated exposure**

| Name                       | Route      | Target Organ(s)                                                                                    | Value                                                                        | Species           | Test Result           | Exposure Duration |
|----------------------------|------------|----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|-------------------|-----------------------|-------------------|
| ETHOXYLATED C9-11 ALCOHOLS | Dermal     | kidney and/or bladder   heart   hematopoietic system   liver   nervous system   respiratory system | Not classified                                                               | Rat               | NOAEL 125 mg/kg/day   | 13 weeks          |
| SODIUM METASILICATE        | Ingestion  | kidney and/or bladder                                                                              | Some positive data exist, but the data are not sufficient for classification | Dog               | LOAEL 2,400 mg/kg/day | 4 weeks           |
| SODIUM METASILICATE        | Ingestion  | endocrine system   blood                                                                           | Not classified                                                               | Rat               | NOAEL 804 mg/kg/day   | 3 months          |
| SODIUM METASILICATE        | Ingestion  | heart   liver                                                                                      | Not classified                                                               | Rat               | NOAEL 1,259 mg/kg/day | 8 weeks           |
| LAURYL DIMETHYLAMINE OXIDE | Ingestion  | eyes                                                                                               | Some positive data exist, but the data are not sufficient for classification | similar compounds | NOAEL 88 mg/kg/day    | 90 days           |
| SODIUM CARBONATE           | Inhalation | respiratory system                                                                                 | Not classified                                                               | Rat               | LOAEL 0.07 mg/l       | 3 months          |

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information****Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

**Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

**SECTION 13: Disposal considerations**

**13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

**SECTION 14: Transport Information**

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

**SECTION 15: Regulatory information****15.1. US Federal Regulations**

Contact manufacturer for more information

**EPCRA 311/312 Hazard Classifications:****Physical Hazards**

Not applicable

**Health Hazards**

Serious eye damage or eye irritation

Skin Corrosion or Irritation

**15.2. State Regulations**

Contact manufacturer for more information

**15.3. Chemical Inventories**

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact manufacturer for more information

**15.4. International Regulations**

Contact manufacturer for more information

**This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.**

**SECTION 16: Other information****NFPA Hazard Classification**

**Health:** 3 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**Document Group:** 28-2192-4

**Version Number:** 8.02

Issue Date: 01/28/25

Supersedes Date: 03/05/24

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Meguiar's Inc. MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Meguiar's Inc. product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Meguiar's Inc. product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Meguiar's Inc. product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Meguiar's Inc. provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Meguiar's Inc. makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Meguiar's Inc.

**Meguiar's, Inc. USA SDSs are available at [www.Meguiars.com](http://www.Meguiars.com)**