



Safety Data Sheet

Copyright, 2026, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group: 19-7278-5
Issue Date: 07/06/26

Version Number: 8.00
Supersedes Date: 07/06/26

SECTION 1: Identification

1.1. Product identifier

3M™ TroubleShooter™ Liquid Finish Remover

Product Identification Numbers

70-0710-6596-8

7010303542

1.2. Recommended use and restrictions on use

Recommended use

Removes soil and finish buildup. For use on baseboards, floor edges, corners, stairways and ceramic tile., Hard Surface Cleaner

1.3. Supplier's details

MANUFACTURER: 3M
DIVISION: Commercial Branding and Transportation Division
ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA
Telephone: 1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

2.1. Hazard classification

Skin Corrosion/Irritation: Category 2.

2.2. Label elements

Signal word

Warning

Symbols

Exclamation mark |

Pictograms

**Hazard Statements**

Causes skin irritation.

Precautionary statements**Prevention:**

Wash exposed skin thoroughly after handling.

Wear protective gloves.

Response:

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice.

Take off contaminated clothing and wash it before reuse.

3% of the mixture consists of ingredients of unknown acute dermal toxicity.

3% of the mixture consists of ingredients of unknown acute inhalation toxicity.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
Water	7732-18-5	80 - 100
Ethanolamine	141-43-5	3 - 7 Trade Secret *
LAURYL DIMETHYLAMINE OXIDE	1643-20-5	1 - 5 Trade Secret *
Benzyl Alcohol	100-51-6	1 - 5 Trade Secret *
Surfactant Package	Trade Secret* 3M Unique ID: 583369	< 1
2-(2-ethylhexyloxy)ethanol	1559-35-9	< 1
POTASSIUM PEROXYMONOSULFATE SULFATE	70693-62-8	0.01 - 0.05
C.I. ACID YELLOW 36	587-98-4	0.0001 - 0.04
C.I. DIRECT BLUE 86	1330-38-7	0.0001 - 0.03
CI ACID YELLOW 17	6359-98-4	0.00001 - 0.02

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures**4.1. Description of first aid measures****Inhalation:**

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

If exposed, flush eyes with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms develop, get

medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products**Substance**

Carbon monoxide

Carbon dioxide

Condition

During Combustion

During Combustion

5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. For large spills, if necessary, get assistance from professional spill clean up team. For small spills, carefully neutralize spill by adding appropriate dilute acid such as vinegar. Work slowly to avoid boiling or spattering. Continue to add neutralizing agent until reaction stops. Let cool before collecting. Or use a commercially available caustic (alkaline or basic) spill clean-up kit. Follow kit directions exactly. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store away from acids. Store away from oxidizing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
Benzyl Alcohol	100-51-6	AIHA	TWA:44.2 mg/m ³ (10 ppm)	
Copper, dusts and mists, as Cu	1330-38-7	ACGIH	TWA(as Cu, fume):0.2 mg/m ³ ;TWA(as Cu dust or mist):1 mg/m ³	
Ethanolamine	141-43-5	ACGIH	TWA:3 ppm;STEL:6 ppm	
Ethanolamine	141-43-5	OSHA	TWA:6 mg/m ³ (3 ppm)	

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

For prolonged or repeated contact, gloves made from the following material(s) are recommended (breakthrough times are >4 hours): Butyl Rubber, Natural Rubber, Neoprene, Nitrile Rubber, Polymer laminate, Polyvinyl Chloride

Any glove recommended for prolonged/repeated contact is also suitable for short-term/splash contact.

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

Half facepiece or full facepiece supplied-air respirator

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Specific Physical Form:	Liquid
Color	Light Green
Odor	Mild Amine
Odor threshold	No Data Available
pH	10.6 - 12.6
Melting point	Not Applicable
Boiling Point	> 212 °F
Flash Point	No Data Available
Evaporation rate	No Data Available
Flammability	Not Applicable
Flammable Limits(LEL)	No Data Available
Flammable Limits(UEL)	No Data Available
Vapor Pressure	No Data Available
Relative Vapor Density	No Data Available
Density	No Data Available
Relative Density	0.963 - 1.003 [Ref Std:WATER=1]
Solubility in Water	Complete
Solubility- non-water	No Data Available
Partition coefficient: n-octanol/ water	No Data Available
Autoignition temperature	No Data Available
Decomposition temperature	No Data Available
Kinematic Viscosity	No Data Available
Molecular weight	No Data Available
Volatile Organic Compounds	6 - 15 % weight [Test Method:calculated per CARB title 2]
Percent volatile	60 - 100 %
VOC Less H2O & Exempt Solvents	600 - 650 g/l [Test Method:calculated per CARB title 2]
Particle Characteristics	Not Applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Not determined

10.5. Incompatible materials

Strong acids

Strong oxidizing agents

10.6. Hazardous decomposition products**Substance****Condition**

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects**Signs and Symptoms of Exposure**

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

Allergic Skin Reaction (non-photo induced) in sensitive people: Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Inhalation-Vapor(4 hr)		No data available; calculated ATE >50 mg/l
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Ethanolamine	Inhalation-Vapor	official classification	LC50 estimated to be 10 - 20 mg/l
Ethanolamine	Dermal	Rabbit	LD50 2,504 mg/kg

Ethanolamine	Ingestion	Rat	LD50 1,089 mg/kg
Benzyl Alcohol	Inhalation-Dust/Mist (4 hours)	Rat	LC50 8.8 mg/l
Benzyl Alcohol	Ingestion	Rat	LD50 1,200 mg/kg
LAURYL DIMETHYLAMINE OXIDE	Dermal	similar compounds	LD50 > 2,000 mg/kg
LAURYL DIMETHYLAMINE OXIDE	Ingestion	similar compounds	LD50 1,064 mg/kg
2-(2-ethylhexyloxy)ethanol	Dermal	Rabbit	LD50 2,120 mg/kg
2-(2-ethylhexyloxy)ethanol	Ingestion	Rat	LD50 4,674 mg/kg
Surfactant Package	Dermal	Rabbit	LD50 > 2,000 mg/kg
Surfactant Package	Ingestion	Rat	LD50 900 mg/kg
POTASSIUM PEROXYMONOSULFATE SULFATE	Dermal	Rat	LD50 > 2,000 mg/kg
POTASSIUM PEROXYMONOSULFATE SULFATE	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 5 mg/l
POTASSIUM PEROXYMONOSULFATE SULFATE	Ingestion	Rat	LD50 500 mg/kg
C.I. ACID YELLOW 36	Ingestion	Rat	LD50 4,200 mg/kg
C.I. ACID YELLOW 36	Dermal	similar health hazards	LD50 estimated to be 2,000 - 5,000 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Overall product	Professional judgement	Irritant
Ethanolamine	Rabbit	Corrosive
Benzyl Alcohol	Multiple animal species	Mild irritant
LAURYL DIMETHYLAMINE OXIDE	similar compounds	Irritant
2-(2-ethylhexyloxy)ethanol	Rabbit	Irritant
Surfactant Package	Rabbit	No significant irritation
POTASSIUM PEROXYMONOSULFATE SULFATE	Rabbit	Corrosive
C.I. ACID YELLOW 36	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
Overall product	In vitro data	No significant irritation
Ethanolamine	Rabbit	Corrosive
Benzyl Alcohol	Rabbit	Severe irritant
LAURYL DIMETHYLAMINE OXIDE	similar compounds	Corrosive
2-(2-ethylhexyloxy)ethanol	Rabbit	Severe irritant
Surfactant Package	Rabbit	Corrosive
POTASSIUM PEROXYMONOSULFATE SULFATE	Rabbit	Corrosive
C.I. ACID YELLOW 36	Rabbit	Severe irritant

Skin Sensitization

Name	Species	Value
Ethanolamine	Guinea pig	Not classified

Benzyl Alcohol	Human	Some positive data exist, but the data are not sufficient for classification
LAURYL DIMETHYLAMINE OXIDE	Guinea pig	Not classified
2-(2-ethylhexyloxy)ethanol	Guinea pig	Not classified
Surfactant Package	similar compounds	Not classified
POTASSIUM PEROXYMONOSULFATE SULFATE	Guinea pig	Not classified
C.I. ACID YELLOW 36	Professional judgement	Sensitizing

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Ethanolamine	In Vitro	Not mutagenic
Ethanolamine	In vivo	Not mutagenic
Benzyl Alcohol	In vivo	Not mutagenic
Benzyl Alcohol	In Vitro	Some positive data exist, but the data are not sufficient for classification
LAURYL DIMETHYLAMINE OXIDE	In Vitro	Not mutagenic
2-(2-ethylhexyloxy)ethanol	In Vitro	Not mutagenic
Surfactant Package	In Vitro	Not mutagenic
POTASSIUM PEROXYMONOSULFATE SULFATE	In vivo	Not mutagenic
POTASSIUM PEROXYMONOSULFATE SULFATE	In Vitro	Some positive data exist, but the data are not sufficient for classification
C.I. ACID YELLOW 36	In Vitro	Not mutagenic
C.I. ACID YELLOW 36	In vivo	Mutagenic

Carcinogenicity

Name	Route	Species	Value
Benzyl Alcohol	Ingestion	Multiple animal species	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
Ethanolamine	Dermal	Not classified for development	Rat	NOAEL 225 mg/kg/day	during organogenesis
Ethanolamine	Ingestion	Not classified for development	Rat	NOAEL 450 mg/kg/day	during organogenesis
Benzyl Alcohol	Ingestion	Not classified for development	Mouse	NOAEL 550 mg/kg/day	during organogenesis
2-(2-ethylhexyloxy)ethanol	Ingestion	Not classified for female reproduction	Rat	NOAEL 500 mg/kg/day	premating into lactation
2-(2-ethylhexyloxy)ethanol	Ingestion	Not classified for male reproduction	Rat	NOAEL 500 mg/kg/day	5 weeks
2-(2-ethylhexyloxy)ethanol	Ingestion	Not classified for development	Rat	NOAEL 500 mg/kg/day	premating into lactation
POTASSIUM PEROXYMONOSULFATE SULFATE	Ingestion	Not classified for development	Rat	NOAEL 750 mg/kg/day	during gestation

C.I. ACID YELLOW 36	Ingestion	Toxic to female reproduction	Rat	LOAEL 250 mg/kg/day	20 days
C.I. ACID YELLOW 36	Ingestion	Toxic to male reproduction	Rat	LOAEL 3,000 mg/kg/day	30 days
C.I. ACID YELLOW 36	Ingestion	Toxic to development	Mouse	LOAEL 21.75 mg/kg/day	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Ethanolamine	Inhalation	respiratory irritation	May cause respiratory irritation	Human and animal	NOAEL Not available	
Benzyl Alcohol	Inhalation	central nervous system depression	May cause drowsiness or dizziness		NOAEL Not available	
Benzyl Alcohol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
Benzyl Alcohol	Ingestion	central nervous system depression	May cause drowsiness or dizziness		NOAEL Not available	
LAURYL DIMETHYLAMINE OXIDE	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not Available	
2-(2-ethylhexyloxy)ethanol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Surfactant Package	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
POTASSIUM PEROXYMONOSULFATE SULFATE	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 0.0431 mg/l	14 days
C.I. ACID YELLOW 36	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Ethanolamine	Inhalation	hematopoietic system	Not classified	Rat	NOAEL 0.1559 mg/l	28 days
Ethanolamine	Inhalation	liver	Not classified	Rat	NOAEL 0.1559 mg/l	28 days
Ethanolamine	Inhalation	respiratory system	Not classified	Rat	LOAEL 0.0102 mg/l	28 days
Ethanolamine	Inhalation	heart	Not classified	Rat	NOAEL 0.1559 mg/l	28 days
Ethanolamine	Inhalation	endocrine system	Not classified	Rat	NOAEL 0.1559 mg/l	28 days
Ethanolamine	Inhalation	immune system	Not classified	Rat	NOAEL 0.1559 mg/l	28 days
Ethanolamine	Inhalation	nervous system	Not classified	Rat	NOAEL 0.1559 mg/l	28 days
Ethanolamine	Inhalation	eyes	Not classified	Rat	NOAEL 0.1559 mg/l	28 days
Ethanolamine	Inhalation	kidney and/or bladder	Not classified	Rat	NOAEL 0.1559 mg/l	28 days
Ethanolamine	Ingestion	hematopoietic system	Not classified	Rat	NOAEL Not available	
Ethanolamine	Ingestion	liver	Not classified	Rat	NOAEL Not available	
Ethanolamine	Ingestion	kidney and/or	Not classified	Rat	NOAEL Not	

		bladder			available	
Ethanolamine	Ingestion	respiratory system	Not classified	Rat	NOAEL Not available	
Benzyl Alcohol	Ingestion	endocrine system	Not classified	Rat	NOAEL 400 mg/kg/day	13 weeks
Benzyl Alcohol	Ingestion	muscles	Not classified	Rat	NOAEL 400 mg/kg/day	13 weeks
Benzyl Alcohol	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 400 mg/kg/day	13 weeks
Benzyl Alcohol	Ingestion	nervous system	Not classified	Mouse	NOAEL 645 mg/kg/day	8 days
Benzyl Alcohol	Ingestion	respiratory system	Not classified	Mouse	NOAEL 645 mg/kg/day	8 days
LAURYL DIMETHYLAMINE OXIDE	Ingestion	eyes	Some positive data exist, but the data are not sufficient for classification	similar compounds	NOAEL 88 mg/kg/day	90 days
2-(2-ethylhexyloxy)ethanol	Ingestion	liver	Not classified	Rat	NOAEL 500 mg/kg/day	5 weeks
2-(2-ethylhexyloxy)ethanol	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 500 mg/kg/day	5 weeks
2-(2-ethylhexyloxy)ethanol	Ingestion	nervous system	Not classified	Rat	NOAEL 500 mg/kg/day	5 weeks
POTASSIUM PEROXYMONOSULFATE SULFATE	Inhalation	hematopoietic system	Not classified	Rat	NOAEL 0.0431 mg/l	14 days
POTASSIUM PEROXYMONOSULFATE SULFATE	Inhalation	kidney and/or bladder	Not classified	Rat	NOAEL 0.0431 mg/l	14 days
POTASSIUM PEROXYMONOSULFATE SULFATE	Inhalation	respiratory system	Not classified	Rat	NOAEL 0.0431 mg/l	14 days
POTASSIUM PEROXYMONOSULFATE SULFATE	Inhalation	heart	Not classified	Rat	NOAEL 0.0431 mg/l	14 days
POTASSIUM PEROXYMONOSULFATE SULFATE	Inhalation	endocrine system	Not classified	Rat	NOAEL 0.0431 mg/l	14 days
POTASSIUM PEROXYMONOSULFATE SULFATE	Inhalation	liver	Not classified	Rat	NOAEL 0.0431 mg/l	14 days
POTASSIUM PEROXYMONOSULFATE SULFATE	Inhalation	immune system	Not classified	Rat	NOAEL 0.0431 mg/l	14 days
POTASSIUM PEROXYMONOSULFATE SULFATE	Inhalation	nervous system	Not classified	Rat	NOAEL 0.0431 mg/l	14 days
POTASSIUM PEROXYMONOSULFATE SULFATE	Ingestion	liver	Not classified	Rat	NOAEL 600 mg/kg/day	91 days
POTASSIUM PEROXYMONOSULFATE SULFATE	Ingestion	respiratory system	Not classified	Rat	NOAEL 600 mg/kg/day	91 days
POTASSIUM PEROXYMONOSULFATE SULFATE	Ingestion	auditory system	Not classified	Rat	NOAEL 600 mg/kg/day	91 days
POTASSIUM PEROXYMONOSULFATE SULFATE	Ingestion	heart	Not classified	Rat	NOAEL 600 mg/kg/day	91 days
POTASSIUM PEROXYMONOSULFATE SULFATE	Ingestion	endocrine system	Not classified	Rat	NOAEL 600 mg/kg/day	91 days
POTASSIUM PEROXYMONOSULFATE SULFATE	Ingestion	bone, teeth, nails, and/or hair	Not classified	Rat	NOAEL 600 mg/kg/day	91 days
POTASSIUM PEROXYMONOSULFATE SULFATE	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 600 mg/kg/day	91 days

POTASSIUM PEROXYMONOSULFATE SULFATE	Ingestion	immune system	Not classified	Rat	NOAEL 600 mg/kg/day	91 days
POTASSIUM PEROXYMONOSULFATE SULFATE	Ingestion	nervous system	Not classified	Rat	NOAEL 600 mg/kg/day	91 days
POTASSIUM PEROXYMONOSULFATE SULFATE	Ingestion	eyes	Not classified	Rat	NOAEL 600 mg/kg/day	91 days
POTASSIUM PEROXYMONOSULFATE SULFATE	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 600 mg/kg/day	91 days
POTASSIUM PEROXYMONOSULFATE SULFATE	Ingestion	vascular system	Not classified	Rat	NOAEL 600 mg/kg/day	91 days
C.I. ACID YELLOW 36	Ingestion	hematopoietic system	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 500 mg/kg/day	180 days
C.I. ACID YELLOW 36	Ingestion	liver	Not classified	Rat	NOAEL 430 mg/kg/day	15 days

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information**Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations**13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information**15.1. US Federal Regulations**

EPCRA 311/312 Hazard Classifications:**Physical Hazards**

Not Applicable.

Health Hazards

Skin Corrosion or Irritation

15.2. State Regulations

Contact 3M for more information.

15.3. Chemical Inventories

The components of this product are in compliance with the new substance notification requirements of CEPA.

The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

15.4. International Regulations**This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.****SECTION 16: Other information****NFPA Hazard Classification****Health:** 2 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None**Acid/Base:** Alkaline

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group: 19-7278-5**Version Number:** 8.00**Issue Date:** 07/06/26**Supersedes Date:** 07/06/26

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at www.3M.com