Safety Data Sheet

Copyright,2025, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	40-5574-5	**Version number:**	5.00
Issue Date:	2025/08/19	**Supersedes Date:**	2025/05/06

This Safety Data Sheet has been prepared in accordance with the Canadian Hazardous Products Regulations.

SECTION 1: Identification

1.1. Product identifier
Scotchgard™ Protect & Shine Floor Protector

Product Identification Numbers
LK-T100-2740-5 75-0400-7400-9 75-0400-7401-7 HB-0046-8840-2 JN-3301-4901-2 XA-0092-2653-2

1.2. Recommended use and restrictions on use

Intended Use
Coating

Restrictions on use
Not applicable

1.3. Supplier's details

Company:	3M Canada Company
Division:	Commercial Branding and Transportation Division
Address:	1840 Oxford Street East, Post Office Box 5757, London, Ontario N6A 4T1
Telephone:	(800) 364-3577
Website:	www.3M.ca

1.4. Emergency telephone number
Medical Emergency Telephone:1-800-3M HELPS / 1800 364 3577

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture
Not classified according to the Canadian Hazardous Products Regulation.

2.2. Label elements
Signal word
Not applicable.

Symbols
Not applicable

Pictograms
Not applicable

2.3. Other hazards
None known.

21% of the mixture consists of ingredients of unknown acute oral toxicity.

SECTION 3: Composition/information on ingredients

This material is a mixture.

Ingredient	C.A.S. No.	% by Wt	Common Name
Water	7732-18-5	65 - 80	Water
Polymer Emulsion	Trade Secret	4 - 22	Not Applicable
Nanoscale Stabilizer	Trade Secret	1 - 10	Not Applicable
Ethoxydiglycol	111-90-0	1 - 5	Ethanol, 2-(2-ethoxyethoxy)-
Benzoate Esters	Trade Secret	< 1	Not Applicable
Glycol Ether containing Carboxylic Metal Salt	Trade Secret	< 1	Not Applicable
Alkoxy Glycol Ether	Trade Secret	< 0.5	Not Applicable
Alkyl Silyl containing Carboxylic Metal Salt	Trade Secret	< 0.5	Not Applicable
Dipropylene Glycol Methyl Ether	34590-94-8	< 0.5	Propanol, 1(or 2)-(2-methoxymethylethoxy)-
Glycol Ether modified Polydimethylsiloxane	Trade Secret	< 0.5	Not Applicable
Siloxane-based Defoamer	Trade Secret	< 0.01	Not Applicable
Methylchloroisothiazolinone	26172-55-4	< 0.001	3(2H)-Isothiazolone, 5-chloro-2-methyl-
Methylisothiazolinone	2682-20-4	< 0.0005	3(2H)-Isothiazolone, 2-methyl-

Glycol Ether containing Carboxylic Metal Salt is a non-hazardous material according to WHMIS criteria. Specific information has been withheld as a trade secret.
Alkoxy Glycol Ether is a non-hazardous material according to WHMIS criteria. Specific information has been withheld as a trade secret.
Polymer Emulsion is a non-hazardous material according to WHMIS criteria. Specific information has been withheld as a trade secret.
Nanoscale Stabilizer is a non-hazardous material according to WHMIS criteria. Specific information has been withheld as a trade secret.
Siloxane-based Defoamer is a non-hazardous material according to WHMIS criteria. Specific information has been withheld as a trade secret.
Alkyl Silyl containing Carboxylic Metal Salt is a non-hazardous material according to WHMIS criteria. Specific information has been withheld as a trade secret.
Glycol Ether modified Polydimethylsiloxane is a non-hazardous material according to WHMIS criteria. Specific information has been withheld as a trade secret.
Benzoate Esters is a non-hazardous material according to WHMIS criteria. Specific information has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:
If exposed, wash with soap and water. If signs/symptoms develop, get medical attention.

Eye Contact:
If exposed, flush eyes with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms develop, get medical attention.

If Swallowed:
Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed
No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required
Not applicable.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media
In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Unsuitable extinguishing media
None Determined

5.3. Special hazards arising from the substance or mixture
None inherent in this product.

Hazardous Decomposition or By-Products

Substance	Condition
Carbon monoxide	During Combustion
Carbon dioxide	During Combustion

5.4. Special protection actions for fire-fighters
Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA). Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures
Evacuate area. Ventilate the area with fresh air. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

6.2. Environmental precautions
Avoid release to the environment.

6.3. Methods and material for containment and cleaning up
Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible.

Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling
For industrial or professional use only. Not for consumer sale or use. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

7.2. Conditions for safe storage including any incompatibilities
Store away from heat.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits
If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
Ethoxydiglycol	111-90-0	AIHA	TWA:140 mg/m3(25 ppm)	
Dipropylene Glycol Methyl Ether	34590-94-8	ACGIH	TWA:50 ppm	

ACGIH : American Conference of Governmental Industrial Hygienists
AIHA : American Industrial Hygiene Association
CMRG : Chemical Manufacturer's Recommended Guidelines
TWA: Time-Weighted-Average
STEL: Short Term Exposure Limit
CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls
Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection
None required.

Skin/hand protection
No chemical protective gloves are required.

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:
Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Colour	Milky White
Odour	Moderate Acrylic
Odour threshold	*No Data Available*
pH	7.5 - 8.5
Melting point/Freezing point	*Not Applicable*
Boiling point	> 100 ºC
Flash Point	93.3 ºC [*Test Method:*Closed Cup]
Evaporation rate	*No Data Available*
Flammability	Not Applicable
Flammable Limits(LEL)	*Not Applicable*
Flammable Limits(UEL)	*Not Applicable*
Vapour Pressure	<=2,333.1 Pa [@ 20 ºC]
Relative Vapour Density	*No Data Available*
Density	Approximately [*Ref Std:*WATER=1]
Relative density	Approximately 1 [*Ref Std:*WATER=1]
Water solubility	Complete
Solubility- non-water	*No Data Available*
Partition coefficient: n-octanol/ water	*No Data Available*
Autoignition temperature	*No Data Available*
Decomposition temperature	*No Data Available*
Kinematic Viscosity	*No Data Available*
Volatile Organic Compounds	< 0.5 % weight [*Test Method:*calculated per CARB title 2]
Percent volatile	*No Data Available*
VOC Less H2O & Exempt Solvents	140 - 160 g/l [*Test Method:*calculated per CARB title 2]
Molecular weight	*Not Applicable*

Particle Characteristics	*Not Applicable*

SECTION 10: Stability and reactivity

10.1. Reactivity
This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability
Stable.

10.3. Possibility of hazardous reactions
Hazardous polymerization will not occur.

10.4. Conditions to avoid
Heat

10.5. Incompatible materials
None known.

10.6. Hazardous decomposition products

Substance	**Condition**
None known.	

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:
Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:
Contact with the skin during product use is not expected to result in significant irritation.

Eye Contact:
Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:
Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data
If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Nanoscale Stabilizer	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
Nanoscale Stabilizer	Ingestion	Rat	LD50 > 2,000 mg/kg
Nanoscale Stabilizer	Dermal	similar health hazards	LD50 estimated to be 2,000 - 5,000 mg/kg
Ethoxydiglycol	Dermal	Rabbit	LD50 9,143 mg/kg
Ethoxydiglycol	Ingestion	Rat	LD50 5,400 mg/kg
Glycol Ether containing Carboxylic Metal Salt	Dermal	similar compounds	LD50 > 2,000 mg/kg
Glycol Ether containing Carboxylic Metal Salt	Inhalation-Dust/Mist (4 hours)	similar compounds	LC50 2.3 mg/l
Glycol Ether containing Carboxylic Metal Salt	Ingestion	similar compounds	LD50 > 5,000 mg/kg
Benzoate Esters	Dermal	Rat	LD50 > 2,000 mg/kg
Benzoate Esters	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 200 mg/l
Benzoate Esters	Ingestion	Rat	LD50 3,535 mg/kg
Alkyl Silyl containing Carboxylic Metal Salt	Dermal	similar compounds	LD50 > 2,000 mg/kg

Alkyl Silyl containing Carboxylic Metal Salt	Inhalation-Dust/Mist (4 hours)	similar compounds	LC50 2.3 mg/l
Alkyl Silyl containing Carboxylic Metal Salt	Ingestion	similar compounds	LD50 > 5,000 mg/kg
Dipropylene Glycol Methyl Ether	Dermal	Rabbit	LD50 > 19,000 mg/kg
Dipropylene Glycol Methyl Ether	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 50 mg/l
Dipropylene Glycol Methyl Ether	Ingestion	Rat	LD50 5,180 mg/kg
Glycol Ether modified Polydimethylsiloxane	Dermal	Rabbit	LD50 > 2,000 mg/kg
Glycol Ether modified Polydimethylsiloxane	Ingestion	Rat	LD50 > 5,000 mg/kg
Siloxane-based Defoamer	Dermal	Multiple animal species	LD50 > 2,000 mg/kg
Siloxane-based Defoamer	Ingestion	Rat	LD50 > 5,000 mg/kg
Methylchloroisothiazolinone	Dermal	Rabbit	LD50 87 mg/kg
Methylchloroisothiazolinone	Inhalation-Dust/Mist (4 hours)	Rat	LC50 0.171 mg/l
Methylchloroisothiazolinone	Ingestion	Rat	LD50 40 mg/kg
Methylisothiazolinone	Dermal	Rabbit	LD50 87 mg/kg
Methylisothiazolinone	Inhalation-Dust/Mist (4 hours)	Rat	LC50 0.171 mg/l
Methylisothiazolinone	Ingestion	Rat	LD50 40 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Nanoscale Stabilizer	Rabbit	Mild irritant
Ethoxydiglycol	Rabbit	No significant irritation
Benzoate Esters	Rabbit	No significant irritation
Dipropylene Glycol Methyl Ether	Human and animal	No significant irritation
Glycol Ether modified Polydimethylsiloxane	Rabbit	No significant irritation
Siloxane-based Defoamer	Human and animal	No significant irritation
Methylchloroisothiazolinone	Rabbit	Corrosive
Methylisothiazolinone	Rabbit	Corrosive

Serious Eye Damage/Irritation

Name	Species	Value
Nanoscale Stabilizer	Rabbit	Moderate irritant
Ethoxydiglycol	Rabbit	Moderate irritant
Benzoate Esters	Rabbit	No significant irritation
Dipropylene Glycol Methyl Ether	Rabbit	Mild irritant
Glycol Ether modified Polydimethylsiloxane	Rabbit	No significant irritation
Siloxane-based Defoamer	Rabbit	No significant irritation
Methylchloroisothiazolinone	Rabbit	Corrosive
Methylisothiazolinone	Rabbit	Corrosive

Skin Sensitization

Name	Species	Value
Ethoxydiglycol	Human	Not classified
Benzoate Esters	Guinea pig	Not classified
Dipropylene Glycol Methyl Ether	Human	Not classified
Glycol Ether modified Polydimethylsiloxane	Human	Not classified

	and animal	
Siloxane-based Defoamer	Human and animal	Not classified
Methylchloroisothiazolinone	Human and animal	Sensitizing
Methylisothiazolinone	Human and animal	Sensitizing

Photosensitization

Name	Species	Value
Methylchloroisothiazolinone	Human and animal	Not sensitizing
Methylisothiazolinone	Human and animal	Not sensitizing

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Ethoxydiglycol	In Vitro	Not mutagenic
Ethoxydiglycol	In vivo	Not mutagenic
Benzoate Esters	In Vitro	Not mutagenic
Dipropylene Glycol Methyl Ether	In Vitro	Not mutagenic
Glycol Ether modified Polydimethylsiloxane	In Vitro	Not mutagenic
Siloxane-based Defoamer	In Vitro	Not mutagenic
Siloxane-based Defoamer	In vivo	Not mutagenic
Methylchloroisothiazolinone	In vivo	Not mutagenic
Methylchloroisothiazolinone	In Vitro	Some positive data exist, but the data are not sufficient for classification
Methylisothiazolinone	In vivo	Not mutagenic
Methylisothiazolinone	In Vitro	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Siloxane-based Defoamer	Dermal	Mouse	Not carcinogenic
Siloxane-based Defoamer	Ingestion	Mouse	Not carcinogenic
Methylchloroisothiazolinone	Dermal	Mouse	Not carcinogenic
Methylchloroisothiazolinone	Ingestion	Rat	Not carcinogenic
Methylisothiazolinone	Dermal	Mouse	Not carcinogenic
Methylisothiazolinone	Ingestion	Rat	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Ethoxydiglycol	Dermal	Not classified for development	Rat	NOAEL 5,500 mg/kg/day	during organogenesis
Ethoxydiglycol	Ingestion	Not classified for development	Mouse	NOAEL 5,500 mg/kg/day	during organogenesis
Ethoxydiglycol	Inhalation	Not classified for development	Rat	NOAEL 0.6	during

				mg/l	organogenesis
Ethoxydiglycol	Ingestion	Not classified for male reproduction	Rat	NOAEL 2,200 mg/kg/day	2 generation
Benzoate Esters	Ingestion	Not classified for female reproduction	Rat	NOAEL 10000 ppm in the diet	2 generation
Benzoate Esters	Ingestion	Not classified for male reproduction	Rat	NOAEL 10000 ppm in the diet	2 generation
Benzoate Esters	Ingestion	Not classified for development	Rabbit	NOAEL 75 mg/kg/day	during gestation
Dipropylene Glycol Methyl Ether	Inhalation	Not classified for development	Multiple animal species	NOAEL 1.82 mg/l	during organogenesis
Siloxane-based Defoamer	Ingestion	Not classified for development	Rat	NOAEL 3,800 mg/kg/day	during organogenesis
Siloxane-based Defoamer	Dermal	Not classified for development	Rabbit	NOAEL 1,000 mg/kg/day	during organogenesis
Methylchloroisothiazolinone	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Methylchloroisothiazolinone	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Methylchloroisothiazolinone	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis
Methylisothiazolinone	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Methylisothiazolinone	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Methylisothiazolinone	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Nanoscale Stabilizer	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Ethoxydiglycol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
Dipropylene Glycol Methyl Ether	Dermal	central nervous system depression	Not classified	Rabbit	NOAEL 2,850 mg/kg	
Dipropylene Glycol Methyl Ether	Inhalation	central nervous system depression	Not classified	Rat	LOAEL 3.07 mg/l	7 hours
Dipropylene Glycol Methyl Ether	Ingestion	central nervous system depression	Not classified	Rat	LOAEL 5,000 mg/kg	
Methylchloroisothiazolinone	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	
Methylisothiazolinone	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Nanoscale Stabilizer	Inhalation	nervous system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 0.32 mg/l	28 days

Ethoxydiglycol	Dermal	kidney and/or bladder	Not classified	Rabbit	NOAEL 1,000 mg/kg/day	12 weeks
Ethoxydiglycol	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Pig	NOAEL 167 mg/kg/day	90 days
Ethoxydiglycol	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 2,700 mg/kg/day	90 days
Ethoxydiglycol	Ingestion	endocrine system	Not classified	Rat	NOAEL 2,500 mg/kg/day	90 days
Ethoxydiglycol	Ingestion	heart | hematopoietic system | nervous system	Not classified	Mouse	NOAEL 8,100 mg/kg/day	90 days
Benzoate Esters	Ingestion	hematopoietic system | liver | eyes | kidney and/or bladder	Not classified	Rat	NOAEL 2,500 mg/kg/day	13 weeks
Dipropylene Glycol Methyl Ether	Dermal	kidney and/or bladder | heart | endocrine system | hematopoietic system | liver | respiratory system	Not classified	Rabbit	NOAEL 9,500 mg/kg/day	90 days
Dipropylene Glycol Methyl Ether	Inhalation	heart | hematopoietic system | liver | immune system | nervous system | eyes | kidney and/or bladder	Not classified	Rat	NOAEL 1.21 mg/l	90 days
Dipropylene Glycol Methyl Ether	Ingestion	liver | heart | endocrine system | bone, teeth, nails, and/or hair | hematopoietic system | immune system | nervous system | kidney and/or bladder | respiratory system	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days
Siloxane-based Defoamer	Ingestion	eyes	Not classified	Rat	NOAEL 10%	90 days
Siloxane-based Defoamer	Ingestion	respiratory system	Not classified	Rat	NOAEL 1%	90 days
Siloxane-based Defoamer	Ingestion	gastrointestinal tract	Not classified	Multiple animal species	NOAEL 10%	90 days
Siloxane-based Defoamer	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 10%	90 days
Siloxane-based Defoamer	Ingestion	heart | liver | kidney and/or bladder | vascular system	Not classified	Rat	NOAEL 1%	90 days

Aspiration Hazard
For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

No data available.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

SECTION 14: Transport Information

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

SECTION 16: Other information

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.
Health: 1 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document group:	40-5574-5	**Version number:**	5.00
Issue Date:	2025/08/19	**Supersedes Date:**	2025/05/06

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M Canada SDSs are available at www.3M.ca