Safety Data Sheet

Copyright,2026, 3M India Limited.All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	41-9486-6	**Version number:**	1.01
Issue Date:	09/10/2026	**Supersedes date:**	01/02/2021

This Safety Data Sheet has been prepared in accordance with the GHS guidelines & India Hazardous substances (Classification, Labeling & Packaging) Draft Rules 2011.

SECTION 1: Identification

1.1. Product identifier
3M(tm) Clean & Shine Daily Floor Enhancer Concentrate (BULK and DOSER)

Product Identification Numbers
75-0400-7524-6 75-0400-7525-3 75-0400-7578-2

1.2. Recommended use and restrictions on use

Recommended use
Hard floor maintenance.

1.3. Supplier's details

Address:	3M India Limited, plot-48-51, Electronic city, Hosur road, Bangalore-560100
Telephone:	080-45543000, contact Product EHS team
E Mail:	productehs.in@mmm.com
Website:	http://solutions.3mindia.co.in

1.4. Emergency telephone number
080-45543000 (Contact hours: 8:00 AM to 5:00 PM)

SECTION 2: Hazard identification


Under MSIHC Rules, information is noted below on flammability, acute toxicity and explosivity relevant to this product. In line with international standards, information on other hazard classes and associated precautionary statements relevant to this product are included as well.

2.1. Classification of the substance or mixture
Serious Eye Damage/Irritation: Category 2A
Acute Aquatic Toxicity: Category 3.

2.2. Label elements
Signal Word
Warning

Symbols
Exclamation mark |

Pictograms



HAZARD STATEMENTS:

H319	Causes serious eye irritation.
H402	Harmful to aquatic life.

PRECAUTIONARY STATEMENTS

Response:

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

This material is a mixture.

Ingredient	CAS Nbr	% by Wt
Water	7732-18-5	80 - 100
Acrylic Co-Polymer	Trade Secret	1 - 5
Branched Alkyl Alcohol Alkoxylate	64366-70-7	1 - 5
Alcohols, C9-11, ethoxylated	68439-46-3	1 - 5
Lithium Polysilicate	12627-14-4	1 - 3
Ethoxylated Alkyl Alcohol	Trade Secret	0.1 - < 0.5
AMMONIUM ZINC CARBONATE	40861-29-8	0.1 - < 0.5

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

If exposed, wash with soap and water. If signs/symptoms develop, get medical attention.

Eye contact

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable Extinguishing media
In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture
Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

Substance	Condition
Formaldehyde	During combustion.
Carbon monoxide.	During combustion.
Carbon dioxide.	During combustion.

5.3. Special protective actions for fire-fighters
Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures
Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Use PPE - Exposure Assessment

Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

6.2. Environmental precautions
Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up
Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling
Avoid eye contact. For industrial/occupational use only. Not for consumer sale or use. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from acids. Store away from strong bases. Store away from oxidising agents.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits
No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

8.2. Exposure controls

8.2.1. Engineering controls
Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:
Safety glasses with side shields.
Indirect vented goggles.

Skin/hand protection
No chemical protective gloves are required.

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:
Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Color	Colorless-White
Odor	Mild Detergent
Odour threshold	*No data available.*
pH	10.6 - 11.3 [*Details:*RTU pH 9.0-9.8]
Melting point/Freezing point: NA	*Not applicable.*
Boiling point/Initial boiling point/Boiling range	>=93.3 ºC
Flash point	>=93.3 ºC [*Test Method:*Closed Cup]
Evaporation rate	*No data available.*
Flammability	Not applicable.
Flammable Limits(LEL)	*No data available.*
Flammable Limits(UEL)	*No data available.*
Vapour pressure	<=17.5 mm Hg [@ 68 ºF]
Relative Vapor Density	>=1

Density	>=0.98 g/ml
Relative density	>=0.98 [*Ref Std:*WATER=1]
Water solubility	Soluble
Solubility- non-water	*No data available.*
Partition coefficient: n-octanol/water	*No data available.*
Autoignition temperature	204 ºC
Decomposition temperature	*No data available.*
Kinematic Viscosity	*No data available.*
Volatile organic compounds (VOC)	<=0.1 [*Test Method:*calculated per CARB]
Percent volatile	*No data available.*
VOC less H2O & exempt solvents	*No data available.*
Molecular weight	*Not applicable.*

Particle Characteristics	*Not applicable.*

SECTION 10: Stability and reactivity

10.1 Reactivity
This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability
Stable.

10.3 Possibility of hazardous reactions
Hazardous polymerisation will not occur.

10.4 Conditions to avoid
Heat.
Sparks and/or flames.

10.5 Incompatible materials
Strong acids.
Strong bases.
Strong oxidising agents.

10.6 Hazardous decomposition products

Substance	**Condition**
None known.	

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation
Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact
Contact with the skin during product use is not expected to result in significant irritation.

Eye contact
Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion
Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Toxicological Data
If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Alcohols, C9-11, ethoxylated	Dermal	similar compounds	LD50 > 2,000 mg/kg
Alcohols, C9-11, ethoxylated	Inhalation-Dust/Mist (4 hours)	similar compounds	LC50 > 1.6 mg/l
Alcohols, C9-11, ethoxylated	Ingestion	similar compounds	LD50 3,488 mg/kg
Branched Alkyl Alcohol Alkoxylate	Dermal	similar compounds	LD50 > 2,000 mg/kg
Branched Alkyl Alcohol Alkoxylate	Ingestion	similar compounds	LD50 > 2,000 mg/kg
Lithium Polysilicate	Dermal		LD50 estimated to be 2,000 - 5,000 mg/kg
Lithium Polysilicate	Ingestion	Rat	LD50 > 2,000 mg/kg
Ethoxylated Alkyl Alcohol	Dermal	Rabbit	LD50 > 2,000 mg/kg
Ethoxylated Alkyl Alcohol	Ingestion	Rat	LD50 > 700 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Alcohols, C9-11, ethoxylated	similar compounds	Minimal irritation
Branched Alkyl Alcohol Alkoxylate	Professional judgement	Minimal irritation
Lithium Polysilicate	Rabbit	Minimal irritation
Ethoxylated Alkyl Alcohol	similar health hazards	Irritant

Serious Eye Damage/Irritation

Name	Species	Value

Alcohols, C9-11, ethoxylated	Professional judgement	Moderate irritant
Branched Alkyl Alcohol Alkoxylate	Professional judgement	Severe irritant
Lithium Polysilicate	Rabbit	Corrosive
Ethoxylated Alkyl Alcohol	Professional judgement	Corrosive

Sensitization:

Skin Sensitisation

Name	Species	Value
Alcohols, C9-11, ethoxylated	Guinea pig	Not classified
Branched Alkyl Alcohol Alkoxylate	similar compounds	Not classified

Respiratory Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Alcohols, C9-11, ethoxylated	In Vitro	Not mutagenic
Branched Alkyl Alcohol Alkoxylate	In Vitro	Not mutagenic

Carcinogenicity

For the component/components, either no data are currently available or the data are not sufficient for classification.

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Alcohols, C9-11, ethoxylated	Dermal	Not classified for female reproduction	Rat	NOAEL 250 mg/kg/day	2 generation
Alcohols, C9-11, ethoxylated	Dermal	Not classified for development	Rat	NOAEL 250 mg/kg/day	2 generation
Alcohols, C9-11, ethoxylated	Dermal	Not classified for male reproduction	Rat	NOAEL 100 mg/kg/day	2 generation

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Alcohols, C9-11, ethoxylated	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Branched Alkyl Alcohol Alkoxylate	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Lithium Polysilicate	Inhalation	respiratory irritation	Some positive data exist, but the	similar	NOAEL Not	

			data are not sufficient for classification	compounds	available	
Ethoxylated Alkyl Alcohol	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Alcohols, C9-11, ethoxylated	Dermal	kidney and/or bladder	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
Alcohols, C9-11, ethoxylated	Dermal	heart	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
Alcohols, C9-11, ethoxylated	Dermal	hematopoietic system	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
Alcohols, C9-11, ethoxylated	Dermal	liver	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
Alcohols, C9-11, ethoxylated	Dermal	nervous system	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
Alcohols, C9-11, ethoxylated	Dermal	respiratory system	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
Lithium Polysilicate	Ingestion	nervous system	Some positive data exist, but the data are not sufficient for classification	similar compounds	NOAEL Not available	
Lithium Polysilicate	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	similar compounds	NOAEL Not available	

Aspiration Hazard
For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

Acute aquatic hazard:
GHS Acute 3: Harmful to aquatic life.

Chronic aquatic hazard:
Not chronically toxic to aquatic life by GHS criteria.

No product test data available.

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
Acrylic Co-Polymer	Trade Secret	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Branched Alkyl Alcohol Alkoxylate	64366-70-7	Green algae	Experimental	72 hours	EC50	31.9 mg/l
Branched Alkyl Alcohol Alkoxylate	64366-70-7	Water flea	Experimental	48 hours	EC50	33.6 mg/l
Branched Alkyl	64366-70-7	Green algae	Experimental	72 hours	NOEC	6.25 mg/l

Alcohol Alkoxylate						
Alcohols, C9-11, ethoxylated	68439-46-3	Rainbow trout	Analogous Compound	96 hours	LC50	5 mg/l
Alcohols, C9-11, ethoxylated	68439-46-3	Green algae	Experimental	72 hours	EbC50	1.4 mg/l
Alcohols, C9-11, ethoxylated	68439-46-3	Water flea	Experimental	48 hours	EC50	2.5 mg/l
Alcohols, C9-11, ethoxylated	68439-46-3	Green algae	Analogous Compound	72 hours	ErC10	1.05 mg/l
Alcohols, C9-11, ethoxylated	68439-46-3	Water flea	Analogous Compound	21 days	NOEC	0.107 mg/l
Alcohols, C9-11, ethoxylated	68439-46-3	Activated sludge	Analogous Compound	3 hours	EC50	140 mg/l
Alcohols, C9-11, ethoxylated	68439-46-3	Wheat	Analogous Compound	19 days	EC50	>100 mg/kg (Dry Weight)
Lithium Polysilicate	12627-14-4	Green algae	Estimated	72 hours	EC50	>345.4 mg/l
Lithium Polysilicate	12627-14-4	Water flea	Experimental	48 hours	EC50	>220 mg/l
AMMONIUM ZINC CARBONATE	40861-29-8	Rainbow trout	Analogous Compound	96 hours	LC50	0.573 mg/l
AMMONIUM ZINC CARBONATE	40861-29-8	Water flea	Analogous Compound	48 hours	EC50	0.2 mg/l
AMMONIUM ZINC CARBONATE	40861-29-8	Green algae	Estimated	72 hours	EC50	0.14 mg/l
AMMONIUM ZINC CARBONATE	40861-29-8	Water flea	Analogous Compound	7 days	NOEC	0.044 mg/l
AMMONIUM ZINC CARBONATE	40861-29-8	Green algae	Estimated	72 hours	NOEC	0.017 mg/l
AMMONIUM ZINC CARBONATE	40861-29-8	Activated sludge	Analogous Compound	3 hours	EC50	17.6 mg/l
Ethoxylated Alkyl Alcohol	Trade Secret	Green algae	Analogous Compound	72 hours	ErC50	0.43 mg/l
Ethoxylated Alkyl Alcohol	Trade Secret	Green algae	Analogous Compound	72 hours	NOEC	0.09 mg/l

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Acrylic Co-Polymer	Trade Secret	Data not available-insufficient	N/A	N/A	N/A	N/A
Branched Alkyl Alcohol Alkoxylate	64366-70-7	Experimental Biodegradation	28 days	BOD	>60 %BOD/ThOD	OECD 301F - Manometric respirometry
Alcohols, C9-11, ethoxylated	68439-46-3	Analogous Compound Biodegradation	28 days	BOD	72 %CO2 evolution/THCO2 evolution	ISO 14593 Inorg C Headspace
Lithium Polysilicate	12627-14-4	Data not available-insufficient	N/A	N/A	N/A	N/A
AMMONIUM ZINC CARBONATE	40861-29-8	Data not available-insufficient	N/A	N/A	N/A	N/A
Ethoxylated Alkyl Alcohol	Trade Secret	Modeled Biodegradation	28 days	CO2 evolution	95 %CO2 evolution/THCO2 evolution	Catalogic™

12.3 : Bioaccumulative potential

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Acrylic Co-Polymer	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Branched Alkyl Alcohol Alkoxylate	64366-70-7	Estimated Bioconcentration		Bioaccumulation factor	3.5	
Alcohols, C9-11, ethoxylated	68439-46-3	Modeled Bioconcentration		Bioaccumulation factor	31	Catalogic™
Alcohols, C9-11, ethoxylated	68439-46-3	Analogous Compound Bioconcentration		Log Kow	2.72	OECD 123 log Kow slow stir
Lithium Polysilicate	12627-14-4	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
AMMONIUM ZINC CARBONATE	40861-29-8	Analogous Compound Bioconcentration	56 days	Bioaccumulation factor	242	
AMMONIUM ZINC CARBONATE	40861-29-8	Analogous Compound Bioconcentration		Log Kow	-1.14	OECD 107 log Kow shke flsk mtd
Ethoxylated Alkyl Alcohol	Trade Secret	Modeled Bioconcentration		Bioaccumulation factor	50	Catalogic™

12.4. Mobility in soil
Please contact manufacturer for more details

12.5 Other Adverse effects
No information available.

SECTION 13: Disposal considerations

13.1. Disposal methods
Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transport Information

Not hazardous for transportation.

Air Transport (IATA)Regulations

UN No Not applicable
Proper Shipping Name Not applicable
Hazard Classs/Division Not applicable
Subsidiary Risk Not applicable
Other Dangerous Goods Descriptions: None assigned.

Packing Group: Not applicable

Marine Transport (IMDG)
UN No Not applicable

Proper Shipping Name Not applicable
Hazard Classs/Division Not applicable
Subsidiary Risk Not applicable
Other Dangerous Goods Descriptions: None assigned.

Packing Group: Not applicable
Environmental Hazards: Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status
Contact 3M for more information. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Applicable Environmental, Health and Safety Regulations
The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989
Hazardous Waste(Management , Handling & Transboundary) Rules, 2008
Hazardous Chemicals (Classification, Packaging and Labelling Draft Rules), 2011

The following ingredients are listed as hazardous on Part II of Schedule I of the India Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) rules
None.

The following ingredients are classified as hazardous based on the criteria listed under Part I of Schedule I of the India Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) rules:
The product is classified as Non-Hazardous as per MSIHC Rules, 1989.

SECTION 16: Other information

NFPA Hazard Classification
Health: 2 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Revision information:
Section 1: Product name information was modified.
Label: GHS Classification information was modified.
Label: GHS Precautionary - Disposal information was deleted.
Label: Graphic information was modified.
Label: Signal Word information was modified.
Section 2: Ingredient table information was modified.
Section 4: First Aid - notes to physician (REACH/GHS) information was modified.
Section 4: First aid for skin contact information information was modified.
Section 6: Accidental release clean-up information information was modified.
Section 6: Accidental release personal information information was modified.
Section 7: Conditions safe storage information was modified.
Section 8: Eye/face protection information information was modified.
Section 8: Personal Protection - Skin/hand information information was modified.
Section 08: Skin protection - incidental contact text information was deleted.
Section 08: Skin protection - incidental contact information was deleted.
Section 8: Skin protection - recommended gloves information information was deleted.

Section 8: Skin protection - recommended gloves text information was deleted.
Section 9: Flammability (solid, gas) information information was deleted.
Section 09: Flammability information information was added.
Section 09: Kinematic Viscosity information information was added.
Section 09: Nanoparticle information was deleted.
Section 09: Odor information was modified.
Section 09: Particle Characteristics N/A information was added.
Section 09: Percent Volatile information was modified.
Section 9: Property description for optional properties information was added.
Section 09: Vapor Density Value information was modified.
Section 9: Vapour pressure value information was modified.
Section 09: Viscosity information was deleted.
Section 09: VOC Less H2O & Exempt Solvents information was modified.
Section 11: Acute Toxicity table information was modified.
Section 11: Germ Cell Mutagenicity Table information was modified.
Section 11: Health Effects - Skin information information was modified.
Section 11: Reproductive Toxicity Table information was modified.
Section 11: Serious Eye Damage/Irritation Table information was modified.
Section 11: Skin Corrosion/Irritation Table information was modified.
Section 11: Skin Sensitization Table information was modified.
Section 11: Target Organs - Repeated Table information was modified.
Section 11: Target Organs - Single Table information was modified.
Section 12: Component ecotoxicity information information was modified.
Section 12: Persistence and Degradability information information was modified.
Section 12:Bioccumulative potential information information was modified.
Section 13: Standard Phrase Category Waste GHS information was modified.
Section 14: Air Transport - Other Dangerous Goods Descriptions heading information was added.
Section 14: Marine Transport - Other Dangerous Goods Descriptions heading information was added.
Section 14: Other Dangerous Goods Descriptions (IATA) information was added.
Section 14: Other Dangerous Goods Descriptions (IMO) information was added.

DISCLAIMER: The information in this Safety Data Sheet (SDS) is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this SDS or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own evaluation to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into India, you are responsible to comply with all applicable regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration/notification.

3M India SDSs are available at http://solutions.3mindia.co.in