Safety Data Sheet

Copyright,2026, 3M Company.
All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group:	46-0065-6	**Version Number:**	2.00
Issue Date:	01/12/26	**Supersedes Date:**	12/18/25

SECTION 1: Identification

1.1. Product identifier
Scotch-Brite™ Grease Trap Grill Wipes

Product Identification Numbers
70-0071-7628-5
7100405640

1.2. Recommended use and restrictions on use

Recommended use
Consumer

1.3. Supplier's details

MANUFACTURER:	3M
DIVISION:	Home and Auto Care
ADDRESS:	3M Center, St. Paul, MN 55144-1000, USA
Telephone:	1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number
1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

2.1. Hazard classification
Skin Corrosion/Irritation: Category 2.

2.2. Label elements
Signal word
Warning

Symbols
Exclamation mark |

Pictograms



Hazard Statements

Causes skin irritation.

Precautionary statements
General:
Keep out of reach of children.

Prevention:
Wash exposed skin thoroughly after handling.
Wear protective gloves.

Response:
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation occurs: Get medical advice.
Take off contaminated clothing and wash it before reuse.

4% of the mixture consists of ingredients of unknown acute dermal toxicity.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
Water	7732-18-5	80 - 100
Benzyl Alcohol	100-51-6	3 - 7 Trade Secret *
Alkylbenzene Sulfonic Acid	68584-22-5	0.5 - 1.5 Trade Secret *
Ethanolamine	141-43-5	0.1 - 1 Trade Secret *
Surfactants	Trade Secret* 3M Unique ID: 619345	0.1 - 1 Trade Secret *
Aminomethyl Propanol	124-68-5	< 0.1
Poly(oxy-1,2-ethanediyl),.alpha.-undecyl-.omega.-hydroxy-	34398-01-1	0.01 - 0.1
Sodium Lauroyl Sarcosinate	137-16-6	0.0001 - 0.1
3M Protector	Trade Secret*	< 0.1
Fragrance	Trade Secret* 3M Unique ID: 973029	< 0.01
Methylchloroisothiazolinone	26172-55-4	< 0.0005
Methylisothiazolinone	2682-20-4	< 0.0002
Acid Blue 80	4474-24-2	< 0.0001
Acid Red 52	3520-42-1	< 0.0001

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

No need for first aid is anticipated. If symptoms develop, remove the affected person to fresh air. Get medical attention.

Skin Contact:
Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:
No need for first aid is anticipated. If signs/symptoms persist, get medical attention.

If Swallowed:
Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed
No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required
Not applicable.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media
Material will not burn. Non-combustible. Use a fire fighting agent suitable for surrounding fire.

5.2. Special hazards arising from the substance or mixture
None inherent in this product.

Hazardous Decomposition or By-Products

Substance	Condition
Carbon monoxide	During Combustion
Carbon dioxide	During Combustion

5.3. Special protective actions for fire-fighters
No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures
Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

6.2. Environmental precautions
Avoid release to the environment.

6.3. Methods and material for containment and cleaning up
Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

Refer to Section 15 for additional information

SECTION 7: Handling and storage

7.1. Precautions for safe handling
Keep out of reach of children. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

7.2. Conditions for safe storage including any incompatibilities
No special storage requirements.

Refer to Section 15 for additional information

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits
If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
Benzyl Alcohol	100-51-6	AIHA	TWA:44.2 mg/m3(10 ppm)	
Ethanolamine	141-43-5	ACGIH	TWA:3 ppm;STEL:6 ppm	
Ethanolamine	141-43-5	OSHA	TWA:6 mg/m3(3 ppm)	

ACGIH : American Conference of Governmental Industrial Hygienists
AIHA : American Industrial Hygiene Association
CMRG : Chemical Manufacturer's Recommended Guidelines
OSHA : United States Department of Labor - Occupational Safety and Health Administration
TWA: Time-Weighted-Average
STEL: Short Term Exposure Limit
CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls
No engineering controls required.

8.2.2. Personal protective equipment (PPE)

Eye/face protection
None required.

Skin/hand protection
Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

For prolonged or repeated contact, gloves made from the following material(s) are recommended (breakthrough times are >4 hours): Butyl Rubber, Polymer laminate

For short-term or splash contact, gloves made from the following material(s) are recommended (breakthrough times are <=4 hours): Polyvinyl Chloride

Any glove recommended for prolonged/repeated contact is also suitable for short-term/splash contact.

Respiratory protection

None required.

Refer to Section 15 for additional information

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid
Specific Physical Form:	Non-Woven Material
Color	White
Odor	Slight Citrus
Odor threshold	*No Data Available*
pH	9.8 [*Details:*Liquid portion]
Melting point/Freezing point	*No Data Available*
Boiling point/Initial boiling point/Boiling range	100 ºC [*Details:*Conditions: Liquid Portion]
Flash Point	No flash point
Evaporation rate	*No Data Available*
Flammability	Not Applicable
Flammable Limits(LEL)	*No Data Available*
Flammable Limits(UEL)	*No Data Available*
Vapor Pressure	17.5 mmHg [@ 20 ºC] [*Details:*Conditions: Liquid Portion]
Relative Vapor Density	*No Data Available*
Density	1 g/cm3
Relative Density	1 [*Ref Std:*WATER=1]
Water solubility	*No Data Available*
Solubility- non-water	Complete
Partition coefficient: n-octanol/ water	*No Data Available*
Autoignition temperature	*No Data Available*
Decomposition temperature	*No Data Available*
Kinematic Viscosity	*No Data Available*
Volatile Organic Compounds	*No Data Available*
Percent volatile	94 %
VOC Less H2O & Exempt Solvents	0.6 %
Average particle size	*No Data Available*
Bulk density	*No Data Available*
Molecular weight	*No Data Available*
Softening point	*No Data Available*

Particle Characteristics	*Not Applicable*

SECTION 10: Stability and reactivity

10.1. Reactivity
This material is considered to be non reactive under normal use conditions.

10.2. Chemical stability
Stable.

10.3. Possibility of hazardous reactions
Hazardous polymerization will not occur.

10.4. Conditions to avoid
None known.

10.5. Incompatible materials
None known.

10.6. Hazardous decomposition products

Substance	Condition
None known.	

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:
This product may have a characteristic odor; however, no adverse health effects are anticipated.

Skin Contact:
Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.
Allergic Skin Reaction (non-photo induced) in sensitive people: Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact:
Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:
Physical Blockage: Signs/symptoms may include cramping, abdominal pain, and constipation.

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data
If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Benzyl Alcohol	Inhalation-Dust/Mist (4 hours)	Rat	LC50 8.8 mg/l
Benzyl Alcohol	Ingestion	Rat	LD50 1,200 mg/kg
Alkylbenzene Sulfonic Acid	Dermal	Rabbit	LD50 2,000 mg/kg

Alkylbenzene Sulfonic Acid	Ingestion	Rat	LD50 > 300, < 2000 mg/kg
Ethanolamine	Inhalation-Vapor	official classification	LC50 estimated to be 10 - 20 mg/l
Ethanolamine	Dermal	Rabbit	LD50 2,504 mg/kg
Ethanolamine	Ingestion	Rat	LD50 1,089 mg/kg
Surfactants	Dermal	Rabbit	LD50 > 2,000 mg/kg
Surfactants	Ingestion	Rat	LD50 > 2,000 mg/kg
Aminomethyl Propanol	Dermal	Rabbit	LD50 > 2,000 mg/kg
Aminomethyl Propanol	Ingestion	Rat	LD50 2,900 mg/kg
Poly(oxy-1,2-ethanediyl),.alpha.-undecyl-.omega.-hydroxy-	Dermal	Rabbit	LD50 > 2,000 mg/kg
Poly(oxy-1,2-ethanediyl),.alpha.-undecyl-.omega.-hydroxy-	Ingestion	Rat	LD50 > 700 mg/kg
Sodium Lauroyl Sarcosinate	Dermal	Professional judgement	LD50 estimated to be > 5,000 mg/kg
Sodium Lauroyl Sarcosinate	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 0.05, < 0.5 mg/l
Sodium Lauroyl Sarcosinate	Ingestion	Rat	LD50 > 5,000 mg/kg
Fragrance	Dermal	Rabbit	LD50 > 4,680 mg/kg
Fragrance	Ingestion	Rat	LD50 3,370 mg/kg
Methylchloroisothiazolinone	Dermal	Rabbit	LD50 87 mg/kg
Methylchloroisothiazolinone	Inhalation-Dust/Mist (4 hours)	Rat	LC50 0.171 mg/l
Methylchloroisothiazolinone	Ingestion	Rat	LD50 40 mg/kg
Methylisothiazolinone	Dermal	Rabbit	LD50 87 mg/kg
Methylisothiazolinone	Inhalation-Dust/Mist (4 hours)	Rat	LC50 0.171 mg/l
Methylisothiazolinone	Ingestion	Rat	LD50 40 mg/kg
Acid Blue 80	Ingestion	Rat	LD50 3,350 mg/kg
Acid Blue 80	Dermal	similar health hazards	LD50 estimated to be 2,000 - 5,000 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Benzyl Alcohol	Multiple animal species	Mild irritant
Alkylbenzene Sulfonic Acid	similar compounds	Minimal irritation
Ethanolamine	Rabbit	Corrosive
Surfactants	Rabbit	Minimal irritation
Aminomethyl Propanol	Rabbit	Irritant
Poly(oxy-1,2-ethanediyl),.alpha.-undecyl-.omega.-hydroxy-	similar health hazards	Irritant
Sodium Lauroyl Sarcosinate	Rabbit	Irritant
Methylchloroisothiazolinone	Rabbit	Corrosive
Methylisothiazolinone	Rabbit	Corrosive
Acid Blue 80	Rabbit	Minimal irritation

Serious Eye Damage/Irritation

Name	Species	Value
Benzyl Alcohol	Rabbit	Severe irritant
Alkylbenzene Sulfonic Acid	similar compoun	Severe irritant

	ds	
Ethanolamine	Rabbit	Corrosive
Surfactants	Rabbit	Corrosive
Aminomethyl Propanol	Rabbit	Corrosive
Poly(oxy-1,2-ethanediyl),.alpha.-undecyl-.omega.-hydroxy-	Professional judgement	Corrosive
Sodium Lauroyl Sarcosinate	Rabbit	Corrosive
Methylchloroisothiazolinone	Rabbit	Corrosive
Methylisothiazolinone	Rabbit	Corrosive
Acid Blue 80	Rabbit	Mild irritant

Skin Sensitization

Name	Species	Value
Benzyl Alcohol	Human	Some positive data exist, but the data are not sufficient for classification
Alkylbenzene Sulfonic Acid	Human	Some positive data exist, but the data are not sufficient for classification
Ethanolamine	Guinea pig	Not classified
Surfactants	Mouse	Not classified
Aminomethyl Propanol	Guinea pig	Not classified
Sodium Lauroyl Sarcosinate	Guinea pig	Not classified
Fragrance	Mouse	Sensitizing
Methylchloroisothiazolinone	Human and animal	Sensitizing
Methylisothiazolinone	Human and animal	Sensitizing
Acid Blue 80	Mouse	Not classified

Photosensitization

Name	Species	Value
Methylchloroisothiazolinone	Human and animal	Not sensitizing
Methylisothiazolinone	Human and animal	Not sensitizing

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Benzyl Alcohol	In vivo	Not mutagenic
Benzyl Alcohol	In Vitro	Some positive data exist, but the data are not sufficient for classification
Alkylbenzene Sulfonic Acid	In Vitro	Not mutagenic
Ethanolamine	In Vitro	Not mutagenic
Ethanolamine	In vivo	Not mutagenic
Surfactants	In Vitro	Not mutagenic
Aminomethyl Propanol	In Vitro	Not mutagenic
Aminomethyl Propanol	In vivo	Not mutagenic
Sodium Lauroyl Sarcosinate	In Vitro	Not mutagenic
Methylchloroisothiazolinone	In vivo	Not mutagenic
Methylchloroisothiazolinone	In Vitro	Some positive data exist, but the data are not

		sufficient for classification
Methylisothiazolinone	In vivo	Not mutagenic
Methylisothiazolinone	In Vitro	Some positive data exist, but the data are not sufficient for classification
Acid Blue 80	In Vitro	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Benzyl Alcohol	Ingestion	Multiple animal species	Not carcinogenic
Methylchloroisothiazolinone	Dermal	Mouse	Not carcinogenic
Methylchloroisothiazolinone	Ingestion	Rat	Not carcinogenic
Methylisothiazolinone	Dermal	Mouse	Not carcinogenic
Methylisothiazolinone	Ingestion	Rat	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
Benzyl Alcohol	Ingestion	Not classified for development	Mouse	NOAEL 550 mg/kg/day	during organogenesis
Ethanolamine	Dermal	Not classified for development	Rat	NOAEL 225 mg/kg/day	during organogenesis
Ethanolamine	Ingestion	Not classified for development	Rat	NOAEL 450 mg/kg/day	during organogenesis
Aminomethyl Propanol	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
Aminomethyl Propanol	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	37 days
Aminomethyl Propanol	Dermal	Not classified for development	Rat	NOAEL 300 mg/kg/day	during gestation
Aminomethyl Propanol	Ingestion	Toxic to development	Rat	NOAEL 100 mg/kg/day	premating into lactation
Sodium Lauroyl Sarcosinate	Ingestion	Not classified for development	Rabbit	NOAEL 500 mg/kg/day	during gestation
Methylchloroisothiazolinone	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Methylchloroisothiazolinone	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Methylchloroisothiazolinone	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis
Methylisothiazolinone	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Methylisothiazolinone	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Methylisothiazolinone	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Benzyl Alcohol	Inhalation	central nervous system depression	May cause drowsiness or dizziness		NOAEL Not available	
Benzyl Alcohol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for		NOAEL Not available	

			classification			
Benzyl Alcohol	Ingestion	central nervous system depression	May cause drowsiness or dizziness		NOAEL Not available	
Ethanolamine	Inhalation	respiratory irritation	May cause respiratory irritation	Human and animal	NOAEL Not available	
Surfactants	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL not available	
Aminomethyl Propanol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL Not available	
Poly(oxy-1,2-ethanediyl),.alpha.-undecyl-.omega.-hydroxy-	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	
Sodium Lauroyl Sarcosinate	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Methylchloroisothiazolinone	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	
Methylisothiazolinone	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Benzyl Alcohol	Ingestion	endocrine system	Not classified	Rat	NOAEL 400 mg/kg/day	13 weeks
Benzyl Alcohol	Ingestion	muscles	Not classified	Rat	NOAEL 400 mg/kg/day	13 weeks
Benzyl Alcohol	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 400 mg/kg/day	13 weeks
Benzyl Alcohol	Ingestion	nervous system	Not classified	Mouse	NOAEL 645 mg/kg/day	8 days
Benzyl Alcohol	Ingestion	respiratory system	Not classified	Mouse	NOAEL 645 mg/kg/day	8 days
Ethanolamine	Inhalation	hematopoietic system	Not classified	Rat	NOAEL 0.1559 mg/l	28 days
Ethanolamine	Inhalation	liver	Not classified	Rat	NOAEL 0.1559 mg/l	28 days
Ethanolamine	Inhalation	respiratory system	Not classified	Rat	LOAEL 0.0102 mg/l	28 days
Ethanolamine	Inhalation	heart	Not classified	Rat	NOAEL 0.1559 mg/l	28 days
Ethanolamine	Inhalation	endocrine system	Not classified	Rat	NOAEL 0.1559 mg/l	28 days
Ethanolamine	Inhalation	immune system	Not classified	Rat	NOAEL 0.1559 mg/l	28 days
Ethanolamine	Inhalation	nervous system	Not classified	Rat	NOAEL 0.1559 mg/l	28 days
Ethanolamine	Inhalation	eyes	Not classified	Rat	NOAEL 0.1559 mg/l	28 days
Ethanolamine	Inhalation	kidney and/or bladder	Not classified	Rat	NOAEL 0.1559 mg/l	28 days
Ethanolamine	Ingestion	hematopoietic system	Not classified	Rat	NOAEL Not available	
Ethanolamine	Ingestion	liver	Not classified	Rat	NOAEL Not available	
Ethanolamine	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL Not available	
Ethanolamine	Ingestion	respiratory system	Not classified	Rat	NOAEL Not available	
Aminomethyl Propanol	Ingestion	liver	Some positive data exist, but the data are not sufficient for	Rat	NOAEL 23 mg/kg/day	90 days

			classification			
Aminomethyl Propanol	Ingestion	blood	Not classified	Dog	NOAEL 2.8 mg/kg/day	1 years
Aminomethyl Propanol	Ingestion	eyes	Not classified	Dog	NOAEL 2.8 mg/kg/day	1 years
Aminomethyl Propanol	Ingestion	kidney and/or bladder	Not classified	Dog	NOAEL 2.8 mg/kg/day	1 years
Sodium Lauroyl Sarcosinate	Ingestion	gastrointestinal tract	Not classified	Rat	NOAEL 30 mg/kg/day	90 days
Sodium Lauroyl Sarcosinate	Ingestion	heart	Not classified	Rat	NOAEL 250 mg/kg/day	90 days
Sodium Lauroyl Sarcosinate	Ingestion	endocrine system	Not classified	Rat	NOAEL 250 mg/kg/day	90 days
Sodium Lauroyl Sarcosinate	Ingestion	bone, teeth, nails, and/or hair	Not classified	Rat	NOAEL 250 mg/kg/day	90 days
Sodium Lauroyl Sarcosinate	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 250 mg/kg/day	90 days
Sodium Lauroyl Sarcosinate	Ingestion	liver	Not classified	Rat	NOAEL 250 mg/kg/day	90 days
Sodium Lauroyl Sarcosinate	Ingestion	immune system	Not classified	Rat	NOAEL 250 mg/kg/day	90 days
Sodium Lauroyl Sarcosinate	Ingestion	muscles	Not classified	Rat	NOAEL 250 mg/kg/day	90 days
Sodium Lauroyl Sarcosinate	Ingestion	nervous system	Not classified	Rat	NOAEL 250 mg/kg/day	90 days
Sodium Lauroyl Sarcosinate	Ingestion	eyes	Not classified	Rat	NOAEL 250 mg/kg/day	90 days
Sodium Lauroyl Sarcosinate	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 250 mg/kg/day	90 days
Sodium Lauroyl Sarcosinate	Ingestion	respiratory system	Not classified	Rat	NOAEL 250 mg/kg/day	90 days
Sodium Lauroyl Sarcosinate	Ingestion	vascular system	Not classified	Rat	NOAEL 250 mg/kg/day	90 days

Aspiration Hazard
For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations

13.1. Disposal methods
Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal

facilities.

EPA Hazardous Waste Number (RCRA): Not regulated

Refer to Section 15 for additional information

SECTION 14: Transport Information

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact 3M for more information.

EPCRA 311/312 Hazard Classifications:

Physical Hazards
Not Applicable.

Health Hazards
Skin Corrosion or Irritation

Additional TSCA Information

Components	CAS No	Additional Information
3M Protector	Trade Secret	Allowed use: Protective coating additive. Required exposure controls during manufacture of the LVE substance: Safety glasses with side shields, gloves (butyl rubber, fluoroelastomer, nitrile, or polymer laminate recommended) and/or protective clothing to prevent skin contact based on the results of an exposure assessment, general and/or local exhaust ventilation, and half facepiece or full facepiece air-purifying respirator if necessary based on the results of an exposure assessment. Required environmental release controls during manufacture of the LVE substance: Incineration of wastes and cleanup materials. Required exposure controls during handling of the concentrated liquid with a TWIST 'n FILL(TM) Chemical Dispenser or other 3M-patented chemical dispenser system that replaces the 3M-patented Twist n' Fill ™ dispenser system: None. Required exposure controls during handling of the concentrated liquid without a TWIST 'n FILL(TM) Chemical Dispenser or other 3M-patented chemical dispenser system that replaces the 3M-patented Twist n' Fill ™ dispenser system: Indirect vented goggles, gloves (butyl rubber recommended) and/or protective clothing to prevent skin contact based on the results of an exposure assessment, and half facepiece or full facepiece air-purifying respirator if necessary based on the results of an exposure assessment. Required environmental release controls during handling of the concentrate: Incineration or landfill of LVE substance raw material container residuals, landfill of QC sampling and packaging residuals, and release to POTW of cleanup materials. Required exposure controls during use of ready-to-use liquid: None. Required environmental release controls during use of ready-to-use liquids: Landfill of wastes.

15.2. State Regulations
Contact 3M for more information.

15.3. Chemical Inventories
The components of this product are in compliance with the chemical notification requirements of TSCA. One or more of the components in this material is not listed on the TSCA inventory, but is approved for specific commercial use(s) under a US EPA low volume exemption.

Contact 3M for more information.

15.4. International Regulations
Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification
Health: 2 **Flammability:** 0 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group:	46-0065-6	**Version Number:**	2.00
Issue Date:	01/12/26	**Supersedes Date:**	12/18/25

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at www.3M.com