



Safety Data Sheet

Copyright,2026, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	30-7072-9	Version number:	8.00
Revision date:	18/06/2026	Supersedes date:	03/11/2025

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006) as amended by Regulation (EU) 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3M™ Marine Adhesive Sealant Fast Cure 4000 UV White PN06580 E

Product Identification Numbers

KS-9990-0617-8

7000095179

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Sealant

1.3. Details of the supplier of the safety data sheet

Address: 3M Ireland Limited, 70 SIR JOHN ROGERSON'S QUAY, D02R296 DUBLIN 2
Telephone: +353 1 280 3555
E Mail: ner-productstewardship@mmm.com
Website: www.3M.com

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

CLASSIFICATION:

Hazardous to the Aquatic Environment (Chronic), Category 2 - Aquatic Chronic 2; H411

For full text of H phrases, see Section 16.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

Symbols

GHS09 (Environment) |

Pictograms



HAZARD STATEMENTS:

H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

EUH208 Contains Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-. | Trimethoxyvinylsilane. | N-(3-(Trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction.

2.3. Other hazards

Persons previously sensitised to amines may develop a cross-sensitisation reaction to certain other amines.
This material does not contain any substances that are assessed to be a PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Ingredient	Identifier(s)	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Calcium carbonate	(CAS-No.) 471-34-1 (EC-No.) 207-439-9 (REACH-No.) 01-2119486795-18	30 - 60	Substance with a national occupational exposure limit
Polyether 1	Trade Secret	10 - 30	Substance not classified as hazardous
Polyether 2	Trade Secret	10 - 30	Substance not classified as hazardous
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	(CAS-No.) 68515-49-1 (EC-No.) 271-091-4	10 - 20	Substance not classified as hazardous

	(REACH-No.) 01-2119422347-43		
Titanium Dioxide (aerodynamic diameter >10um)	(CAS-No.) 13463-67-7 (EC-No.) 236-675-5	5 - 10	Substance with a national occupational exposure limit
Fatty acids, C16-18, sodium salts	(CAS-No.) 68424-38-4 (EC-No.) 270-299-2	< 3	Substance not classified as hazardous
Trimethoxyvinylsilane	(CAS-No.) 2768-02-7 (EC-No.) 220-449-8 (REACH-No.) 01-2119513215-52	< 1	Skin Sens. 1B, H317 Flam. Liq. 3, H226 Acute Tox. 4, H332
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiybis[12-hydroxyoctadecanamide]	(EC-No.) ELINCS 484-050-2	< 1	Aquatic Acute 1, H400,M=10 Aquatic Chronic 1, H410,M=10
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	(CAS-No.) 1760-24-3 (EC-No.) 217-164-6 (REACH-No.) 01-2119970215-39	< 1	Acute Tox. 4, H332 Acute Tox. 4, H302 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 2, H373
Bis(1,2,2,6,6-pentamethyl-4-piperidyl)[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]butylmalonate	(CAS-No.) 63843-89-0 (EC-No.) 264-513-3 (REACH-No.) 01-2119978231-37	< 1	Aquatic Chronic 1, H410,M=10 Acute Tox. 4, H302 STOT RE 1, H372
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	(CAS-No.) 54068-28-9 (EC-No.) ELINCS 483-270-6 (REACH-No.) 01-0000020199-67	< 0.5	Skin Sens. 1B, H317 Repr. 2, H361d STOT RE 1, H372 Aquatic Chronic 2, H411

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

DO NOT USE WATER In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide

Carbon dioxide.

Irritant vapours or gases.

Condition

During combustion.

During combustion.

During combustion.

5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

Keep container tightly closed to prevent contamination with water or air. If contamination is suspected, do not reseal container. Store away from heat. Store away from amines.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	Identifier(s)	Agency	Limit type	Additional comments
Titanium Dioxide (aerodynamic diameter >10um)	13463-67-7	Ireland OELs	TWA(Total inhalable dust)(8 hours):10 mg/m ³ ;TWA(as respirable dust)(8 hours):4 mg/m ³	
Dusts non-specific	471-34-1	Ireland OELs	TWA(Total inhalable dust)(8 hours):10 mg/m ³ ;TWA(as respirable dust)(8 hours):4 mg/m ³	
Tin, Organic compounds	54068-28-9	Ireland OELs	TWA(8 hours):0.1 mg/m ³ ;STEL(15 minutes):0.2 mg/m ³	as Sn

Ireland OELs : Ireland. OELs
TWA: Time-Weighted-Average
STEL: Short Term Exposure Limit
CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

Recommended monitoring procedures:Information on recommended monitoring procedures can be obtained from Indust. Inspect./Ministry (IE)

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:
Safety glasses with side shields.

Applicable Norms/Standards

Use eye protection conforming to EN 16321

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended:

Material	Thickness (mm)	Breakthrough Time
Polymer laminate	No data available	No data available

When only incidental contact is anticipated, alternative glove material(s) may be used. If contact with the glove does occur, remove immediately and replace with a set of new gloves. For incidental contact, gloves made of the following material(s) may be used: Nitrile rubber.

Applicable Norms/Standards

Use gloves tested to EN 374

If this product is used in a manner that presents a higher potential for exposure (e.g., spraying, high splash potential, etc.), then use of a protective apron may be necessary. See recommended glove material(s) for determining appropriate apron material(s). If a glove material is not available as an apron, polymer laminate is a suitable option.

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	Liquid.
Specific Physical Form:	Paste
Colour	White
Odor	Slight Polyether
Odour threshold	<i>No data available.</i>
Melting point/freezing point	<i>Not applicable.</i>
Boiling point/boiling range	<i>Not applicable.</i>
Flammability	Not applicable.

Flammable Limits(LEL)	<i>Not applicable.</i>
Flammable Limits(UEL)	<i>Not applicable.</i>
Flash point	No flash point
Autoignition temperature	<i>No data available.</i>
Decomposition temperature	<i>No data available.</i>
pH	<i>substance/mixture is non-soluble (in water)</i>
Kinematic Viscosity	<i>No data available.</i>
Water solubility	<i>No data available.</i>
Solubility- non-water	<i>No data available.</i>
Partition coefficient: n-octanol/water	<i>No data available.</i>
Vapour pressure	<i>Not applicable.</i>
Density	1.3 - 1.5 g/ml
Relative density	1.3 - 1.5 [Ref Std: WATER=1]
Relative Vapour Density	<i>Not applicable.</i>
Particle Characteristics	
Primary particle dia-median	50 - 100 nm (<i>Calcium carbonate</i>)
Shape of Primary particle	Pseudospherical (<i>Calcium carbonate</i>)
Specific surface area	15 - 30 m ² /g (<i>Calcium carbonate</i>)

9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic Compounds	<i>No data available.</i>
Evaporation rate	<i>Not applicable.</i>
Molecular weight	<i>No data available.</i>
Percent volatile	0.93 % weight

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Alcohols.

Amines.

Water

10.6 Hazardous decomposition products

Substance

None known.

Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Additional information:

Persons previously sensitised to amines may develop a cross-sensitisation reaction to certain other amines.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Calcium carbonate	Dermal	Rat	LD50 > 2,000 mg/kg
Calcium carbonate	Inhalation-Dust/Mist (4 hours)	Rat	LC50 3 mg/l
Calcium carbonate	Ingestion	Rat	LD50 6,450 mg/kg
Polyether 1	Ingestion	Rat	LD50 > 2,000 mg/kg
Polyether 2	Ingestion	Rat	LD50 > 2,000 mg/kg
Polyether 1	Dermal	similar health hazards	LD50 estimated to be 2,000 - 5,000 mg/kg
Polyether 2	Dermal	similar health hazards	LD50 estimated to be 2,000 - 5,000 mg/kg

3M™ Marine Adhesive Sealant Fast Cure 4000 UV White PN06580 E

1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	Dermal	Rabbit	LD50 > 3,160 mg/kg
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 12.5 mg/l
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	Ingestion	Rat	LD50 > 9,700 mg/kg
Titanium Dioxide (aerodynamic diameter >10um)	Dermal	Rabbit	LD50 > 10,000 mg/kg
Titanium Dioxide (aerodynamic diameter >10um)	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 6.82 mg/l
Titanium Dioxide (aerodynamic diameter >10um)	Ingestion	Rat	LD50 > 10,000 mg/kg
Fatty acids, C16-18, sodium salts	Ingestion	Rat	LD50 > 5,000 mg/kg
Fatty acids, C16-18, sodium salts	Dermal	similar health hazards	LD50 estimated to be > 5,000 mg/kg
Trimethoxyvinylsilane	Dermal	Rabbit	LD50 3,260 mg/kg
Trimethoxyvinylsilane	Inhalation-Vapour (4 hours)	Rat	LC50 16.8 mg/l
Trimethoxyvinylsilane	Ingestion	Rat	LD50 7,120 mg/kg
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	Dermal	Rabbit	LD50 > 2,000 mg/kg
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	Inhalation-Dust/Mist (4 hours)	Rat	LC50 >1.49, <2.44 mg/l
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	Ingestion	Rat	LD50 1,897 mg/kg
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandylbis[12-hydroxyoctadecanamide]	Dermal	Rat	LD50 > 2,000
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandylbis[12-hydroxyoctadecanamide]	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 6.3
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandylbis[12-hydroxyoctadecanamide]	Ingestion	Rat	LD50 > 2,000
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	Dermal	Rat	LD50 > 2,000 mg/kg
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	Ingestion	Rat	LD50 > 2,000 mg/kg
Bis(1,2,2,6,6-pentamethyl-4-piperidyl)[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]butylmalonate	Dermal	Rat	LD50 > 3,170 mg/kg
Bis(1,2,2,6,6-pentamethyl-4-piperidyl)[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]butylmalonate	Ingestion	Rat	LD50 1,490 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Calcium carbonate	Rabbit	No significant irritation
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	Rabbit	Minimal irritation
Titanium Dioxide (aerodynamic diameter >10um)	Rabbit	No significant irritation
Fatty acids, C16-18, sodium salts	Rabbit	No significant irritation
Trimethoxyvinylsilane	Rabbit	Minimal irritation
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	Rabbit	Mild irritant
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandylbis[12-hydroxyoctadecanamide]	Rabbit	No significant irritation
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	Rabbit	No significant irritation
Bis(1,2,2,6,6-pentamethyl-4-piperidyl)[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]butylmalonate	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value

Calcium carbonate	Rabbit	No significant irritation
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	Rabbit	Mild irritant
Titanium Dioxide (aerodynamic diameter >10um)	Rabbit	No significant irritation
Fatty acids, C16-18, sodium salts	Rabbit	No significant irritation
Trimethoxyvinylsilane	Rabbit	No significant irritation
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	Rabbit	Corrosive
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiybis[12-hydroxyoctadecanamide]	Rabbit	Mild irritant
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	Rabbit	Mild irritant
Bis(1,2,2,6,6-pentamethyl-4-piperidyl)[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]butylmalonate	Rabbit	Mild irritant

Skin Sensitisation

Name	Species	Value
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	Guinea pig	Not classified
Titanium Dioxide (aerodynamic diameter >10um)	Human and animal	Not classified
Fatty acids, C16-18, sodium salts	similar compounds	Not classified
Trimethoxyvinylsilane	Guinea pig	Some positive data exist, but the data are not sufficient for classification
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	Multiple animal species	Sensitising
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiybis[12-hydroxyoctadecanamide]	Mouse	Not classified
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	Mouse	Sensitising
Bis(1,2,2,6,6-pentamethyl-4-piperidyl)[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]butylmalonate	Guinea pig	Not classified

Photosensitisation

Name	Species	Value
Bis(1,2,2,6,6-pentamethyl-4-piperidyl)[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]butylmalonate	Guinea pig	Not sensitising

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	In Vitro	Not mutagenic
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	In vivo	Not mutagenic
Titanium Dioxide (aerodynamic diameter >10um)	In Vitro	Not mutagenic
Titanium Dioxide (aerodynamic diameter >10um)	In vivo	Not mutagenic
Fatty acids, C16-18, sodium salts	In Vitro	Not mutagenic
Trimethoxyvinylsilane	In vivo	Not mutagenic
Trimethoxyvinylsilane	In Vitro	Some positive data exist, but the data are not sufficient for classification
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	In Vitro	Not mutagenic
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	In vivo	Not mutagenic
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiybis[12-hydroxyoctadecanamide]	In Vitro	Not mutagenic
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	In Vitro	Not mutagenic
Bis(1,2,2,6,6-pentamethyl-4-piperidyl)[[3,5-bis(1,1-dimethylethyl)-4-	In vivo	Not mutagenic

hydroxyphenyl)methyl]butylmalonate		
Bis(1,2,2,6,6-pentamethyl-4-piperidyl)[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl)methyl]butylmalonate	In Vitro	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Titanium Dioxide (aerodynamic diameter >10um)	Ingestion	Multiple animal species	Not carcinogenic
Titanium Dioxide (aerodynamic diameter >10um)	Inhalation	Rat	Carcinogenic.

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Calcium carbonate	Ingestion	Not classified for development	Rat	NOAEL 625 mg/kg/day	prematuring & during gestation
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	Ingestion	Not classified for female reproduction	Rat	NOAEL 927 mg/kg/day	2 generation
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	Ingestion	Not classified for male reproduction	Rat	NOAEL 929 mg/kg/day	2 generation
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	Ingestion	Toxic to development	Rat	NOAEL 38 mg/kg/day	2 generation
Trimethoxyvinylsilane	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	prematuring into lactation
Trimethoxyvinylsilane	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	prematuring into lactation
Trimethoxyvinylsilane	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	prematuring into lactation
Trimethoxyvinylsilane	Inhalation	Not classified for development	Rat	NOAEL 1.8 mg/l	during organogenesis
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	Ingestion	Not classified for female reproduction	Rat	NOAEL 500 mg/kg/day	prematuring into lactation
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	Ingestion	Not classified for male reproduction	Rat	NOAEL 500 mg/kg/day	28 days
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	Ingestion	Not classified for development	Rat	NOAEL 750 mg/kg/day	during gestation
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiybis[12-hydroxyoctadecanamide]	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	prematuring into lactation
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiybis[12-hydroxyoctadecanamide]	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	28 days
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiybis[12-hydroxyoctadecanamide]	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	prematuring into lactation
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	Ingestion	Toxic to development	similar compounds	NOAEL not available	2 generation
Bis(1,2,2,6,6-pentamethyl-4-piperidyl)[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl)methyl]butylmalonate	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	prematuring into lactation

Bis(1,2,2,6,6-pentamethyl-4-piperidyl)[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]butylmalonate	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	36 days
Bis(1,2,2,6,6-pentamethyl-4-piperidyl)[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]butylmalonate	Ingestion	Not classified for development	Rat	NOAEL 10 mg/kg/day	prematuring into lactation

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Calcium carbonate	Inhalation	respiratory system	Not classified	Rat	NOAEL 0.812 mg/l	90 minutes
N-(3-(Trimethoxysilyl)propyl)ethylendiamine	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Calcium carbonate	Inhalation	respiratory system	Not classified	Human	NOAEL Not available	occupational exposure
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	Inhalation	respiratory system hematopoietic system liver	Not classified	Rat	NOAEL 0.5 mg/l	2 weeks
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	Inhalation	kidney and/or bladder	Not classified	Rat	NOAEL 0.5 mg/l	2 generation
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	Ingestion	endocrine system	Not classified	Rat	NOAEL 686 mg/kg/day	90 days
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	Ingestion	liver kidney and/or bladder heart	Not classified	Rat	NOAEL 500 mg/kg/day	90 days
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	Ingestion	hematopoietic system	Not classified	Dog	NOAEL 320 mg/kg/day	90 days
Titanium Dioxide (aerodynamic diameter >10um)	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 0.01 mg/l	2 years
Titanium Dioxide (aerodynamic diameter >10um)	Inhalation	pulmonary fibrosis	Not classified	Human	NOAEL Not available	occupational exposure
Trimethoxyvinylsilane	Inhalation	kidney and/or bladder	Not classified	Rat	NOAEL mg/l	14 weeks
Trimethoxyvinylsilane	Inhalation	hematopoietic system eyes	Not classified	Rat	NOAEL 2.4 mg/l	14 weeks
Trimethoxyvinylsilane	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 250 mg/kg/day	40 days
Trimethoxyvinylsilane	Ingestion	endocrine system hematopoietic system liver immune system	Not classified	Rat	NOAEL 1,000 mg/kg/day	40 days
N-(3-(Trimethoxysilyl)propyl)ethylendiamine	Dermal	skin endocrine system hematopoietic system kidney and/or bladder	Not classified	Rat	NOAEL 1,545 mg/kg/day	11 days
N-(3-(Trimethoxysilyl)propyl)ethylendiamine	Inhalation	respiratory system	May cause damage to organs though prolonged or repeated exposure	Rat	NOAEL 0.015 mg/l	90 days
N-(3-(Trimethoxysilyl)propyl)ethylendiamine	Inhalation	hematopoietic system eyes kidney and/or	Not classified	Rat	NOAEL 0.044 mg/l	90 days

		bladder				
N-(3-(Trimethoxysilyl)propyl)ethylendiamine	Ingestion	hematopoietic system nervous system	Not classified	Rat	NOAEL 500 mg/kg/day	28 days
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	Ingestion	immune system	Causes damage to organs through prolonged or repeated exposure	similar compounds	NOAEL not available	
Bis(1,2,2,6,6-pentamethyl-4-piperidyl)[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]butylmalonate	Ingestion	gastrointestinal tract hematopoietic system liver immune system	Causes damage to organs through prolonged or repeated exposure	Rat	NOAEL 2 mg/kg/day	36 days

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	Identifier(s)	Organism	Type	Exposure	Test endpoint	Test result
Calcium carbonate	471-34-1	Green algae	Experimental	72 hours	No tox obs at lmt of water sol	>100 mg/l
Calcium carbonate	471-34-1	Rainbow trout	Experimental	96 hours	No tox obs at lmt of water sol	>100 mg/l
Calcium carbonate	471-34-1	Water flea	Experimental	48 hours	No tox obs at lmt of water sol	>100 mg/l
Calcium carbonate	471-34-1	Green algae	Experimental	72 hours	No tox obs at lmt of water sol	100 mg/l
Calcium carbonate	471-34-1	Activated sludge	Experimental	3 hours	EC50	>1,000 mg/l
Calcium carbonate	471-34-1	Redworm	Experimental	14 days	LC50	>1,000 mg/kg (Dry Weight)
Calcium carbonate	471-34-1	Soil microbes	Experimental	28 days	EC50	>1,000 mg/kg (Dry Weight)
Calcium carbonate	471-34-1	Soybean	Experimental	21 days	EC50	1,000 mg/kg (Dry Weight)
Polyether 1	Trade Secret	Green algae	Experimental	72 hours	ErC50	>100 mg/l
Polyether 1	Trade Secret	Water flea	Experimental	48 hours	EC50	>100 mg/l
Polyether 2	Trade Secret	Green algae	Experimental	72 hours	ErC50	>100 mg/l
Polyether 2	Trade Secret	Water flea	Experimental	48 hours	EC50	>100 mg/l
1,2-Benzenedicarboxylic acid, di-C9-11-	68515-49-1	Activated sludge	Experimental	30 minutes	EC50	>83.3 mg/l

3M™ Marine Adhesive Sealant Fast Cure 4000 UV White PN06580 E

branched alkyl esters, C10-rich						
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	68515-49-1	Green algae	Experimental	96 hours	EC50	>100 mg/l
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	68515-49-1	Rainbow trout	Experimental	96 hours	LC50	>100 mg/l
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	68515-49-1	Water flea	Experimental	48 hours	EC50	>100 mg/l
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	68515-49-1	Green algae	Experimental	96 hours	NOEC	100 mg/l
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	68515-49-1	Water flea	Experimental	21 days	NOEC	100 mg/l
Titanium Dioxide (aerodynamic diameter >10um)	13463-67-7	Diatom	Experimental	72 hours	ErC50	>10,000 mg/l
Titanium Dioxide (aerodynamic diameter >10um)	13463-67-7	Fathead minnow	Experimental	96 hours	No tox obs at lmt of water sol	>100 mg/l
Titanium Dioxide (aerodynamic diameter >10um)	13463-67-7	Green algae	Experimental	72 hours	No tox obs at lmt of water sol	>100 mg/l
Titanium Dioxide (aerodynamic diameter >10um)	13463-67-7	Water flea	Experimental	48 hours	No tox obs at lmt of water sol	>100 mg/l
Titanium Dioxide (aerodynamic diameter >10um)	13463-67-7	Amphipod	Experimental	10 days	NOEC	>14,989 mg/kg (Dry Weight)
Titanium Dioxide (aerodynamic diameter >10um)	13463-67-7	Diatom	Experimental	72 hours	NOEC	5,600 mg/l
Titanium Dioxide (aerodynamic diameter >10um)	13463-67-7	Fish	Experimental	30 days	No tox obs at lmt of water sol	100 mg/l
Titanium Dioxide (aerodynamic diameter >10um)	13463-67-7	Green algae	Experimental	72 hours	No tox obs at lmt of water sol	100 mg/l
Titanium Dioxide (aerodynamic diameter >10um)	13463-67-7	Water flea	Experimental	30 days	No tox obs at lmt of water sol	100 mg/l
Titanium Dioxide (aerodynamic diameter >10um)	13463-67-7	Activated sludge	Experimental	3 hours	NOEC	>=1,000 mg/l
Titanium Dioxide (aerodynamic diameter >10um)	13463-67-7	Redworm	Experimental	14 days	NOEC	>=1,000 mg/kg (Dry Weight)
Fatty acids, C16-18, sodium salts	68424-38-4	Green algae	Analogous Compound	96 hours	EC50	>100 mg/l
Fatty acids, C16-18, sodium salts	68424-38-4	Water flea	Analogous Compound	24 hours	EC50	40 mg/l
Fatty acids, C16-18, sodium salts	68424-38-4	Zebra Fish	Analogous Compound	96 hours	LC50	46 mg/l
Fatty acids, C16-18, sodium salts	68424-38-4	Green algae	Analogous Compound	96 hours	EC10	48 mg/l

3M™ Marine Adhesive Sealant Fast Cure 4000 UV White PN06580 E

Fatty acids, C16-18, sodium salts	68424-38-4	Bacteria	Analogous Compound	30 minutes	EC10	850 mg/l
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	1760-24-3	Bacteria	Experimental	16 hours	EC50	67 mg/l
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	1760-24-3	Fathead minnow	Experimental	96 hours	LC50	168 mg/l
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	1760-24-3	Green algae	Experimental	72 hours	ErC50	8.8 mg/l
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	1760-24-3	Water flea	Experimental	48 hours	EC50	81 mg/l
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	1760-24-3	Green algae	Experimental	72 hours	NOEC	3.1 mg/l
Bis(1,2,2,6,6-pentamethyl-4-piperidyl)[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]butylmalonate	63843-89-0	Activated sludge	Experimental	3 hours	IC20	>100 mg/l
Bis(1,2,2,6,6-pentamethyl-4-piperidyl)[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]butylmalonate	63843-89-0	Water flea	Experimental	21 days	NOEC	0.002 mg/l
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiylbis[12-hydroxyoctadecanamide]	484-050-2	Water flea	Endpoint not reached	48 hours	EC50	>100 mg/l
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiylbis[12-hydroxyoctadecanamide]	484-050-2	Activated sludge	Experimental	3 hours	EC50	>100 mg/l
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiylbis[12-hydroxyoctadecanamide]	484-050-2	Common Carp	Experimental	96 hours	No tox obs at lmt of water sol	>100 mg/l
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and	484-050-2	Green algae	Experimental	72 hours	EC50	0.025 mg/l

N,N'-1,2-alkandiylbis[12-hydroxyoctadecanamid e]						
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiylbis[12-hydroxyoctadecanamid e]	484-050-2	Water flea	Endpoint not reached	21 days	NOEC	>100 mg/l
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiylbis[12-hydroxyoctadecanamid e]	484-050-2	Green algae	Experimental	72 hours	NOEC	0.007 mg/l
Trimethoxyvinylsilane	2768-02-7	Bacteria	Experimental	5 hours	EC10	1.1 mg/l
Trimethoxyvinylsilane	2768-02-7	Green algae	Experimental	72 hours	EC50	>957 mg/l
Trimethoxyvinylsilane	2768-02-7	Rainbow trout	Experimental	96 hours	LC50	191 mg/l
Trimethoxyvinylsilane	2768-02-7	Water flea	Experimental	48 hours	EC50	169 mg/l
Trimethoxyvinylsilane	2768-02-7	Green algae	Experimental	72 hours	NOEC	957 mg/l
Trimethoxyvinylsilane	2768-02-7	Water flea	Experimental	21 days	NOEC	28 mg/l
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	54068-28-9	Fathead minnow	Estimated	96 hours	LC50	282 mg/l
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	54068-28-9	Green algae	Estimated	72 hours	ErC50	226 mg/l
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	54068-28-9	Water flea	Estimated	48 hours	EC50	70.2 mg/l
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	54068-28-9	Fathead minnow	Estimated	34 days	NOEC	27 mg/l
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	54068-28-9	Green algae	Estimated	72 hours	NOEC	8.7 mg/l
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	54068-28-9	Water flea	Estimated	21 days	NOEC	0.62 mg/l

12.2. Persistence and degradability

Material	Identifier(s)	Test type	Duration	Study Type	Test result	Protocol
Calcium carbonate	471-34-1	Data not available - insufficient	N/A	N/A	N/A	N/A
Polyether 1	Trade Secret	Data not available - insufficient	N/A	N/A	N/A	N/A
Polyether 2	Trade Secret	Data not available - insufficient	N/A	N/A	N/A	N/A
1,2-Benzenedicarboxylic	68515-49-1	Experimental	28 days	BOD	74 %BOD/ThO	OECD 301F - Manometric

3M™ Marine Adhesive Sealant Fast Cure 4000 UV White PN06580 E

acid, di-C9-11-branched alkyl esters, C10-rich		Biodegradation			D	respirometry
Titanium Dioxide (aerodynamic diameter >10um)	13463-67-7	Data not availbl-insufficient	N/A	N/A	N/A	N/A
Fatty acids, C16-18, sodium salts	68424-38-4	Analogous Compound Biodegradation	28 days	Dissolv. Organic Carbon Deplet	86 %removal of DOC	OECD 301E - Modif. OECD Screen
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	1760-24-3	Experimental Biodegradation	28 days	Dissolv. Organic Carbon Deplet	39 %removal of DOC	EC C.4.A. DOC Die-Away Test
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	1760-24-3	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	1.5 minutes (t 1/2)	
Bis(1,2,2,6,6-pentamethyl-4-piperidyl)[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]butylmalonate	63843-89-0	Experimental Biodegradation	28 days	CO2 evolution	2 %CO2 evolution/THC O2 evolution	OECD 301B - Modified sturm or CO2
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandylbis[12-hydroxyoctadecanamide]	484-050-2	Experimental Biodegradation	28 days	CO2 evolution	7 %CO2 evolution/THC O2 evolution	OECD 301B - Modified sturm or CO2
Trimethoxyvinylsilane	2768-02-7	Experimental Biodegradation	28 days	BOD	51 %BOD/ThO D	OECD 301F - Manometric respirometry
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	54068-28-9	Experimental Biodegradation	28 days	BOD	9 %BOD/ThO D	OECD 301F - Manometric respirometry
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	54068-28-9	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	<10 minutes (t 1/2)	OECD 111 Hydrolysis func of pH

12.3 : Bioaccumulative potential

Material	Identifier(s)	Test type	Duration	Study Type	Test result	Protocol
Calcium carbonate	471-34-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Polyether 1	Trade Secret	Experimental Bioconcentration		Log Kow	>1.7	
Polyether 2	Trade Secret	Experimental Bioconcentration		Log Kow	>1.7	
1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich	68515-49-1	Estimated BCF - Fish	56 days	Bioaccumulation factor	<14.4	OECD305-Bioconcentration
Titanium Dioxide (aerodynamic diameter >10um)	13463-67-7	Experimental BCF - Fish	42 days	Bioaccumulation factor	9.6	
Fatty acids, C16-18, sodium salts	68424-38-4	Experimental Bioconcentration		Log Kow	3.3	OECD 107 log Kow shke flsk mtd
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	1760-24-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Bis(1,2,2,6,6-pentamethyl-4-piperidyl)[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]butylmalonate	63843-89-0	Experimental BCF - Fish	60 days	Bioaccumulation factor	≤437.1	OECD305-Bioconcentration
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octad	484-050-2	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

ecanamide and N,N'-1,2-alkandylbis[12-hydroxyoctadecanamide]						
Trimethoxyvinylsilane	2768-02-7	Estimated Bioconcentration		Log Kow	-2	
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	54068-28-9	Analogous Compound BCF - Fish	30 days	Bioaccumulation factor	<100	OECD305-Bioconcentration
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	54068-28-9	Hydrolysis product Bioconcentration		Log Kow	0.68	EC A.8 Partition Coefficient

12.4. Mobility in soil

Material	Identifier(s)	Test type	Study Type	Test result	Protocol
Bis(1,2,2,6,6-pentamethyl-4-piperidyl)[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl]butylmalonate	63843-89-0	Modeled Mobility in Soil	Koc	≥420 l/kg	ACD/Labs ChemSketch™
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandylbis[12-hydroxyoctadecanamide]	484-050-2	Experimental Mobility in Soil	Koc	>430000 l/kg	OECD 121 Estim. of Koc by HPLC
Trimethoxyvinylsilane	2768-02-7	Estimated Mobility in Soil	Koc	650 l/kg	Episuite™
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	54068-28-9	Analogous Compound Mobility in Soil	Koc	290,000 l/kg	
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	54068-28-9	Analogous Compound Mobility in Soil	Koc	33 l/kg	ACD/Labs ChemSketch™

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of

3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

08 04 09* Waste adhesives and sealants containing organic solvents or other dangerous substances
20 01 27* Paint, inks, adhesives and resins containing dangerous substances

SECTION 14: Transportation information

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 - UN Number or ID number	UN3082	UN3082	UN3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(POLYAMIDE WAX; 4-HYDROXYBENZYL BUTYLPROPANEDIOATE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(POLYAMIDE WAX; 4-HYDROXYBENZYL BUTYLPROPANEDIOATE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(POLYAMIDE WAX; 4-HYDROXYBENZYL BUTYLPROPANEDIOATE)
14.3 Transport hazard class(es)	9	9	9
14.4 Packing group	III	III	III
14.5 Environmental hazards	Environmentally Hazardous	Not applicable.	Marine Pollutant
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Marine Transport in bulk according to IMO instruments	No data available.	No data available.	No data available.
Control Temperature	No data available.	No data available.	No data available.
Emergency Temperature	No data available.	No data available.	No data available.
ADR Classification Code	M6	Not applicable.	Not applicable.
IMDG Segregation Code	Not applicable.	Not applicable.	NONE

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Carcinogenicity****Ingredient**

Titanium Dioxide (aerodynamic diameter >10um)

Identifier(s)

13463-67-7

Classification

Grp. 2B: Possible human carc.

Regulation

International Agency for Research on Cancer

Global inventory status

Contact 3M for more information.

DIRECTIVE 2012/18/EU

Seveso hazard categories, Annex 1, Part 1

Hazard Categories	Qualifying quantity (tonnes) for the application of	
	Lower-tier requirements	Upper-tier requirements
E2 Hazardous to the Aquatic environment	200	500

Seveso named dangerous substances, Annex 1, Part 2

None

Regulation (EU) No 649/2012

Chemical	Identifier(s)	Annex I
Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-	54068-28-9	Part 1

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this mixture. Chemical safety assessments for the contained substances may have been carried out by the registrants of the substances in accordance with Regulation (EC) No 1907/2006, as amended.

SECTION 16: Other information**List of relevant H statements**

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Revision information:

EU Section 14 - Table Data information was added.
EU Section 14 - Table Headers information was added.
Section 1: Product name information was modified.
Label: Graphic information was modified.
Section 09: Particle shape information was modified.
Section 09: Particle Size information was modified.
Section 9: Vapour pressure value information was added.
Section 9: Vapour pressure value information was deleted.
Section 12: Bioaccumulative potential information information was modified.
Section 14 Classification Code – Main Heading information was deleted.
Section 14 Classification Code – Regulation Data information was deleted.
Section 14 Control Temperature – Main Heading information was deleted.
Section 14 Control Temperature – Regulation Data information was deleted.
Section 14 Emergency Temperature – Main Heading information was deleted.
Section 14 Emergency Temperature – Regulation Data information was deleted.
Section 14 Hazard Class + Sub Risk – Main Heading information was deleted.
Section 14 Hazard Class + Sub Risk – Regulation Data information was deleted.
Section 14 Other Dangerous Goods – Main Heading information was deleted.
Section 14 Other Dangerous Goods – Regulation Data information was deleted.
Section 14 Packing Group – Main Heading information was deleted.
Section 14 Packing Group – Regulation Data information was deleted.
Section 14 Proper Shipping Name information was deleted.
Section 14 Regulations – Main Headings information was deleted.
Section 14 Segregation – Regulation Data information was deleted.
Section 14 Segregation Code – Main Heading information was deleted.
Section 14 Special Precautions – Main Heading information was deleted.
Section 14 Special Precautions – Regulation Data information was deleted.
Section 14 Transport in bulk – Regulation Data information was deleted.
Section 14 Marine transport in bulk according to IMO instruments – Main Heading information was deleted.
Section 14 UN Number Column data information was deleted.
Section 14 UN Number information was deleted.
Section 9: Particle specific surface area information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

3M Ireland MSDSs are available at www.3M.com