



Safety Data Sheet

Copyright, 2025, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group: 44-8902-7
Issue Date: 01/28/25

Version Number: 1.05
Supersedes Date: 11/05/24

SECTION 1: Identification

1.1. Product identifier

3M(TM) Max Strength Contact Adhesive

Product Identification Numbers

70-0091-6659-9, 70-0091-7166-4
7100328075, 7100341129

1.2. Recommended use and restrictions on use

Recommended use

Adhesive aerosol

1.3. Supplier's details

MANUFACTURER: 3M
DIVISION: Construction and Home Improvement Markets
ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA
Telephone: 1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

2.1. Hazard classification

Flammable Aerosol: Category 1.
Gas Under Pressure: Liquefied gas.
Serious Eye Damage/Irritation: Category 2B.
Skin Sensitizer: Category 1A.
Reproductive Toxicity: Category 2.
Simple Asphyxiant.
Specific Target Organ Toxicity (single exposure): Category 1.
Specific Target Organ Toxicity (single exposure): Category 3.

2.2. Label elements

Signal word

Danger

Symbols

Flame | Gas cylinder | Exclamation mark | Health Hazard |

Pictograms**Hazard Statements**

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

Causes eye irritation.

May cause an allergic skin reaction.

May cause respiratory irritation.

May cause drowsiness or dizziness.

Suspected of damaging fertility or the unborn child.

May displace oxygen and cause rapid suffocation.

Causes damage to organs:
cardiovascular system |

Precautionary Statements**General:**

Keep out of reach of children.

Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Do not breathe dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Do not eat, drink or smoke when using this product.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Response:

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see Notes to Physician on this label).

Storage:

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

Notes to Physician:

Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary.

Supplemental Information:

Intentional concentration and inhalation may be harmful or fatal.

SECTION 3: Composition/information on ingredients

| Ingredient | C.A.S. No. | % by Wt |
|--|-------------------|------------------------|
| METHYL ACETATE | 79-20-9 | 30 - 60 Trade Secret * |
| DIMETHYL ETHER | 115-10-6 | < 20 Trade Secret * |
| CYCLOHEXANE | 110-82-7 | 7 - 15 Trade Secret * |
| Tackifier | 31393-98-3 | 7 - 13 Trade Secret * |
| PROPANE | 74-98-6 | 3 - 7 Trade Secret * |
| 2-METHYLPENTANE | 107-83-5 | 1 - 5 Trade Secret * |
| Nonvolatile Components (NJTS Reg. No. 0449960-6448P) | Trade Secret* | 1 - 5 Trade Secret * |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | 41556-26-7 | < 0.5 Trade Secret * |
| METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE | 82919-37-7 | < 0.2 Trade Secret * |

NJTS or NJTSRN: New Jersey Trade Secret Registry Number.

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures**4.1. Description of first aid measures****Inhalation:**

Remove person to fresh air. Get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Irritating to the respiratory tract (coughing, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain). Allergic skin reaction (redness, swelling, blistering, and itching). Central nervous system depression (headache, dizziness, drowsiness, incoordination, nausea, slurred speech, giddiness, and unconsciousness). Target organ effects. See Section 11 for additional details.

4.3. Indication of any immediate medical attention and special treatment required

Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Use a fire fighting agent suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

| <u>Substance</u> | <u>Condition</u> |
|------------------|-------------------|
| Acetic Acid | During Combustion |
| Aldehydes | During Combustion |
| Hydrocarbons | During Combustion |
| Formaldehyde | During Combustion |
| Carbon monoxide | During Combustion |
| Carbon dioxide | During Combustion |

5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

If possible, seal leaking container. Place leaking containers in a well-ventilated area, preferably an operating exhaust hood, or if necessary outdoors on an impermeable surface until appropriate packaging for the leaking container or its contents is available. Contain spill. Cover spill area with a fire-extinguishing foam. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg.

chlorine, chromic acid etc.) Use personal protective equipment (gloves, respirators, etc.) as required.

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store away from heat. Store away from acids. Store away from oxidizing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|-----------------|------------|--------|------------------------------|------------------------------|
| 2-METHYLPENTANE | 107-83-5 | ACGIH | TWA:200 ppm | A3: Confirmed animal carcin. |
| CYCLOHEXANE | 110-82-7 | ACGIH | TWA:100 ppm | |
| CYCLOHEXANE | 110-82-7 | OSHA | TWA:1050 mg/m3(300 ppm) | |
| DIMETHYL ETHER | 115-10-6 | AIHA | TWA:1880 mg/m3(1000 ppm) | |
| PROPANE | 74-98-6 | ACGIH | Limit value not established: | simple asphyxiant |
| PROPANE | 74-98-6 | OSHA | TWA:1800 mg/m3(1000 ppm) | |
| METHYL ACETATE | 79-20-9 | ACGIH | TWA:200 ppm;STEL:250 ppm | |
| METHYL ACETATE | 79-20-9 | OSHA | TWA:610 mg/m3(200 ppm) | |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Do not remain in area where available oxygen may be reduced. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full Face Shield

Indirect Vented Goggles

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then

use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:
Half facepiece or full facepiece supplied-air respirator

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state

Liquid

Color

Light Colorless

Specific Physical Form:

Aerosol

Odor

Mild Solvent

Odor threshold

No Data Available

pH

Not Applicable

Melting point

Not Applicable

Boiling Point

1.00 °F

Flash Point

-150 °F [Test Method: Closed Cup]

Evaporation rate

No Data Available

Flammability (solid, gas)

Not Applicable

Flammable Limits(LEL)

No Data Available

Flammable Limits(UEL)

No Data Available

Vapor Pressure

4137 mmHg [@ 68 °F]

Vapor Density

2.0 [Ref Std: AIR=1]

Density

0.726 g/ml

Specific Gravity

0.86 [Ref Std: WATER=1]

Solubility in Water

Nil

Solubility- non-water

No Data Available

Partition coefficient: n-octanol/ water

No Data Available

Autoignition temperature

No Data Available

Decomposition temperature

No Data Available

Viscosity

100 centipoise [@ 73.4 °F]

VOC Less H2O & Exempt Solvents

39.3 % [Test Method: calculated per CARB title 2]

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat

Sparks and/or flames

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known. | |

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

May be harmful if inhaled.

Simple Asphyxiation: Signs/symptoms may include increased heart rate, rapid respirations, drowsiness, headache, incoordination, altered judgement, nausea, vomiting, lethargy, seizures, coma, and may be fatal.

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

May cause additional health effects (see below).

Skin Contact:

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact:

Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

Additional Health Effects:

Single exposure may cause target organ effects:

Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

Single exposure, above recommended guidelines, may cause: Cardiac Sensitization: Signs/symptoms may include irregular heartbeat (arrhythmia), faintness, chest pain, and may be fatal.

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|--|----------------------------|------------------------|--|
| Overall product | Dermal | | No data available; calculated ATE >5,000 mg/kg |
| Overall product | Inhalation-Vapor(4 hr) | | No data available; calculated ATE >20 - =50 mg/l |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| METHYL ACETATE | Dermal | Rat | LD50 > 2,000 mg/kg |
| METHYL ACETATE | Inhalation-Vapor (4 hours) | Rat | LC50 > 49 mg/l |
| METHYL ACETATE | Ingestion | Rat | LD50 > 5,000 mg/kg |
| DIMETHYL ETHER | Inhalation-Gas (4 hours) | Rat | LC50 164,000 ppm |
| CYCLOHEXANE | Dermal | Rat | LD50 > 2,000 mg/kg |
| CYCLOHEXANE | Inhalation-Vapor (4 hours) | Rat | LC50 > 32.9 mg/l |
| CYCLOHEXANE | Ingestion | Rat | LD50 6,200 mg/kg |
| Tackifier | Dermal | Professional judgement | LD50 estimated to be > 5,000 mg/kg |
| Tackifier | Ingestion | Rat | LD50 > 2,000 mg/kg |
| PROPANE | Inhalation-Gas (4 hours) | Rat | LC50 > 200,000 ppm |
| 2-METHYLPENTANE | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| 2-METHYLPENTANE | Inhalation-Vapor | | LC50 estimated to be > 50 mg/l |
| 2-METHYLPENTANE | Ingestion | | LD50 estimated to be > 5,000 mg/kg |
| Nonvolatile Components (NJTS Reg. No. 0449960-6448P) | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| Nonvolatile Components (NJTS Reg. No. 0449960-6448P) | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny)l sebacate | Dermal | Professional judgement | LD50 estimated to be 2,000 - 5,000 mg/kg |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny)l sebacate | Ingestion | Rat | LD50 3,125 mg/kg |
| METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE | Dermal | Professional judgement | LD50 estimated to be 2,000 - 5,000 mg/kg |
| METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE | Ingestion | Rat | LD50 3,125 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|-----------------|---------------|---------------------------|
| METHYL ACETATE | Rabbit | No significant irritation |
| CYCLOHEXANE | Rabbit | Mild irritant |
| Tackifier | In vitro data | No significant irritation |
| PROPANE | Rabbit | Minimal irritation |
| 2-METHYLPENTANE | Professional | Mild irritant |

| | | |
|--|-----------------------------------|---------------------------|
| | nal judgeme nt | |
| Nonvolatile Components (NJTS Reg. No. 0449960-6448P) | Professio nal judgeme nt | No significant irritation |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny)l) sebacate | Rabbit | Minimal irritation |
| METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE | Rabbit | Minimal irritation |

Serious Eye Damage/Irritation

| Name | Species | Value |
|---|-----------------------------------|---------------------------|
| METHYL ACETATE | Rabbit | Moderate irritant |
| CYCLOHEXANE | Rabbit | Mild irritant |
| Tackifier | In vitro data | No significant irritation |
| PROPANE | Rabbit | Mild irritant |
| 2-METHYLPENTANE | Professio nal judgeme nt | Moderate irritant |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny)l) sebacate | Rabbit | Mild irritant |
| METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE | Rabbit | Mild irritant |

Skin Sensitization

| Name | Species | Value |
|---|-------------------------------|----------------|
| METHYL ACETATE | Human | Not classified |
| Tackifier | Multiple animal species | Not classified |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny)l) sebacate | Guinea pig | Sensitizing |
| METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE | Guinea pig | Sensitizing |

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|---|----------|--|
| METHYL ACETATE | In Vitro | Not mutagenic |
| METHYL ACETATE | In vivo | Not mutagenic |
| DIMETHYL ETHER | In Vitro | Not mutagenic |
| DIMETHYL ETHER | In vivo | Not mutagenic |
| CYCLOHEXANE | In Vitro | Not mutagenic |
| CYCLOHEXANE | In vivo | Some positive data exist, but the data are not sufficient for classification |
| Tackifier | In Vitro | Not mutagenic |
| PROPANE | In Vitro | Not mutagenic |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny)l) sebacate | In vivo | Not mutagenic |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny)l) sebacate | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE | In vivo | Not mutagenic |
| METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE | In Vitro | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|----------------|------------|---------|------------------|
| DIMETHYL ETHER | Inhalation | Rat | Not carcinogenic |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test Result | Exposure Duration |
|---|------------|--|---------|-----------------------|--------------------------|
| DIMETHYL ETHER | Inhalation | Not classified for development | Rat | NOAEL 40,000 ppm | during organogenesis |
| CYCLOHEXANE | Inhalation | Not classified for female reproduction | Rat | NOAEL 24 mg/l | 2 generation |
| CYCLOHEXANE | Inhalation | Not classified for male reproduction | Rat | NOAEL 24 mg/l | 2 generation |
| CYCLOHEXANE | Inhalation | Not classified for development | Rat | NOAEL 6.9 mg/l | 2 generation |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,493 mg/kg/day | 29 days |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | Ingestion | Not classified for development | Rat | NOAEL 209 mg/kg/day | premating into lactation |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | Ingestion | Toxic to female reproduction | Rat | NOAEL 804 mg/kg/day | premating into lactation |
| METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,493 mg/kg/day | 29 days |
| METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE | Ingestion | Not classified for development | Rat | NOAEL 209 mg/kg/day | premating into lactation |
| METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE | Ingestion | Toxic to female reproduction | Rat | NOAEL 804 mg/kg/day | premating into lactation |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|-----------------|------------|-----------------------------------|--|------------------------|---------------------|-------------------|
| METHYL ACETATE | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal | NOAEL Not available | |
| METHYL ACETATE | Inhalation | respiratory irritation | May cause respiratory irritation | Human and animal | NOAEL Not available | |
| METHYL ACETATE | Inhalation | blindness | Not classified | | NOAEL Not available | |
| METHYL ACETATE | Ingestion | central nervous system depression | May cause drowsiness or dizziness | | NOAEL Not available | |
| DIMETHYL ETHER | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Rat | LOAEL 10,000 ppm | 30 minutes |
| DIMETHYL ETHER | Inhalation | cardiac sensitization | Some positive data exist, but the data are not sufficient for classification | Dog | NOAEL 100,000 ppm | 5 minutes |
| CYCLOHEXANE | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal | NOAEL Not available | |
| CYCLOHEXANE | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human and animal | NOAEL Not available | |
| CYCLOHEXANE | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Professional judgement | NOAEL Not available | |
| PROPANE | Inhalation | cardiac sensitization | Causes damage to organs | Human | NOAEL Not available | |
| PROPANE | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | |
| PROPANE | Inhalation | respiratory irritation | Not classified | Human | NOAEL Not available | |
| 2-METHYLPENTANE | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Professional | NOAEL Not available | |

| | | | | | | |
|-----------------|------------|-----------------------------------|--|-----------------------------------|---------------------|--|
| | | | | judgeme nt | | |
| 2-METHYLPENTANE | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| 2-METHYLPENTANE | Inhalation | cardiac sensitization | Not classified | Dog | NOAEL Not available | |
| 2-METHYLPENTANE | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Professio nal judgeme nt | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|---|------------|---|--|---------|-----------------------|-------------------|
| METHYL ACETATE | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 1.1 mg/l | 28 days |
| METHYL ACETATE | Inhalation | endocrine system hematopoietic system liver immune system kidney and/or bladder | Not classified | Rat | NOAEL 6.1 mg/l | 28 days |
| DIMETHYL ETHER | Inhalation | hematopoietic system | Not classified | Rat | NOAEL 25,000 ppm | 2 years |
| DIMETHYL ETHER | Inhalation | liver | Not classified | Rat | NOAEL 20,000 ppm | 30 weeks |
| CYCLOHEXANE | Inhalation | liver | Not classified | Rat | NOAEL 24 mg/l | 90 days |
| CYCLOHEXANE | Inhalation | auditory system | Not classified | Rat | NOAEL 1.7 mg/l | 90 days |
| CYCLOHEXANE | Inhalation | kidney and/or bladder | Not classified | Rabbit | NOAEL 2.7 mg/l | 10 weeks |
| CYCLOHEXANE | Inhalation | hematopoietic system | Not classified | Mouse | NOAEL 24 mg/l | 14 weeks |
| CYCLOHEXANE | Inhalation | peripheral nervous system | Not classified | Rat | NOAEL 8.6 mg/l | 30 weeks |
| Tackifier | Ingestion | heart gastrointestinal tract hematopoietic system liver nervous system eyes kidney and/or bladder | Not classified | Rat | NOAEL 331 mg/kg/day | 90 days |
| 2-METHYLPENTANE | Inhalation | peripheral nervous system | Not classified | Rat | NOAEL 5.3 mg/l | 14 weeks |
| 2-METHYLPENTANE | Ingestion | peripheral nervous system | Not classified | Rat | NOAEL Not available | 8 weeks |
| 2-METHYLPENTANE | Ingestion | kidney and/or bladder | Not classified | Rat | LOAEL 2,000 mg/kg | 28 days |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | Ingestion | eyes | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 300 mg/kg/day | 28 days |
| Bis(1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | Ingestion | gastrointestinal tract liver immune system heart endocrine system hematopoietic system nervous system kidney and/or bladder | Not classified | Rat | NOAEL 1,493 mg/kg/day | 29 days |
| METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL SEBACATE | Ingestion | eyes | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 300 mg/kg/day | 28 days |
| METHYL 1,2,2,6,6- | Ingestion | gastrointestinal tract | Not classified | Rat | NOAEL | 29 days |

| | | | | | | |
|------------------------------------|--|--|--|--|-----------------|--|
| PENTAMETHYL-4-PIPERIDINYL SEBACATE | | liver immune system heart endocrine system hematopoietic system nervous system kidney and/or bladder | | | 1,493 mg/kg/day | |
|------------------------------------|--|--|--|--|-----------------|--|

Aspiration Hazard

| Name | Value |
|-----------------|-------------------|
| CYCLOHEXANE | Aspiration hazard |
| 2-METHYLPENTANE | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information**Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations**13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. Facility must be capable of handling aerosol cans. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): D001 (Ignitable), D018 (Benzene)

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information**15.1. US Federal Regulations**

Contact 3M for more information.

EPCRA 311/312 Hazard Classifications:

| |
|---|
| Physical Hazards |
| Flammable (gases, aerosols, liquids, or solids) |
| Gas under pressure |

Health Hazards

Reproductive toxicity

Respiratory or Skin Sensitization

Serious eye damage or eye irritation

Simple Asphyxiant

Specific target organ toxicity (single or repeated exposure)

Section 313 Toxic Chemicals subject to the reporting requirements of that section and 40 CFR part 372 (EPCRA):**Ingredient**

CYCLOHEXANE

C.A.S. No

110-82-7

% by Wt

Trade Secret 7 - 15

15.2. State Regulations

Contact 3M for more information.

15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact 3M for more information.

15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information**NFPA Hazard Classification****Health:** 2 **Flammability:** 4 **Instability:** 0 **Special Hazards:** None**Aerosol Storage Code:** 3

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group: 44-8902-7**Version Number:** 1.05**Issue Date:** 01/28/25**Supersedes Date:** 11/05/24

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available

directly from 3M.

3M USA SDSs are available at www.3M.com