



Safety Data Sheet

Copyright, 2026, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group: 44-3692-9
Issue Date: 01/20/26

Version Number: 2.11
Supersedes Date: 11/26/25

SECTION 1: Identification

1.1. Product identifier

US Expandable Slot Liner FC-190 FST

Product Identification Numbers

80-0002-3729-9, 80-0002-3770-3
7100310964, 7100322341

1.2. Recommended use and restrictions on use

Recommended use

Liner

1.3. Supplier's details

MANUFACTURER: 3M
DIVISION: Electrical Markets Division
ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA
Telephone: 1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

2.1. Hazard classification

Serious Eye Damage/Irritation: Category 2B.

Skin Sensitizer: Category 1.

Carcinogenicity: Category 1B.

2.2. Label elements

Signal word

Danger

Symbols

Exclamation mark |Health Hazard |

Pictograms



Hazard Statements

Causes eye irritation.
May cause an allergic skin reaction.
May cause cancer.

Precautionary statements

Prevention:

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Avoid breathing fumes.
Wash exposed skin thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves and if needed, respiratory protection (see SDS Section 8).

Response:

IF ON SKIN: Wash with plenty of soap and water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical attention.
If eye irritation persists or if skin irritation or rash occurs: Get medical attention.
Take off contaminated clothing and wash it before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents and container in accordance with applicable local, regional, national, and international regulations.

60% of the mixture consists of ingredients of unknown acute oral toxicity.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
Poly(oxy-1,2-ethanediylloxycarbonyl-2,6-naphthalenediylcarbonyl)	24968-11-4	45 - 50
POLY(ETHYLENE TEREPHTHALATE)	25038-59-9	20 - 25
Triphenylolmethane triglycidyl ether	66072-38-6	7 - 13 Trade Secret *
Benzaldehyde, 2-hydroxy-, polymer with (chloromethyl)oxirane and phenol	120206-26-0	6 - 12
Copolymer 1	Trade Secret*	1 - 5
DICYANDIAMIDE	461-58-5	< 3
Copolymer 2	None	< 2
Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer	25036-25-3	0.1 - 1 Trade Secret *
NEOPENTYL GLYCOL DIGLYCIDYL ETHER	17557-23-2	0.1 - 1 Trade Secret *
PHENYL GLYCIDYL ETHER	122-60-1	0.1 - 1 Trade Secret *

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Allergic skin reaction (redness, swelling, blistering, and itching).

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

<u>Substance</u>	<u>Condition</u>
Aldehydes	During Combustion
Carbon monoxide	During Combustion
Carbon dioxide	During Combustion
Hydrogen Cyanide	During Combustion
Ammonia	During Combustion
Oxides of Nitrogen	During Combustion

5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for

emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

Refer to Section 15 for additional information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (gloves, respirators, etc.) as required.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from oxidizing agents.

Refer to Section 15 for additional information

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
PHENYL GLYCIDYL ETHER	122-60-1	ACGIH	TWA:0.1 ppm	A3: Confirmed animal carcin., SKIN; Dermal sensitizer
PHENYL GLYCIDYL ETHER	122-60-1	OSHA	TWA:60 mg/m ³ (10 ppm)	

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields
Indirect Vented Goggles

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

When only incidental contact is anticipated, alternative glove material(s) may be used. If contact with the glove does occur, remove immediately and replace with a set of new gloves. For incidental contact, gloves made of the following material(s) may be used: Nitrile Rubber

If this product is used in a manner that presents a higher potential for exposure (e.g., spraying, high splash potential, etc.), then use of a protective apron may be necessary. See recommended glove material(s) for determining appropriate apron material(s). If a glove material is not available as an apron, polymer laminate is a suitable option.

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Refer to Section 15 for additional information

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid
Specific Physical Form:	Liner
Color	White
Odor	No Data Available
Odor threshold	<i>No Data Available</i>
pH	<i>No Data Available</i>
Melting point/Freezing point	<i>No Data Available</i>
Boiling point/Initial boiling point/Boiling range	<i>No Data Available</i>
Flash Point	No flash point
Evaporation rate	<i>No Data Available</i>
Flammability	Not Applicable
Flammable Limits(LEL)	<i>No Data Available</i>
Flammable Limits(UEL)	<i>No Data Available</i>
Vapor Pressure	<i>No Data Available</i>

Relative Vapor Density	<i>No Data Available</i>
Density	<i>No Data Available</i>
Relative Density	<i>No Data Available</i>
Water solubility	<i>No Data Available</i>
Solubility- non-water	<i>No Data Available</i>
Partition coefficient: n-octanol/ water	<i>No Data Available</i>
Autoignition temperature	<i>No Data Available</i>
Decomposition temperature	<i>No Data Available</i>
Kinematic Viscosity	<i>No Data Available</i>
Volatile Organic Compounds	<i>No Data Available</i>
Percent volatile	<i>No Data Available</i>
VOC Less H₂O & Exempt Solvents	<i>No Data Available</i>

Particle Characteristics	<i>Not Applicable</i>
---------------------------------	-----------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

Explosive when mixed with oxidizing substances.

10.6. Hazardous decomposition products

<u>Substance</u>	<u>Condition</u>
None known.	

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose

and throat pain.

May cause additional health effects (see below).

Skin Contact:

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact:

Moderate Eye Irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Additional Health Effects:

Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

Ingredient	CAS No.	Class Description	Regulation
Phenyl glycidyl ether	122-60-1	Grp. 2B: Possible human carc.	International Agency for Research on Cancer

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
POLY(ETHYLENE TEREPHTHALATE)	Dermal		LD50 estimated to be > 5,000 mg/kg
POLY(ETHYLENE TEREPHTHALATE)	Ingestion	Rat	LD50 > 5,000 mg/kg
Triphenylolmethane triglycidyl ether	Ingestion	Professional judgement	LD50 Not available
Triphenylolmethane triglycidyl ether	Dermal	similar health hazards	LD50 Not available
DICYANDIAMIDE	Dermal	Rabbit	LD50 > 10,000 mg/kg
DICYANDIAMIDE	Ingestion	Rat	LD50 > 30,000 mg/kg
NEOPENTYL GLYCOL DIGLYCIDYL ETHER	Dermal	Rat	LD50 > 2,150 mg/kg
NEOPENTYL GLYCOL DIGLYCIDYL ETHER	Ingestion	Rat	LD50 4,500 mg/kg
Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer	Dermal	Rat	LD50 > 1,600 mg/kg
Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer	Ingestion	Rat	LD50 > 1,000 mg/kg
PHENYL GLYCIDYL ETHER	Dermal	Rabbit	LD50 2000-5000 mg/kg
PHENYL GLYCIDYL ETHER	Ingestion	Rat	LD50 2,600 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
POLY(ETHYLENE TEREPHTHALATE)	In vitro data	No significant irritation
Triphenylolmethane triglycidyl ether	Professional judgement	Mild irritant
DICYANDIAMIDE	Human and animal	Minimal irritation

NEOPENTYL GLYCOL DIGLYCIDYL ETHER	Rabbit	Irritant
Bisphenol A Diglycidyl Ether-Bisphenol A Coploymer	Rabbit	Mild irritant
PHENYL GLYCIDYL ETHER	Human	Irritant

Serious Eye Damage/Irritation

Name	Species	Value
POLY(ETHYLENE TEREPHTHALATE)	Human	No significant irritation
Triphenylmethane triglycidyl ether	Professional judgement	Moderate irritant
DICYANDIAMIDE	Professional judgement	Mild irritant
NEOPENTYL GLYCOL DIGLYCIDYL ETHER	Rabbit	Mild irritant
Bisphenol A Diglycidyl Ether-Bisphenol A Coploymer	Rabbit	Moderate irritant
PHENYL GLYCIDYL ETHER	Rabbit	Severe irritant

Skin Sensitization

Name	Species	Value
POLY(ETHYLENE TEREPHTHALATE)	Human	Not classified
Triphenylmethane triglycidyl ether	Professional judgement	Sensitizing
DICYANDIAMIDE	Guinea pig	Not classified
NEOPENTYL GLYCOL DIGLYCIDYL ETHER	Guinea pig	Sensitizing
Bisphenol A Diglycidyl Ether-Bisphenol A Coploymer	Human and animal	Sensitizing
PHENYL GLYCIDYL ETHER	Human and animal	Sensitizing

Respiratory Sensitization

Name	Species	Value
Bisphenol A Diglycidyl Ether-Bisphenol A Coploymer	Human	Not classified

Germ Cell Mutagenicity

Name	Route	Value
POLY(ETHYLENE TEREPHTHALATE)	In Vitro	Not mutagenic
DICYANDIAMIDE	In Vitro	Not mutagenic
NEOPENTYL GLYCOL DIGLYCIDYL ETHER	In vivo	Not mutagenic
NEOPENTYL GLYCOL DIGLYCIDYL ETHER	In Vitro	Some positive data exist, but the data are not sufficient for classification
Bisphenol A Diglycidyl Ether-Bisphenol A Coploymer	In vivo	Not mutagenic
Bisphenol A Diglycidyl Ether-Bisphenol A Coploymer	In Vitro	Some positive data exist, but the data are not sufficient for classification
PHENYL GLYCIDYL ETHER	In Vitro	Some positive data exist, but the data are not sufficient for classification
PHENYL GLYCIDYL ETHER	In vivo	Mutagenic

Carcinogenicity

Name	Route	Species	Value
DICYANDIAMIDE	Ingestion	Rat	Not carcinogenic
NEOPENTYL GLYCOL DIGLYCIDYL ETHER	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification

Bisphenol A Diglycidyl Ether-Bisphenol A Coploymer	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification
PHENYL GLYCIDYL ETHER	Inhalation	Rat	Carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
DICYANDIAMIDE	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	pre mating & during gestation
DICYANDIAMIDE	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	44 days
DICYANDIAMIDE	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	pre mating & during gestation
Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer	Ingestion	Not classified for female reproduction	Rat	NOAEL 750 mg/kg/day	2 generation
Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer	Ingestion	Not classified for male reproduction	Rat	NOAEL 750 mg/kg/day	2 generation
Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer	Dermal	Not classified for development	Rabbit	NOAEL 300 mg/kg/day	during organogenesis
Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer	Ingestion	Not classified for development	Rat	NOAEL 750 mg/kg/day	2 generation
PHENYL GLYCIDYL ETHER	Inhalation	Not classified for male reproduction	Rat	NOAEL 0.068 mg/l	19 days
PHENYL GLYCIDYL ETHER	Inhalation	Not classified for development	Rat	NOAEL 0.074 mg/l	during gestation

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Triphenylolmethane triglycidyl ether	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
NEOPENTYL GLYCOL DIGLYCIDYL ETHER	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
PHENYL GLYCIDYL ETHER	Inhalation	respiratory irritation	May cause respiratory irritation	Human and animal	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
POLY(ETHYLENE TEREPHTHALATE)	Ingestion	heart	Not classified	Rat	NOAEL Not available	13 weeks
POLY(ETHYLENE TEREPHTHALATE)	Ingestion	skin	Not classified	Rat	NOAEL Not available	13 weeks
POLY(ETHYLENE TEREPHTHALATE)	Ingestion	endocrine system	Not classified	Rat	NOAEL Not available	13 weeks
POLY(ETHYLENE TEREPHTHALATE)	Ingestion	bone, teeth, nails, and/or hair	Not classified	Rat	NOAEL Not available	13 weeks
POLY(ETHYLENE TEREPHTHALATE)	Ingestion	hematopoietic system	Not classified	Rat	NOAEL Not available	13 weeks
POLY(ETHYLENE TEREPHTHALATE)	Ingestion	liver	Not classified	Rat	NOAEL Not available	13 weeks

POLY(ETHYLENE TEREPHTHALATE)	Ingestion	immune system	Not classified	Rat	NOAEL Not available	13 weeks
POLY(ETHYLENE TEREPHTHALATE)	Ingestion	muscles	Not classified	Rat	NOAEL Not available	13 weeks
POLY(ETHYLENE TEREPHTHALATE)	Ingestion	nervous system	Not classified	Rat	NOAEL Not available	13 weeks
POLY(ETHYLENE TEREPHTHALATE)	Ingestion	eyes	Not classified	Rat	NOAEL Not available	13 weeks
POLY(ETHYLENE TEREPHTHALATE)	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL Not available	13 weeks
POLY(ETHYLENE TEREPHTHALATE)	Ingestion	respiratory system	Not classified	Rat	NOAEL Not available	13 weeks
DICYANDIAMIDE	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 6,822 mg/kg/day	13 weeks
Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer	Dermal	liver	Not classified	Rat	NOAEL 1,000 mg/kg/day	2 years
Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer	Dermal	nervous system	Not classified	Rat	NOAEL 1,000 mg/kg/day	13 weeks
Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer	Ingestion	auditory system	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days
Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer	Ingestion	heart	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days
Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer	Ingestion	endocrine system	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days
Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days
Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer	Ingestion	liver	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days
Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer	Ingestion	eyes	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days
Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days
PHENYL GLYCIDYL ETHER	Inhalation	skin	Not classified	Rat	NOAEL 0.006 mg/l	90 days
PHENYL GLYCIDYL ETHER	Inhalation	heart	Not classified	Rat	NOAEL 0.07 mg/l	90 days
PHENYL GLYCIDYL ETHER	Inhalation	endocrine system	Not classified	Rat	NOAEL 0.07 mg/l	90 days
PHENYL GLYCIDYL ETHER	Inhalation	gastrointestinal tract	Not classified	Rat	NOAEL 0.07 mg/l	90 days
PHENYL GLYCIDYL ETHER	Inhalation	hematopoietic system	Not classified	Rat	NOAEL 0.07 mg/l	90 days
PHENYL GLYCIDYL ETHER	Inhalation	liver	Not classified	Rat	NOAEL 0.07 mg/l	90 days
PHENYL GLYCIDYL ETHER	Inhalation	immune system	Not classified	Rat	NOAEL 0.07 mg/l	90 days
PHENYL GLYCIDYL ETHER	Inhalation	muscles	Not classified	Rat	NOAEL 0.07 mg/l	90 days
PHENYL GLYCIDYL ETHER	Inhalation	nervous system	Not classified	Rat	NOAEL 0.07 mg/l	90 days
PHENYL GLYCIDYL ETHER	Inhalation	eyes	Not classified	Rat	NOAEL 0.07 mg/l	90 days
PHENYL GLYCIDYL ETHER	Inhalation	kidney and/or bladder	Not classified	Rat	NOAEL 0.07 mg/l	90 days
PHENYL GLYCIDYL ETHER	Inhalation	respiratory system	Not classified	Rat	NOAEL 0.07 mg/l	90 days
PHENYL GLYCIDYL ETHER	Inhalation	vascular system	Not classified	Rat	NOAEL 0.07 mg/l	90 days

ETHER				mg/l
-------	--	--	--	------

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

Refer to Section 15 for additional information

SECTION 12: Ecological information

Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

Refer to Section 15 for additional information

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): D035 (Methyl ethyl ketone)

Refer to Section 15 for additional information

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact 3M for more information.

EPCRA 311/312 Hazard Classifications:**Physical Hazards**

Not Applicable.

Health Hazards

Carcinogenicity
Respiratory or Skin Sensitization
Serious eye damage or eye irritation

Additional TSCA Information

Components	CAS No	Additional Information
Benzaldehyde, 2-hydroxy-, polymer with (chloromethyl)oxirane and phenol	120206-26-0	Reproductive effects. May cause cancer. Avoid skin contact. Avoid breathing substance. Avoid ingestion. Use respiratory protection. Use skin protection. Toxic to fish. Toxic to aquatic organisms. Do not release to water.

15.2. State Regulations

Contact 3M for more information.

15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory listing requirements.

Contact 3M for more information.

15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 2 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group: 44-3692-9 **Version Number:** 2.11
Issue Date: 01/20/26 **Supersedes Date:** 11/26/25

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at www.3M.com