

# Safety Data Sheet

Copyright, 2024, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document Group:** 31-2738-8 **Version Number:** 1.00 **Revision Date:** 17/12/2024 **Supercedes Date:** Initial Issue

Transportation version number:

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

3M<sup>TM</sup> Fast Tack Water Based Adhesive 1000NF, Neutral

#### **Product Identification Numbers**

62-4226-7530-6

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Industrial use

## 1.3. Details of the supplier of the safety data sheet

**ADDRESS:** 3M Israel, 91 Medinat Ha'Yehudim Street, Herzeliya 46120

**Telephone:** 09-961 5000

E Mail: innovation.il@mmm.com

Website: www.3M.com/il

# 1.4. Emergency telephone number

09-961 5000

# **SECTION 2: Hazard identification**

## 2.1. Classification of the substance or mixture

# CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

# **CLASSIFICATION:**

Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

#### 2.2. Label elements

CLP REGULATION (EC) No 1272/2008

#### **HAZARD STATEMENTS:**

H412

Harmful to aquatic life with long lasting effects.

#### 2.3. Other hazards

None known

This material does not contain any substances that are assessed to be a PBT or vPvB

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

## 3.2. Mixtures

Ingredient	Identifier(s)	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water	(CAS-No.) 7732- 18-5 (EC-No.) 231-791-2	40 - 55	Substance not classified as hazardous
Acrylic Polymer	Trade Secret	20 - 30	Substance not classified as hazardous
BENZENESULFONIC ACID, MONO- C11-13-BRANCHED ALKYL DERIVS., SODIUM SALTS	(CAS-No.) 68608- 89-9 (EC-No.) 271-808-0	< 1	Acute Tox. 4, H312 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400,M=1 Aquatic Chronic 1, H410,M=1

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

# Inhalation:

No need for first aid is anticipated. If symptoms develop, remove the affected person to fresh air. Get medical attention.

## **Skin Contact:**

If exposed, wash with soap and water. If signs/symptoms develop, get medical attention.

#### **Eve Contact:**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

# If Swallowed:

Do not induce vomiting. Rinse mouth. If you feel unwell, get medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

## 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

## 5.1. Extinguishing media

Material will not burn. Use a fire fighting agent suitable for the surrounding fire.

# 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

# 5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

# 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

## 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

#### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Avoid release to the environment.

### 7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from strong bases.

# 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

# 8.2. Exposure controls

# 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

# 8.2.2. Personal protective equipment (PPE)

# Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

# Skin/hand protection

No chemical protective gloves are required.

# Respiratory protection

None required.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

information on busic physical and encimear prope		
Physical state	Liquid	
Color	Lavender, White	
Odor	Slight Acrylate	
Odor threshold	No Data Available	
Melting point/freezing point	No Data Available	
Boiling point/boiling range	100 °C	
Flammability	Not Applicable	
Flammable Limits(LEL)	Not Applicable	
Flammable Limits(UEL)	Not Applicable	
Flash Point	No flash point	
Autoignition temperature	No Data Available	
Decomposition temperature	No Data Available	
рН	5 - 6 Units not avail. or not appl.	
Kinematic Viscosity	1,100 mm2/sec	
Water solubility	Miscible	
Solubility- non-water	No Data Available	
Partition coefficient: n-octanol/ water	No Data Available	
Vapor Pressure	No Data Available	
Density	1 g/cm3	
Relative Density	1 [Ref Std:WATER=1]	
Relative Vapor Density	No Data Available	
Particle Characteristics	Not Applicable	

## 9.2. Other information

#### 9.2.2 Other safety characteristics

**EU Volatile Organic Compounds** 

No Data Available

Evaporation rate1 [Ref Std: WATER=1]Molecular weightNo Data AvailableSolids Content45 - 55 % weight

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

# 10.2. Chemical stability

Stable.

## 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Heat

# 10.5. Incompatible materials

Strong bases

## 10.6. Hazardous decomposition products

SubstanceConditionAldehydesNot SpecifiedCarbon monoxideNot SpecifiedCarbon dioxideNot Specified

# **SECTION 11: Toxicological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

No known health effects.

#### **Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation.

#### **Eye Contact:**

Contact with the eyes during product use is not expected to result in significant irritation.

#### **Ingestion:**

No known health effects.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or

the data are not sufficient for classification.

**Acute Toxicity** 

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Acrylic Polymer	Dermal	Professio	LD50 estimated to be 2,000 - 5,000 mg/kg
		nal	
		judgeme	
		nt	
Acrylic Polymer	Ingestion	Professio	LD50 estimated to be 2,000 - 5,000 mg/kg
		nal	
		judgeme	
		nt	
BENZENESULFONIC ACID, MONO-C11-13-BRANCHED	Ingestion	Rat	LD50 520 mg/kg
ALKYL DERIVS., SODIUM SALTS	C		
BENZENESULFONIC ACID, MONO-C11-13-BRANCHED	Dermal	similar	LD50 >1000, <1600 mg/kg
ALKYL DERIVS., SODIUM SALTS		compoun	
		ds	

ATE = acute toxicity estimate

## Skin Corrosion/Irritation

Name	Species	Value
BENZENESULFONIC ACID, MONO-C11-13-BRANCHED ALKYL DERIVS., SODIUM SALTS	similar compoun ds	Irritant

Serious Eye Damage/Irritation

Name	Species	Value
BENZENESULFONIC ACID, MONO-C11-13-BRANCHED ALKYL DERIVS., SODIUM SALTS	similar compoun ds	Corrosive

# **Skin Sensitization**

Name	Species	Value
BENZENESULFONIC ACID, MONO-C11-13-BRANCHED ALKYL DERIVS., SODIUM SALTS	similar compoun ds	Not classified

# **Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

Name	Route	Value
BENZENESULFONIC ACID, MONO-C11-13-BRANCHED ALKYL DERIVS., SODIUM SALTS	In Vitro	Not mutagenic

## Carcinogenicity

For the component/components, either no data are currently available or the data are not sufficient for classification.

# Reproductive Toxicity

# Reproductive and/or Developmental Effects

For the component/components, either no data are currently available or the data are not sufficient for classification.

# Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
BENZENESULFONIC ACID, MONO-C11-13- BRANCHED ALKYL DERIVS., SODIUM SALTS	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
BENZENESULFONIC ACID, MONO-C11-13- BRANCHED ALKYL DERIVS., SODIUM SALTS	Ingestion	liver   heart   endocrine system   gastrointestinal tract   hematopoietic system   immune system   muscles   nervous system   kidney and/or bladder   respiratory system   vascular system	Not classified	Rat	NOAEL 250 mg/kg/day	12 weeks

# **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

#### 11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

# **SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

# 12.1. Toxicity

No product test data available

Material	CAS#	Organism	Туре	Exposure	<b>Test Endpoint</b>	Test Result
Acrylic Polymer	Trade Secret	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
BENZENESULFONIC ACID, MONO-C11-13- BRANCHED ALKYL DERIVS., SODIUM SALTS		Activated sludge	Estimated	3 hours	EC50	>=550 mg/l
BENZENESULFONIC ACID, MONO-C11-13- BRANCHED ALKYL DERIVS., SODIUM SALTS		Green algae	Experimental	72 hours	EC50	>37 mg/l
BENZENESULFONIC ACID, MONO-C11-13-		Rainbow Trout	Experimental	96 hours	LC50	2.58 mg/l

BRANCHED ALKYL DERIVS., SODIUM						
SALTS						
BENZENESULFONIC ACID, MONO-C11-13- BRANCHED ALKYL DERIVS., SODIUM SALTS	68608-89-9	Water flea	Experimental	48 hours	EC50	0.83 mg/l
BENZENESULFONIC ACID, MONO-C11-13- BRANCHED ALKYL DERIVS., SODIUM SALTS	68608-89-9	Green algae	Experimental	72 hours	NOEC	9.2 mg/l

## 12.2. Persistence and degradability

Material	CAS No.	Test Type	Duration	Study Type	Test Result	Protocol
Acrylic Polymer	Trade Secret	Data not availbl- insufficient	N/A	N/A	N/A	N/A
BENZENESULFONIC ACID, MONO-C11-13- BRANCHED ALKYL DERIVS., SODIUM SALTS	68608-89-9	Estimated Biodegradation	30 days	Biological Oxygen Demand	6 %BOD/ThO D	

## 12.3. Bioaccumulative potential

Material	Cas No.	Test Type	Duration	Study Type	Test Result	Protocol
Acrylic Polymer	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
BENZENESULFONIC ACID, MONO-C11-13- BRANCHED ALKYL DERIVS., SODIUM SALTS	68608-89-9	Experimental Bioconcentration		Log of Octanol/H2O part. coeff	0.0001	

# 12.4. Mobility in soil

No test data available

#### 12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

## 12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

## 12.7. Other adverse effects

No information available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal

# facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

# EU waste code (product as sold)

080410 Waste adhesives and sealants other than those mentioned in 08 04 09 200128 Paint, inks, adhesives and resins other than those mentioned in 20 01 27

# **SECTION 14: Transportation information**

Not hazardous for transportation.

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number or ID number	No Data Available	No Data Available	No Data Available
14.2 UN proper shipping name	No Data Available	No Data Available	No Data Available
14.3 Transport hazard class(es)	No Data Available	No Data Available	No Data Available
14.4 Packing group	No Data Available	No Data Available	No Data Available
14.5 Environmental hazards	No Data Available	No Data Available	No Data Available
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Marine Transport in bulk according to IMO instruments	No Data Available	No Data Available	No Data Available
Control Temperature	No Data Available	No Data Available	No Data Available
<b>Emergency Temperature</b>	No Data Available	No Data Available	No Data Available
ADR Classification Code	No Data Available	No Data Available	No Data Available
IMDG Segregation Code	No Data Available	No Data Available	No Data Available

Please contact the address or phone number listed on the first page of the SDS for additional information on the

transport/shipment of the material by rail (RID) or inland waterways (ADN).

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Global inventory status

Contact 3M for more information. The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA.

#### **DIRECTIVE 2012/18/EU**

Seveso hazard categories, Annex 1, Part 1 None

Seveso named dangerous substances, Annex 1, Part 2 None

# Regulation (EU) No 649/2012

No chemicals listed

# **SECTION 16: Other information**

#### List of relevant H statements

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### **Revision information:**

No revision information

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

# 3M Israel SDSs are available at www.3M.com/il