



Safety Data Sheet

Copyright, 2026, Meguiar's Inc.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group: 31-9966-8
Issue Date: 03/13/26

Version Number: 7.00
Supersedes Date: 04/25/25

SECTION 1: Identification

1.1. Product identifier

Soft Wash Gel A25 [A2516 A2564]

Product Identification Numbers

14-1000-0047-1, 14-1000-0048-9, 14-1000-0049-7, 14-1000-8939-1, 14-1001-1690-5
7100175237, 7100179287, 7100216389

1.2. Recommended use and restrictions on use

Recommended use

Automotive, Car wash

1.3. Supplier's details

MANUFACTURER: Meguiar's, Inc.
DIVISION: Meguiar's
ADDRESS: 213 Technology Dr, Irvine, CA 92618
Telephone: 1-800-347-5700

1.4. Emergency telephone number

CHEMTREC 1-800-424-9300 (24 hours)

SECTION 2: Hazard identification

The label elements below were prepared in accordance with OSHA Hazard Communication Standard, 29 CFR 1910.1200. This information may be different from the actual product label information for labels regulated by other agencies.

2.1. Hazard classification

Skin Corrosion/Irritation: Category 2.

Serious Eye Damage/Irritation: Category 2A.

2.2. Label elements

Signal word

Warning

Symbols

Exclamation mark |

Pictograms**Hazard Statements**

Causes skin irritation.

Causes serious eye irritation.

Precautionary statements**General:**

Keep out of reach of children.

Prevention:

Wash exposed skin thoroughly after handling.

Wear protective gloves and eye protection.

Response:

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists or if skin irritation occurs: Get medical advice.

Take off contaminated clothing and wash it before reuse.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
Water	7732-18-5	70 - 90
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	68585-34-2	1 - 5 Trade Secret *
SODIUM CHLORIDE	7647-14-5	1 - 5
SODIUM MONO-C10-16-ALKYL SULFATES	68585-47-7	1 - 5 Trade Secret *
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	1 - 5 Trade Secret *
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	68081-81-2	0.5 - 1.5 Trade Secret *
COCOAMIDOPROPYLBETAINE	61789-40-0	0.5 - 1.5 Trade Secret *
LAURYL DIMETHYLAMINE OXIDE	1643-20-5	0.5 - 1.5 Trade Secret *

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures**4.1. Description of first aid measures**

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Rinse skin with large amounts of water. If symptoms persist, get medical attention.

Eye Contact:

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Material will not burn.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products**Substance**

Carbon monoxide

Carbon dioxide

Irritant Vapors or Gases

Condition

During Combustion

During Combustion

During Combustion

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS. Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible.

Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

7.2. Conditions for safe storage including any incompatibilities

Protect from sunlight. Store away from heat.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields
Indirect Vented Goggles

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Color	Pink
Odor	Sweet Clean
Odor threshold	No Data Available
pH	7.5 - 9
Melting point/Freezing point	Not Applicable
Boiling point/Initial boiling point/Boiling range	No Data Available
Flash Point	No flash point
Evaporation rate	No Data Available
Flammability	Not Applicable
Flammable Limits(LEL)	Not Applicable
Flammable Limits(UEL)	Not Applicable
Vapor Pressure	No Data Available
Relative Vapor Density	No Data Available
Density	1 - 1.05 g/cm3
Relative Density	1 - 1.05 [Ref Std: WATER=1]
Water solubility	Complete
Solubility- non-water	Complete
Partition coefficient: n-octanol/ water	No Data Available
Autoignition temperature	Not Applicable
Decomposition temperature	No Data Available
Kinematic Viscosity	3,902 mm2/sec
Volatile Organic Compounds	0.1 % weight [Test Method:calculated per CARB title 2]
Percent volatile	87.2 % weight [Test Method:Estimated]
VOC Less H2O & Exempt Solvents	0.01 lb/gal [Test Method:calculated SCAQMD rule 443.1]
Molecular weight	No Data Available

Particle Characteristics	Not Applicable
--------------------------	----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Substance

None known.

Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.
Allergic Skin Reaction (non-photo induced) in sensitive people: Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact:

Severe Eye Irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
SODIUM MONO-C10-16-ALKYL SULFATES	Dermal	Rat	LD50 > 2,000 mg/kg
SODIUM MONO-C10-16-ALKYL SULFATES	Ingestion	Rat	LD50 1,800 mg/kg
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Dermal	Rabbit	LD50 6,300 mg/kg
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 52 mg/l
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	Rat	LD50 2,079 mg/kg
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	Rat	LD50 > 2,000 mg/kg
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Ingestion	Rat	LD50 2,870 mg/kg
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	Dermal	Rat	LD50 > 2,000 mg/kg
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	Ingestion	Rat	LD50 1,080 mg/kg
COCOAMIDOPROPYL BETAINE	Dermal	Rat	LD50 > 2,000 mg/kg
COCOAMIDOPROPYL BETAINE	Ingestion	Rat	LD50 > 1,500 mg/kg
LAURYL DIMETHYLAMINE OXIDE	Ingestion	Rat	LD50 1,064 mg/kg
LAURYL DIMETHYLAMINE OXIDE	Dermal	similar compound	LD50 > 2,000 mg/kg

		ds	
SODIUM CHLORIDE	Dermal	Rabbit	LD50 > 10,000 mg/kg
SODIUM CHLORIDE	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 10.5 mg/l
SODIUM CHLORIDE	Ingestion	Rat	LD50 3,550 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
SODIUM MONO-C10-16-ALKYL SULFATES	Rabbit	Irritant
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Rabbit	Irritant
ALCOHOL ETHOXYSULFATE (SODIUM SALT)	Rabbit	Irritant
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	Rabbit	Irritant
COCOAMIDOPROPYLBETAINE	Rabbit	Minimal irritation
LAURYL DIMETHYLAMINE OXIDE	Rabbit	Irritant
SODIUM CHLORIDE	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
SODIUM MONO-C10-16-ALKYL SULFATES	Rabbit	Corrosive
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Rabbit	Corrosive
ALCOHOL ETHOXYSULFATE (SODIUM SALT)	Rabbit	Corrosive
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	Rabbit	Corrosive
COCOAMIDOPROPYLBETAINE	Rabbit	Corrosive
LAURYL DIMETHYLAMINE OXIDE	Rabbit	Corrosive
SODIUM CHLORIDE	Rabbit	Mild irritant

Skin Sensitization

Name	Species	Value
SODIUM MONO-C10-16-ALKYL SULFATES	Guinea pig	Not classified
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Guinea pig	Not classified
ALCOHOL ETHOXYSULFATE (SODIUM SALT)	Guinea pig	Not classified
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	Guinea pig	Not classified
COCOAMIDOPROPYLBETAINE	Multiple animal species	Not classified
LAURYL DIMETHYLAMINE OXIDE	Guinea pig	Not classified

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
SODIUM MONO-C10-16-ALKYL SULFATES	In Vitro	Not mutagenic
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	In Vitro	Not mutagenic
ALCOHOL ETHOXYSULFATE (SODIUM SALT)	In Vitro	Not mutagenic
ALCOHOL ETHOXYSULFATE (SODIUM SALT)	In vivo	Not mutagenic
COCOAMIDOPROPYLBETAINE	In Vitro	Not mutagenic
COCOAMIDOPROPYLBETAINE	In vivo	Not mutagenic
LAURYL DIMETHYLAMINE OXIDE	In Vitro	Not mutagenic
LAURYL DIMETHYLAMINE OXIDE	In vivo	Not mutagenic
SODIUM CHLORIDE	In Vitro	Some positive data exist, but the data are not sufficient for classification

SODIUM CHLORIDE	In vivo	Some positive data exist, but the data are not sufficient for classification
-----------------	---------	--

Carcinogenicity

Name	Route	Species	Value
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	Rat	Not carcinogenic
LAURYLDMETHYLAMINE OXIDE	Dermal	Mouse	Not carcinogenic
LAURYLDMETHYLAMINE OXIDE	Ingestion	Rat	Not carcinogenic
SODIUM CHLORIDE	Ingestion	Rat	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
SODIUM MONO-C10-16-ALKYL SULFATES	Ingestion	Not classified for development	Rat	NOAEL 250 mg/kg/day	during organogenesis
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	Not classified for development	Mouse	NOAEL 2 mg/kg/day	during organogenesis
ALCOHOL ETHOXSULFATE (SODIUM SALT)	Ingestion	Not classified for female reproduction	Rat	NOAEL 300 mg/kg/day	2 generation
ALCOHOL ETHOXSULFATE (SODIUM SALT)	Ingestion	Not classified for male reproduction	Rat	NOAEL 300 mg/kg/day	2 generation
ALCOHOL ETHOXSULFATE (SODIUM SALT)	Ingestion	Not classified for development	Rat	NOAEL 300 mg/kg/day	2 generation
LAURYLDMETHYLAMINE OXIDE	Ingestion	Not classified for male reproduction	Rat	NOAEL 250 mg/kg/day	28 days
LAURYLDMETHYLAMINE OXIDE	Ingestion	Not classified for female reproduction	Rat	NOAEL 100 mg/kg/day	premating into lactation
LAURYLDMETHYLAMINE OXIDE	Ingestion	Not classified for development	Rat	NOAEL 25 mg/kg/day	during gestation

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
SODIUM MONO-C10-16-ALKYL SULFATES	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL not available	
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
ALCOHOL ETHOXSULFATE (SODIUM SALT)	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL not available	
COCOAMIDOPROPYL BETAINE	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
LAURYLDMETHYLAMINE OXIDE	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	endocrine system	Not classified	Rat	NOAEL 195 mg/kg/day	2 years

16-alkene, sodium salts						
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 195 mg/kg/day	2 years
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	liver	Not classified	Rat	NOAEL 195 mg/kg/day	2 years
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	immune system	Not classified	Rat	NOAEL 195 mg/kg/day	2 years
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	eyes	Not classified	Rat	NOAEL 195 mg/kg/day	2 years
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 195 mg/kg/day	2 years
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	skin	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	heart	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	endocrine system	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	gastrointestinal tract	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	hematopoietic system	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	liver	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	immune system	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	nervous system	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	eyes	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	kidney and/or bladder	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	respiratory system	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	vascular system	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Ingestion	blood	Not classified	Rat	NOAEL 225 mg/kg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Ingestion	eyes	Not classified	Rat	NOAEL 225 mg/kg/day	90 days
COCOAMIDOPROPYL BETAINE	Ingestion	heart	Not classified	Rat	NOAEL 1,000 mg/kg/day	92 days
COCOAMIDOPROPYL BETAINE	Ingestion	endocrine system	Not classified	Rat	NOAEL 1,000 mg/kg/day	92 days
COCOAMIDOPROPYL BETAINE	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 1,000 mg/kg/day	92 days

COCOAMIDOPROPYLB ETAINE	Ingestion	liver	Not classified	Rat	NOAEL 1,000 mg/kg/day	92 days
COCOAMIDOPROPYLB ETAINE	Ingestion	nervous system	Not classified	Rat	NOAEL 1,000 mg/kg/day	92 days
COCOAMIDOPROPYLB ETAINE	Ingestion	eyes	Not classified	Rat	NOAEL 1,000 mg/kg/day	92 days
COCOAMIDOPROPYLB ETAINE	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 1,000 mg/kg/day	92 days
LAURYL DIMETHYLAM INE OXIDE	Dermal	skin	Not classified	Mouse	NOAEL 6.2 mg/kg/day	91 days
LAURYL DIMETHYLAM INE OXIDE	Ingestion	eyes	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 88 mg/kg/day	90 days
LAURYL DIMETHYLAM INE OXIDE	Ingestion	heart	Not classified	Rat	NOAEL 440 mg/kg/day	90 days
LAURYL DIMETHYLAM INE OXIDE	Ingestion	skin	Not classified	Rat	NOAEL 440 mg/kg/day	90 days
LAURYL DIMETHYLAM INE OXIDE	Ingestion	endocrine system	Not classified	Rat	NOAEL 440 mg/kg/day	90 days
LAURYL DIMETHYLAM INE OXIDE	Ingestion	gastrointestinal tract	Not classified	Rat	NOAEL 440 mg/kg/day	90 days
LAURYL DIMETHYLAM INE OXIDE	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 440 mg/kg/day	90 days
LAURYL DIMETHYLAM INE OXIDE	Ingestion	liver	Not classified	Rat	NOAEL 440 mg/kg/day	90 days
LAURYL DIMETHYLAM INE OXIDE	Ingestion	immune system	Not classified	Rat	NOAEL 440 mg/kg/day	90 days
LAURYL DIMETHYLAM INE OXIDE	Ingestion	muscles	Not classified	Rat	NOAEL 440 mg/kg/day	90 days
LAURYL DIMETHYLAM INE OXIDE	Ingestion	nervous system	Not classified	Rat	NOAEL 440 mg/kg/day	90 days
LAURYL DIMETHYLAM INE OXIDE	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 440 mg/kg/day	90 days
LAURYL DIMETHYLAM INE OXIDE	Ingestion	respiratory system	Not classified	Rat	NOAEL 440 mg/kg/day	90 days
SODIUM CHLORIDE	Ingestion	blood	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 2,240 mg/kg/day	9 months
SODIUM CHLORIDE	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 2,240 mg/kg/day	9 months
SODIUM CHLORIDE	Ingestion	vascular system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 2,240 mg/kg/day	9 months
SODIUM CHLORIDE	Ingestion	nervous system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1,700 mg/kg/day	90 days
SODIUM CHLORIDE	Ingestion	eyes	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1,700 mg/kg/day	90 days
SODIUM CHLORIDE	Ingestion	liver	Not classified	Rat	NOAEL 33 mg/kg/day	90 days
SODIUM CHLORIDE	Ingestion	respiratory system	Not classified	Rat	NOAEL 33 mg/kg/day	90 days

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information**Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations**13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information**15.1. US Federal Regulations**

Contact manufacturer for more information

EPCRA 311/312 Hazard Classifications:**Physical Hazards**

Not Applicable.

Health Hazards

Serious eye damage or eye irritation

Skin Corrosion or Irritation

15.2. State Regulations

Contact manufacturer for more information

15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact manufacturer for more information

15.4. International Regulations

Contact manufacturer for more information

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information**NFPA Hazard Classification****Health:** 2 **Flammability:** 0 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group: 31-9966-8**Version Number:** 7.00**Issue Date:** 03/13/26**Supersedes Date:** 04/25/25

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Meguiar's Inc. MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Meguiar's Inc. product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Meguiar's Inc. product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Meguiar's Inc. product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Meguiar's Inc. provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Meguiar's Inc. makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Meguiar's Inc.

Meguiar's, Inc. USA SDSs are available at www.Meguiars.com