



## Safety Data Sheet

© 2025, Solventum All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Solventum products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Solventum, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |            |                         |            |
|------------------------|------------|-------------------------|------------|
| <b>Document group:</b> | 05-4866-9  | <b>Version number:</b>  | 4.00       |
| <b>Issue Date:</b>     | 02/06/2025 | <b>Supersedes date:</b> | 29/11/2020 |

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

### SECTION 1: Identification

#### 1.1. Product identifier

Adper™ Scotchbond™ Multipurpose Primer (3008/7542)

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Dental Product, Adhesive

##### Restrictions on use

For use by dental professionals only.

#### 1.3. Supplier's details

|                   |  |
|-------------------|--|
| <b>Address:</b>   | KCI New Zealand Unlimited, Suite 1701, Level 17, PwC Tower 15 Customs Street West, Auckland Central, Auckland 1010 New Zealand |
| <b>Telephone:</b> | +80 080 8182   |
| <b>E Mail:</b>    | psops_supportteam@solventum.com  |
| <b>Website:</b>   | Solventum.com  |

#### 1.4. Emergency telephone number

0800 425 459; (24/7) +1-703-527-3887; (24/7)

### SECTION 2: Hazard identification

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996 and the Hazardous Substances (Hazard Classification) Notice 2020.

Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

#### 2.1. Classification of the substance or mixture

Eye irritation: Category 2

Skin sensitisation: Category 1

#### 2.2. Label elements

##### SIGNAL WORD

Warning

##### Symbols:

Exclamation mark |

#### Pictograms



#### HAZARD STATEMENTS:

H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.

#### PRECAUTIONARY STATEMENTS

##### Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 Wash exposed skin thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280E Wear protective gloves.

##### Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.  
P337 + P313 If eye irritation persists: Get medical advice.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

##### Disposal

P501 Dispose of contents/container via an approved hazardous waste disposal contractor.

### SECTION 3: Composition/information on ingredients

| Ingredient                              | CAS Nbr    | % by Weight |
|---|------------|-------------|
| Water                                   | 7732-18-5  | 40 - 50     |
| 2-Hydroxyethyl Methacrylate (HEMA)      | 868-77-9   | 35 - 45     |
| Copolymer of Acrylic and Itaconic Acids | 25948-33-8 | 10 - 20     |

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

##### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

##### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.  
A product risk assessment is recommended to determine if eye wash facilities may be required when using this product in the

workplace.

**If swallowed**

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

The most important symptoms and effects based on the CLP classification include:

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

## SECTION 5: Fire-fighting measures

**5.1. Suitable extinguishing media**

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

**5.2. Special hazards arising from the substance or mixture**

None inherent in this product.

**Hazardous Decomposition or By-Products**

**Substance**

Carbon monoxide.

Carbon dioxide.

**Condition**

During combustion.

During combustion.

**5.3. Special protective actions for fire-fighters**

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

**5.4. Hazchem code:** Not applicable.

## SECTION 6: Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice.

**6.2. Environmental precautions**

Avoid release to the environment.

**6.3. Methods and material for containment and cleaning up**

Contain spill. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## SECTION 7: Handling and storage

Refer to Section 15 - Controls for more information

**7.1. Precautions for safe handling**

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Do not get in eyes.

**7.2. Conditions for safe storage including any incompatibilities**

Store away from strong bases.

**7.3. Certified handler**

Not required

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational exposure limits**

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

**8.2. Exposure controls****8.2.1. Engineering controls**

Use in a well-ventilated area.

**8.2.2. Personal protective equipment (PPE)****Eye/face protection**

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

**Skin/hand protection**

See Section 7.1 for additional information on skin protection.

**Respiratory protection**

None required.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

|  |  |
|--|--|
| <b>Physical state</b>                                    | Liquid.                                |
| <b>Specific Physical Form:</b>                           | Liquid.                                |
| <b>Colour</b>  | Transparent Yellow                     |
| <b>Odour</b>   | Slight Acrylate                        |
| <b>Odour threshold</b>                                   | <i>No data available.</i>              |
| <b>pH</b>  | 2.9 - 4                                |
| <b>Melting point/Freezing point</b>                      | <i>Not applicable.</i>                 |
| <b>Boiling point/Initial boiling point/Boiling range</b> | $\geq 100$ °C                          |
| <b>Flash point</b>                                       | $> 101.1$ °C [Test Method: Closed Cup] |
| <b>Evaporation rate</b>                                  | <i>No data available.</i>              |
| <b>Flammability</b>                                      | Not applicable.                        |
| <b>Flammable Limits(LEL)</b>                             | <i>Not applicable.</i>                 |
| <b>Flammable Limits(UEL)</b>                             | <i>Not applicable.</i>                 |

|   |                                 |
|---|---------------------------------|
| Vapour pressure                             | <=110,316.1 Pa [Ref Std: AIR=1] |
| Relative Vapour Density                     | No data available.              |
| Density                                     | 1.08 g/ml                       |
| Relative density                            | 1.08 [Ref Std: WATER=1]         |
| Water solubility                            | Appreciable                     |
| Solubility- non-water                       | No data available.              |
| Partition coefficient: n-octanol/water      | Not applicable.                 |
| Autoignition temperature                    | Not applicable.                 |
| Decomposition temperature                   | No data available.              |
| Kinematic Viscosity                         | 9.8 mm <sup>2</sup> /sec        |
| Volatile organic compounds (VOC)            | No data available.              |
| Percent volatile                            | Not applicable.                 |
| VOC less H <sub>2</sub> O & exempt solvents | No data available.              |
| Molecular weight                            | No data available.              |

|                          |                 |
|--------------------------|-----------------|
| Particle Characteristics | Not applicable. |
|--------------------------|-----------------|

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

None known.

### 10.5 Incompatible materials

Strong bases.

### 10.6 Hazardous decomposition products

#### Substance

None known.

#### Condition

Refer to Section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1 Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

**Inhalation**

This product may have a characteristic odour; however, no adverse health effects are anticipated.

**Skin contact**

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

**Eye contact**

Moderate eye irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

**Ingestion**

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

| Name                                    | Route     | Species                | Value  |
|---|-----------|------------------------|--|
| Overall product                         | Ingestion |                        | No data available; calculated ATE >5,000 mg/kg |
| 2-Hydroxyethyl Methacrylate (HEMA)      | Dermal    | Rabbit                 | LD50 > 5,000 mg/kg                             |
| 2-Hydroxyethyl Methacrylate (HEMA)      | Ingestion | Rat                    | LD50 5,564 mg/kg                               |
| Copolymer of Acrylic and Itaconic Acids | Ingestion | Rat                    | LD50 > 5,000 mg/kg                             |
| Copolymer of Acrylic and Itaconic Acids | Dermal    | similar health hazards | LD50 estimated to be > 5,000 mg/kg             |

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

| Name                               | Species | Value              |
|------------------------------------|---------|--------------------|
| 2-Hydroxyethyl Methacrylate (HEMA) | Rabbit  | Minimal irritation |

**Serious Eye Damage/Irritation**

| Name                               | Species | Value             |
|------------------------------------|---------|-------------------|
| 2-Hydroxyethyl Methacrylate (HEMA) | Rabbit  | Moderate irritant |

**Sensitisation:****Skin Sensitisation**

| Name                               | Species          | Value       |
|------------------------------------|------------------|-------------|
| 2-Hydroxyethyl Methacrylate (HEMA) | Human and animal | Sensitising |

**Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity**

| Name                               | Route    | Value  |
|------------------------------------|----------|--|
| 2-Hydroxyethyl Methacrylate (HEMA) | In vivo  | Not mutagenic  |
| 2-Hydroxyethyl Methacrylate (HEMA) | In Vitro | Some positive data exist, but the data are not sufficient for classification |

**Carcinogenicity**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

| Name                               | Route     | Value                                  | Species | Test result                 | Exposure Duration                  |
|------------------------------------|-----------|--|---------|-----------------------------|------------------------------------|
| 2-Hydroxyethyl Methacrylate (HEMA) | Ingestion | Not classified for female reproduction | Rat     | NOAEL<br>1,000<br>mg/kg/day | premating &<br>during<br>gestation |
| 2-Hydroxyethyl Methacrylate (HEMA) | Ingestion | Not classified for male reproduction   | Rat     | NOAEL<br>1,000<br>mg/kg/day | 49 days                            |
| 2-Hydroxyethyl Methacrylate (HEMA) | Ingestion | Not classified for development         | Rat     | NOAEL<br>1,000<br>mg/kg/day | premating &<br>during<br>gestation |

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

| Name                                    | Route     | Target Organ(s) | Value          | Species | Test result          | Exposure Duration |
|---|-----------|-----------------|----------------|---------|----------------------|-------------------|
| Copolymer of Acrylic and Itaconic Acids | Ingestion | nervous system  | Not classified | Rat     | NOAEL<br>5,000 mg/kg |                   |

**Specific Target Organ Toxicity - repeated exposure**

| Name                                    | Route     | Target Organ(s)  | Value          | Species | Test result                 | Exposure Duration |
|---|-----------|--|----------------|---------|-----------------------------|-------------------|
| Copolymer of Acrylic and Itaconic Acids | Ingestion | endocrine system   hematopoietic system   liver  | Not classified | Rat     | NOAEL 200<br>mg/kg/day      | 28 days           |
| Copolymer of Acrylic and Itaconic Acids | Ingestion | heart   bone, teeth, nails, and/or hair   immune system   muscles   nervous system   eyes   kidney and/or bladder   respiratory system   vascular system | Not classified | Rat     | NOAEL<br>2,000<br>mg/kg/day | 28 days           |

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

**12.1. Toxicity**

No product test data available.

| Material                                | CAS Number | Organism       | Type  | Exposure | Test endpoint | Test result                 |
|---|------------|----------------|---|----------|---------------|-----------------------------|
| 2-Hydroxyethyl Methacrylate (HEMA)      | 868-77-9   | Turbot         | Analogous Compound                                    | 96 hours | LC50          | 833 mg/l                    |
| 2-Hydroxyethyl Methacrylate (HEMA)      | 868-77-9   | Fathead minnow | Experimental  | 96 hours | LC50          | 227 mg/l                    |
| 2-Hydroxyethyl Methacrylate (HEMA)      | 868-77-9   | Green algae    | Experimental  | 72 hours | EC50          | 710 mg/l                    |
| 2-Hydroxyethyl Methacrylate (HEMA)      | 868-77-9   | Water flea     | Experimental  | 48 hours | EC50          | 380 mg/l                    |
| 2-Hydroxyethyl Methacrylate (HEMA)      | 868-77-9   | Green algae    | Experimental  | 72 hours | NOEC          | 160 mg/l                    |
| 2-Hydroxyethyl Methacrylate (HEMA)      | 868-77-9   | Water flea     | Experimental  | 21 days  | NOEC          | 24.1 mg/l                   |
| 2-Hydroxyethyl Methacrylate (HEMA)      | 868-77-9   | N/A            | Experimental  | 16 hours | EC0           | >3,000 mg/l                 |
| 2-Hydroxyethyl Methacrylate (HEMA)      | 868-77-9   | N/A            | Experimental  | 18 hours | LD50          | <98 mg per kg of bodyweight |
| Copolymer of Acrylic and Itaconic Acids | 25948-33-8 | N/A            | Data not available or insufficient for classification | N/A      | N/A           | N/A                         |

## 12.2. Persistence and degradability

| Material                                | CAS Number | Test type                     | Duration | Study Type                    | Test result                   | Protocol                       |
|---|------------|-------------------------------|----------|-------------------------------|-------------------------------|--------------------------------|
| 2-Hydroxyethyl Methacrylate (HEMA)      | 868-77-9   | Experimental Biodegradation   | 28 days  | BOD                           | 84 %BOD/CO D                  | OECD 301D - Closed bottle test |
| 2-Hydroxyethyl Methacrylate (HEMA)      | 868-77-9   | Experimental Hydrolysis       |          | Hydrolytic half-life basic pH | 10.9 days (t <sub>1/2</sub> ) | OECD 111 Hydrolysis func of pH |
| Copolymer of Acrylic and Itaconic Acids | 25948-33-8 | Data not availbl-insufficient | N/A      | N/A                           | N/A                           | N/A                            |

## 12.3 : Bioaccumulative potential



| Material                                | CAS Number | Test type   | Duration | Study Type | Test result | Protocol                        |
|---|------------|---|----------|------------|-------------|---------------------------------|
| 2-Hydroxyethyl Methacrylate (HEMA)      | 868-77-9   | Experimental Bioconcentration                         |          | Log Kow    | 0.42        | OECD 107 log Kow shke flask mtd |
| Copolymer of Acrylic and Itaconic Acids | 25948-33-8 | Data not available or insufficient for classification | N/A      | N/A        | N/A         | N/A                             |

**12.4. Mobility in soil**

Please contact manufacturer for more details

**12.5 Other adverse effects**

No information available.

## SECTION 13: Disposal considerations

**13.1. Disposal methods**

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

## SECTION 14: Transport Information

**New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport**

**UN No.:** Not applicable.

**Proper Shipping Name:** Not applicable.

**Class/Division:** Not applicable.

**Sub Risk:** Not applicable.

**Packing Group:** Not applicable.

**Hazchem Code:** Not applicable.

**IERG:** Not applicable.

**International Air Transport Association (IATA) - Air Transport**

**UN No.:** Not applicable.

**Proper Shipping Name:** Not applicable.

**Class/Division:** Not applicable.

**Sub Risk:** Not applicable.

**Packing Group:** Not applicable.

**International Maritime Dangerous Goods Code (IMDG) - Marine Transport**

**UN No.:** Not applicable.

**Proper Shipping Name:** Not applicable.

**Class/Division:** Not applicable.

**Sub Risk:** Not applicable.

**Packing Group:** Not applicable.

**Marine Pollutant:** Not applicable.

**SECTION 15: Regulatory information**

HSNO Approval number HSR002558  
 Group standard name Dental Products (Subsidiary Hazard) Group Standard 2020  
 HSNO Hazard classification Refer to Section 2: Hazard identification

**NZ Inventory of Chemicals (NZIoC) Status**

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

**Controls in accordance with The Health and Safety at Work Act 2015, Health and Safety at Work (Hazardous Substances) Regulations 2017 and the HSNO Act 1996, Hazardous Substances (Hazardous Property Controls) Notice 2017**

|                                 |  |
|---------------------------------|--|
| Certified handler               | Not required   |
| Location Compliance Certificate | Not required   |
| Hazardous atmosphere zone       | Not required   |
| Fire extinguishers              | Not required   |
| Emergency response plan         | 100 L or 100 kg (for Hazardous to the aquatic environment Category 1 substances); or 1 000 L or 1 000 kg (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Germ cell mutagenicity Category 1, Reproductive toxicity Category 1, Specific target organ toxicity Category 1, Serious eye damage Category 1, Hazardous to the aquatic environment Category 4 substances) |
| Secondary containment           | 100 L or 100 kg (for Hazardous to the aquatic environment Category 1 substances); or 1 000 L or 1 000 kg (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Germ cell mutagenicity Category 1, Reproductive toxicity Category 1, Specific target organ toxicity Category 1, Serious eye damage Category 1, Hazardous to the aquatic environment Category 4 substances) |
| Tracking                        | Not required   |
| Warning signage                 | 100 L or 100 kg (for Hazardous to the aquatic environment Category 1 substances); or 1 000 L or 1 000 kg (for Serious eye damage Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Acute toxicity Category 4 or Hazardous to the aquatic environment Category 4 substances)  |

**SECTION 16: Other information****Revision information:**

Complete document review.

|                        |            |                         |            |
|------------------------|------------|-------------------------|------------|
| <b>Document group:</b> | 05-4866-9  | <b>Version number:</b>  | 4.00       |
| <b>Issue Date:</b>     | 02/06/2025 | <b>Supersedes date:</b> | 29/11/2020 |

**Key to abbreviations and acronyms**

**GHS** refers to the Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised edition of 2017

**HSNO** means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, Solventum MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT

LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Solventum product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Solventum product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the Solventum product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. Solventum provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; Solventum makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Solventum.

**Solventum New Zealand SDSs are available at [Solventum.com](http://Solventum.com)**