

Safety Data Sheet

Copyright, 2025, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 19-0212-1
 Version number:
 21.01

 Revision date:
 03/03/2025
 Supersedes date:
 12/07/2023

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3MTM Finesse-itTM Ultra Fine [100]

Product Identification Numbers

DC-2729-2034-9

7000060125

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

Telephone: +44 (0)1344 858 000 **E Mail:** tox.uk@mmm.com **Website:** www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

The aspiration hazard classification is not required due to the product's viscosity.

CLASSIFICATION:

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended for Great Britain, on classification, labelling, and packaging of substances and mixtures.

2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

Not applicable

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

EUH210 Safety data sheet available on request.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Nota L applied.

2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Ingredient	Identifier(s)	%	Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB
Distillates (petroleum), hydrotreated light paraffinic	(CAS-No.) 64742-55-8 (EC-No.) 265-158-7 (UK REACH-No.) 01- 2119487077-29	7 - 20	Nota L Asp. Tox. 1, H304
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	(EC-No.) 918-481-9 (UK REACH-No.) 01- 2119457273-39	7 - 20	Asp. Tox. 1, H304 EUH066
bronopol (INN)	(CAS-No.) 52-51-7 (EC-No.) 200-143-0	< 0.1	Acute Tox. 3, H301 Acute Tox. 4, H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400,M=10 Acute Tox. 3, H331 Aquatic Chronic 1, H410,M=1
1,2-benzisothiazol-3(2H)-one	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9 (UK REACH-No.) 01- 2120761540-60	< 0.05	Acute Tox. 4, H302(LD50 = 450 mg/kg **ATE values per GB MCL**) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Acute Tox. 2, H330(LC50 = 0.21 mg/l **ATE values per GB MCL**) Aquatic Chronic 1, H410,M=1

	l /	Aduatic Acute 1. H400.M=1
		1944416 116466 1, 11100,111

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

Ingredient	Identifier(s)	Specific Concentration Limits
1,2-benzisothiazol-3(2H)-one	(CAS-No.) 2634-33-5 (EC-No.) 220-120-9	(C >= 0.05%) Skin Sens. 1, H317
	(UK REACH-No.) 01-	
	2120761540-60	

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eve contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

SubstanceConditionCarbon monoxideDuring combustion.Carbon dioxide.During combustion.Irritant vapours or gases.During combustion.

5.3. Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Avoid breathing of dust created by sanding, grinding or machining. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep from freezing.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Provide appropriate local exhaust ventilation for sanding, grinding or machining. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Applicable Norms/Standards

Use eye protection conforming to EN 166

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

Material	Thickness (mm)	Breakthrough Time
Polymer laminate	No data available	No data available

Applicable Norms/Standards Use gloves tested to EN 374

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Specific Physical Form:	Viscous.
Colour	White
Odor	Moderate Aliphatic hydrocarbon
Odour threshold	No data available.
Melting point/freezing point	No data available.

Boiling point/boiling range	> 100 °C	
Flammability	Not applicable.	
Flammable Limits(LEL)	No data available.	
Flammable Limits(UEL)	No data available.	
Flash point	Flash point > 93 °C (200 °F)	
Autoignition temperature	Not applicable.	
Decomposition temperature	No data available.	
pH	7 - 10 [Details:@ 20C]	
Kinematic Viscosity	5,000 - 7,000 mm ² /sec [@ 20 °C]	
Water solubility	Immiscible	
Solubility- non-water	No data available.	
Partition coefficient: n-octanol/water	No data available.	
Vapour pressure	2,266.5 Pa [@ 20 °C]	
Density	1 g/cm3 [@ 20 °C]	
Relative density	1 [Ref Std:WATER=1]	
Relative Vapour Density	No data available.	
Particle Characteristics	Not applicable.	

9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic CompoundsNo data available.Evaporation rateNo data available.Molecular weightNo data available.

Percent volatile 13 %

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

<u>Substance</u> <u>Condition</u>

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. Dust from grinding, sanding or machining may cause irritation of the respiratory system. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Mild Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness. Mechanical skin irritation: Signs/symptoms may include abrasion, redness, pain, and itching.

Eve contact

Mechanical eye irritation: Signs/symptoms may include pain, redness, tearing and corneal abrasion. Dust created by grinding, sanding, or machining may cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	Ingestion	Rat	LD50 > 5,000 mg/kg
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	Dermal	similar compoun ds	LD50 > 5,000 mg/kg
Distillates (petroleum), hydrotreated light paraffinic	Dermal	similar compoun ds	LD50 > 2,000 mg/kg
Distillates (petroleum), hydrotreated light paraffinic	Inhalation- Dust/Mist (4 hours)	similar compoun ds	LC50 > 5.53 mg/l
Distillates (petroleum), hydrotreated light paraffinic	Ingestion	similar compoun ds	LD50 > 5,000 mg/kg
1,2-benzisothiazol-3(2H)-one	Dermal	Rat	LD50 > 2,000 mg/kg
1,2-benzisothiazol-3(2H)-one	Inhalation- Dust/Mist (4 hours)	Rat	LC50 0.21 mg/l
1,2-benzisothiazol-3(2H)-one	Ingestion	Rat	LD50 450 mg/kg
bronopol (INN)	Dermal	Rat	LD50 > 2,000 mg/kg
bronopol (INN)	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.588 mg/l

3MTM Finesse-itTM Ultra Fine [100]

bronopol (INN)	Ingestion	Rat	LD50 193 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	similar	Mild irritant
	compoun	
	ds	
Distillates (petroleum), hydrotreated light paraffinic	similar	No significant irritation
	compoun	
	ds	
1,2-benzisothiazol-3(2H)-one	Rabbit	No significant irritation
bronopol (INN)	Rabbit	Corrosive

Serious Eye Damage/Irritation

Name	Species	Value
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	similar	No significant irritation
	compoun	
	ds	
Distillates (petroleum), hydrotreated light paraffinic	similar	No significant irritation
	compoun	
	ds	
1,2-benzisothiazol-3(2H)-one	Rabbit	Corrosive
bronopol (INN)	Rabbit	Corrosive

Skin Sensitisation

Name	Species	Value
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	similar compoun ds	Not classified
Distillates (petroleum), hydrotreated light paraffinic	similar compoun ds	Not classified
1,2-benzisothiazol-3(2H)-one	Guinea pig	Sensitising
bronopol (INN)	Guinea pig	Not classified

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	In Vitro	Not mutagenic
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	In vivo	Not mutagenic
Distillates (petroleum), hydrotreated light paraffinic	In Vitro	Not mutagenic
1,2-benzisothiazol-3(2H)-one	In vivo	Not mutagenic
1,2-benzisothiazol-3(2H)-one	In Vitro	Some positive data exist, but the data are not sufficient for classification
bronopol (INN)	In vivo	Not mutagenic
bronopol (INN)	In Vitro	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
bronopol (INN)	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification

3MTM Finesse-itTM Ultra Fine [100]

bronopol (INN)	Ingestion	Rat	Some positive data exist, but the data are not
			sufficient for classification

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration	
1,2-benzisothiazol-3(2H)-one	Ingestion	Not classified for female reproduction	Rat	NOAEL 112 mg/kg/day	2 generation	
1,2-benzisothiazol-3(2H)-one	Ingestion	Not classified for male reproduction	Rat	NOAEL 112 mg/kg/day	2 generation	
1,2-benzisothiazol-3(2H)-one	Ingestion	Not classified for development	Rat	NOAEL 112 mg/kg/day	2 generation	
bronopol (INN)	Ingestion	Not classified for male reproduction	Rat	NOAEL 150 mg/kg/day	2 generation	
bronopol (INN)	Ingestion	Not classified for female reproduction	Rat	NOAEL 50 mg/kg/day	2 generation	
bronopol (INN)	Ingestion	Not classified for development	Rabbit	NOAEL 10 mg/kg/day	during gestation	

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	Duration
1,2-benzisothiazol-3(2H)- one	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
bronopol (INN)	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available.	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	Ingestion	gastrointestinal tract	Not classified	Rat	NOAEL Not available	13 weeks
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	Ingestion	endocrine system hematopoietic system liver	Not classified	Rat	NOAEL 5,000 mg/kg/day	13 weeks
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	Ingestion	kidney and/or bladder	Not classified	Rat	LOAEL 500 mg/kg/day	13 weeks
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	Ingestion	eyes	Not classified	Rat	NOAEL 5,000 mg/kg/day	13 weeks
1,2-benzisothiazol-3(2H)- one	Ingestion	liver hematopoietic system eyes kidney and/or bladder respiratory system	Not classified	Rat	NOAEL 322 mg/kg/day	90 days
1,2-benzisothiazol-3(2H)- one	Ingestion	heart endocrine system nervous system	Not classified	Rat	NOAEL 150 mg/kg/day	28 days
bronopol (INN)	Dermal	heart skin endocrine system gastrointestinal tract hematopoietic system liver immune system	Not classified	Rabbit	NOAEL 5 mg/kg/day	21 days

		nervous system eyes kidney and/or bladder				
bronopol (INN)	Ingestion	gastrointestinal tract immune system kidney and/or bladder heart endocrine system hematopoietic system liver nervous system eyes respiratory system	Not classified	Rat	NOAEL 160 mg/kg/day	2 years

Aspiration Hazard

Name	Value
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	Aspiration hazard
Distillates (petroleum), hydrotreated light paraffinic	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Туре	Exposure	Test endpoint	Test result
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, <2% aromatics	918-481-9	Amphipod	Experimental	10 days	LL50	1,100 mg/kg (Dry Weight)
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, <2% aromatics	918-481-9	Green algae	Experimental	72 hours	EL50	>1,000 mg/l
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, <2% aromatics	918-481-9	Rainbow trout	Experimental	96 hours	LC50	>1,000 mg/l
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, <2% aromatics	918-481-9	Water flea	Experimental	48 hours	EL50	>1,000 mg/l
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, <2% aromatics	918-481-9	Green algae	Experimental	72 hours	NOEL	1,000 mg/l

Distillates	64742-55-8	Fathead minnow	Estimated	96 hours	LL50	>100 mg/l
(petroleum),	04/42-33-8	Fathead minnow	Estimated	96 nours	LLSU	>100 mg/1
hydrotreated light						
,						
paraffinic	64740 55 0	YYY . G		40.1	TY 50	100 #
Distillates	64742-55-8	Water flea	Estimated	48 hours	EL50	>100 mg/l
(petroleum),						
hydrotreated light						
paraffinic						
Distillates	64742-55-8	Green algae	Estimated	72 hours	NOEL	100 mg/l
(petroleum),						
hydrotreated light						
paraffinic						
	64540.55.0	VVV	- I	0.1.1	NORG	110 4
Distillates	64742-55-8	Water flea	Estimated	21 days	NOEC	10 mg/l
(petroleum),						
hydrotreated light						
paraffinic						
bronopol (INN)	52-51-7	Bluegill	Experimental	96 hours	LC50	11 mg/l
oronopor (11.11.1)	2 01 /	3.008	Z.iperimentur) o 110 u15	12000	l'i mg i
bronopol (INN)	52-51-7	Diatom	Experimental	72 hours	ErC50	0.178 mg/l
oronopor (IIVIV)	32-31-7	Diatom	Experimental	72 Hours	EICSO	0.1 /8 mg/1
		- I		0.64		
bronopol (INN)	52-51-7	Green algae	Experimental	96 hours	ErC50	0.02 mg/l
bronopol (INN)	52-51-7	Mysid Shrimp	Experimental	96 hours	LC50	4.3 mg/l
1 \ /		' '	1			
bronopol (INN)	52-51-7	Sheepshead	Experimental	96 hours	LC50	57.6 mg/l
oronopor (11111)	32 31 7	Minnow	Experimental	70 Hours	Leso	37.0 mg/1
1 (0.0.1)	50 51 7		P : 1	40.1	EGGO	1.4 /
bronopol (INN)	52-51-7	Water flea	Experimental	48 hours	EC50	1.4 mg/l
bronopol (INN)	52-51-7	Diatom	Experimental	72 hours	NOEC	0.052 mg/l
bronopol (INN)	52-51-7	Green algae	Experimental	96 hours	NOEL	0.012 mg/l
oronopor (11 (11)	32 31 7	Green argue	Ехрегинения	yo nours	ITOLL	0.012 mg/1
1 1 (D.D.)	52 51 7	D:1 (F ' (1	40.1	NOEC	1.04
bronopol (INN)	52-51-7	Rainbow trout	Experimental	49 days	NOEC	1.94 mg/l
bronopol (INN)	52-51-7	Water flea	Experimental	21 days	NOEC	0.27 mg/l
bronopol (INN)	52-51-7	Activated sludge	Experimental	150 minutes	EC50	43 mg/l
1 ()			1			
bronopol (INN)	52-51-7	Bobwhite quail	Experimental	5 hours	LD50	4,488 mg/kg (Dry Weight)
oronopor (11414)	32 31 7	Boowinte quan	Experimental	3 nours	EDSO	1,400 mg/kg (Dry Weight)
1 Lann	50.51.7	D. I	D : 1	14.1	T 050	500 / (D W: 10)
bronopol (INN)	52-51-7	Redworm	Experimental	14 days	LC50	>500 mg/kg (Dry Weight)
bronopol (INN)	52-51-7	Redworm	Experimental	56 days	NOEC	62.5 mg/kg (Dry Weight)
* ` '			1	,		
bronopol (INN)	52-51-7	Soil microbes	Experimental	28 days	EC50	78.1 mg/kg (Dry Weight)
oronopor (11414)	32 31 7	Son microses	Experimental	20 days	Leso	70.1 mg/kg (Dry Weight)
1.2.1	2624.22.5	6 1	F	72.1	E 050	0.11 //
1,2-benzisothiazol-	2634-33-3	Green algae	Experimental	72 hours	ErC50	0.11 mg/l
3(2H)-one						
1,2-benzisothiazol-	2634-33-5	Rainbow trout	Experimental	96 hours	LC50	1.6 mg/l
3(2H)-one						
1,2-benzisothiazol-	2634-33-5	Sheepshead	Experimental	96 hours	LC50	16.7 mg/l
3(2H)-one	2031 33 3	Minnow	Ехрегинения	yo nours	Less	10.7 mg/1
	2624 22 5	Water flea	E	40 1	ECSO	2.0/1
1,2-benzisothiazol-	2634-33-5	water flea	Experimental	48 hours	EC50	2.9 mg/l
3(2H)-one						
1,2-benzisothiazol-	2634-33-5	Green algae	Experimental	72 hours	NOEC	0.0403 mg/l
3(2H)-one						
1,2-benzisothiazol-	2634-33-5	Activated sludge	Experimental	3 hours	EC50	12.8 mg/l
3(2H)-one	·		1			1
	2634-33-5	Bobwhite quail	Experimental	14 days	LD50	617 mg per kg of bodyweight
3(2H)-one	2034-33-3	Doowing quail	Laperinientai	14 uays	LD30	or / mg per kg or bodyweight
\ /	2624.22.5	0.11	 P	14.1	DOS0	200 // 25 WY 110
*	2634-33-5	Cabbage	Experimental	14 days	EC50	200 mg/kg (Dry Weight)
3(2H)-one						
1,2-benzisothiazol-	2634-33-5	Redworm	Experimental	14 days	LC50	>410.6 mg/kg (Dry Weight)
3(2H)-one				-		
1,2-benzisothiazol-	2634-33-5	Soil microbes	Experimental	28 days	EC50	>811.5 mg/kg (Dry Weight)
3(2H)-one					1-223	
J(211)-011C	1			I		

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, <2% aromatics	918-481-9	Analogous Compound Biodegradation	28 days	BOD	69 %BOD/ThOD	OECD 301F - Manometric respirometry
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, <2% aromatics	918-481-9	Analogous Compound Biodegradation	28 days	BOD	68.8 %BOD/ThOD	OECD 306(Misc)-Biodegrad. Seaw
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, <2% aromatics	918-481-9	Analogous Compound Soil Inherent Biodegradability	61 days	BOD	62.6 %BOD/ThOD	
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	Estimated Biodegradation	28 days	CO2 evolution	22 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
bronopol (INN)	52-51-7	Experimental Biodegradation	28 days	CO2 evolution	20 %CO2 evolution/THCO2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2
bronopol (INN)	52-51-7	Experimental Aquatic Inherent Biodegrad.	45 days	Dissolv. Organic Carbon Deplet	50 %removal of DOC	OECD 302B Zahn- Wellens/EVPA
bronopol (INN)	52-51-7	Experimental Biodegradation	1 hours	Percent degraded	99 %degraded	OECD 314 Simu Biodeg WW
bronopol (INN)	52-51-7	Experimental Photolysis		Photolytic half- life(in water)	24 hours (t 1/2)	
bronopol (INN)	52-51-7	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	, i	OECD 111 Hydrolysis func of pH
1,2-benzisothiazol- 3(2H)-one	2634-33-5	Experimental Biodegradation	28 days	BOD	0 %BOD/ThOD	OECD 301C - MITI test (I)
1,2-benzisothiazol- 3(2H)-one	2634-33-5	Experimental Aquatic Inherent Biodegrad.	34 days	Dissolv. Organic Carbon Deplet	17 %removal of DOC	OECD 302A - Modified SCAS Test
1,2-benzisothiazol-	2634-33-5	Experimental	21 days	Dissolv. Organic	80 %removal of	OECD 303A - Simulated
3(2H)-one	2624.22.5	Biodegradation		Carbon Deplet	DOC	Aerobic
1,2-benzisothiazol- 3(2H)-one	2634-33-5	Experimental Biodegradation		Half-life (t 1/2)	4 hours (t 1/2)	
1,2-benzisothiazol- 3(2H)-one	2634-33-5	Experimental Hydrolysis		Hydrolytic half-life	>1 years (t 1/2)	OECD 111 Hydrolysis func of pH

12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, <2% aromatics	918-481-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Distillates (petroleum), hydrotreated light paraffinic	64742-55-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
bronopol (INN)	52-51-7	Experimental Bioconcentration		Log Kow	0.15	OECD 107 log Kow shke flsk mtd
1,2-benzisothiazol- 3(2H)-one	2634-33-5	Experimental BCF - Fish	56 days	Bioaccumulation factor	6.62	similar to OECD 305
1,2-benzisothiazol- 3(2H)-one	2634-33-5	Experimental Bioconcentration		Log Kow	1.45	OECD 107 log Kow shke flsk mtd

12.4. Mobility in soil

Material	Cas No.	Test type	Study Type	Test result	Protocol
bronopol (INN)		Experimental Mobility in Soil	Koc	<1416 l/kg	
1,2-benzisothiazol- 3(2H)-one	2634-33-5	Experimental Mobility in Soil	Koc	9.33 l/kg	OECD 121 Estim. of Koc by HPLC

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Other adverse effects

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

08 01 11* Waste paint and varnish containing organic solvents or other dangerous substances

SECTION 14: Transportation information

Not hazardous for transportation.

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number	No data available.	No data available.	No data available.
14.2 UN proper shipping name	No data available.	No data available.	No data available.
14.3 Transport hazard class(es)	No data available.	No data available.	No data available.
14.4 Packing group	No data available.	No data available.	No data available.
14.5 Environmental hazards	No data available.	No data available.	No data available.

14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code	No data available.	No data available.	No data available.
Control Temperature	No data available.	No data available.	No data available.
Emergency Temperature	No data available.	No data available.	No data available.
ADR Classification Code	No data available.	No data available.	No data available.
IMDG Segregation Code	No data available.	No data available.	No data available.

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information.

COMAH Regulation, SI 2015/483

Seveso hazard categories, Annex 1, Part 1 None

Seveso named dangerous substances, Annex 1, Part 2

Dangerous Substances	Identifier(s)	Qualifying quantity (tonnes) for the application of	
		Lower-tier	Upper-tier requirements
		requirements	
1,2-benzisothiazol-3(2H)-one	2634-33-5	50	200
bronopol (INN)	52-51-7	100	200

Regulation (EU) No 649/2012, as amended for GB

No chemicals listed

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

SECTION 16: Other information

List of relevant H statements

3MTM Finesse-itTM Ultra Fine [100]

EUH066	Repeated exposure may cause skin dryness or cracking.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Revision information:

GB Section 02: CLP Ingredient table information was deleted.

Section 02: Label Elements: GB Percent Unknown information was deleted.

Section 3: Composition/Information of ingredients table information was modified.

Section 6: Accidental release environmental information information was modified.

Section 6: Accidental release personal information information was modified.

Section 7: Conditions safe storage information was modified.

Section 9: Flammability (solid, gas) information information was deleted.

Section 09: Flammability information information was added.

Section 09: Kinematic Viscosity information information was modified.

Section 09: Odor information was modified.

Section 09: Particle Characteristics N/A information was added.

Section 11: Acute Toxicity table information was modified.

Section 11: Carcinogenicity Table information was modified.

Section 11: Germ Cell Mutagenicity Table information was modified.

Section 11: Reproductive Toxicity Table information was modified.

Section 11: Serious Eye Damage/Irritation Table information was modified.

Section 11: Skin Corrosion/Irritation Table information was modified.

Section 11: Skin Sensitization Table information was modified.

Section 11: Target Organs - Repeated Table information was modified.

Section 11: Target Organs - Single Table information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Mobility in soil information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

Section 13: Standard Phrase Category Waste GHS information was modified.

Section 15: Seveso Substance Text information was modified.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

3M SDSs for Great Britain are available at www.3M.com/uk

For Northern Ireland documents, please contact your 3M representative to obtain a copy.