

Safety Data Sheet

Copyright, 2025, Solventum India Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Solventum products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Solventum, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 07-6174-2 **Version number:** 1.00 **Issue Date:** 21/07/2025 **Supersedes date:** Initial issue.

This Safety Data Sheet has been prepared in accordance with the GHS guidelines & India Hazardous substances (Classification, Labeling & Packaging) Draft Rules 2011.

SECTION 1: Identification

1.1. Product identifier

Unitek[™] Transbond[™] XT Light Cure Adhesive (712-031, 712-036, 712-066)

Product Identification Numbers

70-2020-8948-1

1.2. Recommended use and restrictions on use

Recommended use

Orthodontic use

1.3. Supplier's details

Address: KCI Medical India Private Limited, S - 327, Greater Kailash - II, New Delhi, Delhi, 110048, India

Telephone: 1-855-423-6725

E Mail: psops supportteam@solventum.com

Website: , Solventum India Company. All rights reserved. Copying and/or downloading of this information for

the purpose of properly utilizing Solventum products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Solventum, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit

thereon.

1.4. Emergency telephone number

CHEMTREC 1-800-424-9300 OR 1-703-527-3887, Contract number# 1015211

SECTION 2: Hazard identification

Under MSIHC Rules, information is noted below on flammability, acute toxicity and explosivity relevant to this product. In line with international standards, information on other hazard classes and associated precautionary statements relevant to this product are included as well.

2.1. Classification of the substance or mixture

Skin Sensitizer: Category 1B.

Reproductive Toxicity: Category 1B.

2.2. Label elements

Signal Word

Danger

Symbols

Exclamation mark | Health Hazard |







HAZARD STATEMENTS:

H317 May cause an allergic skin reaction. H360 May damage fertility or the unborn child.

PRECAUTIONARY STATEMENTS

Prevention:

P201 Obtain special instructions before use.

P280E Wear protective gloves.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

This material is a mixture.

Ingredient	CAS Nbr	% by Wt
Silane Treated Quartz	100402-78-6	70 - 80
(1-methylethylidene)bis[4,1-	1565-94-2	10 - 20
phenyleneoxy(2-hydroxy-3,1-propanediyl)]		
bismethacrylate		
Bisphenol A Dimethacrylate	24448-20-2	5 - 10
Silane Treated Silica	68611-44-9	< 2
Diphenyliodonium Hexafluorophosphate	58109-40-3	< 1
Triphenylstibine	603-36-1	< 1

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact

Unitek[™] Transbond[™] XT Light Cure Adhesive (712-031, 712-036, 712-066)

If exposed, flush eyes with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms develop, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Allergic skin reaction (redness, swelling, blistering, and itching).

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable Extinguishing media

Use a fire fighting agent suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide. Carbon dioxide.

Condition

During combustion. During combustion.

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Do not get in eyes. Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use in a well-ventilated area.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:
Safety glasses with side shields.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. See Section 7.1 for additional information on skin protection.

Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Specific Physical Form:	Paste
Color	Tooth
Odor	Slight Acrylic
Odour threshold	No data available.
pH	Not applicable.
Melting point/Freezing point: NA	Not applicable.
Boiling point/Initial boiling point/Boiling range	No data available.
Flash point	No flash point
Evaporation rate	No data available.
Flammability	Not applicable.

Flammable Limits(LEL)	Not applicable.	
Flammable Limits(UEL)	Not applicable.	
Relative Vapor Density	Not applicable.	
Density	1.95 g/cm3	
Relative density	1.95 [<i>Ref Std:</i> WATER=1]	
Water solubility	Negligible	
Solubility- non-water	No data available.	
Partition coefficient: n-octanol/water	No data available.	
Autoignition temperature	No data available.	
Decomposition temperature	No data available.	
Kinematic Viscosity	Not applicable.	
Volatile organic compounds (VOC)	anic compounds (VOC) No data available.	
Percent volatile	No data available.	
VOC less H2O & exempt solvents	No data available.	
Molecular weight	No data available.	

Particle Characteristics	Not applicable.
--------------------------	-----------------

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Light.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Substance
None known.

Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

This product may have a characteristic odour; however, no adverse health effects are anticipated.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eve contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Carcinogenicity:

Exposures needed to cause the following health effect(s) are not expected during normal, intended use:

Contains a chemical or chemicals which can cause cancer.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value	
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg	
Silane Treated Quartz	Dermal		LD50 estimated to be > 5,000 mg/kg	
Silane Treated Quartz	Ingestion		LD50 estimated to be > 5,000 mg/kg	
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Dermal	Professio nal judgeme nt	3 3	
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Ingestion	Rat	LD50 > 11,700 mg/kg	
Bisphenol A Dimethacrylate	Dermal	Rat	LD50 > 2,000 mg/kg	
Bisphenol A Dimethacrylate	Ingestion	Rat	LD50 > 35,000 mg/kg	
Silane Treated Silica	Dermal	Rabbit	LD50 > 5,000 mg/kg	
Silane Treated Silica	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l	
Silane Treated Silica	Ingestion	Rat	LD50 > 5,110 mg/kg	
Diphenyliodonium Hexafluorophosphate	Ingestion	Rat	LD50 32 mg/kg	
Triphenylstibine	Inhalation- Dust/Mist		LC50 estimated to be 1 - 5 mg/l	
Triphenylstibine	Dermal	Rat	LD50 > 2,000 mg/kg	
Triphenylstibine	Ingestion	Rat	LD50 82.5 mg/kg	

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Silane Treated Quartz	Professio nal	No significant irritation

Page: 6 of 12

	judgemen	
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Rabbit	No significant irritation
Bisphenol A Dimethacrylate	Rabbit	No significant irritation
Silane Treated Silica	Rabbit	No significant irritation
Diphenyliodonium Hexafluorophosphate	Rabbit	No significant irritation
Triphenylstibine	Rabbit	Minimal irritation

Serious Eye Damage/Irritation

Name	Species	Value
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)]	In vitro	No significant irritation
bismethacrylate	data	
Bisphenol A Dimethacrylate	Rabbit	No significant irritation
Silane Treated Silica	Rabbit	No significant irritation
Diphenyliodonium Hexafluorophosphate	Rabbit	Mild irritant
Triphenylstibine	Rabbit	Mild irritant

Sensitization:

Skin Sensitisation

Name	Species	Value
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Mouse	Not classified
Bisphenol A Dimethacrylate	Human	Sensitising
Silane Treated Silica	Human	Not classified
	and animal	

Respiratory Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value		
Silane Treated Quartz	In Vitro	Some positive data exist, but the data are not sufficient for classification		
Silane Treated Quartz	In vivo	Some positive data exist, but the data are not sufficient for classification		
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	In Vitro	Not mutagenic		
Bisphenol A Dimethacrylate	In Vitro	Not mutagenic		
Silane Treated Silica	In Vitro	Not mutagenic		
Diphenyliodonium Hexafluorophosphate	In Vitro	Some positive data exist, but the data are not sufficient for classification		

Carcinogenicity

Name	Route	Species	Value
Silane Treated Quartz	Inhalation	Human	Carcinogenic.
		and	
		animal	
Silane Treated Silica	Not	Mouse	Some positive data exist, but the data are not
	specified.		sufficient for classification

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
(1-methylethylidene)bis[4,1-	Ingestion	Not classified for development	Rat	NOAEL	during

Page: 7 of 1

phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate				1,000 mg/kg/day	gestation
Silane Treated Silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Silane Treated Silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Silane Treated Silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

specific ranger organ rowicity single exposure								
Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration		
Diphenyliodonium	Inhalation	respiratory irritation	Not classified	Not	Irritation			
Hexafluorophosphate				available	Equivocal			

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Silane Treated Quartz	Inhalation	silicosis	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Ingestion	endocrine system hematopoietic system liver heart skin gastrointestinal tract bone, teeth, nails, and/or hair immune system muscles nervous system eyes kidney and/or bladder respiratory system vascular system	Not classified	Rat	NOAEL 1,000 mg/kg/day	90 days
Silane Treated Silica	Inhalation	respiratory system silicosis	Not classified	Human	NOAEL Not available	occupational exposure

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

Acute aquatic hazard:

Not acutely toxic to aquatic life by GHS criteria.

Chronic aquatic hazard:

Not chronically toxic to aquatic life by GHS criteria.

No product test data available.

Material	CAS Nbr	Organism	Туре	Exposure	Test endpoint	Test result
Silane Treated Quartz	100402-78-6	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2	Common Carp	Analogous Compound	96 hours	No tox obs at lmt of water sol	>100 mg/l
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2	Green algae	Endpoint not reached	96 hours	EC50	>100 mg/l
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2	Green algae	Experimental	96 hours	EC10	1.1 mg/l
Bisphenol A Dimethacrylate	24448-20-2	Water flea	Analogous Compound	48 hours	No tox obs at lmt of water sol	>100 mg/l
Bisphenol A Dimethacrylate	24448-20-2	Zebra Fish	Analogous Compound	96 hours	No tox obs at lmt of water sol	>100 mg/l
Bisphenol A Dimethacrylate	24448-20-2	Green algae	Endpoint not reached	72 hours	EL50	>100 mg/l
Bisphenol A Dimethacrylate	24448-20-2	Activated sludge	Analogous Compound	3 hours	EC50	>=1,000 mg/l
Silane Treated Silica	68611-44-9	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Diphenyliodonium Hexafluorophospha te	58109-40-3	Water flea	Experimental	48 hours	EC50	9.5 mg/l
Triphenylstibine	603-36-1	N/A	Data not available or insufficient for classification	N/A	N/A	N/A

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Silane Treated Quartz	100402-78-6	Data not available- insufficient	N/A	N/A	N/A	N/A
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2	Experimental Biodegradation	28 days	BOD	21 %BOD/ThOD	similar to OECD 301F
(1- methylethylidene)b is[4,1- phenyleneoxy(2-	1565-94-2	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	29 days (t 1/2)	

Page: 9 of 12

hydroxy-3,1- propanediyl)] bismethacrylate						
Bisphenol A Dimethacrylate	24448-20-2	Analogous Compound Biodegradation	28 days	BOD	65.1 %BOD/ThOD	OECD 301F - Manometric respirometry
Silane Treated Silica	68611-44-9	Data not available- insufficient	N/A	N/A	N/A	N/A
Diphenyliodonium Hexafluorophospha te	58109-40-3	Data not available- insufficient	N/A	N/A	N/A	N/A
Triphenylstibine	603-36-1	Analogous Compound Biodegradation	28 days	BOD	<20 %BOD/ThOD	OECD 301F - Manometric respirometry

12.3 : Bioaccumulative potential

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Silane Treated Quartz	100402-78-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2	Experimental Bioconcentration		Log Kow	4.63	
Bisphenol A Dimethacrylate	24448-20-2	Modeled Bioconcentration		Bioaccumulation factor	7.2	Catalogic™
Bisphenol A Dimethacrylate	24448-20-2	Modeled Bioconcentration		Log Kow	6.6	Episuite TM
Silane Treated Silica	68611-44-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Diphenyliodonium Hexafluorophospha te	58109-40-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Triphenylstibine	603-36-1	Estimated Bioconcentration		Log Kow	6.02	Episuite TM

12.4. Mobility in soil

Please contact manufacturer for more details

12.5 Other Adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of completely cured (or polymerised) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. If no other disposal options are available, waste product that has been completely cured or polymerised may be placed in a landfill properly designed for industrial waste.

SECTION 14: Transport Information

Not hazardous for transportation.

Air Transport (IATA)Regulations

UN No Not applicable

Proper Shipping Name Not applicable Hazard Classs/Division Not applicable Subsidiary Bigls Not applicable

Subsidiary Risk Not applicable **Packing Group:** Not applicable

Marine Transport (IMDG)

UN No Not applicable

Proper Shipping Name Not applicable Hazard Classs/Division Not applicable Subsidiary Risk Not applicable Packing Group: Not applicable

Environmental Hazards: Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory.

Applicable Environmental, Health and Safety Regulations

The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989

The following ingredients are listed as hazardous on Part II of Schedule I of the India Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) rules None.

The following ingredients are classified as hazardous based on the criteria listed under Part I of Schedule I of the India Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) rules:

The product is classified as Non-hazardous as per MSIHC Rules, 1989.

SECTION 16: Other information

NFPA Hazard Classification

Health: 2 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Revision information:

No revision information

DISCLAIMER: The information in this Safety Data Sheet (SDS) is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this SDS or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own evaluation to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into India, you are responsible to comply with all applicable regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration/notification.

Solventum India SDSs are available at Solventum.com