



## Safety Data Sheet

Copyright, 2025, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |            |                         |            |
|------------------------|------------|-------------------------|------------|
| <b>Document Group:</b> | 20-7044-9  | <b>Version Number:</b>  | 4.00       |
| <b>Issue Date:</b>     | 26/05/2025 | <b>Supersedes Date:</b> | 23/03/2020 |

This Safety Data Sheet has been prepared in accordance with the Malaysia Occupational Safety and Health (Chemical Classification, Labelling and Safety Data Sheets) Regulations 2013.

### SECTION 1: Identification

#### 1.1. Product identifier

3M™ Screen Printing UV Ink 9864 Transparent Green (BS)

#### Product Identification Numbers

75-3470-6911-6

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Screen Printing Ink, Ink

For Industrial or Professional use only

#### 1.3. Supplier's details

|                   |  |
|-------------------|--|
| <b>ADDRESS:</b>   | 3M Malaysia Sdn. Bhd., Level 8, Block F, Oasis Square, No.2, Jalan PJU 1A/7A, Ara Damansara 47301 Petaling, Jaya, Selangor |
| <b>Telephone:</b> | 03-7884 2888   |
| <b>E Mail:</b>    | 3mmyehsr@mmm.com   |
| <b>Website:</b>   | www.3M.com.my  |

#### 1.4. Emergency telephone number

+60 03-7884 2888

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

Serious Eye Damage/Irritation: Category 2.

Skin Sensitizer: Category 1.

Reproductive Toxicity: Category 1B.

Specific Target Organ Toxicity (repeated exposure): Category 1.

Chronic Aquatic Toxicity: Category 2.

#### 2.2. Label elements

##### Signal word

Danger

**Symbols**

Exclamation mark | Health Hazard | Environment |

**Pictograms****Hazard Statements:**

|      |   |
|------|---|
| H319 | Causes serious eye irritation.  |
| H317 | May cause an allergic skin reaction.  |
| H360 | May damage fertility or the unborn child.   |
| H372 | Causes damage to organs through prolonged or repeated exposure: respiratory system. |
| H411 | Toxic to aquatic life with long lasting effects.                                    |

**Precautionary statements****Prevention:**

|       |   |
|-------|---|
| P201  | Obtain special instructions before use.         |
| P260  | Do not breathe dust/fume/gas/mist/vapors/spray. |
| P273  | Avoid release to the environment.               |
| P280E | Wear protective gloves.                         |
| P281  | Use personal protective equipment as required.  |

**Response:**

|                    |  |
|--------------------|--|
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308 + P313        | IF exposed or concerned: Get medical attention.  |
| P333 + P313        | If skin irritation or rash occurs: Get medical attention.  |

**Disposal:**

|      |   |
|------|---|
| P501 | Dispose of contents and container in accordance with applicable local, regional, national, and international regulations. |
|------|---|

**2.3. Other hazards**

None known

**SECTION 3: Composition/information on ingredients**

This material is a mixture.

| Ingredient                             | C.A.S. No.   | % by Wt |
|--|--------------|---------|
| PHENOXY ETHYL ACRYLATE                 | 48145-04-6   | 30 - 40 |
| VINYLCAPROLACTAM                       | 2235-00-9    | 10 - 20 |
| METHACRYLATE POLYMER                   | Trade Secret | 10 - 20 |
| ALIPHATIC URETHANE ACRYLATE            | Trade Secret | 5 - 10  |
| COPPER PHTHALOCYANINE GREEN            | 1328-53-6    | 5 - 10  |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE | 7328-17-8    | 1 - 3   |
| SYNTHETIC AMORPHOUS SILICA,            | 112945-52-5  | 1 - 3   |

|   |             |         |
|---|-------------|---------|
| FUMED, CRYSTALLINE FREE   |             |         |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4-MORPHOLINYL)PHENYL]-2-(PHENYLMETHYL)-     | 119313-12-1 | 1 - 3   |
| 1-PROPANONE, 2-METHYL-1-[4-(METHYLTHIO)PHENYL]-2-(4-MORPHOLINYL)-               | 71868-10-5  | 1 - 3   |
| 2-PHENOXYETHANOL  | 122-99-6    | 1 - 3   |
| 2-ISOPROPYLTHIOXANTHONE   | 5495-84-1   | < 1     |
| .ALPHA.,.ALPHA.',.ALPHA."-1,2,3-PROPANETRIYLTRIS[POLYPROPYLENE GLYCOL ACRYLATE] | 52408-84-1  | 0.1 - 1 |
| OCTAMETHYLCYCLOTETRASILOXANE  | 556-67-2    | < 1     |

Any remaining components do not contribute to the hazards of this material.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye Contact:

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

#### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Allergic skin reaction (redness, swelling, blistering, and itching). Target organ effects following prolonged or repeated exposure. See Section 11 for additional details.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

### Hazardous Decomposition or By-Products

#### Substance

Formaldehyde  
Carbon monoxide  
Carbon dioxide

#### Condition

During Combustion  
During Combustion  
During Combustion

### 5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS. Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice.

### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (gloves, respirators, etc.) as required.

### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Protect from sunlight. Store away from heat. Store away from oxidizing agents.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient       | C.A.S. No. | Agency | Limit type           | Additional Comments |
|------------------|------------|--------|----------------------|---------------------|
| COPPER COMPOUNDS | 1328-53-6  | ACGIH  | TWA(as Cu, fume):0.2 |                     |

|                  |           |                         |  |  |
|------------------|-----------|-------------------------|--|--|
|                  |           |                         | mg/m <sup>3</sup> ;TWA(as Cu dust or mist):1 mg/m <sup>3</sup> |  |
| VINYLCAPROLACTAM | 2235-00-9 | Manufacturer determined | TWA(8 hours):0.1 ppm(0.57 mg/m <sup>3</sup> )                  |  |

ACGIH : American Conference of Governmental Industrial Hygienists

CMRG : Chemical Manufacturer's Recommended Guidelines

Malaysia OELs : Malaysia. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect Vented Goggles

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

#### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                |                   |
|--------------------------------|-------------------|
| <b>Physical state</b>          | Liquid            |
| <b>Specific Physical Form:</b> | Liquid            |
| <b>Color</b>                   | Green             |
| <b>Odor</b>                    | Slight Acrylate   |
| <b>Odor threshold</b>          | No Data Available |
| <b>pH</b>                      | Not Applicable    |

|  |   |
|--|---|
| <b>Melting point/Freezing point</b>                      | <i>Not Applicable</i>                             |
| <b>Boiling point/Initial boiling point/Boiling range</b> | > 148.9 °C  |
| <b>Flash Point</b>                                       | > 93.3 °C [Test Method:Pensky-Martens Closed Cup] |
| <b>Evaporation rate</b>                                  | < 1 [Ref Std:BUOAC=1]                             |
| <b>Flammability</b>                                      | Not Applicable                                    |
| <b>Flammable Limits(LEL)</b>                             | <i>No Data Available</i>                          |
| <b>Flammable Limits(UEL)</b>                             | <i>No Data Available</i>                          |
| <b>Vapor Pressure</b>                                    | < 160 Pa [ @ 20 °C ]                              |
| <b>Relative Vapor Density</b>                            | <i>No Data Available</i>                          |
| <b>Density</b>   | Approximately 1.3 g/ml                            |
| <b>Relative Density</b>                                  | Approximately 1.3 [Ref Std:WATER=1]               |
| <b>Water solubility</b>                                  | Negligible  |
| <b>Solubility- non-water</b>                             | <i>No Data Available</i>                          |
| <b>Partition coefficient: n-octanol/ water</b>           | <i>No Data Available</i>                          |
| <b>Autoignition temperature</b>                          | <i>No Data Available</i>                          |
| <b>Decomposition temperature</b>                         | <i>No Data Available</i>                          |
| <b>Kinematic Viscosity</b>                               | <i>No Data Available</i>                          |
| <b>Volatile Organic Compounds</b>                        | 7 g/l   |
| <b>Percent volatile</b>                                  | 1 - 5 % weight                                    |
| <b>VOC Less H2O &amp; Exempt Solvents</b>                | 7 g/l   |

|                                 |                       |
|---------------------------------|-----------------------|
| <b>Particle Characteristics</b> | <i>Not Applicable</i> |
|---------------------------------|-----------------------|

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization may occur. Upon loss of initiator or with exposure to heat.

### 10.4. Conditions to avoid

Sparks and/or flames

Heat

### 10.5. Incompatible materials

Strong oxidizing agents

### 10.6. Hazardous decomposition products

#### Substance

None known.

#### Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be

present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

##### Inhalation:

May cause additional health effects (see below).

##### Skin Contact:

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

##### Eye Contact:

Severe Eye Irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

##### Ingestion:

May be harmful if swallowed.

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

#### Additional Health Effects:

##### Prolonged or repeated exposure may cause target organ effects:

Respiratory Effects: Signs/symptoms may include cough, shortness of breath, chest tightness, wheezing, increased heart rate, bluish colored skin (cyanosis), sputum production, changes in lung function tests, and/or respiratory failure.

##### Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

#### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

| Name  | Route                          | Species | Value   |
|---|--------------------------------|---------|---|
| Overall product                                     | Dermal                         |         | No data available; calculated ATE >5,000 mg/kg          |
| Overall product                                     | Ingestion                      |         | No data available; calculated ATE >2,000 - =5,000 mg/kg |
| PHENOXY ETHYL ACRYLATE                              | Dermal                         | Rat     | LD50 > 2,000 mg/kg                                      |
| PHENOXY ETHYL ACRYLATE                              | Ingestion                      | Rat     | LD50 > 5,000 mg/kg                                      |
| METHACRYLATE POLYMER                                | Dermal                         |         | LD50 estimated to be > 5,000 mg/kg                      |
| METHACRYLATE POLYMER                                | Ingestion                      |         | LD50 estimated to be 2,000 - 5,000 mg/kg                |
| VINYLCAPROLACTAM                                    | Dermal                         | Rabbit  | LD50 1,700 mg/kg  |
| VINYLCAPROLACTAM                                    | Ingestion                      | Rat     | LD50 1,049 mg/kg  |
| COPPER PHTHALOCYANINE GREEN                         | Dermal                         |         | LD50 estimated to be > 5,000 mg/kg                      |
| COPPER PHTHALOCYANINE GREEN                         | Ingestion                      | Rat     | LD50 > 5,000 mg/kg                                      |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE | Dermal                         | Rabbit  | LD50 > 5,000 mg/kg                                      |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE | Inhalation-Dust/Mist (4 hours) | Rat     | LC50 > 0.691 mg/l                                       |

|   |                                |        |  |
|---|--------------------------------|--------|--|
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE                             | Ingestion                      | Rat    | LD50 > 5,110 mg/kg                       |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE  | Dermal                         |        | LD50 estimated to be 1,000 - 2,000 mg/kg |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE  | Ingestion                      | Rat    | LD50 1,860 mg/kg                         |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4-MORPHOLINYL)PHENYL]-2-(PHENYLMETHYL)-     | Dermal                         | Rat    | LD50 > 2,000 mg/kg                       |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4-MORPHOLINYL)PHENYL]-2-(PHENYLMETHYL)-     | Ingestion                      | Rat    | LD50 > 5,000 mg/kg                       |
| 1-PROPANONE, 2-METHYL-1-[4-(METHYLTHIO)PHENYL]-2-(4-MORPHOLINYL)-               | Dermal                         | Rat    | LD50 > 2,000 mg/kg                       |
| 1-PROPANONE, 2-METHYL-1-[4-(METHYLTHIO)PHENYL]-2-(4-MORPHOLINYL)-               | Ingestion                      | Rat    | LD50 967 mg/kg                           |
| .ALPHA.,.ALPHA.',.ALPHA."-1,2,3-PROPANETRIYLTRIS[POLYPROPYLENE GLYCOL ACRYLATE] | Dermal                         | Rabbit | LD50 > 2,000 mg/kg                       |
| .ALPHA.,.ALPHA.',.ALPHA."-1,2,3-PROPANETRIYLTRIS[POLYPROPYLENE GLYCOL ACRYLATE] | Ingestion                      | Rat    | LD50 > 2,000 mg/kg                       |
| 2-PHENOXYETHANOL  | Dermal                         | Rabbit | LD50 > 2,000 mg/kg                       |
| 2-PHENOXYETHANOL  | Inhalation-Dust/Mist           | Rat    | LC50 > 1.5 mg/l                          |
| 2-PHENOXYETHANOL  | Ingestion                      | Rat    | LD50 1,394 mg/kg                         |
| 2-ISOPROPYLTHIOXANTHONE   | Dermal                         | Rat    | LD50 > 2,000 mg/kg                       |
| 2-ISOPROPYLTHIOXANTHONE   | Ingestion                      | Rat    | LD50 > 2,000 mg/kg                       |
| OCTAMETHYLCYCLOTETRAILOXANE   | Dermal                         | Rat    | LD50 > 2,400 mg/kg                       |
| OCTAMETHYLCYCLOTETRAILOXANE   | Inhalation-Dust/Mist (4 hours) | Rat    | LC50 36 mg/l                             |
| OCTAMETHYLCYCLOTETRAILOXANE   | Ingestion                      | Rat    | LD50 > 4,800 mg/kg                       |

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

| Name  | Species | Value                     |
|---|---------|---------------------------|
| PHENOXY ETHYL ACRYLATE  | Rabbit  | No significant irritation |
| VINYLCAPROLACTAM  | Rabbit  | Minimal irritation        |
| COPPER PHTHALOCYANINE GREEN   | Rabbit  | No significant irritation |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE                             | Rabbit  | No significant irritation |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE  | Rabbit  | Irritant                  |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4-MORPHOLINYL)PHENYL]-2-(PHENYLMETHYL)-     | Rabbit  | No significant irritation |
| 1-PROPANONE, 2-METHYL-1-[4-(METHYLTHIO)PHENYL]-2-(4-MORPHOLINYL)-               | Rabbit  | No significant irritation |
| .ALPHA.,.ALPHA.',.ALPHA."-1,2,3-PROPANETRIYLTRIS[POLYPROPYLENE GLYCOL ACRYLATE] | Rabbit  | Minimal irritation        |
| 2-PHENOXYETHANOL  | Rabbit  | No significant irritation |
| 2-ISOPROPYLTHIOXANTHONE   | Rabbit  | No significant irritation |
| OCTAMETHYLCYCLOTETRAILOXANE   | Rabbit  | No significant irritation |

**Serious Eye Damage/Irritation**

| Name  | Species | Value                     |
|---|---------|---------------------------|
| PHENOXY ETHYL ACRYLATE  | Rabbit  | No significant irritation |
| VINYLCAPROLACTAM  | Rabbit  | Severe irritant           |
| COPPER PHTHALOCYANINE GREEN   | Rabbit  | No significant irritation |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE                             | Rabbit  | No significant irritation |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE  | Rabbit  | Severe irritant           |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4-MORPHOLINYL)PHENYL]-2-(PHENYLMETHYL)-     | Rabbit  | No significant irritation |
| 1-PROPANONE, 2-METHYL-1-[4-(METHYLTHIO)PHENYL]-2-(4-MORPHOLINYL)-               | Rabbit  | No significant irritation |
| .ALPHA.,.ALPHA.',.ALPHA."-1,2,3-PROPANETRIYLTRIS[POLYPROPYLENE GLYCOL ACRYLATE] | Rabbit  | Severe irritant           |
| 2-PHENOXYETHANOL  | Rabbit  | Corrosive                 |

|                              |        |                           |
|------------------------------|--------|---------------------------|
| 2-ISOPROPYLTHIOXANTHONE      | Rabbit | No significant irritation |
| OCTAMETHYLCYCLOTETRASILOXANE | Rabbit | No significant irritation |

**Sensitization:****Skin Sensitization**

| Name  | Species          | Value  |
|---|------------------|--|
| PHENOXY ETHYL ACRYLATE  | Guinea pig       | Sensitizing  |
| VINYLCAPROLACTAM  | Mouse            | Sensitizing  |
| COPPER PHTHALOCYANINE GREEN   | Guinea pig       | Not classified   |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE                             | Human and animal | Not classified   |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE  | Guinea pig       | Sensitizing  |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4-MORPHOLINYL)PHENYL]-2-(PHENYLMETHYL)-     | Guinea pig       | Not classified   |
| .ALPHA.,.ALPHA.',.ALPHA."-1,2,3-PROPANETRIYLTRIS[POLYPROPYLENE GLYCOL ACRYLATE] | Mouse            | Sensitizing  |
| 2-PHENOXYETHANOL  | Guinea pig       | Not classified   |
| 2-ISOPROPYLTHIOXANTHONE   | Guinea pig       | Some positive data exist, but the data are not sufficient for classification |
| OCTAMETHYLCYCLOTETRASILOXANE  | Human and animal | Not classified   |

**Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity**

| Name  | Route    | Value  |
|---|----------|--|
| VINYLCAPROLACTAM  | In Vitro | Not mutagenic  |
| COPPER PHTHALOCYANINE GREEN   | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE                             | In Vitro | Not mutagenic  |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4-MORPHOLINYL)PHENYL]-2-(PHENYLMETHYL)-     | In Vitro | Not mutagenic  |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4-MORPHOLINYL)PHENYL]-2-(PHENYLMETHYL)-     | In vivo  | Not mutagenic  |
| .ALPHA.,.ALPHA.',.ALPHA."-1,2,3-PROPANETRIYLTRIS[POLYPROPYLENE GLYCOL ACRYLATE] | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| 2-PHENOXYETHANOL  | In Vitro | Not mutagenic  |
| 2-PHENOXYETHANOL  | In vivo  | Not mutagenic  |
| 2-ISOPROPYLTHIOXANTHONE   | In vivo  | Not mutagenic  |
| 2-ISOPROPYLTHIOXANTHONE   | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| OCTAMETHYLCYCLOTETRASILOXANE  | In vivo  | Not mutagenic  |
| OCTAMETHYLCYCLOTETRASILOXANE  | In Vitro | Some positive data exist, but the data are not sufficient for classification |

**Carcinogenicity**

| Name  | Route         | Species                 | Value  |
|---|---------------|-------------------------|--|
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE | Not Specified | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| 2-PHENOXYETHANOL                                    | Ingestion     | Multiple animal species | Not carcinogenic   |
| OCTAMETHYLCYCLOTETRASILOXANE                        | Inhalation    | Rat                     | Some positive data exist, but the data are not sufficient for classification |

## Reproductive Toxicity

## Reproductive and/or Developmental Effects

| Name  | Route      | Value                                  | Species | Test Result           | Exposure Duration        |
|---|------------|--|---------|-----------------------|--------------------------|
| PHENOXY ETHYL ACRYLATE  | Ingestion  | Not classified for male reproduction   | Rat     | NOAEL 800 mg/kg/day   | 43 days                  |
| PHENOXY ETHYL ACRYLATE  | Ingestion  | Toxic to female reproduction           | Rat     | NOAEL 300 mg/kg/day   | premating into lactation |
| PHENOXY ETHYL ACRYLATE  | Ingestion  | Toxic to development                   | Rat     | NOAEL 300 mg/kg/day   | premating into lactation |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE                             | Ingestion  | Not classified for female reproduction | Rat     | NOAEL 509 mg/kg/day   | 1 generation             |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE                             | Ingestion  | Not classified for male reproduction   | Rat     | NOAEL 497 mg/kg/day   | 1 generation             |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE                             | Ingestion  | Not classified for development         | Rat     | NOAEL 1,350 mg/kg/day | during organogenesis     |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4-MORPHOLINYL)PHENYL]-2-(PHENYLMETHYL)-     | Ingestion  | Not classified for female reproduction | Rat     | NOAEL 300 mg/kg/day   | 1 generation             |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4-MORPHOLINYL)PHENYL]-2-(PHENYLMETHYL)-     | Ingestion  | Not classified for male reproduction   | Rat     | NOAEL 300 mg/kg/day   | 1 generation             |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4-MORPHOLINYL)PHENYL]-2-(PHENYLMETHYL)-     | Ingestion  | Toxic to development                   | Rat     | NOAEL 30 mg/kg/day    | 1 generation             |
| 1-PROPANONE, 2-METHYL-1-[4-(METHYLTHIO)PHENYL]-2-(4-MORPHOLINYL)-               | Ingestion  | Toxic to female reproduction           | Rat     | LOAEL 40 mg/kg/day    | 1 generation             |
| 1-PROPANONE, 2-METHYL-1-[4-(METHYLTHIO)PHENYL]-2-(4-MORPHOLINYL)-               | Ingestion  | Toxic to development                   | Rat     | LOAEL 40 mg/kg/day    | 1 generation             |
| .ALPHA.,.ALPHA.',.ALPHA."-1,2,3-PROPANETRIYLTRIS[POLYPROPYLENE GLYCOL ACRYLATE] | Ingestion  | Not classified for female reproduction | Rat     | NOAEL 750 mg/kg/day   | premating into lactation |
| .ALPHA.,.ALPHA.',.ALPHA."-1,2,3-PROPANETRIYLTRIS[POLYPROPYLENE GLYCOL ACRYLATE] | Ingestion  | Not classified for male reproduction   | Rat     | NOAEL 750 mg/kg/day   | 29 days                  |
| .ALPHA.,.ALPHA.',.ALPHA."-1,2,3-PROPANETRIYLTRIS[POLYPROPYLENE GLYCOL ACRYLATE] | Ingestion  | Not classified for development         | Rat     | NOAEL 1,000 mg/kg/day | during organogenesis     |
| 2-PHENOXYETHANOL  | Ingestion  | Not classified for female reproduction | Mouse   | NOAEL 3,700 mg/kg/day | 2 generation             |
| 2-PHENOXYETHANOL  | Ingestion  | Not classified for male reproduction   | Mouse   | NOAEL 3,700 mg/kg/day | 2 generation             |
| 2-PHENOXYETHANOL  | Dermal     | Not classified for development         | Rabbit  | NOAEL 600 mg/kg/day   | during organogenesis     |
| 2-PHENOXYETHANOL  | Ingestion  | Not classified for development         | Rat     | NOAEL 1,000 mg/kg/day | during gestation         |
| 2-ISOPROPYLTHIOXANTHONE   | Ingestion  | Not classified for development         | Rat     | NOAEL 62.5 mg/kg/day  | premating into lactation |
| 2-ISOPROPYLTHIOXANTHONE   | Ingestion  | Toxic to female reproduction           | Rat     | NOAEL 62.5 mg/kg/day  | premating into lactation |
| 2-ISOPROPYLTHIOXANTHONE   | Ingestion  | Toxic to male reproduction             | Rat     | NOAEL 62.5 mg/kg/day  | 42 days                  |
| OCTAMETHYLCYCLOTETRAILOXANE   | Inhalation | Not classified for male reproduction   | Rat     | NOAEL 8.5 mg/l        | 2 generation             |
| OCTAMETHYLCYCLOTETRAILOXANE   | Inhalation | Not classified for development         | Rabbit  | NOAEL 6 mg/l          | during organogenesis     |
| OCTAMETHYLCYCLOTETRAILOXANE   | Ingestion  | Not classified for development         | Rabbit  | NOAEL 100 mg/kg       | during organogenesis     |
| OCTAMETHYLCYCLOTETRAILOXANE   | Inhalation | Toxic to female reproduction           | Rat     | NOAEL 3.6             | 2 generation             |

|    |  |  |  |      |  |
|----|--|--|--|------|--|
| NE |  |  |  | mg/l |  |
|----|--|--|--|------|--|

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

| Name  | Route      | Target Organ(s)        | Value  | Species                 | Test Result         | Exposure Duration |
|---|------------|------------------------|--|-------------------------|---------------------|-------------------|
| VINYLCAPROLACTAM  | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Rat                     | NOAEL Not available |                   |
| .ALPHA.,.ALPHA.',.ALPHA."-1,2,3-PROPANETRIYLTRIS[POLYPROPYLENE GLYCOL ACRYLATE] | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards  | NOAEL Not available |                   |
| 2-PHENOXYETHANOL  | Inhalation | respiratory irritation | May cause respiratory irritation   | official classification | NOAEL Not available |                   |

**Specific Target Organ Toxicity - repeated exposure**

| Name  | Route      | Target Organ(s)   | Value  | Species | Test Result         | Exposure Duration     |
|---|------------|---|--|---------|---------------------|-----------------------|
| VINYLCAPROLACTAM  | Inhalation | respiratory system  | Causes damage to organs through prolonged or repeated exposure               | Rat     | NOAEL 0.001 mg/l    | 28 days               |
| VINYLCAPROLACTAM  | Inhalation | blood   liver   kidney and/or bladder   eyes                            | Not classified   | Rat     | NOAEL 0.18 mg/l     | 90 days               |
| VINYLCAPROLACTAM  | Ingestion  | liver   | Not classified   | Rat     | NOAEL 260 mg/kg/day | 3 months              |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE                             | Inhalation | respiratory system   silicosis  | Not classified   | Human   | NOAEL Not available | occupational exposure |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4-MORPHOLINYL)PHENYL]-2-(PHENYLMETHYL)-     | Ingestion  | endocrine system   hematopoietic system   liver   kidney and/or bladder | Not classified   | Rat     | NOAEL 500 mg/kg/day | 28 days               |
| 1-PROPANONE, 2-METHYL-1-[4-(METHYLTHIO)PHENYL]-2-(4-MORPHOLINYL)-               | Ingestion  | peripheral nervous system   eyes  | Some positive data exist, but the data are not sufficient for classification | Rat     | NOAEL 75 mg/kg/day  | 90 days               |
| .ALPHA.,.ALPHA.',.ALPHA."-1,2,3-PROPANETRIYLTRIS[POLYPROPYLENE GLYCOL ACRYLATE] | Dermal     | heart   | Not classified   | Rabbit  | NOAEL 500 mg/kg/day | 2 weeks               |
| .ALPHA.,.ALPHA.',.ALPHA."-1,2,3-PROPANETRIYLTRIS[POLYPROPYLENE GLYCOL ACRYLATE] | Dermal     | skin  | Not classified   | Rabbit  | LOAEL 500 mg/kg/day | 2 weeks               |
| .ALPHA.,.ALPHA.',.ALPHA."-1,2,3-PROPANETRIYLTRIS[POLYPROPYLENE GLYCOL ACRYLATE] | Dermal     | liver   nervous system   kidney and/or bladder   respiratory system     | Not classified   | Rabbit  | NOAEL 500 mg/kg/day | 2 weeks               |
| .ALPHA.,.ALPHA.',.ALPHA."-1,2,3-PROPANETRIYLTRIS[POLYPROPYLENE GLYCOL ACRYLATE] | Ingestion  | liver   kidney and/or bladder   | Not classified   | Rat     | NOAEL 750 mg/kg/day | 29 days               |
| .ALPHA.,.ALPHA.',.ALPHA."-1,2,3-PROPANETRIYLTRIS[POLYPROPYLENE GLYCOL ACRYLATE] | Ingestion  | gastrointestinal tract  | Not classified   | Rat     | NOAEL 150 mg/kg/day | 90 days               |

|  |            |   |                |        |                             |                          |
|--|------------|---|----------------|--------|-----------------------------|--------------------------|
| OLYPROPYLENE<br>GLYCOL ACRYLATE]   |            |   |                |        |                             |                          |
| .ALPHA.,.ALPHA.',.ALP<br>HA."-1,2,3-<br>PROPANETRIYLTRIS[P<br>OLYPROPYLENE<br>GLYCOL ACRYLATE] | Ingestion  | immune system   | Not classified | Rat    | NOAEL 750<br>mg/kg/day      | 29 days                  |
| .ALPHA.,.ALPHA.',.ALP<br>HA."-1,2,3-<br>PROPANETRIYLTRIS[P<br>OLYPROPYLENE<br>GLYCOL ACRYLATE] | Ingestion  | endocrine system  <br>hematopoietic<br>system   nervous<br>system   eyes  | Not classified | Rat    | NOAEL 375<br>mg/kg/day      | 90 days                  |
| 2-PHENOXYETHANOL   | Dermal     | skin   hematopoietic<br>system   liver   eyes   | Not classified | Rabbit | NOAEL 500<br>mg/kg/day      | 13 weeks                 |
| 2-PHENOXYETHANOL   | Ingestion  | heart   endocrine<br>system  <br>hematopoietic<br>system   liver  <br>immune system  <br>nervous system  <br>kidney and/or<br>bladder   respiratory<br>system   | Not classified | Rat    | NOAEL<br>1,514<br>mg/kg/day | 13 weeks                 |
| 2-<br>ISOPROPYLTHIOXANT<br>HONE  | Dermal     | photoirritation   | Not classified | Human  | NOAEL not<br>available      | occupational<br>exposure |
| 2-<br>ISOPROPYLTHIOXANT<br>HONE  | Ingestion  | endocrine system  <br>gastrointestinal tract<br>  liver   kidney<br>and/or bladder  <br>auditory system  <br>heart   bone, teeth,<br>nails, and/or hair  <br>hematopoietic<br>system   immune<br>system   nervous<br>system   eyes  <br>respiratory system  <br>vascular system | Not classified | Rat    | NOAEL<br>1,000<br>mg/kg/day | 28 days                  |
| OCTAMETHYLCYCLOT<br>ETRAILOXANE  | Dermal     | hematopoietic<br>system   | Not classified | Rabbit | NOAEL 960<br>mg/kg/day      | 3 weeks                  |
| OCTAMETHYLCYCLOT<br>ETRAILOXANE  | Inhalation | liver   | Not classified | Rat    | NOAEL 8.5<br>mg/l           | 13 weeks                 |
| OCTAMETHYLCYCLOT<br>ETRAILOXANE  | Inhalation | endocrine system  <br>immune system  <br>kidney and/or<br>bladder   | Not classified | Rat    | NOAEL 8.5<br>mg/l           | 2 generation             |
| OCTAMETHYLCYCLOT<br>ETRAILOXANE  | Inhalation | hematopoietic<br>system   | Not classified | Rat    | NOAEL 8.5<br>mg/l           | 13 weeks                 |
| OCTAMETHYLCYCLOT<br>ETRAILOXANE  | Ingestion  | liver   | Not classified | Rat    | NOAEL<br>1,600<br>mg/kg/day | 2 weeks                  |

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.**

## SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labeling, an ingredient is not

expected to be available for exposure, or the data is considered not relevant to the material as a whole.

## 12.1. Toxicity

### Acute aquatic hazard:

GHS Acute 2: Toxic to aquatic life.

### Chronic aquatic hazard:

GHS Chronic 2: Toxic to aquatic life with long lasting effects

No product test data available

| Material                               | Cas #        | Organism         | Type  | Exposure   | Test Endpoint                     | Test Result               |
|--|--------------|------------------|---|------------|-----------------------------------|---------------------------|
| PHENOXY<br>ETHYL<br>ACRYLATE           | 48145-04-6   | Activated sludge | Experimental  | 3 hours    | EC50                              | 177 mg/l                  |
| PHENOXY<br>ETHYL<br>ACRYLATE           | 48145-04-6   | Golden Orfe      | Experimental  | 96 hours   | LC50                              | 10 mg/l                   |
| PHENOXY<br>ETHYL<br>ACRYLATE           | 48145-04-6   | Green algae      | Experimental  | 72 hours   | EC50                              | 4.4 mg/l                  |
| PHENOXY<br>ETHYL<br>ACRYLATE           | 48145-04-6   | Water flea       | Experimental  | 48 hours   | EC50                              | 1.21 mg/l                 |
| PHENOXY<br>ETHYL<br>ACRYLATE           | 48145-04-6   | Green algae      | Experimental  | 72 hours   | EC10                              | 0.71 mg/l                 |
| METHACRYLATE<br>POLYMER                | Trade Secret | N/A              | Data not available<br>or insufficient for<br>classification | N/A        | N/A                               | N/A                       |
| VINYLCAPROLACTAM                       | 2235-00-9    | Bacteria         | Experimental  | 17 hours   | EC50                              | 622 mg/l                  |
| VINYLCAPROLACTAM                       | 2235-00-9    | Green algae      | Experimental  | 72 hours   | ErC50                             | >100 mg/l                 |
| VINYLCAPROLACTAM                       | 2235-00-9    | Water flea       | Experimental  | 48 hours   | EC50                              | >100 mg/l                 |
| VINYLCAPROLACTAM                       | 2235-00-9    | Zebra Fish       | Experimental  | 96 hours   | LC50                              | 307 mg/l                  |
| VINYLCAPROLACTAM                       | 2235-00-9    | Green algae      | Experimental  | 72 hours   | NOEC                              | 25 mg/l                   |
| ALIPHATIC<br>URETHANE<br>ACRYLATE      | Trade Secret | N/A              | Data not available<br>or insufficient for<br>classification | N/A        | N/A                               | N/A                       |
| COPPER<br>PHTHALOCYANINE<br>GREEN      | 1328-53-6    | Green algae      | Endpoint not<br>reached                                     | 72 hours   | ErC50                             | >100 mg/l                 |
| COPPER<br>PHTHALOCYANINE<br>GREEN      | 1328-53-6    | Water flea       | Experimental  | 48 hours   | No tox obs at lmt<br>of water sol | >100 mg/l                 |
| COPPER<br>PHTHALOCYANINE<br>GREEN      | 1328-53-6    | Green algae      | Endpoint not<br>reached                                     | 72 hours   | ErC10                             | >100 mg/l                 |
| COPPER<br>PHTHALOCYANINE<br>GREEN      | 1328-53-6    | Water flea       | Experimental  | 21 days    | No tox obs at lmt<br>of water sol | >=100 mg/l                |
| COPPER<br>PHTHALOCYANINE<br>GREEN      | 1328-53-6    | Bacteria         | Experimental  | 30 minutes | EC10                              | >10,000 mg/l              |
| COPPER<br>PHTHALOCYANINE<br>GREEN      | 1328-53-6    | Redworm          | Experimental  | 14 days    | LC50                              | >1,000 mg/kg (Dry Weight) |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4- | 119313-12-1  | Green algae      | Experimental  | 72 hours   | No tox obs at lmt<br>of water sol | >100 mg/l                 |

|   |             |                  |              |            |                                   |                           |
|---|-------------|------------------|--------------|------------|-----------------------------------|---------------------------|
| MORPHOLINYL)<br>PHENYL]-2-<br>(PHENYLMETHY<br>L)-   |             |                  |              |            |                                   |                           |
| 1-BUTANONE, 2-<br>(DIMETHYLAMI<br>NO)-1-[4-(4-<br>MORPHOLINYL)<br>PHENYL]-2-<br>(PHENYLMETHY<br>L)- | 119313-12-1 | Water flea       | Experimental | 24 hours   | No tox obs at lmt<br>of water sol | >100 mg/l                 |
| 1-BUTANONE, 2-<br>(DIMETHYLAMI<br>NO)-1-[4-(4-<br>MORPHOLINYL)<br>PHENYL]-2-<br>(PHENYLMETHY<br>L)- | 119313-12-1 | Zebra Fish       | Experimental | 96 hours   | LC50                              | 0.46 mg/l                 |
| 1-BUTANONE, 2-<br>(DIMETHYLAMI<br>NO)-1-[4-(4-<br>MORPHOLINYL)<br>PHENYL]-2-<br>(PHENYLMETHY<br>L)- | 119313-12-1 | Water flea       | Experimental | 21 days    | No tox obs at lmt<br>of water sol | 100 mg/l                  |
| 1-BUTANONE, 2-<br>(DIMETHYLAMI<br>NO)-1-[4-(4-<br>MORPHOLINYL)<br>PHENYL]-2-<br>(PHENYLMETHY<br>L)- | 119313-12-1 | Activated sludge | Experimental | 30 minutes | EC50                              | >100 mg/l                 |
| 1-BUTANONE, 2-<br>(DIMETHYLAMI<br>NO)-1-[4-(4-<br>MORPHOLINYL)<br>PHENYL]-2-<br>(PHENYLMETHY<br>L)- | 119313-12-1 | Cucumber         | Experimental | 16 days    | EC50                              | >316.2 mg/kg (Dry Weight) |
| 1-BUTANONE, 2-<br>(DIMETHYLAMI<br>NO)-1-[4-(4-<br>MORPHOLINYL)<br>PHENYL]-2-<br>(PHENYLMETHY<br>L)- | 119313-12-1 | Redworm          | Experimental | 14 days    | LC50                              | >1,000 mg/kg (Dry Weight) |
| 1-PROPANONE,<br>2-METHYL-1-[4-<br>(METHYLTHIO)P<br>HENYL]-2-(4-<br>MORPHOLINYL)-                    | 71868-10-5  | Activated sludge | Experimental | 3 hours    | EC50                              | >100 mg/l                 |
| 1-PROPANONE,<br>2-METHYL-1-[4-<br>(METHYLTHIO)P<br>HENYL]-2-(4-<br>MORPHOLINYL)-                    | 71868-10-5  | Green algae      | Experimental | 72 hours   | ErC50                             | 1.6 mg/l                  |
| 1-PROPANONE,<br>2-METHYL-1-[4-<br>(METHYLTHIO)P<br>HENYL]-2-(4-<br>MORPHOLINYL)-                    | 71868-10-5  | Water flea       | Experimental | 24 hours   | EC50                              | 15.3 mg/l                 |
| 1-PROPANONE,<br>2-METHYL-1-[4-<br>(METHYLTHIO)P<br>HENYL]-2-(4-<br>MORPHOLINYL)-                    | 71868-10-5  | Zebra Fish       | Experimental | 96 hours   | LC50                              | 9 mg/l                    |
| 1-PROPANONE,<br>2-METHYL-1-[4-<br>(METHYLTHIO)P   | 71868-10-5  | Green algae      | Experimental | 72 hours   | ErC10                             | 0.92 mg/l                 |

|  |             |                   |                    |            |       |                          |
|--|-------------|-------------------|--------------------|------------|-------|--------------------------|
| HENYL]-2-(4-MORPHOLINYL)-  |             |                   |                    |            |       |                          |
| 1-PROPANONE, 2-METHYL-1-[4-(METHYLTHIO)P HENYL]-2-(4-MORPHOLINYL)- | 71868-10-5  | Water flea        | Experimental       | 21 days    | EC10  | 1.75 mg/l                |
| 2-PHENOXYETHA NOL  | 122-99-6    | Activated sludge  | Experimental       | 30 minutes | EC50  | >1,000 mg/l              |
| 2-PHENOXYETHA NOL  | 122-99-6    | Fathead Minnow    | Experimental       | 96 hours   | LC50  | 344 mg/l                 |
| 2-PHENOXYETHA NOL  | 122-99-6    | Green algae       | Experimental       | 72 hours   | EC50  | >100 mg/l                |
| 2-PHENOXYETHA NOL  | 122-99-6    | Scud              | Experimental       | 96 hours   | LC50  | 357 mg/l                 |
| 2-PHENOXYETHA NOL  | 122-99-6    | Water flea        | Experimental       | 48 hours   | EC50  | >500 mg/l                |
| 2-PHENOXYETHA NOL  | 122-99-6    | Fathead Minnow    | Experimental       | 34 days    | NOEC  | 24 mg/l                  |
| 2-PHENOXYETHA NOL  | 122-99-6    | Green algae       | Experimental       | 72 hours   | NOEC  | 46 mg/l                  |
| 2-PHENOXYETHA NOL  | 122-99-6    | Water flea        | Experimental       | 21 days    | NOEC  | 9.43 mg/l                |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE                             | 7328-17-8   | Golden Orfe       | Experimental       | 96 hours   | LC50  | 10 mg/l                  |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE                             | 7328-17-8   | Green algae       | Experimental       | 72 hours   | ErC50 | 3.2 mg/l                 |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE                             | 7328-17-8   | Water flea        | Experimental       | 48 hours   | EC50  | 10.56 mg/l               |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE                             | 7328-17-8   | Green algae       | Experimental       | 72 hours   | NOEC  | <1 mg/l                  |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE                             | 7328-17-8   | Activated sludge  | Experimental       | 3 hours    | EC50  | 770 mg/l                 |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE                | 112945-52-5 | Green algae       | Analogous Compound | 72 hours   | ErC50 | >173.1 mg/l              |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE                | 112945-52-5 | Sediment organism | Analogous Compound | 96 hours   | EC50  | 8,500 mg/kg (Dry Weight) |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE                | 112945-52-5 | Water flea        | Analogous Compound | 24 hours   | EL50  | >10,000 mg/l             |
| SYNTHETIC AMORPHOUS  | 112945-52-5 | Zebra Fish        | Analogous Compound | 96 hours   | LL50  | >10,000 mg/l             |

|  |             |                  |                      |          |                                |                         |
|--|-------------|------------------|----------------------|----------|--------------------------------|-------------------------|
| SILICA, FUMED, CRYSTALLINE FREE  |             |                  |                      |          |                                |                         |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE                                | 112945-52-5 | Green algae      | Analogous Compound   | 72 hours | NOEC                           | 173.1 mg/l              |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE                                | 112945-52-5 | Water flea       | Analogous Compound   | 21 days  | NOEC                           | 68 mg/l                 |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE                                | 112945-52-5 | Activated sludge | Experimental         | 3 hours  | EC50                           | >1,000 mg/l             |
| .ALPHA.,.ALPHA. ',.ALPHA.'"-1,2,3-PROPANETRIYL TRIS[POLYPROPYLENE GLYCOL ACRYLATE] | 52408-84-1  | Activated sludge | Experimental         | 3 hours  | EC20                           | 507 mg/l                |
| .ALPHA.,.ALPHA. ',.ALPHA.'"-1,2,3-PROPANETRIYL TRIS[POLYPROPYLENE GLYCOL ACRYLATE] | 52408-84-1  | Green algae      | Experimental         | 72 hours | ErC50                          | 12.2 mg/l               |
| .ALPHA.,.ALPHA. ',.ALPHA.'"-1,2,3-PROPANETRIYL TRIS[POLYPROPYLENE GLYCOL ACRYLATE] | 52408-84-1  | Water flea       | Experimental         | 48 hours | EC50                           | 91.4 mg/l               |
| .ALPHA.,.ALPHA. ',.ALPHA.'"-1,2,3-PROPANETRIYL TRIS[POLYPROPYLENE GLYCOL ACRYLATE] | 52408-84-1  | Zebra Fish       | Experimental         | 96 hours | LC50                           | 5.74 mg/l               |
| .ALPHA.,.ALPHA. ',.ALPHA.'"-1,2,3-PROPANETRIYL TRIS[POLYPROPYLENE GLYCOL ACRYLATE] | 52408-84-1  | Green algae      | Experimental         | 72 hours | NOEC                           | 0.921 mg/l              |
| 2-ISOPROPYLTHIO XANTHONE   | 5495-84-1   | Green algae      | Endpoint not reached | 72 hours | EC50                           | >100 mg/l               |
| 2-ISOPROPYLTHIO XANTHONE   | 5495-84-1   | Activated sludge | Experimental         | 3 hours  | EC50                           | >1,000 mg/l             |
| 2-ISOPROPYLTHIO XANTHONE   | 5495-84-1   | Water flea       | Experimental         | 48 hours | No tox obs at lmt of water sol | >100 mg/l               |
| 2-ISOPROPYLTHIO XANTHONE   | 5495-84-1   | Green algae      | Experimental         | 72 hours | NOEC                           | 0.005 mg/l              |
| OCTAMETHYLC YCLOTETRASIL OXANE   | 556-67-2    | Blackworm        | Experimental         | 28 days  | NOEC                           | 0.73 mg/kg (Dry Weight) |
| OCTAMETHYLC YCLOTETRASIL OXANE   | 556-67-2    | Midge            | Experimental         | 14 days  | LC50                           | >170 mg/kg (Dry Weight) |
| OCTAMETHYLC YCLOTETRASIL OXANE   | 556-67-2    | Mysid Shrimp     | Experimental         | 96 hours | LC50                           | >0.0091 mg/l            |

|                                      |          |                  |              |          |      |              |
|--------------------------------------|----------|------------------|--------------|----------|------|--------------|
| OCTAMETHYLC<br>YCLOTETRASIL<br>OXANE | 556-67-2 | Rainbow Trout    | Experimental | 96 hours | LC50 | >0.022 mg/l  |
| OCTAMETHYLC<br>YCLOTETRASIL<br>OXANE | 556-67-2 | Water flea       | Experimental | 48 hours | EC50 | >0.015 mg/l  |
| OCTAMETHYLC<br>YCLOTETRASIL<br>OXANE | 556-67-2 | Rainbow Trout    | Experimental | 93 days  | NOEC | 0.0044 mg/l  |
| OCTAMETHYLC<br>YCLOTETRASIL<br>OXANE | 556-67-2 | Water flea       | Experimental | 21 days  | NOEC | 0.015 mg/l   |
| OCTAMETHYLC<br>YCLOTETRASIL<br>OXANE | 556-67-2 | Activated sludge | Experimental | 3 hours  | EC50 | >10,000 mg/l |

## 12.2. Persistence and degradability

| Material  | CAS No.      | Test Type                               | Duration | Study Type                        | Test Result                             | Protocol                          |
|---|--------------|---|----------|-----------------------------------|---|-----------------------------------|
| PHENOXY<br>ETHYL<br>ACRYLATE  | 48145-04-6   | Experimental<br>Biodegradation          | 28 days  | Biological Oxygen<br>Demand       | 22.3 %BOD/ThOD                          | OECD 301D - Closed Bottle<br>Test |
| PHENOXY<br>ETHYL<br>ACRYLATE  | 48145-04-6   | Estimated<br>Photolysis                 |          | Photolytic half-life<br>(in air)  | 9.7 hours (t 1/2)                       |                                   |
| METHACRYLAT<br>E POLYMER  | Trade Secret | Data not availbl-<br>insufficient       | N/A      | N/A                               | N/A                                     | N/A                               |
| VINYLCAPROLA<br>CTAM  | 2235-00-9    | Experimental<br>Biodegradation          | 28 days  | Dissolv. Organic<br>Carbon Deplet | 30-40 %removal of<br>DOC                | OECD 301A - DOC Die<br>Away Test  |
| VINYLCAPROLA<br>CTAM  | 2235-00-9    | Experimental<br>Biodegradation          |          | Dissolv. Organic<br>Carbon Deplet | 98 %removal of<br>DOC                   | OECD 302B Zahn-<br>Wellens/EVPA   |
| VINYLCAPROLA<br>CTAM  | 2235-00-9    | Experimental<br>Hydrolysis              |          | Hydrolytic half-life<br>(pH 7)    | >1 years (t 1/2)                        | OECD 111 Hydrolysis func<br>of pH |
| VINYLCAPROLA<br>CTAM  | 2235-00-9    | Experimental<br>Hydrolysis              |          | Hydrolytic half-life<br>acidic pH | 6.5 hours (t 1/2)                       | OECD 111 Hydrolysis func<br>of pH |
| ALIPHATIC<br>URETHANE<br>ACRYLATE   | Trade Secret | Data not availbl-<br>insufficient       | N/A      | N/A                               | N/A                                     | N/A                               |
| COPPER<br>PHTHALOCYANI<br>NE GREEN  | 1328-53-6    | Analogous<br>Compound<br>Biodegradation | 28 days  | Biological Oxygen<br>Demand       | <1 %BOD/ThOD                            | OECD 301F - Manometric<br>Respiro |
| 1-BUTANONE, 2-<br>(DIMETHYLAMI<br>NO)-1-[4-(4-<br>MORPHOLINYL)<br>PHENYL]-2-<br>(PHENYLMETHY<br>L)- | 119313-12-1  | Experimental<br>Biodegradation          | 28 days  | Carbon dioxide<br>evolution       | 3 %CO2<br>evolution/THCO2<br>evolution  | OECD 301B - Mod. Sturm or<br>CO2  |
| 1-BUTANONE, 2-<br>(DIMETHYLAMI<br>NO)-1-[4-(4-<br>MORPHOLINYL)<br>PHENYL]-2-<br>(PHENYLMETHY<br>L)- | 119313-12-1  | Experimental<br>Hydrolysis              |          | Hydrolytic half-life<br>(pH 7)    | >1 years (t 1/2)                        |                                   |
| 1-PROPANONE,<br>2-METHYL-1-[4-<br>(METHYLTHIO)P<br>HENYL]-2-(4-<br>MORPHOLINYL)-                    | 71868-10-5   | Experimental<br>Biodegradation          | 28 days  | Carbon dioxide<br>evolution       | ≤1 %CO2<br>evolution/THCO2<br>evolution | OECD 301B - Mod. Sturm or<br>CO2  |
| 2-<br>PHENOXYETHA<br>NOL  | 122-99-6     | Experimental<br>Biodegradation          | 28 days  | Biological Oxygen<br>Demand       | 90 %BOD/ThOD                            | OECD 301F - Manometric<br>Respiro |

|   |             |                               |         |                               |                                      |                                |
|---|-------------|-------------------------------|---------|-------------------------------|--------------------------------------|--------------------------------|
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE  | 7328-17-8   | Experimental Biodegradation   | 28 days | Carbon dioxide evolution      | 98 %CO2 evolution/THCO2 evolution    | OECD 301B - Mod. Sturm or CO2  |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE  | 7328-17-8   | Experimental Hydrolysis       |         | Hydrolytic half-life (pH 7)   | 313 days (t 1/2)                     | OECD 111 Hydrolysis func of pH |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE  | 7328-17-8   | Experimental Hydrolysis       |         | Hydrolytic half-life basic pH | 4.65 days (t 1/2)                    | OECD 111 Hydrolysis func of pH |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE                               | 112945-52-5 | Data not availbl-insufficient | N/A     | N/A                           | N/A                                  | N/A                            |
| .ALPHA.,.ALPHA. ',.ALPHA."-1,2,3-PROPANETRIYL TRIS[POLYPROPYLENE GLYCOL ACRYLATE] | 52408-84-1  | Experimental Biodegradation   | 28 days | Carbon dioxide evolution      | 72-85 %CO2 evolution/THCO2 evolution | OECD 301B - Mod. Sturm or CO2  |
| 2-ISOPROPYLTHIO XANTHONE  | 5495-84-1   | Experimental Biodegradation   | 28 days | Carbon dioxide evolution      | 5 %CO2 evolution/THCO2 evolution     | OECD 301B - Mod. Sturm or CO2  |
| OCTAMETHYLC YCLOTETRASIL OXANE  | 556-67-2    | Experimental Biodegradation   | 29 days | Carbon dioxide evolution      | 3.7 %CO2 evolution/THCO2 evolution   | OECD 310 CO2 Headspace         |
| OCTAMETHYLC YCLOTETRASIL OXANE  | 556-67-2    | Experimental Photolysis       |         | Photolytic half-life (in air) | 31 days (t 1/2)                      |                                |
| OCTAMETHYLC YCLOTETRASIL OXANE  | 556-67-2    | Experimental Hydrolysis       |         | Hydrolytic half-life (pH 7)   | 69.3-144 hours (t 1/2)               | OECD 111 Hydrolysis func of pH |

### 12.3. Bioaccumulative potential

| Material  | CAS No.      | Test Type   | Duration | Study Type                     | Test Result | Protocol                        |
|---|--------------|---|----------|--------------------------------|-------------|---------------------------------|
| PHENOXY ETHYL ACRYLATE  | 48145-04-6   | Experimental Bioconcentration                         |          | Log of Octanol/H2O part. coeff | 2.58        |                                 |
| METHACRYLATE POLYMER  | Trade Secret | Data not available or insufficient for classification | N/A      | N/A                            | N/A         | N/A                             |
| VINYLCAPROLACTAM  | 2235-00-9    | Experimental Bioconcentration                         |          | Log of Octanol/H2O part. coeff | 1.2         | similar to OECD 107             |
| ALIPHATIC URETHANE ACRYLATE   | Trade Secret | Data not available or insufficient for classification | N/A      | N/A                            | N/A         | N/A                             |
| COPPER PHTHALOCYANINE GREEN   | 1328-53-6    | Experimental BCF - Fish                               | 42 days  | Bioaccumulation Factor         | ≤74         | OECD305-Bioconcentration        |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4-MORPHOLINYL)PHENYL]-2-(PHENYLMETHYL)- | 119313-12-1  | Experimental Bioconcentration                         |          | Log of Octanol/H2O part. coeff | 2.91        | OECD 107 log Kow shke flask mtd |
| 1-PROPANONE, 2-METHYL-1-[4-(METHYLTHIO)PHENYL]-2-(4-MORPHOLINYL)-           | 71868-10-5   | Experimental BCF - Fish                               | 56 days  | Bioaccumulation Factor         | <10         |                                 |
| 1-PROPANONE,  | 71868-10-5   | Experimental  |          | Log of                         | 3.09        |                                 |

|   |             |   |         |                                |       |                                 |
|---|-------------|---|---------|--------------------------------|-------|---------------------------------|
| 2-METHYL-1-[4-(METHYLTHIO)PHENYL]-2-(4-MORPHOLINYL)-                      |             | Bioconcentration                                      |         | Octanol/H2O part. coeff        |       |                                 |
| 2-PHENOXYETHANOL  | 122-99-6    | Experimental Bioconcentration                         |         | Log of Octanol/H2O part. coeff | 1.2   | EC A.8 Partition Coefficient    |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE                                    | 7328-17-8   | Experimental Bioconcentration                         |         | Log of Octanol/H2O part. coeff | 1.105 | OECD 117 log Kow HPLC method    |
| SYNTHETIC AMORPHOUS SILICA, FUMED, CRYSTALLINE FREE                       | 112945-52-5 | Data not available or insufficient for classification | N/A     | N/A                            | N/A   | N/A                             |
| „ALPHA.“, „ALPHA.“-1,2,3-PROPANETRIYL TRIS[POLYPROPYLENE GLYCOL ACRYLATE] | 52408-84-1  | Experimental Bioconcentration                         |         | Log of Octanol/H2O part. coeff | 2.52  | OECD 107 log Kow shke flask mtd |
| 2-ISOPROPYLTHIO XANTHONE  | 5495-84-1   | Estimated Bioconcentration                            |         | Bioaccumulation Factor         | 219   |                                 |
| OCTAMETHYLCYCLOTETRASIL OXANE   | 556-67-2    | Experimental BCF - Fish                               | 28 days | Bioaccumulation Factor         | 12400 | 40CFR 797.1520-Fish Bioaccumm   |
| OCTAMETHYLCYCLOTETRASIL OXANE   | 556-67-2    | Experimental Bioconcentration                         |         | Log of Octanol/H2O part. coeff | 6.49  | OECD 123 log Kow slow stir      |

#### 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5 Other adverse effects

No information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

According to the Environmental Quality (Scheduled Wastes) Regulations 2005, scheduled waste has to be sent to a prescribed premise for recycling, treatment or disposal. Please approach Kualiti Alam for proper schedule waste classification and disposal.

## SECTION 14: Transport Information

Not hazardous for transportation.

### Marine Transport (IMDG)

**UN Number:**None assigned.

**Proper Shipping Name:**None assigned.

**Technical Name:**None assigned.

**Hazard Class/Division:**None assigned.

**Subsidiary Risk:**None assigned.

**Packing Group:**None assigned.

**Limited Quantity:**None assigned.

**Marine Pollutant:** None assigned.

**Marine Pollutant Technical Name:** None assigned.

**Other Dangerous Goods Descriptions:**

None assigned.

**Air Transport (IATA)**

**UN Number:**None assigned.

**Proper Shipping Name:**None assigned.

**Technical Name:**None assigned.

**Hazard Class/Division:**None assigned.

**Subsidiary Risk:**None assigned.

**Packing Group:**None assigned.

**Limited Quantity:**None assigned.

**Marine Pollutant:** None assigned.

**Marine Pollutant Technical Name:** None assigned.

**Other Dangerous Goods Descriptions:**

None assigned.

Transportation classifications are provided as a customer service. As for shipping, YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. 3M's transportation classifications are based on product formulation, packaging, 3M policies and 3M's understanding of applicable current regulations. 3M does not guarantee the accuracy of this classification information. This information applies only to transportation classification and not the packaging, labeling or marking requirements. The above information is only for reference. If you are shipping by air or ocean, YOU are advised to check & meet applicable regulatory requirements.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Global inventory status**

Contact 3M for more information. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

**SECTION 16: Other information**

**DISCLAIMER:** The information in this Safety Data Sheet (SDS) is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this SDS or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own evaluation to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into Malaysia, you are responsible for all applicable regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration/notification.

**3M Malaysia SDSs are available at [www.3M.com.my](http://www.3M.com.my)**