



## Safety Data Sheet

Copyright, 2026, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document group:</b>	22-9780-2	<b>Version number:</b>	10.00
<b>Revision date:</b>	27/03/2026	<b>Supersedes date:</b>	21/06/2023

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

3M Screen Printing UV Ink 9845P Process Yellow

#### Product Identification Numbers

75-3470-9857-8

7000056160

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Ink

#### 1.3. Details of the supplier of the safety data sheet

**Address:** 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.  
**Telephone:** +44 (0)1344 858 000  
**E Mail:** ner-productstewardship@mmm.com  
**Website:** www.3M.com/uk

#### 1.4. Emergency telephone number

+44 (0)1344 858 000

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

#### CLASSIFICATION:

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319  
 Skin Sensitization, Category 1 - Skin Sens. 1; H317  
 Carcinogenicity, Category 2 - Carc. 2; H351  
 Reproductive Toxicity, Category 1B - Repr. 1B; H360FD  
 Specific Target Organ Toxicity-Repeated Exposure, Category 1 - STOT RE 1; H372  
 Hazardous to the Aquatic Environment (Chronic), Category 2 - Aquatic Chronic 2; H411

For full text of H phrases, see Section 16.

## 2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

### SIGNAL WORD

DANGER.

### Symbols

GHS07 (Exclamation mark) |GHS08 (Health Hazard) |GHS09 (Environment) |

### Pictograms



Ingredient	CAS Nbr	EC No.	% by Wt
2-Phenoxyethyl acrylate	48145-04-6	256-360-6	30 - 40
1-Vinylhexahydro-2H-azepin-2-one	2235-00-9	218-787-6	10 - 20
Pigment Yellow 150		939-379-0	1 - 5
2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1	404-360-3	0.5 - 1.5
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	400-600-6	0.5 - 1.5
2-(2-Ethoxyethoxy)ethyl acrylate	7328-17-8	230-811-7	0.5 - 1.5
Glycerol, propoxylated, esters with acrylic acid	52408-84-1	500-114-5	< 1
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	28961-43-5	500-066-5	< 1

### HAZARD STATEMENTS:

H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure: liver   respiratory system.
H411	Toxic to aquatic life with long lasting effects.

### PRECAUTIONARY STATEMENTS

#### Prevention:

P201	Obtain special instructions before use.
P260A	Do not breathe vapours.
P273	Avoid release to the environment.
P280	Wear protective gloves, eye protection, and respiratory protection.

**Response:**

P308 + P313

IF exposed or concerned: Get medical advice/attention.

P333 + P313

If skin irritation or rash occurs: Get medical advice/attention.

**SUPPLEMENTAL INFORMATION:****Supplemental Precautionary Statements:**

Restricted to professional users.

10% of the mixture consists of components of unknown acute oral toxicity.

10% of the mixture consists of components of unknown acute dermal toxicity.

Contains 10% of components with unknown hazards to the aquatic environment.

**2.3. Other hazards**

Contains a substance that meets the criteria for PBT according to Regulation (EC) No 1907/2006, Annex XIII, as amended by UK REACH Regulations SI 2019/758

Contains a substance that meets the criteria for vPvB according to Regulation (EC) No 1907/2006, Annex XIII, as amended by UK REACH Regulations SI 2019/758

**SECTION 3: Composition/information on ingredients****3.1. Substances**

Not applicable

**3.2. Mixtures**

Ingredient	Identifier(s)	%	Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB
2-Phenoxyethyl acrylate	(CAS-No.) 48145-04-6 (EC-No.) 256-360-6	30 - 40	Skin Sens. 1A, H317 Repr. 2, H361df Aquatic Chronic 2, H411
Methacrylate polymer	Trade Secret	10 - 20	Substance not classified as hazardous
1-Vinylhexahydro-2H-azepin-2-one	(CAS-No.) 2235-00-9 (EC-No.) 218-787-6	10 - 20	Acute Tox. 4, H312 Acute Tox. 4, H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 1, H372
Acrylate	Trade Secret	5 - 15	Substance not classified as hazardous
Synthetic amorphous silica, fumed, crystalline-free	(CAS-No.) 112945-52-5	1 - 5	Substance with a national occupational exposure limit
Pigment Yellow 150	(EC-No.) 939-379-0	1 - 5	Skin Sens. 1, H317 Carc. 2, H351
2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	(CAS-No.) 119313-12-1 (EC-No.) 404-360-3	0.5 - 1.5	Repr. 1B, H360D Aquatic Acute 1, H400,M=1 Aquatic Chronic 1, H410,M=1
Water	(CAS-No.) 7732-18-5 (EC-No.) 231-791-2	0.5 - 1.5	Substance not classified as hazardous
2-(2-Ethoxyethoxy)ethyl acrylate	(CAS-No.) 7328-17-8 (EC-No.) 230-811-7	0.5 - 1.5	Acute Tox. 4, H312 Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319

			Skin Sens. 1, H317 Aquatic Chronic 3, H412
Poly(dimethylsiloxane)	(CAS-No.) 63148-62-9	0.5 - 1.5	Substance not classified as hazardous
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	(CAS-No.) 71868-10-5 (EC-No.) ELINCS 400-600-6	0.5 - 1.5	Acute Tox. 4, H302 Repr. 1B, H360FD Aquatic Chronic 2, H411 Repr. 1B, H360FD
2-Isopropyl-9H-thioxanthen-9-one	(CAS-No.) 5495-84-1 (EC-No.) 226-827-9	< 1	Repr. 2, H361f Aquatic Chronic 1, H410,M=10
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	(CAS-No.) 28961-43-5 (EC-No.) 500-066-5	< 1	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Melamine	(CAS-No.) 108-78-1 (EC-No.) 203-615-4	< 1	Carc. 2, H351 STOT RE 2, H373 Repr. 2, H361f
Glycerol, propoxylated, esters with acrylic acid	(CAS-No.) 52408-84-1 (EC-No.) 500-114-5	< 1	Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
ethylbenzene	(CAS-No.) 100-41-4 (EC-No.) 202-849-4	< 1	Flam. Liq. 2, H225 Acute Tox. 4, H332 Asp. Tox. 1, H304 STOT RE 2, H373 Aquatic Chronic 3, H412
octamethylcyclotetrasiloxane	(CAS-No.) 556-67-2 (EC-No.) 209-136-7	< 0.1	Repr. 2, H361f Aquatic Chronic 1, H410,M=10 Flam. Liq. 3, H226

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance.

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

## **SECTION 4: First aid measures**

### **4.1. Description of first aid measures**

#### **Inhalation**

Remove person to fresh air. If you feel unwell, get medical attention.

#### **Skin contact**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### **Eye contact**

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

#### **If swallowed**

Rinse mouth. If you feel unwell, get medical attention.

### **4.2. Most important symptoms and effects, both acute and delayed**

The most important symptoms and effects based on the GB CLP classification include: Allergic skin reaction (redness, swelling, blistering, and itching). Serious irritation to the eyes (significant redness, swelling, pain, tearing, and impaired vision). Target organ effects. See Section 11 for additional details.

#### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

### Hazardous Decomposition or By-Products

<u>Substance</u>	<u>Condition</u>
Aldehydes.	During combustion.
formaldehyde	During combustion.
Carbon monoxide	During combustion.
Carbon dioxide.	During combustion.

### 5.3. Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (eg. gloves, respirators...) as required.

### 7.2. Conditions for safe storage including any incompatibilities

Keep cool. Protect from sunlight. Store away from heat. Store away from oxidising agents. Store away from areas where product may come into contact with food or pharmaceuticals.

### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
ethylbenzene	100-41-4	UK HSE	TWA:441 mg/m <sup>3</sup> (100 ppm);STEL:552 mg/m <sup>3</sup> (125 ppm)	SKIN
Silica, amorphous, inhalable dust	112945-52-5	UK HSE	TWA(as respirable dust):2.4 mg/m <sup>3</sup> ;TWA(as inhalable dust):6 mg/m <sup>3</sup>	
1-Vinylhexahydro-2H-azepin-2-one	2235-00-9	Manufacturer determined	TWA(8 hours):0.1 ppm(0.57 mg/m <sup>3</sup> )	
Pigment Yellow 150	939-379-0	UK HSE	TWA(as Ni):0.5 mg/m <sup>3</sup>	SKIN

UK HSE : UK Health and Safety Commission  
TWA: Time-Weighted-Average  
STEL: Short Term Exposure Limit  
CEIL: Ceiling

#### Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.  
Indirect vented goggles.

*Applicable Norms/Standards*

Use eye protection conforming to EN 16321

**Skin/hand protection**

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended:

Material	Thickness (mm)	Breakthrough Time
Polymer laminate	No data available	No data available

*Applicable Norms/Standards*

Use gloves tested to EN 374

If this product is used in a manner that presents a higher potential for exposure (e.g., spraying, high splash potential, etc.), then use of a protective apron may be necessary. See recommended glove material(s) for determining appropriate apron material(s). If a glove material is not available as an apron, polymer laminate is a suitable option.

**Respiratory protection**

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

*Applicable Norms/Standards*

Use a respirator conforming to EN 140 or EN 136: filter types A & P

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	Liquid.
<b>Specific Physical Form:</b>	Liquid.
<b>Colour</b>	Yellow
<b>Odor</b>	Slight Acrylate
<b>Odour threshold</b>	<i>No data available.</i>
<b>Melting point/freezing point</b>	<i>Not applicable.</i>
<b>Boiling point/boiling range</b>	> 148.9 °C
<b>Flammability</b>	Not applicable.
<b>Flammable Limits(LEL)</b>	<i>No data available.</i>
<b>Flammable Limits(UEL)</b>	<i>No data available.</i>
<b>Flash point</b>	> 93.3 °C [Test Method:Pensky-Martens Closed Cup]
<b>Autoignition temperature</b>	<i>No data available.</i>
<b>Decomposition temperature</b>	<i>No data available.</i>
<b>pH</b>	<i>substance/mixture is non-soluble (in water)</i>

<b>Kinematic Viscosity</b>	<i>No data available.</i>
<b>Water solubility</b>	Negligible
<b>Solubility- non-water</b>	<i>No data available.</i>
<b>Partition coefficient: n-octanol/water</b>	<i>No data available.</i>
<b>Vapour pressure</b>	< 1.2 mm Hg [ <i>@ 20 °C</i> ]
<b>Density</b>	approximately 1.3 g/ml
<b>Relative density</b>	approximately 1.3 [ <i>Ref Std: WATER=1</i> ]
<b>Relative Vapour Density</b>	<i>No data available.</i>
<b>Particle Characteristics</b>	<i>Not applicable.</i>

## 9.2. Other information

### 9.2.2 Other safety characteristics

<b>EU Volatile Organic Compounds</b>	<i>No data available.</i>
<b>Evaporation rate</b>	< 1 [ <i>Ref Std:BUOAC=1</i> ]
<b>Percent volatile</b>	1 - 5 % weight

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation may occur. Upon loss of initiator or with exposure to heat.

### 10.4 Conditions to avoid

Sparks and/or flames.  
Heat.

### 10.5 Incompatible materials

Strong oxidising agents.

### 10.6 Hazardous decomposition products

<u>Substance</u>	<u>Condition</u>
None known.	

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

### 11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.

#### Signs and Symptoms of Exposure

**Based on test data and/or information on the components, this material may produce the following health effects:**

#### **Inhalation**

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

#### **Skin contact**

Mild Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching. May cause additional health effects (see below).

#### **Eye contact**

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

#### **Ingestion**

May be harmful if swallowed.

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

#### **Additional Health Effects:**

#### **Prolonged or repeated exposure may cause target organ effects:**

Respiratory effects: Signs/symptoms may include cough, shortness of breath, chest tightness, wheezing, increased heart rate, bluish coloured skin (cyanosis), sputum production, changes in lung function tests, and respiratory failure.

#### **Reproductive/Developmental Toxicity:**

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

#### **Carcinogenicity:**

Contains a chemical or chemicals which can cause cancer.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### **Acute Toxicity**

<b>Name</b>	<b>Route</b>	<b>Species</b>	<b>Value</b>
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >2,000 - =5,000 mg/kg
2-Phenoxyethyl acrylate	Dermal	Rat	LD50 > 2,000 mg/kg
2-Phenoxyethyl acrylate	Ingestion	Rat	LD50 > 5,000 mg/kg
Methacrylate polymer	Dermal		LD50 estimated to be > 5,000 mg/kg
Methacrylate polymer	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
1-Vinylhexahydro-2H-azepin-2-one	Dermal	Rabbit	LD50 1,700 mg/kg
1-Vinylhexahydro-2H-azepin-2-one	Ingestion	Rat	LD50 1,049 mg/kg
Synthetic amorphous silica, fumed, crystalline-free	Dermal	Rabbit	LD50 > 5,000 mg/kg
Synthetic amorphous silica, fumed, crystalline-free	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
Synthetic amorphous silica, fumed, crystalline-free	Ingestion	Rat	LD50 > 5,110 mg/kg
Pigment Yellow 150	Dermal	Professional judgement	LD50 estimated to be > 5,000 mg/kg
Pigment Yellow 150	Inhalation-Dust/Mist	Rat	LC50 > 5.222 mg/l

**3M Screen Printing UV Ink 9845P Process Yellow**

	(4 hours)		
Pigment Yellow 150	Ingestion	Rat	LD50 > 5,000 mg/kg
2-(2-Ethoxyethoxy)ethyl acrylate	Dermal		LD50 estimated to be 1,000 - 2,000 mg/kg
2-(2-Ethoxyethoxy)ethyl acrylate	Ingestion	Rat	LD50 1,860 mg/kg
Poly(dimethylsiloxane)	Dermal	Multiple animal species	LD50 > 2,000 mg/kg
Poly(dimethylsiloxane)	Ingestion	Rat	LD50 > 5,000 mg/kg
2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	Dermal	Rat	LD50 > 2,000 mg/kg
2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	Ingestion	Rat	LD50 > 5,000 mg/kg
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	Dermal	Rat	LD50 > 2,000 mg/kg
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	Ingestion	Rat	LD50 967 mg/kg
ethylbenzene	Dermal	Rabbit	LD50 15,433 mg/kg
ethylbenzene	Inhalation-Vapour (4 hours)	Rat	LC50 17.4 mg/l
ethylbenzene	Ingestion	Rat	LD50 4,769 mg/kg
Glycerol, propoxylated, esters with acrylic acid	Dermal	Rabbit	LD50 > 2,000 mg/kg
Glycerol, propoxylated, esters with acrylic acid	Ingestion	Rat	LD50 > 2,000 mg/kg
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	Dermal	Rabbit	LD50 > 13,200 mg/kg
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	Ingestion	Rat	LD50 > 2,000 mg/kg
Melamine	Dermal	Rabbit	LD50 > 1,000 mg/kg
Melamine	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 5.19 mg/l
Melamine	Ingestion	Rat	LD50 3,161 mg/kg
2-Isopropyl-9H-thioxanthen-9-one	Dermal	Rat	LD50 > 2,000 mg/kg
2-Isopropyl-9H-thioxanthen-9-one	Ingestion	Rat	LD50 > 2,000 mg/kg
octamethylcyclotetrasiloxane	Dermal	Rat	LD50 > 2,400 mg/kg
octamethylcyclotetrasiloxane	Inhalation-Dust/Mist (4 hours)	Rat	LC50 36 mg/l
octamethylcyclotetrasiloxane	Ingestion	Rat	LD50 > 4,800 mg/kg

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

Name	Species	Value
2-Phenoxyethyl acrylate	Rabbit	No significant irritation
1-Vinylhexahydro-2H-azepin-2-one	Rabbit	Minimal irritation
Synthetic amorphous silica, fumed, crystalline-free	Rabbit	No significant irritation
Pigment Yellow 150	Rabbit	No significant irritation
2-(2-Ethoxyethoxy)ethyl acrylate	Rabbit	Irritant
Poly(dimethylsiloxane)	Human and animal	No significant irritation
2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	Rabbit	No significant irritation
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	Rabbit	No significant irritation
ethylbenzene	Rabbit	Mild irritant
Glycerol, propoxylated, esters with acrylic acid	Rabbit	Minimal irritation
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	Rabbit	Minimal irritation
Melamine	Rabbit	No significant irritation
2-Isopropyl-9H-thioxanthen-9-one	Rabbit	No significant irritation
octamethylcyclotetrasiloxane	Rabbit	No significant irritation

**Serious Eye Damage/Irritation**

Name	Species	Value
2-Phenoxyethyl acrylate	Rabbit	No significant irritation
1-Vinylhexahydro-2H-azepin-2-one	Rabbit	Severe irritant
Synthetic amorphous silica, fumed, crystalline-free	Rabbit	No significant irritation
Pigment Yellow 150	Rabbit	No significant irritation
2-(2-Ethoxyethoxy)ethyl acrylate	Rabbit	Severe irritant

Poly(dimethylsiloxane)	Rabbit	No significant irritation
2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	Rabbit	No significant irritation
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	Rabbit	No significant irritation
ethylbenzene	Rabbit	Moderate irritant
Glycerol, propoxylated, esters with acrylic acid	Rabbit	Severe irritant
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	Rabbit	Severe irritant
Melamine	Rabbit	No significant irritation
2-Isopropyl-9H-thioxanthen-9-one	Rabbit	No significant irritation
octamethylcyclotetrasiloxane	Rabbit	No significant irritation

**Skin Sensitisation**

Name	Species	Value
2-Phenoxyethyl acrylate	Guinea pig	Sensitising
1-Vinylhexahydro-2H-azepin-2-one	Mouse	Sensitising
Synthetic amorphous silica, fumed, crystalline-free	Human and animal	Not classified
Pigment Yellow 150	similar compounds	Sensitising
2-(2-Ethoxyethoxy)ethyl acrylate	Guinea pig	Sensitising
Poly(dimethylsiloxane)	Human and animal	Not classified
2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	Guinea pig	Not classified
ethylbenzene	Human	Not classified
Glycerol, propoxylated, esters with acrylic acid	Mouse	Sensitising
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	Guinea pig	Sensitising
Melamine	Guinea pig	Not classified
2-Isopropyl-9H-thioxanthen-9-one	Guinea pig	Some positive data exist, but the data are not sufficient for classification
octamethylcyclotetrasiloxane	Human and animal	Not classified

**Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Germ Cell Mutagenicity**

Name	Route	Value
1-Vinylhexahydro-2H-azepin-2-one	In Vitro	Not mutagenic
Synthetic amorphous silica, fumed, crystalline-free	In Vitro	Not mutagenic
Pigment Yellow 150	In Vitro	Not mutagenic
Poly(dimethylsiloxane)	In Vitro	Not mutagenic
Poly(dimethylsiloxane)	In vivo	Not mutagenic
2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	In Vitro	Not mutagenic
2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	In vivo	Not mutagenic
ethylbenzene	In vivo	Not mutagenic
ethylbenzene	In Vitro	Some positive data exist, but the data are not sufficient for classification
Glycerol, propoxylated, esters with acrylic acid	In Vitro	Some positive data exist, but the data are not sufficient for classification
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	In vivo	Not mutagenic
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	In Vitro	Some positive data exist, but the data are not sufficient for classification
Melamine	In Vitro	Not mutagenic
Melamine	In vivo	Not mutagenic

2-Isopropyl-9H-thioxanthen-9-one	In vivo	Not mutagenic
2-Isopropyl-9H-thioxanthen-9-one	In Vitro	Some positive data exist, but the data are not sufficient for classification
octamethylcyclotetrasiloxane	In vivo	Not mutagenic
octamethylcyclotetrasiloxane	In Vitro	Some positive data exist, but the data are not sufficient for classification

### Carcinogenicity

Name	Route	Species	Value
Synthetic amorphous silica, fumed, crystalline-free	Not specified.	Mouse	Some positive data exist, but the data are not sufficient for classification
Pigment Yellow 150	Not specified.	similar compounds	Carcinogenic.
Poly(dimethylsiloxane)	Dermal	Mouse	Not carcinogenic
Poly(dimethylsiloxane)	Ingestion	Mouse	Not carcinogenic
ethylbenzene	Inhalation	Multiple animal species	Carcinogenic.
Melamine	Ingestion	Multiple animal species	Carcinogenic.
octamethylcyclotetrasiloxane	Inhalation	Rat	Some positive data exist, but the data are not sufficient for classification

### Reproductive Toxicity

#### Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
2-Phenoxyethyl acrylate	Ingestion	Not classified for male reproduction	Rat	NOAEL 800 mg/kg/day	43 days
2-Phenoxyethyl acrylate	Ingestion	Toxic to female reproduction	Rat	NOAEL 300 mg/kg/day	prematuring into lactation
2-Phenoxyethyl acrylate	Ingestion	Toxic to development	Rat	NOAEL 300 mg/kg/day	prematuring into lactation
Synthetic amorphous silica, fumed, crystalline-free	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Synthetic amorphous silica, fumed, crystalline-free	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Synthetic amorphous silica, fumed, crystalline-free	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
Pigment Yellow 150	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	during gestation
Poly(dimethylsiloxane)	Ingestion	Not classified for development	Rat	NOAEL 3,800 mg/kg/day	during organogenesis
Poly(dimethylsiloxane)	Dermal	Not classified for development	Rabbit	NOAEL 1,000 mg/kg/day	during organogenesis
2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	Ingestion	Not classified for female reproduction	Rat	NOAEL 300 mg/kg/day	1 generation
2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	Ingestion	Not classified for male reproduction	Rat	NOAEL 300 mg/kg/day	1 generation
2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	Ingestion	Toxic to development	Rat	NOAEL 30 mg/kg/day	1 generation
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	Ingestion	Toxic to female reproduction	Rat	LOAEL 40 mg/kg/day	1 generation
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	Ingestion	Toxic to development	Rat	LOAEL 40 mg/kg/day	1 generation
ethylbenzene	Inhalation	Not classified for development	Rat	NOAEL 4.3 mg/l	prematuring & during gestation
Glycerol, propoxylated, esters with acrylic	Ingestion	Not classified for female reproduction	Rat	NOAEL 750	prematuring

**3M Screen Printing UV Ink 9845P Process Yellow**

acid				mg/kg/day	into lactation
Glycerol, propoxylated, esters with acrylic acid	Ingestion	Not classified for male reproduction	Rat	NOAEL 750 mg/kg/day	29 days
Glycerol, propoxylated, esters with acrylic acid	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	during organogenesis
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	29 days
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	during organogenesis
Melamine	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,227 mg/kg/day	2 generation
Melamine	Ingestion	Not classified for development	Rat	NOAEL 1,060 mg/kg/day	during organogenesis
Melamine	Ingestion	Toxic to male reproduction	Rat	NOAEL 89 mg/kg/day	2 generation
2-Isopropyl-9H-thioxanthen-9-one	Ingestion	Not classified for development	Rat	NOAEL 62.5 mg/kg/day	premating into lactation
2-Isopropyl-9H-thioxanthen-9-one	Ingestion	Toxic to female reproduction	Rat	NOAEL 62.5 mg/kg/day	premating into lactation
2-Isopropyl-9H-thioxanthen-9-one	Ingestion	Toxic to male reproduction	Rat	NOAEL 62.5 mg/kg/day	42 days
octamethylcyclotetrasiloxane	Inhalation	Not classified for male reproduction	Rat	NOAEL 8.5 mg/l	2 generation
octamethylcyclotetrasiloxane	Inhalation	Not classified for development	Rabbit	NOAEL 6 mg/l	during organogenesis
octamethylcyclotetrasiloxane	Ingestion	Not classified for development	Rabbit	NOAEL 100 mg/kg	during organogenesis
octamethylcyclotetrasiloxane	Inhalation	Toxic to female reproduction	Rat	NOAEL 3.6 mg/l	2 generation

**Target Organ(s)**
**Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
1-Vinylhexahydro-2H-azepin-2-one	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL Not available	
ethylbenzene	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human	NOAEL Not available	
ethylbenzene	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Human and animal	NOAEL Not available	
ethylbenzene	Ingestion	central nervous system depression	May cause drowsiness or dizziness	Professional judgement	NOAEL Not available	
Glycerol, propoxylated, esters with acrylic acid	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL not available	

**Specific Target Organ Toxicity - repeated exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
1-Vinylhexahydro-2H-	Inhalation	respiratory system	Causes damage to organs through	Rat	NOAEL	28 days

**3M Screen Printing UV Ink 9845P Process Yellow**

azepin-2-one			prolonged or repeated exposure		0.001 mg/l	
1-Vinylhexahydro-2H-azepin-2-one	Inhalation	blood   liver   kidney and/or bladder   eyes	Not classified	Rat	NOAEL 0.18 mg/l	90 days
1-Vinylhexahydro-2H-azepin-2-one	Ingestion	liver	Not classified	Rat	NOAEL 260 mg/kg/day	3 months
Synthetic amorphous silica, fumed, crystalline-free	Inhalation	respiratory system   silicosis	Not classified	Human	NOAEL Not available	occupational exposure
Pigment Yellow 150	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days
Poly(dimethylsiloxane)	Ingestion	eyes	Not classified	Rat	NOAEL 10% in the diet	90 days
Poly(dimethylsiloxane)	Ingestion	respiratory system	Not classified	Rat	NOAEL 1% in the diet	90 days
Poly(dimethylsiloxane)	Ingestion	gastrointestinal tract	Not classified	Multiple animal species	NOAEL 10% in the diet	90 days
Poly(dimethylsiloxane)	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 10% in the diet	90 days
Poly(dimethylsiloxane)	Ingestion	heart   liver   kidney and/or bladder   vascular system	Not classified	Rat	NOAEL 1% in the diet	90 days
2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	Ingestion	endocrine system   hematopoietic system   liver   kidney and/or bladder	Not classified	Rat	NOAEL 500 mg/kg/day	28 days
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	Ingestion	peripheral nervous system   eyes	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 75 mg/kg/day	90 days
ethylbenzene	Inhalation	auditory system	May cause damage to organs though prolonged or repeated exposure	Rat	LOAEL 0.9 mg/l	13 weeks
ethylbenzene	Inhalation	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1.1 mg/l	2 years
ethylbenzene	Inhalation	liver	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 1.1 mg/l	103 weeks
ethylbenzene	Inhalation	hematopoietic system	Not classified	Rat	NOAEL 3.4 mg/l	28 days
ethylbenzene	Inhalation	endocrine system	Not classified	Mouse	NOAEL 3.3 mg/l	103 weeks
ethylbenzene	Inhalation	gastrointestinal tract	Not classified	Rat	NOAEL 3.3 mg/l	2 years
ethylbenzene	Inhalation	bone, teeth, nails, and/or hair   muscles	Not classified	Multiple animal species	NOAEL 4.2 mg/l	90 days
ethylbenzene	Inhalation	heart   immune system   respiratory system	Not classified	Multiple animal species	NOAEL 3.3 mg/l	2 years
ethylbenzene	Ingestion	liver   kidney and/or bladder	Not classified	Rat	NOAEL 680 mg/kg/day	6 months
Glycerol, propoxylated, esters with acrylic acid	Dermal	heart	Not classified	Rabbit	NOAEL 500 mg/kg/day	2 weeks
Glycerol, propoxylated, esters with acrylic acid	Dermal	skin	Not classified	Rabbit	LOAEL 500 mg/kg/day	2 weeks
Glycerol, propoxylated, esters with acrylic acid	Dermal	liver   nervous system   kidney and/or bladder   respiratory system	Not classified	Rabbit	NOAEL 500 mg/kg/day	2 weeks
Glycerol, propoxylated, esters with acrylic acid	Ingestion	liver   kidney and/or bladder	Not classified	Rat	NOAEL 750 mg/kg/day	29 days
Glycerol, propoxylated, esters with acrylic acid	Ingestion	gastrointestinal tract	Not classified	Rat	NOAEL 150 mg/kg/day	90 days
Glycerol, propoxylated,	Ingestion	immune system	Not classified	Rat	NOAEL 750	29 days

esters with acrylic acid					mg/kg/day	
Glycerol, propoxylated, esters with acrylic acid	Ingestion	endocrine system   hematopoietic system   nervous system   eyes	Not classified	Rat	NOAEL 375 mg/kg/day	90 days
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	Ingestion	gastrointestinal tract	Not classified	Rat	NOAEL 100 mg/kg/day	29 days
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	Ingestion	endocrine system   hematopoietic system   liver   immune system   nervous system   kidney and/or bladder	Not classified	Rat	NOAEL 1,000 mg/kg/day	29 days
Melamine	Ingestion	kidney and/or bladder	Causes damage to organs through prolonged or repeated exposure	Rat	LOAEL 44.6 mg/kg/day	90 days
Melamine	Ingestion	heart   skin   endocrine system   gastrointestinal tract   bone, teeth, nails, and/or hair   hematopoietic system   liver   immune system   muscles   nervous system   respiratory system	Not classified	Rat	NOAEL 1,400 mg/kg/day	90 days
2-Isopropyl-9H-thioxanthen-9-one	Dermal	photoirritation	Not classified	Human	NOAEL not available	occupational exposure
2-Isopropyl-9H-thioxanthen-9-one	Ingestion	endocrine system   gastrointestinal tract   liver   kidney and/or bladder   auditory system   heart   bone, teeth, nails, and/or hair   hematopoietic system   immune system   nervous system   eyes   respiratory system   vascular system	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days
octamethylcyclotetrasiloxane	Dermal	hematopoietic system	Not classified	Rabbit	NOAEL 960 mg/kg/day	3 weeks
octamethylcyclotetrasiloxane	Inhalation	liver	Not classified	Rat	NOAEL 8.5 mg/l	13 weeks
octamethylcyclotetrasiloxane	Inhalation	endocrine system   immune system   kidney and/or bladder	Not classified	Rat	NOAEL 8.5 mg/l	2 generation
octamethylcyclotetrasiloxane	Inhalation	hematopoietic system	Not classified	Rat	NOAEL 8.5 mg/l	13 weeks
octamethylcyclotetrasiloxane	Ingestion	liver	Not classified	Rat	NOAEL 1,600 mg/kg/day	2 weeks

**Aspiration Hazard**

Name	Value
ethylbenzene	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**11.2. Information on other hazards**

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

## SECTION 12: Ecological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

### 12.1. Toxicity

No product test data available.

Material	CAS #	Organism	Type	Exposure	Test endpoint	Test result
2-Phenoxyethyl acrylate	48145-04-6	Activated sludge	Experimental	3 hours	EC50	177 mg/l
2-Phenoxyethyl acrylate	48145-04-6	Golden Orfe	Experimental	96 hours	LC50	10 mg/l
2-Phenoxyethyl acrylate	48145-04-6	Green algae	Experimental	72 hours	EC50	4.4 mg/l
2-Phenoxyethyl acrylate	48145-04-6	Water flea	Experimental	48 hours	EC50	1.21 mg/l
2-Phenoxyethyl acrylate	48145-04-6	Green algae	Experimental	72 hours	EC10	0.71 mg/l
Methacrylate polymer	Trade Secret	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
1-Vinylhexahydro-2H-azepin-2-one	2235-00-9	Bacteria	Experimental	17 hours	EC50	622 mg/l
1-Vinylhexahydro-2H-azepin-2-one	2235-00-9	Green algae	Experimental	72 hours	ErC50	>100 mg/l
1-Vinylhexahydro-2H-azepin-2-one	2235-00-9	Water flea	Experimental	48 hours	EC50	>100 mg/l
1-Vinylhexahydro-2H-azepin-2-one	2235-00-9	Zebra Fish	Experimental	96 hours	LC50	307 mg/l
1-Vinylhexahydro-2H-azepin-2-one	2235-00-9	Green algae	Experimental	72 hours	NOEC	25 mg/l
Pigment Yellow 150	939-379-0	Activated sludge	Experimental	3 hours	EC50	5,180 mg/l
Pigment Yellow 150	939-379-0	Green algae	Experimental	72 hours	No tox obs at lmt of water sol	>100 mg/l
Pigment Yellow 150	939-379-0	Water flea	Experimental	48 hours	No tox obs at lmt of water sol	>100 mg/l
Pigment Yellow 150	939-379-0	Zebra Fish	Experimental	96 hours	No tox obs at lmt of water sol	>100 mg/l
Pigment Yellow 150	939-379-0	Green algae	Experimental	72 hours	No tox obs at lmt of water sol	>100 mg/l
Pigment Yellow 150	939-379-0	Water flea	Experimental	21 days	No tox obs at lmt of water sol	>100 mg/l
Synthetic amorphous silica, fumed, crystalline-free	112945-52-5	Green algae	Analogous Compound	72 hours	ErC50	>173.1 mg/l
Synthetic amorphous silica, fumed, crystalline-free	112945-52-5	Sediment organism	Analogous Compound	96 hours	EC50	8,500 mg/kg (Dry Weight)
Synthetic amorphous silica, fumed, crystalline-free	112945-52-5	Water flea	Analogous Compound	24 hours	EL50	>10,000 mg/l
Synthetic amorphous silica, fumed, crystalline-free	112945-52-5	Zebra Fish	Analogous Compound	96 hours	LL50	>10,000 mg/l

**3M Screen Printing UV Ink 9845P Process Yellow**

Synthetic amorphous silica, fumed, crystalline-free	112945-52-5	Green algae	Analogous Compound	72 hours	NOEC	173.1 mg/l
Synthetic amorphous silica, fumed, crystalline-free	112945-52-5	Water flea	Analogous Compound	21 days	NOEC	68 mg/l
Synthetic amorphous silica, fumed, crystalline-free	112945-52-5	Activated sludge	Experimental	3 hours	EC50	>1,000 mg/l
2-benzyl-2-dimethylamino-4'-morpholinobutyrop henone	119313-12-1	Green algae	Experimental	72 hours	No tox obs at lmt of water sol	>100 mg/l
2-benzyl-2-dimethylamino-4'-morpholinobutyrop henone	119313-12-1	Water flea	Experimental	24 hours	No tox obs at lmt of water sol	>100 mg/l
2-benzyl-2-dimethylamino-4'-morpholinobutyrop henone	119313-12-1	Zebra Fish	Experimental	96 hours	LC50	0.46 mg/l
2-benzyl-2-dimethylamino-4'-morpholinobutyrop henone	119313-12-1	Water flea	Experimental	21 days	No tox obs at lmt of water sol	100 mg/l
2-benzyl-2-dimethylamino-4'-morpholinobutyrop henone	119313-12-1	Activated sludge	Experimental	30 minutes	EC50	>100 mg/l
2-benzyl-2-dimethylamino-4'-morpholinobutyrop henone	119313-12-1	Cucumber	Experimental	16 days	EC50	>316.2 mg/kg (Dry Weight)
2-benzyl-2-dimethylamino-4'-morpholinobutyrop henone	119313-12-1	Redworm	Experimental	14 days	LC50	>1,000 mg/kg (Dry Weight)
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	Activated sludge	Experimental	3 hours	EC50	>100 mg/l
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	Green algae	Experimental	72 hours	ErC50	1.6 mg/l
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	Water flea	Experimental	24 hours	EC50	15.3 mg/l
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	Zebra Fish	Experimental	96 hours	LC50	9 mg/l
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	Green algae	Experimental	72 hours	ErC10	0.92 mg/l
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	Water flea	Experimental	21 days	EC10	1.75 mg/l

**3M Screen Printing UV Ink 9845P Process Yellow**

1-one						
2-(2-Ethoxyethoxy)ethyl acrylate	7328-17-8	Golden Orfe	Experimental	96 hours	LC50	10 mg/l
2-(2-Ethoxyethoxy)ethyl acrylate	7328-17-8	Green algae	Experimental	72 hours	ErC50	3.2 mg/l
2-(2-Ethoxyethoxy)ethyl acrylate	7328-17-8	Water flea	Experimental	48 hours	EC50	10.56 mg/l
2-(2-Ethoxyethoxy)ethyl acrylate	7328-17-8	Green algae	Experimental	72 hours	NOEC	<1 mg/l
2-(2-Ethoxyethoxy)ethyl acrylate	7328-17-8	Activated sludge	Experimental	3 hours	EC50	770 mg/l
Poly(dimethylsiloxane)	63148-62-9	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Glycerol, propoxylated, esters with acrylic acid	52408-84-1	Activated sludge	Experimental	3 hours	EC20	507 mg/l
Glycerol, propoxylated, esters with acrylic acid	52408-84-1	Green algae	Experimental	72 hours	ErC50	12.2 mg/l
Glycerol, propoxylated, esters with acrylic acid	52408-84-1	Water flea	Experimental	48 hours	EC50	91.4 mg/l
Glycerol, propoxylated, esters with acrylic acid	52408-84-1	Zebra Fish	Experimental	96 hours	LC50	5.74 mg/l
Glycerol, propoxylated, esters with acrylic acid	52408-84-1	Green algae	Experimental	72 hours	NOEC	0.921 mg/l
2-Isopropyl-9H-thioxanthen-9-one	5495-84-1	Green algae	Endpoint not reached	72 hours	EC50	>100 mg/l
2-Isopropyl-9H-thioxanthen-9-one	5495-84-1	Activated sludge	Experimental	3 hours	EC50	>1,000 mg/l
2-Isopropyl-9H-thioxanthen-9-one	5495-84-1	Water flea	Experimental	48 hours	No tox obs at lmt of water sol	>100 mg/l
2-Isopropyl-9H-thioxanthen-9-one	5495-84-1	Green algae	Experimental	72 hours	NOEC	0.005 mg/l
ethylbenzene	100-41-4	Activated sludge	Experimental	49 hours	EC50	130 mg/l
ethylbenzene	100-41-4	Atlantic Silverside	Experimental	96 hours	LC50	5.1 mg/l
ethylbenzene	100-41-4	Green algae	Experimental	96 hours	EC50	3.6 mg/l
ethylbenzene	100-41-4	Mysid Shrimp	Experimental	96 hours	LC50	2.6 mg/l
ethylbenzene	100-41-4	Rainbow trout	Experimental	96 hours	LC50	4.2 mg/l
ethylbenzene	100-41-4	Water flea	Experimental	48 hours	EC50	1.8 mg/l
ethylbenzene	100-41-4	Water flea	Experimental	7 days	NOEC	0.96 mg/l
Melamine	108-78-1	Green algae	Experimental	96 hours	EC50	325 mg/l
Melamine	108-78-1	Guppy	Experimental	96 hours	LC50	>3,000 mg/l
Melamine	108-78-1	Water flea	Experimental	48 hours	EC50	48 mg/l

**3M Screen Printing UV Ink 9845P Process Yellow**

Melamine	108-78-1	Fathead minnow	Experimental	36 days	NOEC	5.1 mg/l
Melamine	108-78-1	Green algae	Experimental	96 hours	NOEC	98 mg/l
Melamine	108-78-1	Water flea	Experimental	21 days	NOEC	11 mg/l
Melamine	108-78-1	Activated sludge	Experimental	30 minutes	EC20	>1,992 mg/l
Melamine	108-78-1	Bacteria	Experimental	30 minutes	EC50	>10,000 mg/l
Melamine	108-78-1	Barley	Experimental	4 days	EC50	530 mg/l
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	28961-43-5	Green algae	Experimental	72 hours	ErC50	2.2 mg/l
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	28961-43-5	Water flea	Experimental	48 hours	EC50	70.7 mg/l
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	28961-43-5	Zebra Fish	Experimental	96 hours	LC50	1.95 mg/l
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	28961-43-5	Green algae	Experimental	72 hours	ErC10	0.323 mg/l
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	28961-43-5	Activated sludge	Experimental	3 hours	EC20	292 mg/l
octamethylcyclotetrasiloxane	556-67-2	Blackworm	Experimental	28 days	NOEC	0.73 mg/kg (Dry Weight)
octamethylcyclotetrasiloxane	556-67-2	Midge	Experimental	14 days	LC50	>170 mg/kg (Dry Weight)
octamethylcyclotetrasiloxane	556-67-2	Mysid Shrimp	Experimental	96 hours	LC50	>0.0091 mg/l
octamethylcyclotetrasiloxane	556-67-2	Rainbow trout	Experimental	96 hours	LC50	>0.022 mg/l
octamethylcyclotetrasiloxane	556-67-2	Water flea	Experimental	48 hours	EC50	>0.015 mg/l
octamethylcyclotetrasiloxane	556-67-2	Rainbow trout	Experimental	93 days	NOEC	0.0044 mg/l
octamethylcyclotetrasiloxane	556-67-2	Water flea	Experimental	21 days	NOEC	0.015 mg/l
octamethylcyclotetrasiloxane	556-67-2	Activated sludge	Experimental	3 hours	EC50	>10,000 mg/l

**12.2. Persistence and degradability**

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
2-Phenoxyethyl acrylate	48145-04-6	Experimental Biodegradation	28 days	BOD	22.3 %BOD/ThOD	OECD 301D - Closed bottle test
2-Phenoxyethyl acrylate	48145-04-6	Estimated Photolysis		Photolytic half-life (in air)	9.7 hours (t 1/2)	
Methacrylate polymer	Trade Secret	Data not available - insufficient	N/A	N/A	N/A	N/A
1-Vinylhexahydro-2H-azepin-2-one	2235-00-9	Experimental Biodegradation	28 days	Dissolv. Organic Carbon Deplet	30-40 %removal of DOC	OECD 301A - DOC Die Away Test
1-Vinylhexahydro-2H-azepin-2-one	2235-00-9	Experimental Biodegradation		Dissolv. Organic Carbon Deplet	98 %removal of DOC	OECD 302B Zahn-Wellens/EVPA
1-Vinylhexahydro-2H-azepin-2-one	2235-00-9	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	>1 years (t 1/2)	OECD 111 Hydrolysis func of pH
1-Vinylhexahydro-2H-azepin-2-one	2235-00-9	Experimental Hydrolysis		Hydrolytic half-life acidic pH	6.5 hours (t 1/2)	OECD 111 Hydrolysis func of pH

**3M Screen Printing UV Ink 9845P Process Yellow**

Pigment Yellow 150	939-379-0	Experimental Biodegradation	28 days	BOD	0 %BOD/COD	OECD 301F - Manometric respirometry
Synthetic amorphous silica, fumed, crystalline-free	112945-52-5	Data not available-insufficient	N/A	N/A	N/A	N/A
2-benzyl-2-dimethylamino-4'-morpholinobutyropenone	119313-12-1	Experimental Biodegradation	28 days	CO2 evolution	3 %CO2 evolution/THCO2 evolution	OECD 301B - Modified Sturm or CO2
2-benzyl-2-dimethylamino-4'-morpholinobutyropenone	119313-12-1	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	>1 years (t 1/2)	
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	Experimental Biodegradation	28 days	CO2 evolution	≤1 %CO2 evolution/THCO2 evolution	OECD 301B - Modified Sturm or CO2
2-(2-Ethoxyethoxy)ethyl acrylate	7328-17-8	Experimental Biodegradation	28 days	CO2 evolution	98 %CO2 evolution/THCO2 evolution	OECD 301B - Modified Sturm or CO2
2-(2-Ethoxyethoxy)ethyl acrylate	7328-17-8	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	313 days (t 1/2)	OECD 111 Hydrolysis function of pH
2-(2-Ethoxyethoxy)ethyl acrylate	7328-17-8	Experimental Hydrolysis		Hydrolytic half-life basic pH	4.65 days (t 1/2)	OECD 111 Hydrolysis function of pH
Poly(dimethylsiloxane)	63148-62-9	Data not available-insufficient	N/A	N/A	N/A	N/A
Glycerol, propoxylated, esters with acrylic acid	52408-84-1	Experimental Biodegradation	28 days	CO2 evolution	72-85 %CO2 evolution/THCO2 evolution	OECD 301B - Modified Sturm or CO2
2-Isopropyl-9H-thioxanthen-9-one	5495-84-1	Experimental Biodegradation	28 days	CO2 evolution	5 %CO2 evolution/THCO2 evolution	OECD 301B - Modified Sturm or CO2
ethylbenzene	100-41-4	Experimental Biodegradation	28 days	CO2 evolution	70-80 %CO2 evolution/THCO2 evolution	ISO 14593 Inorg C Headspace
ethylbenzene	100-41-4	Experimental Photolysis		Photolytic half-life (in air)	4.26 days (t 1/2)	
Melamine	108-78-1	Experimental Biodegradation	14 days	BOD	0 %BOD/ThOD	OECD 301C - MITI test (I)
Melamine	108-78-1	Experimental Aquatic Inherent Biodegrad.	28 days	Dissolv. Organic Carbon Deplet	0 %removal of DOC	OECD 302B Zahn-Wellens/EVPA
Melamine	108-78-1	Experimental Soil Metabolism Aerobic		Half-life (t 1/2)	2-3 years (t 1/2)	
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	28961-43-5	Experimental Biodegradation	28 days	CO2 evolution	60 %CO2 evolution/THCO2 evolution	OECD 301B - Modified Sturm or CO2
octamethylcyclotetrasiloxane	556-67-2	Experimental Biodegradation	29 days	CO2 evolution	3.7 %CO2 evolution/THCO2 evolution	OECD 310 CO2 Headspace
octamethylcyclotetrasiloxane	556-67-2	Experimental Photolysis		Photolytic half-life (in air)	31 days (t 1/2)	
octamethylcyclotetrasiloxane	556-67-2	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	69.3-144 hours (t 1/2)	OECD 111 Hydrolysis function of pH

**12.3 : Bioaccumulative potential**

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
2-Phenoxyethyl acrylate	48145-04-6	Experimental Bioconcentration		Log Kow	2.58	

**3M Screen Printing UV Ink 9845P Process Yellow**

Methacrylate polymer	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
1-Vinylhexahydro-2H-azepin-2-one	2235-00-9	Experimental Bioconcentration		Log Kow	1.2	similar to OECD 107
Pigment Yellow 150	939-379-0	Modeled Bioconcentration		Log Kow	-2.63	Episuite™
Synthetic amorphous silica, fumed, crystalline-free	112945-52-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
2-benzyl-2-dimethylamino-4'-morpholinobutyropenone	119313-12-1	Experimental Bioconcentration		Log Kow	2.91	OECD 107 log Kow shke flask mtd
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	Experimental BCF - Fish	56 days	Bioaccumulation factor	<10	
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5	Experimental Bioconcentration		Log Kow	3.09	
2-(2-Ethoxyethoxy)ethyl acrylate	7328-17-8	Experimental Bioconcentration		Log Kow	1.105	OECD 117 log Kow HPLC method
Poly(dimethylsiloxane)	63148-62-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Glycerol, propoxylated, esters with acrylic acid	52408-84-1	Experimental Bioconcentration		Log Kow	2.52	OECD 107 log Kow shke flask mtd
2-Isopropyl-9H-thioxanthen-9-one	5495-84-1	Estimated Bioconcentration		Bioaccumulation factor	219	
ethylbenzene	100-41-4	Experimental BCF - Fish	42 days	Bioaccumulation factor	1	
Melamine	108-78-1	Experimental BCF - Fish	42 days	Bioaccumulation factor	<3.8	OECD305-Bioconcentration
Melamine	108-78-1	Experimental Bioconcentration		Log Kow	-1.14	EC A.8 Partition Coefficient
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	28961-43-5	Experimental Bioconcentration		Log Kow	2.89	OECD 107 log Kow shke flask mtd
octamethylcyclotetrasiloxane	556-67-2	Experimental BCF - Fish	28 days	Bioaccumulation factor	12400	40CFR 797.1520-Fish Bioaccumm
octamethylcyclotetrasiloxane	556-67-2	Experimental Bioconcentration		Log Kow	6.49	OECD 123 log Kow slow stir

**12.4. Mobility in soil**

Material	Cas No.	Test type	Study Type	Test result	Protocol
2-Phenoxyethyl acrylate	48145-04-6	Estimated Mobility in Soil	Koc	220 l/kg	Episuite™
1-Vinylhexahydro-2H-azepin-2-one	2235-00-9	Modeled Mobility in Soil	Koc	47 l/kg	Episuite™
2-benzyl-2-dimethylamino-4'-morpholinobutyropenone	119313-12-1	Experimental Mobility in Soil	Koc	48,978 l/kg	OECD 121 Estim. of Koc by HPLC
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-	71868-10-5	Experimental Mobility in Soil	Koc	626 l/kg	OECD 121 Estim. of Koc by HPLC

1-one					
2-(2-Ethoxyethoxy)ethyl acrylate	7328-17-8	Experimental Mobility in Soil	Koc	<17.8 l/kg	OECD 121 Estim. of Koc by HPLC
Glycerol, propoxylated, esters with acrylic acid	52408-84-1	Experimental Mobility in Soil	Koc	100 l/kg	OECD 121 Estim. of Koc by HPLC
octamethylcyclotetrasiloxane	556-67-2	Experimental Mobility in Soil	Koc	16,600 l/kg	OECD 106 Adsp-Desb Batch Equil

**12.5. Results of the PBT and vPvB assessment**

<b>Ingredient</b>	<b>CAS Nbr</b>	<b>PBT/vPvB status</b>
octamethylcyclotetrasiloxane	556-67-2	Meets UK REACH PBT criteria
octamethylcyclotetrasiloxane	556-67-2	Meets UK REACH vPvB criteria

**12.6. Other adverse effects**

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

**EU waste code (product as sold)**

080312\* Waste ink containing dangerous substances

**SECTION 14: Transportation information**

	<b>Ground Transport (ADR)</b>	<b>Air Transport (IATA)</b>	<b>Marine Transport (IMDG)</b>
<b>14.1 - UN Number or ID number</b>	UN3082	UN3082	UN3082
<b>14.2 UN proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
<b>14.3 Transport hazard class(es)</b>	9	9	9

<b>14.4 Packing group</b>	III	III	III
<b>14.5 Environmental hazards</b>	Environmentally Hazardous	Not applicable.	Marine Pollutant
<b>14.6 Special precautions for user</b>	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
<b>14.7 Marine Transport in bulk according to IMO instruments</b>	No data available.	No data available.	No data available.
<b>Control Temperature</b>	No data available.	No data available.	No data available.
<b>Emergency Temperature</b>	No data available.	No data available.	No data available.
<b>ADR Classification Code</b>	M6	Not applicable.	Not applicable.
<b>IMDG Segregation Code</b>	Not applicable.	Not applicable.	NONE

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Carcinogenicity

<u>Ingredient</u>	<u>CAS Nbr</u>	<u>Classification</u>	<u>Regulation</u>
ethylbenzene	100-41-4	Grp. 2B: Possible human carc.	International Agency for Research on Cancer
Melamine	108-78-1	Carc. 2	The retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain, UK Mandatory Classification and Labelling list
Melamine	108-78-1	Grp. 2B: Possible human carc.	International Agency for Research on Cancer
Pigment Yellow 150	939-379-0	Carc. 2	3M classified according to the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain

**Restrictions on the manufacture, placing on the market and use:**

The following substance(s) contained in this product is/are subject to Annex XVII of regulation (EC) 1907/2006, as amended for GB, with regard to restrictions on the manufacture, placing on the market and use when present in certain dangerous conditions. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

<u>Ingredient</u>	<u>CAS Nbr</u>
octamethylcyclotetrasiloxane	556-67-2

Restriction status: listed in UK REACH Annex XVII

Restricted uses: See Annex XVII to Regulation (EC) No 1907/2006 as amended for Great Britain for Conditions of Restriction

**Authorisation status under UK REACH:**

The following substance/s contained in this product might be or is/are subject to authorisation in accordance with UK REACH:

<u>Ingredient</u>	<u>CAS Nbr</u>
2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone	119313-12-1
2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one	71868-10-5
octamethylcyclotetrasiloxane	556-67-2

Authorisation status: listed in the UK REACH Candidate List of Substances of Very High Concern for Authorisation

**Global inventory status**

Contact 3M for more information. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

**COMAH Regulation, SI 2015/483**

Seveso hazard categories, Annex 1, Part 1

Hazard Categories	Qualifying quantity (tonnes) for the application of	
	Lower-tier requirements	Upper-tier requirements
E2 Hazardous to the Aquatic environment	200	500

Seveso named dangerous substances, Annex 1, Part 2

None

**Regulation (EU) No 649/2012, as amended for GB**

No chemicals listed

**15.2. Chemical Safety Assessment**

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

**SECTION 16: Other information****List of relevant H statements**

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H360D	May damage the unborn child.
H360FD	May damage fertility. May damage the unborn child.
H361df	Suspected of damaging fertility. Suspected of damaging the unborn child.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H372	Causes damage to organs through prolonged or repeated exposure: liver   respiratory system.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Revision information:**

EU Section 14 - Table Data information was added.

EU Section 14 - Table Headers information was added.

GB Section 02: CLP Ingredient table information was modified.

GB Section 02: CLP Remark(phrase) information was deleted.

GB Section 15: Carcinogenicity information information was modified.

GBSDS Section 14 Transport in bulk - Main Heading information was deleted.

GBSDS Section 14 UN Number information was deleted.

Section 1: E-mail address information was modified.

Label: CLP Precautionary - Prevention information was modified.

Label: Graphic information was modified.

Section 3: Composition/ Information of ingredients table information was modified.

Section 5: Hazardous combustion products table information was modified.

Section 6: Accidental release personal information information was modified.

Section 7: Conditions safe storage information was modified.

Section 7: Precautions safe handling information information was modified.

Section 8: Appropriate Engineering controls information information was modified.

Section 8: Occupational exposure limit table information was modified.

OEL Reg Agency Desc information was modified.

Section 08: Personal Protection - Apron Statement information was added.

Section 8: Personal Protection - Skin/body information information was deleted.

Section 8: Skin protection - protective clothing information information was deleted.

Section 9: Flammability (solid, gas) information information was deleted.

Section 09: Flammability information information was added.  
Section 09: Odor information was modified.  
Section 09: Particle Characteristics N/A information was added.  
Section 9: Vapour pressure value information was modified.  
Section 11: Acute Toxicity table information was modified.  
Section 11: Aspiration Hazard Table information was added.  
Section 11: Aspiration Hazard text information was deleted.  
Section 11: Carcinogenicity Table information was modified.  
Section 11: Germ Cell Mutagenicity Table information was modified.  
Section 11: Reproductive Toxicity Table information was modified.  
Section 11: Serious Eye Damage/Irritation Table information was modified.  
Section 11: Skin Corrosion/Irritation Table information was modified.  
Section 11: Skin Sensitization Table information was modified.  
Section 11: Target Organs - Repeated Table information was modified.  
Section 11: Target Organs - Single Table information was modified.  
Section 12: Component ecotoxicity information information was modified.  
Section 12: Mobility in soil information information was modified.  
Section 12: Persistence and Degradability information information was modified.  
Section 12: Bioaccumulative potential information information was modified.  
Section 14 Classification Code – Main Heading information was deleted.  
Section 14 Classification Code – Regulation Data information was deleted.  
Section 14 Control Temperature – Main Heading information was deleted.  
Section 14 Control Temperature – Regulation Data information was deleted.  
Section 14 Emergency Temperature – Main Heading information was deleted.  
Section 14 Emergency Temperature – Regulation Data information was deleted.  
Section 14 Hazard Class + Sub Risk – Main Heading information was deleted.  
Section 14 Hazard Class + Sub Risk – Regulation Data information was deleted.  
Section 14 Other Dangerous Goods – Main Heading information was deleted.  
Section 14 Other Dangerous Goods – Regulation Data information was deleted.  
Section 14 Packing Group – Main Heading information was deleted.  
Section 14 Packing Group – Regulation Data information was deleted.  
Section 14 Proper Shipping Name information was deleted.  
Section 14 Regulations – Main Headings information was deleted.  
Section 14 Segregation – Regulation Data information was deleted.  
Section 14 Segregation Code – Main Heading information was deleted.  
Section 14 Special Precautions – Main Heading information was deleted.  
Section 14 Special Precautions – Regulation Data information was deleted.  
Section 14 Transport in bulk – Regulation Data information was deleted.  
Section 14 UN Number Column data information was deleted.  
Section 15: Seveso Substance Text information was deleted.  
Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

**3M SDSs for Great Britain are available at [www.3M.com/uk](http://www.3M.com/uk)**

For Northern Ireland documents, please contact your 3M representative to obtain a copy.