



## Safety Data Sheet

Copyright, 2025, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |           |                         |          |
|------------------------|-----------|-------------------------|----------|
| <b>Document Group:</b> | 11-9289-7 | <b>Version Number:</b>  | 12.01    |
| <b>Issue Date:</b>     | 05/16/25  | <b>Supersedes Date:</b> | 05/29/24 |

### SECTION 1: Identification

#### 1.1. Product identifier

3M™ Floor Stripper LO Concentrate (Product No. 22, 3M™ Chemical Management Systems)

#### Product Identification Numbers

61-0000-6346-3, 61-0000-6382-8, 61-0000-6412-3, 70-0708-4021-3, 70-0710-0980-0, 70-0716-5858-0, 70-0716-5882-0, 70-0716-8290-3

7100064517, 7010303923, 7010385966, 7010328503, 7010309285, 7010364155

#### 1.2. Recommended use and restrictions on use

##### Recommended use

A low odor stripper for removing sealers and floor finishes., Hard Floor Maintenance

#### 1.3. Supplier's details

|                      |                                                 |
|----------------------|-------------------------------------------------|
| <b>MANUFACTURER:</b> | 3M                                              |
| <b>DIVISION:</b>     | Commercial Branding and Transportation Division |
| <b>ADDRESS:</b>      | 3M Center, St. Paul, MN 55144-1000, USA         |
| <b>Telephone:</b>    | 1-888-3M HELPS (1-888-364-3577)                 |

#### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

### SECTION 2: Hazard identification

#### 2.1. Hazard classification

Acute Toxicity (oral): Category 4.

Acute Toxicity (dermal): Category 4.

Acute Toxicity (inhalation): Category 4.

Serious Eye Damage/Irritation: Category 1.

Skin Corrosion/Irritation: Category 1C.

Specific Target Organ Toxicity (single exposure): Category 3.

#### 2.2. Label elements

##### Signal word

Danger

##### Symbols

Corrosion | Exclamation mark |

**Pictograms****Hazard Statements**

Harmful if swallowed.  
 Harmful in contact with skin.  
 Causes severe skin burns and eye damage.  
 Harmful if inhaled.  
 May cause respiratory irritation.  
 May cause drowsiness or dizziness.

**Precautionary Statements****Prevention:**

Do not breathe dust/fume/gas/mist/vapors/spray.  
 Use only outdoors or in a well-ventilated area.  
 Wear protective gloves, protective clothing, and eye/face protection.  
 Do not eat, drink or smoke when using this product.  
 Wash thoroughly after handling.

**Response:**

IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 Immediately call a POISON CENTER or doctor/physician.  
 Wash contaminated clothing before reuse.  
 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

**Storage:**

Store in a well-ventilated place. Keep container tightly closed.  
 Store locked up.

**Disposal:**

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

**2.3. Hazards not otherwise classified**

May cause chemical gastrointestinal burns.

2% of the mixture consists of ingredients of unknown acute oral toxicity.  
 54% of the mixture consists of ingredients of unknown acute dermal toxicity.  
 56% of the mixture consists of ingredients of unknown acute inhalation toxicity.

**SECTION 3: Composition/information on ingredients**

| Ingredient                                             | C.A.S. No. | % by Wt                |
|--------------------------------------------------------|------------|------------------------|
| BENZYL ALCOHOL                                         | 100-51-6   | 30 - 60 Trade Secret * |
| ETHANOLAMINE                                           | 141-43-5   | 30 - 60 Trade Secret * |
| DECYL(SULFOPHENOXY)BENZENESULFONIC ACID, DISODIUM SALT | 36445-71-3 | 1 - 5 Trade Secret *   |

|                                          |            |                      |
|------------------------------------------|------------|----------------------|
| POLYETHYLENE GLYCOL TRIMETHYLNONYL ETHER | 60828-78-6 | 1 - 5 Trade Secret * |
| WATER                                    | 7732-18-5  | 1 - 5 Trade Secret * |
| C.I. ACID BLUE 9, DISODIUM SALT          | 3844-45-9  | < 0.1 Trade Secret * |
| C.I. ACID GREEN 25                       | 4403-90-1  | < 0.1 Trade Secret * |
| C.I. SOLVENT GREEN 7                     | 6358-69-6  | < 0.1 Trade Secret * |

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin Contact:

Immediately flush with large amounts of water for at least 15 minutes. Remove contaminated clothing. Get immediate medical attention. Wash clothing before reuse.

#### Eye Contact:

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

#### If Swallowed:

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### Hazardous Decomposition or By-Products

#### Substance

Carbon monoxide  
Carbon dioxide  
Oxides of Nitrogen  
Oxides of Sulfur

#### Condition

During Combustion  
During Combustion  
During Combustion  
During Combustion

### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS. Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice.

## 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

## 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. This product is not intended to be used without prior dilution as specified on the product label. Grounding or safety shoes with electrostatic dissipating soles (ESD) are not required with a chemical dispensing system. Keep out of reach of children. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

## 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store away from acids. Store away from oxidizing agents.

# SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient     | C.A.S. No. | Agency | Limit type             | Additional Comments |
|----------------|------------|--------|------------------------|---------------------|
| BENZYL ALCOHOL | 100-51-6   | AIHA   | TWA:44.2 mg/m3(10 ppm) |                     |
| ETHANOLAMINE   | 141-43-5   | ACGIH  | TWA:3 ppm;STEL:6 ppm   |                     |
| ETHANOLAMINE   | 141-43-5   | OSHA   | TWA:6 mg/m3(3 ppm)     |                     |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

## 8.2. Exposure controls

### 8.2.1. Engineering controls

NOTE: When used with a chemical dispensing system as directed, special ventilation is not required. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

NOTE: When used with a chemical dispensing system as directed, eye contact with the concentrate is not expected to occur. The following protection(s) are recommended if the product is not used with a chemical dispensing system or if there is an accidental release, wear protective eye/face protection. Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full Face Shield

Indirect Vented Goggles

#### Skin/hand protection

NOTE: When used with a chemical dispensing system as directed, skin contact with the concentrate is not expected to occur. If product is not used with a chemical dispensing system or if there is an accidental release:

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Butyl Rubber

Fluoroelastomer

Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary.

If product is not used with a chemical dispensing system or if there is an accidental release:

Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended:

Apron – Butyl rubber

Apron - polymer laminate

#### Respiratory protection

NOTE: When used with a chemical dispensing system as directed, respiratory protection is not required.

If product is not used with a chemical dispensing system or if there is an accidental release:

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state

Liquid

Color

Bright Green

|                                                |                                                                    |
|------------------------------------------------|--------------------------------------------------------------------|
| <b>Specific Physical Form:</b>                 | Liquid                                                             |
| <b>Odor</b>                                    | Moderate Soapy                                                     |
| <b>Odor threshold</b>                          | <i>No Data Available</i>                                           |
| <b>pH</b>                                      | 10.8 - 11.6 [ <i>Details: CONDITIONS: (5% in water)</i> ]          |
| <b>Melting point</b>                           | <i>Not Applicable</i>                                              |
| <b>Boiling Point</b>                           | > 300 °F                                                           |
| <b>Flash Point</b>                             | > 200 °F [ <i>Test Method: Closed Cup</i> ]                        |
| <b>Evaporation rate</b>                        | <i>No Data Available</i>                                           |
| <b>Flammability (solid, gas)</b>               | Not Applicable                                                     |
| <b>Flammable Limits(LEL)</b>                   | <i>No Data Available</i>                                           |
| <b>Flammable Limits(UEL)</b>                   | <i>No Data Available</i>                                           |
| <b>Vapor Pressure</b>                          | <=27 psia [ <i>@ 131 °F</i> ]                                      |
| <b>Vapor Density</b>                           | <i>No Data Available</i>                                           |
| <b>Specific Gravity</b>                        | 1.03 - 1.05 [ <i>Ref Std: WATER=1</i> ]                            |
| <b>Solubility in Water</b>                     | Moderate                                                           |
| <b>Solubility- non-water</b>                   | <i>No Data Available</i>                                           |
| <b>Partition coefficient: n-octanol/ water</b> | <i>No Data Available</i>                                           |
| <b>Autoignition temperature</b>                | <i>No Data Available</i>                                           |
| <b>Decomposition temperature</b>               | <i>No Data Available</i>                                           |
| <b>Viscosity</b>                               | 16 centipoise                                                      |
| <b>Average particle size</b>                   | <i>No Data Available</i>                                           |
| <b>Volatile Organic Compounds</b>              | 75 - 95 % [ <i>Test Method: calculated per CARB title 2</i> ]      |
| <b>VOC Less H2O &amp; Exempt Solvents</b>      | 750 - 1050 g/l [ <i>Test Method: calculated per CARB title 2</i> ] |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Not determined

### 10.5. Incompatible materials

Strong acids

Strong oxidizing agents

### 10.6. Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known.      |                  |

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

## 11.1. Information on Toxicological effects

### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

Harmful if inhaled.

May cause additional health effects (see below).

#### Skin Contact:

Harmful in contact with skin. Corrosive (Skin Burns): Signs/symptoms may include localized redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.

#### Eye Contact:

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

#### Ingestion:

Harmful if swallowed. Gastrointestinal Corrosion: Signs/symptoms may include severe mouth, throat and abdominal pain; nausea; vomiting; and diarrhea; blood in the feces and/or vomitus may also be seen.

May cause additional health effects (see below).

### Additional Health Effects:

#### Single exposure may cause target organ effects:

Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

| Name                                     | Route                          | Species                 | Value                                                   |
|------------------------------------------|--------------------------------|-------------------------|---------------------------------------------------------|
| Overall product                          | Dermal                         |                         | No data available; calculated ATE >1,000 - =2,000 mg/kg |
| Overall product                          | Inhalation-Vapor(4 hr)         |                         | No data available; calculated ATE >10 - =20 mg/l        |
| Overall product                          | Ingestion                      |                         | No data available; calculated ATE >300 - =2,000 mg/kg   |
| BENZYL ALCOHOL                           | Inhalation-Dust/Mist (4 hours) | Rat                     | LC50 8.8 mg/l                                           |
| BENZYL ALCOHOL                           | Ingestion                      | Rat                     | LD50 1,200 mg/kg                                        |
| ETHANOLAMINE                             | Inhalation-Vapor               | official classification | LC50 estimated to be 10 - 20 mg/l                       |
| ETHANOLAMINE                             | Dermal                         | Rabbit                  | LD50 2,504 mg/kg                                        |
| ETHANOLAMINE                             | Ingestion                      | Rat                     | LD50 1,089 mg/kg                                        |
| POLYETHYLENE GLYCOL TRIMETHYLNONYL ETHER | Dermal                         | similar compounds       | LD50 > 4,000 mg/kg                                      |
| POLYETHYLENE GLYCOL TRIMETHYLNONYL ETHER | Ingestion                      | similar compounds       | LD50 > 3,000 mg/kg                                      |
| C.I. ACID BLUE 9, DISODIUM SALT          | Ingestion                      | Rat                     | LD50 > 2,000 mg/kg                                      |
| C.I. ACID BLUE 9, DISODIUM SALT          | Dermal                         | similar                 | LD50 estimated to be > 5,000 mg/kg                      |

|  |  |                |  |
|--|--|----------------|--|
|  |  | health hazards |  |
|--|--|----------------|--|

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

| Name                                     | Species                 | Value              |
|------------------------------------------|-------------------------|--------------------|
| BENZYL ALCOHOL                           | Multiple animal species | Mild irritant      |
| ETHANOLAMINE                             | Rabbit                  | Corrosive          |
| POLYETHYLENE GLYCOL TRIMETHYLNONYL ETHER | Rabbit                  | Irritant           |
| C.I. ACID BLUE 9, DISODIUM SALT          | Human                   | Minimal irritation |

### Serious Eye Damage/Irritation

| Name                                     | Species | Value           |
|------------------------------------------|---------|-----------------|
| BENZYL ALCOHOL                           | Rabbit  | Severe irritant |
| ETHANOLAMINE                             | Rabbit  | Corrosive       |
| POLYETHYLENE GLYCOL TRIMETHYLNONYL ETHER | Rabbit  | Corrosive       |
| C.I. ACID BLUE 9, DISODIUM SALT          | Rabbit  | Mild irritant   |

### Skin Sensitization

| Name                            | Species    | Value                                                                        |
|---------------------------------|------------|------------------------------------------------------------------------------|
| BENZYL ALCOHOL                  | Human      | Some positive data exist, but the data are not sufficient for classification |
| ETHANOLAMINE                    | Guinea pig | Not classified                                                               |
| C.I. ACID BLUE 9, DISODIUM SALT | Mouse      | Not classified                                                               |

### Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

### Germ Cell Mutagenicity

| Name                            | Route    | Value                                                                        |
|---------------------------------|----------|------------------------------------------------------------------------------|
| BENZYL ALCOHOL                  | In vivo  | Not mutagenic                                                                |
| BENZYL ALCOHOL                  | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| ETHANOLAMINE                    | In Vitro | Not mutagenic                                                                |
| ETHANOLAMINE                    | In vivo  | Not mutagenic                                                                |
| C.I. ACID BLUE 9, DISODIUM SALT | In Vitro | Not mutagenic                                                                |
| C.I. ACID BLUE 9, DISODIUM SALT | In vivo  | Not mutagenic                                                                |

### Carcinogenicity

| Name                            | Route     | Species                 | Value            |
|---------------------------------|-----------|-------------------------|------------------|
| BENZYL ALCOHOL                  | Ingestion | Multiple animal species | Not carcinogenic |
| C.I. ACID BLUE 9, DISODIUM SALT | Ingestion | Rat                     | Not carcinogenic |

### Reproductive Toxicity

#### Reproductive and/or Developmental Effects

| Name           | Route     | Value                          | Species | Test Result         | Exposure Duration    |
|----------------|-----------|--------------------------------|---------|---------------------|----------------------|
| BENZYL ALCOHOL | Ingestion | Not classified for development | Mouse   | NOAEL 550 mg/kg/day | during organogenesis |
| ETHANOLAMINE   | Dermal    | Not classified for development | Rat     | NOAEL 225 mg/kg/day | during organogenesis |

|                                 |           |                                        |     |                       |                      |
|---------------------------------|-----------|----------------------------------------|-----|-----------------------|----------------------|
|                                 |           |                                        |     |                       | s                    |
| ETHANOLAMINE                    | Ingestion | Not classified for development         | Rat | NOAEL 450 mg/kg/day   | during organogenesis |
| C.I. ACID BLUE 9, DISODIUM SALT | Ingestion | Not classified for female reproduction | Rat | NOAEL 1,000 mg/kg/day | 3 generation         |
| C.I. ACID BLUE 9, DISODIUM SALT | Ingestion | Not classified for male reproduction   | Rat | NOAEL 1,000 mg/kg/day | 3 generation         |
| C.I. ACID BLUE 9, DISODIUM SALT | Ingestion | Not classified for development         | Rat | NOAEL 2,000 mg/kg/day | during organogenesis |

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

| Name                                     | Route      | Target Organ(s)                   | Value                                                                        | Species                | Test Result         | Exposure Duration |
|------------------------------------------|------------|-----------------------------------|------------------------------------------------------------------------------|------------------------|---------------------|-------------------|
| BENZYL ALCOHOL                           | Inhalation | central nervous system depression | May cause drowsiness or dizziness                                            |                        | NOAEL Not available |                   |
| BENZYL ALCOHOL                           | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification |                        | NOAEL Not available |                   |
| BENZYL ALCOHOL                           | Ingestion  | central nervous system depression | May cause drowsiness or dizziness                                            |                        | NOAEL Not available |                   |
| ETHANOLAMINE                             | Inhalation | respiratory irritation            | May cause respiratory irritation                                             | Human and animal       | NOAEL Not available |                   |
| POLYETHYLENE GLYCOL TRIMETHYLNONYL ETHER | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available |                   |

**Specific Target Organ Toxicity - repeated exposure**

| Name                            | Route      | Target Organ(s)                                                                                                                                                                             | Value          | Species | Test Result           | Exposure Duration |
|---------------------------------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------|-----------------------|-------------------|
| BENZYL ALCOHOL                  | Ingestion  | endocrine system   muscles   kidney and/or bladder                                                                                                                                          | Not classified | Rat     | NOAEL 400 mg/kg/day   | 13 weeks          |
| BENZYL ALCOHOL                  | Ingestion  | nervous system   respiratory system                                                                                                                                                         | Not classified | Mouse   | NOAEL 645 mg/kg/day   | 8 days            |
| ETHANOLAMINE                    | Inhalation | hematopoietic system   liver                                                                                                                                                                | Not classified | Rat     | NOAEL 0.1559 mg/l     | 28 days           |
| ETHANOLAMINE                    | Inhalation | respiratory system                                                                                                                                                                          | Not classified | Rat     | LOAEL 0.0102 mg/l     | 28 days           |
| ETHANOLAMINE                    | Inhalation | heart   endocrine system   immune system   nervous system   eyes   kidney and/or bladder                                                                                                    | Not classified | Rat     | NOAEL 0.1559 mg/l     | 28 days           |
| ETHANOLAMINE                    | Ingestion  | hematopoietic system   liver   kidney and/or bladder   respiratory system                                                                                                                   | Not classified | Rat     | NOAEL Not available   |                   |
| C.I. ACID BLUE 9, DISODIUM SALT | Ingestion  | heart   skin   endocrine system   gastrointestinal tract   bone, teeth, nails, and/or hair   hematopoietic system   liver   immune system   muscles   nervous system   eyes   kidney and/or | Not classified | Rat     | NOAEL 1,072 mg/kg/day | 30 months         |

|  |  |                                                      |  |  |  |  |
|--|--|------------------------------------------------------|--|--|--|--|
|  |  | bladder   respiratory<br>system   vascular<br>system |  |  |  |  |
|--|--|------------------------------------------------------|--|--|--|--|

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information****Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

**Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

**SECTION 13: Disposal considerations****13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

**EPA Hazardous Waste Number (RCRA):** Not regulated

**SECTION 14: Transport Information**

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

**SECTION 15: Regulatory information****15.1. US Federal Regulations****EPCRA 311/312 Hazard Classifications:****Physical Hazards**

Not applicable

**Health Hazards**

Acute toxicity

Hazard Not Otherwise Classified (HNOC)

Serious eye damage or eye irritation

Skin Corrosion or Irritation

Specific target organ toxicity (single or repeated exposure)

## 15.2. State Regulations

### 15.3. Chemical Inventories

The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the new substance notification requirements of CEPA.

The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of the Korean Toxic Chemical Control Law. Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

## 15.4. International Regulations

**This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.**

## SECTION 16: Other information

### NFPA Hazard Classification

**Health:** 3 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

**Acid/Base:** Alkaline **Corrosive:** Yes

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

### HMIS Hazard Classification

**Health:** 3 **Flammability:** 1 **Physical Hazard:** 0 **Personal Protection:** X - See PPE section.

Hazardous Material Identification System (HMIS® IV) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® IV ratings are to be used with a fully implemented HMIS® IV program. HMIS® is a registered mark of the American Coatings Association (ACA).

**Document Group:** 11-9289-7

**Version Number:** 12.01

**Issue Date:** 05/16/25

**Supersedes Date:** 05/29/24

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR

USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

**3M USA SDSs are available at [www.3M.com](http://www.3M.com)**