



## Safety Data Sheet

Copyright, 2025, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document Group:** 28-9303-0  
**Issue Date:** 05/16/25

**Version Number:** 5.03  
**Supersedes Date:** 05/20/24

### SECTION 1: Identification

#### 1.1. Product identifier

3M™ Neutral Cleaner LO Concentrate (Product No. 33, Twist 'n Fill™ System)

#### Product Identification Numbers

| ID Number      | UPC              | ID Number      | UPC              |
|----------------|------------------|----------------|------------------|
| 61-0000-6356-2 |                  | 70-0715-9215-1 | 00-48011-59169-3 |
| 70-0716-8351-3 | 00-48011-59169-3 |                |                  |

7010302091, 7010364134

#### 1.2. Recommended use and restrictions on use

##### Recommended use

No-rinse low-odor cleaner can be used in automatic scrubber or with mop to clean washable hard floors. Will not dull or damage floor finishes. No Fragrance Added. This product meets Green Seal™ Standard GS-37 based on effective performance, concentrated volume, minimized/recycled packaging, and protective limits on: VOCs and human & environmental toxicity. GreenSeal.org., Hard Surface Cleaner

#### 1.3. Supplier's details

**MANUFACTURER:** 3M  
**DIVISION:** Commercial Branding and Transportation Division  
**ADDRESS:** 3M Center, St. Paul, MN 55144-1000, USA  
**Telephone:** 1-888-3M HELPS (1-888-364-3577)

#### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

### SECTION 2: Hazard identification

#### 2.1. Hazard classification

Not classified as hazardous according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### 2.2. Label elements

##### Signal word

Not applicable.

**Symbols**

Not applicable.

**Pictograms**

Not applicable.

7% of the mixture consists of ingredients of unknown acute oral toxicity.

**SECTION 3: Composition/information on ingredients**

| <b>Ingredient</b>                          | <b>C.A.S. No.</b> | <b>% by Wt</b>           |
|--|-------------------|--------------------------|
| Water                                      | 7732-18-5         | 80 - 90 Trade Secret *   |
| Ethoxylated C9-11 Alcohols                 | 68439-46-3        | 6 - 8 Trade Secret *     |
| Alcohols, C12-14, Ethoxylated Propoxylated | 68439-51-0        | 5 - 7 Trade Secret *     |
| Surfactant (NJTSRN 04499600-6632)          | Trade Secret*     | 0.5 - 1 Trade Secret *   |
| 1-Octyl-2-Pyrrolidinone                    | 2687-94-7         | 0.1 - 0.5 Trade Secret * |
| 1-Undecanol                                | 112-42-5          | 0.1 - 0.5 Trade Secret * |
| C.I. Food Red 17                           | 25956-17-6        | < 0.05 Trade Secret *    |
| Sodium Lauryl Sulfate                      | 151-21-3          | < 0.05 Trade Secret *    |
| Dimethicone                                | 63148-62-9        | < 0.016 Trade Secret *   |
| Sodium Carboxymethyl Cellulose             | 9004-32-4         | < 0.0080 Trade Secret *  |

NJTS or NJTSRN: New Jersey Trade Secret Registry Number.

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation:**

Remove person to fresh air. If you feel unwell, get medical attention.

**Skin Contact:**

If exposed, wash with soap and water. If signs/symptoms develop, get medical attention.

**Eye Contact:**

If exposed, flush eyes with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms develop, get medical attention.

**If Swallowed:**

Rinse mouth. If you feel unwell, get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

**SECTION 5: Fire-fighting measures****5.1. Suitable extinguishing media**

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

**5.2. Special hazards arising from the substance or mixture**

None inherent in this product.

**5.3. Special protective actions for fire-fighters**

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS. Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice.

**6.2. Environmental precautions**

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

**6.3. Methods and material for containment and cleaning up**

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

For industrial/occupational use only. Not for consumer sale or use. This product is not intended to be used without prior dilution as specified on the product label. Grounding or safety shoes with electrostatic dissipating soles (ESD) are not required with a chemical dispensing system. Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

**7.2. Conditions for safe storage including any incompatibilities**

Store away from heat. Store away from oxidizing agents.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Occupational exposure limits**

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

**8.2. Exposure controls****8.2.1. Engineering controls**

NOTE: When used with a chemical dispensing system as directed, special ventilation is not required. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

NOTE: When used with a chemical dispensing system as directed, eye contact with the concentrate is not expected to occur. The following protection(s) are recommended if the product is not used with a chemical dispensing system or if there is an accidental release, wear protective eye/face protection.

#### Skin/hand protection

NOTE: When used with a chemical dispensing system as directed, skin contact with the concentrate is not expected to occur.

#### Respiratory protection

NOTE: When used with a chemical dispensing system as directed, respiratory protection is not required.

If product is not used with a chemical dispensing system or if there is an accidental release:

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state

Liquid

Color

Peach

Specific Physical Form:

Liquid

Odor

Slight Soapy

Odor threshold

No Data Available

pH

7 - 8

Melting point

Not Applicable

Boiling Point

> 200 °F

Flash Point

> 200 °F [Test Method: Closed Cup] [Details: Will not sustain combustion (ASTM D-4206).]

Evaporation rate

Approximately 1 [Ref Std: WATER=1]

Flammability (solid, gas)

Not Applicable

Flammable Limits(LEL)

No Data Available

Flammable Limits(UEL)

No Data Available

Vapor Pressure

< 27 psia [@ 131 °F]

Vapor Density

No Data Available

Specific Gravity

0.995 - 1.011 [Ref Std: WATER=1]

Solubility in Water

Complete

Solubility- non-water

No Data Available

Partition coefficient: n-octanol/ water

No Data Available

Autoignition temperature

No Data Available

Decomposition temperature

No Data Available

Viscosity

14 centipoise

Volatile Organic Compounds

< 1 % weight [Test Method: calculated per CARB title 2]

Percent volatile  
VOC Less H<sub>2</sub>O & Exempt Solvents

No Data Available  
< 50 g/l [Test Method:calculated per CARB title 2]

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Heat

Sparks and/or flames

### 10.5. Incompatible materials

Strong oxidizing agents

### 10.6. Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| Carbon monoxide  | Not Specified    |
| Carbon dioxide   | Not Specified    |

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

No health effects are expected.

#### Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation.

#### Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

#### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

| Name                              | Route                          | Species                 | Value  |
|-----------------------------------|--------------------------------|-------------------------|--|
| Overall product                   | Ingestion                      |                         | No data available; calculated ATE >5,000 mg/kg |
| Ethoxylated C9-11 Alcohols        | Dermal                         | similar compounds       | LD50 > 2,000 mg/kg                             |
| Ethoxylated C9-11 Alcohols        | Inhalation-Dust/Mist (4 hours) | similar compounds       | LC50 > 1.6 mg/l                                |
| Ethoxylated C9-11 Alcohols        | Ingestion                      | similar compounds       | LD50 3,488 mg/kg                               |
| Surfactant (NJTSRN 04499600-6632) | Dermal                         | Rabbit                  | LD50 > 2,000 mg/kg                             |
| Surfactant (NJTSRN 04499600-6632) | Ingestion                      | Rat                     | LD50 > 700 mg/kg                               |
| 1-Octyl-2-Pyrolidinone            | Inhalation-Vapor               | Professional judgement  | LC50 estimated to be > 50 mg/l                 |
| 1-Octyl-2-Pyrolidinone            | Dermal                         | Rat                     | LD50 > 4,000 mg/kg                             |
| 1-Octyl-2-Pyrolidinone            | Ingestion                      | Rat                     | LD50 2,050 mg/kg                               |
| 1-Undecanol                       | Dermal                         | Rabbit                  | LD50 > 3,160 mg/kg                             |
| 1-Undecanol                       | Ingestion                      | Rat                     | LD50 3,000 mg/kg                               |
| Sodium Lauryl Sulfate             | Ingestion                      | Rat                     | LD50 911 mg/kg                                 |
| Sodium Lauryl Sulfate             | Dermal                         | similar compounds       | LD50 > 2,000 mg/kg                             |
| C.I. Food Red 17                  | Dermal                         | Rabbit                  | LD50 > 10,000 mg/kg                            |
| C.I. Food Red 17                  | Ingestion                      | Rat                     | LD50 > 10,000 mg/kg                            |
| Dimethicone                       | Dermal                         | Multiple animal species | LD50 > 2,000 mg/kg                             |
| Dimethicone                       | Ingestion                      | Rat                     | LD50 > 5,000 mg/kg                             |
| Sodium Carboxymethyl Cellulose    | Dermal                         | Rabbit                  | LD50 > 2,000 mg/kg                             |
| Sodium Carboxymethyl Cellulose    | Ingestion                      | Rat                     | LD50 > 27,000 mg/kg                            |

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

| Name                              | Species                | Value                     |
|-----------------------------------|------------------------|---------------------------|
| Ethoxylated C9-11 Alcohols        | similar compounds      | Minimal irritation        |
| Surfactant (NJTSRN 04499600-6632) | similar health hazards | Irritant                  |
| 1-Octyl-2-Pyrolidinone            | Rabbit                 | Corrosive                 |
| 1-Undecanol                       | Rabbit                 | Irritant                  |
| Sodium Lauryl Sulfate             | Rabbit                 | Irritant                  |
| C.I. Food Red 17                  | Human and animal       | No significant irritation |
| Dimethicone                       | Human and animal       | No significant irritation |
| Sodium Carboxymethyl Cellulose    | Human                  | No significant irritation |

**Serious Eye Damage/Irritation**

| Name                       | Species                | Value             |
|----------------------------|------------------------|-------------------|
| Ethoxylated C9-11 Alcohols | Professional judgement | Moderate irritant |

|                                   |                       |                           |
|-----------------------------------|-----------------------|---------------------------|
| Surfactant (NJTSRN 04499600-6632) | Professional judgment | Corrosive                 |
| 1-Octyl-2-Pyrolidinone            | Rabbit                | Corrosive                 |
| 1-Undecanol                       | Rabbit                | Severe irritant           |
| Sodium Lauryl Sulfate             | Rabbit                | Corrosive                 |
| Dimethicone                       | Rabbit                | No significant irritation |
| Sodium Carboxymethyl Cellulose    | Rabbit                | No significant irritation |

**Skin Sensitization**

| Name                           | Species           | Value          |
|--------------------------------|-------------------|----------------|
| Ethoxylated C9-11 Alcohols     | Guinea pig        | Not classified |
| 1-Octyl-2-Pyrolidinone         | Human and animal  | Not classified |
| 1-Undecanol                    | Human and animal  | Not classified |
| Sodium Lauryl Sulfate          | similar compounds | Not classified |
| C.I. Food Red 17               | Human             | Not classified |
| Dimethicone                    | Human and animal  | Not classified |
| Sodium Carboxymethyl Cellulose | Human             | Not classified |

**Photosensitization**

| Name             | Species | Value           |
|------------------|---------|-----------------|
| C.I. Food Red 17 | Human   | Not sensitizing |

**Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity**

| Name                           | Route    | Value  |
|--------------------------------|----------|--|
| Ethoxylated C9-11 Alcohols     | In Vitro | Not mutagenic  |
| 1-Octyl-2-Pyrolidinone         | In Vitro | Not mutagenic  |
| 1-Octyl-2-Pyrolidinone         | In vivo  | Not mutagenic  |
| 1-Undecanol                    | In vivo  | Not mutagenic  |
| 1-Undecanol                    | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Sodium Lauryl Sulfate          | In Vitro | Not mutagenic  |
| Sodium Lauryl Sulfate          | In vivo  | Not mutagenic  |
| C.I. Food Red 17               | In Vitro | Not mutagenic  |
| Dimethicone                    | In Vitro | Not mutagenic  |
| Dimethicone                    | In vivo  | Not mutagenic  |
| Sodium Carboxymethyl Cellulose | In Vitro | Not mutagenic  |

**Carcinogenicity**

| Name             | Route     | Species | Value            |
|------------------|-----------|---------|------------------|
| 1-Undecanol      | Dermal    | Mouse   | Not carcinogenic |
| C.I. Food Red 17 | Ingestion | Rat     | Not carcinogenic |
| Dimethicone      | Dermal    | Mouse   | Not carcinogenic |
| Dimethicone      | Ingestion | Mouse   | Not carcinogenic |

**Reproductive Toxicity**

**Reproductive and/or Developmental Effects**

| Name                           | Route         | Value                                  | Species           | Test Result              | Exposure Duration    |
|--------------------------------|---------------|--|-------------------|--------------------------|----------------------|
| Ethoxylated C9-11 Alcohols     | Dermal        | Not classified for female reproduction | Rat               | NOAEL 250 mg/kg/day      | 2 generation         |
| Ethoxylated C9-11 Alcohols     | Dermal        | Not classified for development         | Rat               | NOAEL 250 mg/kg/day      | 2 generation         |
| Ethoxylated C9-11 Alcohols     | Dermal        | Not classified for male reproduction   | Rat               | NOAEL 100 mg/kg/day      | 2 generation         |
| 1-Octyl-2-Pyrolidinone         | Ingestion     | Not classified for female reproduction | Rat               | NOAEL 1,000 mg/kg/day    | 1 generation         |
| 1-Octyl-2-Pyrolidinone         | Ingestion     | Not classified for male reproduction   | Rat               | NOAEL 1,000 mg/kg/day    | 1 generation         |
| 1-Octyl-2-Pyrolidinone         | Ingestion     | Not classified for development         | Rat               | NOAEL 300 mg/kg/day      | 1 generation         |
| 1-Undecanol                    | Not Specified | Not classified for development         | similar compounds | NOAEL Not available      |                      |
| C.I. Food Red 17               | Ingestion     | Not classified for female reproduction | Rat               | NOAEL 3,600 mg/kg/day    | 2 generation         |
| C.I. Food Red 17               | Ingestion     | Not classified for male reproduction   | Rat               | NOAEL 2,830 mg/kg/day    | 2 generation         |
| C.I. Food Red 17               | Ingestion     | Not classified for development         | Rat               | NOAEL 3,600 mg/kg/day    | 2 generation         |
| Dimethicone                    | Ingestion     | Not classified for development         | Rat               | NOAEL 3,800 mg/kg/day    | during organogenesis |
| Dimethicone                    | Dermal        | Not classified for development         | Rabbit            | NOAEL 1,000 mg/kg/day    | during organogenesis |
| Sodium Carboxymethyl Cellulose | Ingestion     | Not classified for female reproduction | Rat               | NOAEL 1 g/kg in the diet | 3 generation         |
| Sodium Carboxymethyl Cellulose | Ingestion     | Not classified for male reproduction   | Rat               | NOAEL 1 g/kg in the diet | 3 generation         |

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

| Name                              | Route      | Target Organ(s)                   | Value  | Species                | Test Result         | Exposure Duration |
|-----------------------------------|------------|-----------------------------------|--|------------------------|---------------------|-------------------|
| Ethoxylated C9-11 Alcohols        | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available |                   |
| Surfactant (NJTSRN 04499600-6632) | Inhalation | respiratory irritation            | May cause respiratory irritation   | similar health hazards | NOAEL Not available |                   |
| 1-Octyl-2-Pyrolidinone            | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available |                   |
| 1-Undecanol                       | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification |                        | NOAEL Not available |                   |
| 1-Undecanol                       | Inhalation | central nervous system depression | Not classified   | Rat                    | NOAEL 0.4 mg/l      | 6 hours           |
| 1-Undecanol                       | Ingestion  | central nervous system depression | Some positive data exist, but the data are not sufficient for classification | Rat                    | NOAEL Not available |                   |
| Sodium Lauryl Sulfate             | Inhalation | respiratory irritation            | May cause respiratory irritation   | similar health hazards | NOAEL Not available |                   |

**Specific Target Organ Toxicity - repeated exposure**

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure |
|------|-------|-----------------|-------|---------|-------------|----------|
|------|-------|-----------------|-------|---------|-------------|----------|

|                                |           |   |                |                         |                          | Duration     |
|--------------------------------|-----------|---|----------------|-------------------------|--------------------------|--------------|
| Ethoxylated C9-11 Alcohols     | Dermal    | kidney and/or bladder   heart   hematopoietic system   liver   nervous system   respiratory system                                      | Not classified | Rat                     | NOAEL 125 mg/kg/day      | 13 weeks     |
| 1-Octyl-2-Pyrolidinone         | Ingestion | liver   hematopoietic system   eyes   kidney and/or bladder   respiratory system  | Not classified | Rat                     | NOAEL 492 mg/kg/day      | 90 days      |
| 1-Octyl-2-Pyrolidinone         | Ingestion | heart   endocrine system   gastrointestinal tract   immune system   nervous system  | Not classified | Rat                     | NOAEL 1,000 mg/kg/day    | 28 days      |
| Sodium Lauryl Sulfate          | Ingestion | liver   | Not classified | Rat                     | NOAEL 1,840 mg/kg/day    | 90 days      |
| C.I. Food Red 17               | Dermal    | skin  | Not classified | Mouse                   | NOAEL 167 mg/kg/day      | 20 months    |
| C.I. Food Red 17               | Ingestion | endocrine system  | Not classified | Mouse                   | NOAEL 8,350 mg/kg/day    | 1 generation |
| C.I. Food Red 17               | Ingestion | heart   bone marrow   hematopoietic system   liver   immune system   nervous system   eyes   kidney and/or bladder   respiratory system | Not classified | Rat                     | NOAEL 3,600 mg/kg/day    | 1 generation |
| Dimethicone                    | Ingestion | eyes  | Not classified | Rat                     | NOAEL 10% in the diet    | 90 days      |
| Dimethicone                    | Ingestion | respiratory system  | Not classified | Rat                     | NOAEL 1% in the diet     | 90 days      |
| Dimethicone                    | Ingestion | gastrointestinal tract  | Not classified | Multiple animal species | NOAEL 10% in the diet    | 90 days      |
| Dimethicone                    | Ingestion | hematopoietic system  | Not classified | Rat                     | NOAEL 10% in the diet    | 90 days      |
| Dimethicone                    | Ingestion | heart   liver   kidney and/or bladder   vascular system   | Not classified | Rat                     | NOAEL 1% in the diet     | 90 days      |
| Sodium Carboxymethyl Cellulose | Ingestion | blood   kidney and/or bladder   | Not classified | Rat                     | NOAEL 1 g/kg in the diet | 25 months    |

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.**

## SECTION 12: Ecological information

**Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

**Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material

and/or its components.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

**EPA Hazardous Waste Number (RCRA):** Not regulated

## SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

## SECTION 15: Regulatory information

### 15.1. US Federal Regulations

#### EPCRA 311/312 Hazard Classifications:

##### Physical Hazards

Not applicable

##### Health Hazards

Not applicable

### 15.2. State Regulations

### 15.3. Chemical Inventories

The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the new substance notification requirements of CEPA.

The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of the Korean Toxic Chemical Control Law. Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

### 15.4. International Regulations

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## SECTION 16: Other information

**NFPA Hazard Classification****Health:** 1 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**Document Group:** 28-9303-0  
**Issue Date:** 05/16/25**Version Number:** 5.03  
**Supersedes Date:** 05/20/24

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

**3M USA SDSs are available at [www.3M.com](http://www.3M.com)**