



## Safety Data Sheet

Copyright, 2026, 3M Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 07-3563-9  
**Issue Date:** 15/05/2026

**Version number:** 3.00  
**Supersedes date:** 08/04/2025

This Safety Data Sheet has been prepared in accordance with the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (Safe Work Australia, December 2011)

### SECTION 1: Identification

#### 1.1. Product identifier

3M™ General Purpose Adhesive Cleaner, PN 08987

#### Product Identification Numbers

60-4550-4585-0

7000045467

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Specialty Adhesive Remover (Automotive).

For Industrial or Professional use only.

#### 1.3. Supplier's details

**Address:** 3M Australia - Building A, 1 Rivett Road, North Ryde NSW 2113  
**Telephone:** 136 136  
**E Mail:** productinfo.au@mmm.com  
**Website:** www.3m.com.au

#### 1.4. Emergency telephone number

EMERGENCY: 1800 097 146 (Australia only)

### SECTION 2: Hazard identification

This product is classified as a hazardous chemical according to the Model Work Health and Safety Regulations, 2011, in accordance with applicable State and Territory legislation.

Refer to Section 14 of this Safety Data Sheets for product Dangerous Goods Classification.

#### 2.1. Classification of the substance or mixture

Flammable Aerosol: Category 1.

Skin Corrosion/Irritation: Category 2.  
Carcinogenicity: Category 2.  
Reproductive Toxicity: Category 1.  
Specific Target Organ Toxicity (single exposure): Category 1.  
Specific Target Organ Toxicity (repeated exposure): Category 1.  
Specific Target Organ Toxicity (single exposure): Category 3  
Aspiration Hazard: Category 1.

## 2.2. Label elements

The label elements below were prepared in accordance with the Code of Practice on Preparation of Safety Data Sheets for Hazardous Chemicals (Safe Work Australia, December 2011). This information may be different from the actual product label.

### Signal word

Danger

### Symbols

Flame | Exclamation mark | Health Hazard |

### Pictograms



### Hazard statements

|      |                                                                                    |
|------|------------------------------------------------------------------------------------|
| H222 | Extremely flammable aerosol.                                                       |
| H229 | Pressurised container: may burst if heated.                                        |
| H315 | Causes skin irritation.                                                            |
| H351 | Suspected of causing cancer.                                                       |
| H360 | May damage fertility or the unborn child.                                          |
| H336 | May cause drowsiness or dizziness.                                                 |
| H304 | May be fatal if swallowed and enters airways.                                      |
| H370 | Causes damage to organs: cardiovascular system   sensory organs.                   |
| H372 | Causes damage to organs through prolonged or repeated exposure: nervous system.    |
| H373 | May cause damage to organs through prolonged or repeated exposure: sensory organs. |

### Precautionary statements

#### General:

|      |                                                                       |
|------|-----------------------------------------------------------------------|
| P101 | If medical advice is needed, have product container or label at hand. |
| P102 | Keep out of reach of children.                                        |

#### Prevention:

|      |                                                                                                   |
|------|---------------------------------------------------------------------------------------------------|
| P201 | Obtain special instructions before use.                                                           |
| P202 | Do not handle until all safety precautions have been read and understood.                         |
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.<br>No smoking. |
| P211 | Do not spray on an open flame or other ignition source.                                           |
| P251 | Do not pierce or burn, even after use.                                                            |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray.                                                  |

P264 Wash exposed skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280K Wear protective gloves and respiratory protection.

**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P308 + P313 IF exposed or concerned: Get medical advice/attention.  
P314 Get medical advice/attention if you feel unwell.  
P331 Do NOT induce vomiting.  
P332 + P313 If skin irritation occurs: Get medical advice/attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C.

**Disposal:**

P501 Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

**2.3. Other assigned/identified product hazards**

None known.

**2.4. Other hazards which do not result in classification**

Toxic to aquatic life.  
Harmful to aquatic life with long lasting effects.

## SECTION 3: Composition/information on ingredients

This material is a mixture.

| Ingredient                             | CAS Nbr    | % by Weight |
|----------------------------------------|------------|-------------|
| Hydrotreated Light Naphtha (Petroleum) | 64742-49-0 | 30 - 60     |
| Xylene                                 | 1330-20-7  | 15 - 40     |
| Propane                                | 74-98-6    | 10 - 30     |
| Ethylbenzene                           | 100-41-4   | 5 - 10      |
| Toluene                                | 108-88-3   | < 0.8       |

## SECTION 4: First aid measures

**4.1. Description of first aid measures**

**Inhalation**

Remove person to fresh air. Get medical attention.

**Skin contact**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

**Eye contact**

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

**If swallowed**

Do not induce vomiting. Get immediate medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

Aspiration pneumonitis (coughing, gasping, choking, burning of the mouth, and difficulty breathing). Central nervous system depression (headache, dizziness, drowsiness, incoordination, nausea, slurred speech, giddiness, and unconsciousness). Target organ effects. See Section 11 for additional details. Target organ effects following prolonged or repeated exposure. See Section 11 for additional details.

**4.3. Indication of any immediate medical attention and special treatment required**

Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary.

## SECTION 5: Fire-fighting measures

**5.1. Suitable extinguishing media**

Use a fire fighting agent suitable for the surrounding fire.

**5.2. Special hazards arising from the substance or mixture**

Closed containers exposed to heat from fire may build pressure and explode.

**Hazardous Decomposition or By-Products**

**Substance**

Carbon monoxide.

Carbon dioxide.

**Condition**

During combustion.

During combustion.

**5.3. Special protective actions for fire-fighters**

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

**Hazchem Code:** 2YE

## SECTION 6: Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. **WARNING !** A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

**6.2. Environmental precautions**

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

**6.3. Methods and material for containment and cleaning up**

If possible, seal leaking container. Place leaking containers in a well-ventilated area, preferably an operating exhaust hood, or if necessary outdoors on an impermeable surface until appropriate packaging for the leaking container or its contents is available. Cover spill area with a fire-extinguishing foam. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears

dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Do not use in a confined area with minimal air exchange. Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (eg. gloves, respirators...) as required.

### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store away from heat. Store away from acids. Store away from oxidising agents.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient   | CAS Nbr   | Agency         | Limit type                                                          | Additional comments                             |
|--------------|-----------|----------------|---------------------------------------------------------------------|-------------------------------------------------|
| Ethylbenzene | 100-41-4  | ACGIH          | TWA:20 ppm                                                          | A3: Confirmed animal carcin., Ototoxicant       |
| Ethylbenzene | 100-41-4  | Australia OELs | TWA(8 hours):434 mg/m3(100 ppm);STEL(15 minutes):543 mg/m3(125 ppm) |                                                 |
| Toluene      | 108-88-3  | ACGIH          | TWA:20 ppm                                                          | A4: Not class. as human carcinogen, Ototoxicant |
| Toluene      | 108-88-3  | Australia OELs | TWA(8 hours):191 mg/m3(50 ppm);STEL(15 minutes):574 mg/m3(150 ppm)  | SKIN                                            |
| Xylene       | 1330-20-7 | ACGIH          | TWA:20 ppm                                                          | A4: Not class. as human carcin                  |
| Xylene       | 1330-20-7 | Australia OELs | TWA(8 hours):350 mg/m3(80 ppm);STEL(15 minutes):655 mg/m3(150 ppm)  |                                                 |
| Propane      | 74-98-6   | ACGIH          | Limit value not established:                                        | asphyxiant                                      |
| Propane      | 74-98-6   | Australia OELs | Limit value not established:                                        | Explosion hazard, asphyxiant                    |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

Australia OELs : Australia. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment

CMRG : Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

Sen: Sensitiser

Sk: Absorption through the skin may be a significant source of exposure.

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect vented goggles.

Select and use eye protection in accordance with AS/NZS 1336. Eye protection should comply with the performance specifications of AS/NZS 1337.

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

For prolonged or repeated contact, gloves made from the following material(s) are recommended (breakthrough times are >4 hours): Polymer laminate, Polyvinyl alcohol (PVA).

Any glove recommended for prolonged/repeated contact is also suitable for short-term/splash contact.

Select and use gloves according to AS/NZ 2161.

#### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

Half facepiece or full facepiece supplied-air respirator.

For questions about suitability for a specific application, consult with your respirator manufacturer.

Select and use respirators according to AS/NZS 1715. Respirators should comply with AS/NZS 1716 performance specifications. For information about respirators, call 3M on 1800 024 464.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                                          |                                                |
|----------------------------------------------------------|------------------------------------------------|
| <b>Physical state</b>                                    | Liquid.                                        |
| <b>Specific Physical Form:</b>                           | Aerosol                                        |
| <b>Colour</b>                                            | Colourless                                     |
| <b>Odour</b>                                             | Moderate Solvent                               |
| <b>Odour threshold</b>                                   | No data available.                             |
| <b>pH</b>                                                | Not applicable.                                |
| <b>Melting point/Freezing point</b>                      | Not applicable.                                |
| <b>Boiling point/Initial boiling point/Boiling range</b> | 162.8 °C [Details: CONDITIONS: Compressed Gas] |

|                                        |                                                        |
|----------------------------------------|--------------------------------------------------------|
| Flash point                            | -41.1 °C [Details:(Propellant)]                        |
| Evaporation rate                       | No data available.                                     |
| Flammability                           | Flammable Aerosol: Category 1.                         |
| Flammable Limits(LEL)                  | No data available.                                     |
| Flammable Limits(UEL)                  | No data available.                                     |
| Vapour pressure                        | 50 psi [Details:CONDITIONS: @ 21C]                     |
| Relative Vapor Density                 | >=1 [Ref Std: AIR=1]                                   |
| Density                                | 0.738 g/ml                                             |
| Relative density                       | 0.738 [Ref Std: WATER=1]                               |
| Water solubility                       | Nil                                                    |
| Solubility- non-water                  | No data available.                                     |
| Partition coefficient: n-octanol/water | No data available.                                     |
| Autoignition temperature               | No data available.                                     |
| Decomposition temperature              | No data available.                                     |
| Kinematic Viscosity                    | No data available.                                     |
| Volatile organic compounds (VOC)       | 738 g/l [Test Method:calculated SCAQMD rule 443.1]     |
| Volatile organic compounds (VOC)       | 100 % weight [Test Method:calculated per CARB title 2] |
| Percent volatile                       | 100 % weight                                           |
| VOC less H2O & exempt solvents         | 738 g/l [Test Method:calculated SCAQMD rule 443.1]     |

Particle Characteristics *Not applicable.*

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3. Conditions to avoid

Heat.

Sparks and/or flames.

### 10.4. Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.5 Incompatible materials

Strong oxidising agents.

### 10.6 Hazardous decomposition products

#### Substance

None known.

#### Condition

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1 Information on Toxicological effects

## Signs and Symptoms of Exposure

**Based on test data and/or information on the components, this material may produce the following health effects:**

### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

### Skin contact

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

### Eye contact

Sprayed material may cause eye irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

### Ingestion

Chemical (aspiration) pneumonitis: Signs/symptoms may include coughing, gasping, choking, burning of the mouth, difficulty breathing, bluish coloured skin (cyanosis), and may be fatal. Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

## Additional Health Effects:

### Single exposure may cause target organ effects:

Auditory effects: Signs/symptoms may include hearing impairment, balance dysfunction and ringing in the ears. Central nervous system (CNS) depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness. Single exposure, above recommended guidelines, may cause: Cardiac Sensitization: Signs/symptoms may include irregular heartbeat (arrhythmia), faintness, chest pain, and may be fatal.

### Prolonged or repeated exposure may cause target organ effects:

Auditory effects: Signs/symptoms may include hearing impairment, balance dysfunction and ringing in the ears. Neurological effects: Signs/symptoms may include personality changes, lack of coordination, sensory loss, tingling or numbness of the extremities, weakness, tremors, and changes in blood pressure and heart rate.

### Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

### Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

## Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

### Acute Toxicity

| Name                                   | Route                       | Species | Value                                          |
|----------------------------------------|-----------------------------|---------|------------------------------------------------|
| Overall product                        | Dermal                      |         | No data available; calculated ATE >5,000 mg/kg |
| Overall product                        | Inhalation-Vapour(4 hr)     |         | No data available; calculated ATE >50 mg/l     |
| Overall product                        | Ingestion                   |         | No data available; calculated ATE >5,000 mg/kg |
| Hydrotreated Light Naphtha (Petroleum) | Dermal                      | Rabbit  | LD50 > 3,160 mg/kg                             |
| Hydrotreated Light Naphtha (Petroleum) | Inhalation-Vapour (4 hours) | Rat     | LC50 > 14.7 mg/l                               |
| Hydrotreated Light Naphtha             | Ingestion                   | Rat     | LD50 > 5,000 mg/kg                             |

|              |                             |        |                    |
|--------------|-----------------------------|--------|--------------------|
| (Petroleum)  |                             |        |                    |
| Xylene       | Dermal                      | Rabbit | LD50 > 4,200 mg/kg |
| Xylene       | Inhalation-Vapour (4 hours) | Rat    | LC50 29 mg/l       |
| Xylene       | Ingestion                   | Rat    | LD50 3,523 mg/kg   |
| Propane      | Inhalation-Gas (4 hours)    | Rat    | LC50 > 200,000 ppm |
| Ethylbenzene | Dermal                      | Rabbit | LD50 15,433 mg/kg  |
| Ethylbenzene | Inhalation-Vapour (4 hours) | Rat    | LC50 17.4 mg/l     |
| Ethylbenzene | Ingestion                   | Rat    | LD50 4,769 mg/kg   |
| Toluene      | Dermal                      | Rat    | LD50 12,000 mg/kg  |
| Toluene      | Inhalation-Vapour (4 hours) | Rat    | LC50 30 mg/l       |
| Toluene      | Ingestion                   | Rat    | LD50 5,550 mg/kg   |

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

| Name                                   | Species | Value              |
|----------------------------------------|---------|--------------------|
| Hydrotreated Light Naphtha (Petroleum) | Rabbit  | Irritant           |
| Xylene                                 | Rabbit  | Mild irritant      |
| Propane                                | Rabbit  | Minimal irritation |
| Ethylbenzene                           | Rabbit  | Mild irritant      |
| Toluene                                | Rabbit  | Irritant           |

#### Serious Eye Damage/Irritation

| Name                                   | Species | Value             |
|----------------------------------------|---------|-------------------|
| Hydrotreated Light Naphtha (Petroleum) | Rabbit  | Mild irritant     |
| Xylene                                 | Rabbit  | Mild irritant     |
| Propane                                | Rabbit  | Mild irritant     |
| Ethylbenzene                           | Rabbit  | Moderate irritant |
| Toluene                                | Rabbit  | Moderate irritant |

#### Skin Sensitisation

| Name                                   | Species    | Value          |
|----------------------------------------|------------|----------------|
| Hydrotreated Light Naphtha (Petroleum) | Guinea pig | Not classified |
| Ethylbenzene                           | Human      | Not classified |
| Toluene                                | Guinea pig | Not classified |

#### Respiratory Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

#### Germ Cell Mutagenicity

| Name                                   | Route    | Value                                                                        |
|----------------------------------------|----------|------------------------------------------------------------------------------|
| Hydrotreated Light Naphtha (Petroleum) | In Vitro | Not mutagenic                                                                |
| Xylene                                 | In Vitro | Not mutagenic                                                                |
| Xylene                                 | In vivo  | Not mutagenic                                                                |
| Propane                                | In Vitro | Not mutagenic                                                                |
| Ethylbenzene                           | In vivo  | Not mutagenic                                                                |
| Ethylbenzene                           | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Toluene                                | In Vitro | Not mutagenic                                                                |

|         |         |               |
|---------|---------|---------------|
| Toluene | In vivo | Not mutagenic |
|---------|---------|---------------|

**Carcinogenicity**

| Name                                   | Route      | Species                 | Value                                                                        |
|----------------------------------------|------------|-------------------------|------------------------------------------------------------------------------|
| Hydrotreated Light Naphtha (Petroleum) | Inhalation | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| Xylene                                 | Dermal     | Rat                     | Not carcinogenic                                                             |
| Xylene                                 | Ingestion  | Multiple animal species | Not carcinogenic                                                             |
| Xylene                                 | Inhalation | Human                   | Some positive data exist, but the data are not sufficient for classification |
| Ethylbenzene                           | Inhalation | Multiple animal species | Carcinogenic.                                                                |
| Toluene                                | Dermal     | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| Toluene                                | Ingestion  | Rat                     | Some positive data exist, but the data are not sufficient for classification |
| Toluene                                | Inhalation | Mouse                   | Some positive data exist, but the data are not sufficient for classification |

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

| Name         | Route      | Value                                  | Species                 | Test result         | Exposure Duration            |
|--------------|------------|----------------------------------------|-------------------------|---------------------|------------------------------|
| Xylene       | Inhalation | Not classified for female reproduction | Human                   | NOAEL Not available | occupational exposure        |
| Xylene       | Ingestion  | Not classified for development         | Mouse                   | NOAEL Not available | during organogenesis         |
| Xylene       | Inhalation | Not classified for development         | Multiple animal species | NOAEL Not available | during gestation             |
| Ethylbenzene | Inhalation | Not classified for development         | Rat                     | NOAEL 4.3 mg/l      | premating & during gestation |
| Toluene      | Inhalation | Not classified for female reproduction | Human                   | NOAEL Not available | occupational exposure        |
| Toluene      | Inhalation | Not classified for male reproduction   | Rat                     | NOAEL 2.3 mg/l      | 1 generation                 |
| Toluene      | Ingestion  | Toxic to development                   | Rat                     | LOAEL 520 mg/kg/day | during gestation             |
| Toluene      | Inhalation | Toxic to development                   | Human                   | NOAEL Not available | poisoning and/or abuse       |

**Lactation**

| Name   | Route     | Species | Value                                          |
|--------|-----------|---------|------------------------------------------------|
| Xylene | Ingestion | Mouse   | Not classified for effects on or via lactation |

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

| Name                                   | Route      | Target Organ(s)                   | Value                                                         | Species          | Test result         | Exposure Duration |
|----------------------------------------|------------|-----------------------------------|---------------------------------------------------------------|------------------|---------------------|-------------------|
| Hydrotreated Light Naphtha (Petroleum) | Inhalation | central nervous system depression | May cause drowsiness or dizziness                             | Human and animal | NOAEL Not available |                   |
| Hydrotreated Light Naphtha (Petroleum) | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for |                  | NOAEL Not available |                   |

|                                        |            |                                   | classification                                                               |                         |                     |                        |
|----------------------------------------|------------|-----------------------------------|------------------------------------------------------------------------------|-------------------------|---------------------|------------------------|
| Hydrotreated Light Naphtha (Petroleum) | Ingestion  | central nervous system depression | May cause drowsiness or dizziness                                            | Professional judgement  | NOAEL Not available |                        |
| Xylene                                 | Inhalation | auditory system                   | Causes damage to organs                                                      | Rat                     | LOAEL 6.3 mg/l      | 8 hours                |
| Xylene                                 | Inhalation | central nervous system depression | May cause drowsiness or dizziness                                            | Human                   | NOAEL Not available |                        |
| Xylene                                 | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human                   | NOAEL Not available |                        |
| Xylene                                 | Inhalation | eyes                              | Not classified                                                               | Rat                     | NOAEL 3.5 mg/l      | not available          |
| Xylene                                 | Inhalation | liver                             | Not classified                                                               | Multiple animal species | NOAEL Not available |                        |
| Xylene                                 | Ingestion  | central nervous system depression | May cause drowsiness or dizziness                                            | Multiple animal species | NOAEL Not available |                        |
| Xylene                                 | Ingestion  | eyes                              | Not classified                                                               | Rat                     | NOAEL 250 mg/kg     | not applicable         |
| Propane                                | Inhalation | cardiac sensitization             | Causes damage to organs                                                      | Human                   | NOAEL Not available |                        |
| Propane                                | Inhalation | central nervous system depression | May cause drowsiness or dizziness                                            | Human                   | NOAEL Not available |                        |
| Propane                                | Inhalation | respiratory irritation            | Not classified                                                               | Human                   | NOAEL Not available |                        |
| Ethylbenzene                           | Inhalation | central nervous system depression | May cause drowsiness or dizziness                                            | Human                   | NOAEL Not available |                        |
| Ethylbenzene                           | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human and animal        | NOAEL Not available |                        |
| Ethylbenzene                           | Ingestion  | central nervous system depression | May cause drowsiness or dizziness                                            | Professional judgement  | NOAEL Not available |                        |
| Toluene                                | Inhalation | central nervous system depression | May cause drowsiness or dizziness                                            | Human                   | NOAEL Not available |                        |
| Toluene                                | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human                   | NOAEL Not available |                        |
| Toluene                                | Inhalation | immune system                     | Not classified                                                               | Mouse                   | NOAEL 0.004 mg/l    | 3 hours                |
| Toluene                                | Ingestion  | central nervous system depression | May cause drowsiness or dizziness                                            | Human                   | NOAEL Not available | poisoning and/or abuse |

**Specific Target Organ Toxicity - repeated exposure**

| Name   | Route      | Target Organ(s) | Value                           | Species | Test result    | Exposure Duration |
|--------|------------|-----------------|---------------------------------|---------|----------------|-------------------|
| Xylene | Inhalation | nervous system  | Causes damage to organs through | Rat     | LOAEL 0.4 mg/l | 4 weeks           |

|              |            |                                 |                                                                              |                         |                       |           |
|--------------|------------|---------------------------------|------------------------------------------------------------------------------|-------------------------|-----------------------|-----------|
|              |            |                                 | prolonged or repeated exposure                                               |                         |                       |           |
| Xylene       | Inhalation | auditory system                 | May cause damage to organs though prolonged or repeated exposure             | Rat                     | LOAEL 7.8 mg/l        | 5 days    |
| Xylene       | Inhalation | liver                           | Not classified                                                               | Multiple animal species | NOAEL Not available   |           |
| Xylene       | Inhalation | heart                           | Not classified                                                               | Multiple animal species | NOAEL 3.5 mg/l        | 13 weeks  |
| Xylene       | Inhalation | endocrine system                | Not classified                                                               | Multiple animal species | NOAEL 3.5 mg/l        | 13 weeks  |
| Xylene       | Inhalation | gastrointestinal tract          | Not classified                                                               | Multiple animal species | NOAEL 3.5 mg/l        | 13 weeks  |
| Xylene       | Inhalation | hematopoietic system            | Not classified                                                               | Multiple animal species | NOAEL 3.5 mg/l        | 13 weeks  |
| Xylene       | Inhalation | muscles                         | Not classified                                                               | Multiple animal species | NOAEL 3.5 mg/l        | 13 weeks  |
| Xylene       | Inhalation | kidney and/or bladder           | Not classified                                                               | Multiple animal species | NOAEL 3.5 mg/l        | 13 weeks  |
| Xylene       | Inhalation | respiratory system              | Not classified                                                               | Multiple animal species | NOAEL 3.5 mg/l        | 13 weeks  |
| Xylene       | Ingestion  | auditory system                 | Not classified                                                               | Rat                     | NOAEL 900 mg/kg/day   | 2 weeks   |
| Xylene       | Ingestion  | kidney and/or bladder           | Not classified                                                               | Rat                     | NOAEL 1,500 mg/kg/day | 90 days   |
| Xylene       | Ingestion  | liver                           | Not classified                                                               | Multiple animal species | NOAEL Not available   |           |
| Xylene       | Ingestion  | heart                           | Not classified                                                               | Mouse                   | NOAEL 1,000 mg/kg/day | 103 weeks |
| Xylene       | Ingestion  | skin                            | Not classified                                                               | Mouse                   | NOAEL 1,000 mg/kg/day | 103 weeks |
| Xylene       | Ingestion  | endocrine system                | Not classified                                                               | Mouse                   | NOAEL 1,000 mg/kg/day | 103 weeks |
| Xylene       | Ingestion  | bone, teeth, nails, and/or hair | Not classified                                                               | Mouse                   | NOAEL 1,000 mg/kg/day | 103 weeks |
| Xylene       | Ingestion  | hematopoietic system            | Not classified                                                               | Mouse                   | NOAEL 1,000 mg/kg/day | 103 weeks |
| Xylene       | Ingestion  | immune system                   | Not classified                                                               | Mouse                   | NOAEL 1,000 mg/kg/day | 103 weeks |
| Xylene       | Ingestion  | nervous system                  | Not classified                                                               | Mouse                   | NOAEL 1,000 mg/kg/day | 103 weeks |
| Xylene       | Ingestion  | respiratory system              | Not classified                                                               | Mouse                   | NOAEL 1,000 mg/kg/day | 103 weeks |
| Ethylbenzene | Inhalation | auditory system                 | May cause damage to organs though prolonged or repeated exposure             | Rat                     | LOAEL 0.9 mg/l        | 13 weeks  |
| Ethylbenzene | Inhalation | kidney and/or bladder           | Some positive data exist, but the data are not sufficient for classification | Rat                     | NOAEL 1.1 mg/l        | 2 years   |
| Ethylbenzene | Inhalation | liver                           | Some positive data exist, but the data are not sufficient for classification | Mouse                   | NOAEL 1.1 mg/l        | 103 weeks |

|              |            |                                 |                                                                              |                         |                     |                        |
|--------------|------------|---------------------------------|------------------------------------------------------------------------------|-------------------------|---------------------|------------------------|
| Ethylbenzene | Inhalation | hematopoietic system            | Not classified                                                               | Rat                     | NOAEL 3.4 mg/l      | 28 days                |
| Ethylbenzene | Inhalation | endocrine system                | Not classified                                                               | Mouse                   | NOAEL 3.3 mg/l      | 103 weeks              |
| Ethylbenzene | Inhalation | gastrointestinal tract          | Not classified                                                               | Rat                     | NOAEL 3.3 mg/l      | 2 years                |
| Ethylbenzene | Inhalation | bone, teeth, nails, and/or hair | Not classified                                                               | Multiple animal species | NOAEL 4.2 mg/l      | 90 days                |
| Ethylbenzene | Inhalation | muscles                         | Not classified                                                               | Multiple animal species | NOAEL 4.2 mg/l      | 90 days                |
| Ethylbenzene | Inhalation | heart                           | Not classified                                                               | Multiple animal species | NOAEL 3.3 mg/l      | 2 years                |
| Ethylbenzene | Inhalation | immune system                   | Not classified                                                               | Multiple animal species | NOAEL 3.3 mg/l      | 2 years                |
| Ethylbenzene | Inhalation | respiratory system              | Not classified                                                               | Multiple animal species | NOAEL 3.3 mg/l      | 2 years                |
| Ethylbenzene | Ingestion  | liver                           | Not classified                                                               | Rat                     | NOAEL 680 mg/kg/day | 6 months               |
| Ethylbenzene | Ingestion  | kidney and/or bladder           | Not classified                                                               | Rat                     | NOAEL 680 mg/kg/day | 6 months               |
| Toluene      | Inhalation | auditory system                 | Causes damage to organs through prolonged or repeated exposure               | Human                   | NOAEL Not available | poisoning and/or abuse |
| Toluene      | Inhalation | nervous system                  | Causes damage to organs through prolonged or repeated exposure               | Human                   | NOAEL Not available | poisoning and/or abuse |
| Toluene      | Inhalation | eyes                            | Causes damage to organs through prolonged or repeated exposure               | Human                   | NOAEL Not available | poisoning and/or abuse |
| Toluene      | Inhalation | olfactory system                | Causes damage to organs through prolonged or repeated exposure               | Human                   | NOAEL Not available | poisoning and/or abuse |
| Toluene      | Inhalation | respiratory system              | Some positive data exist, but the data are not sufficient for classification | Rat                     | LOAEL 2.3 mg/l      | 15 months              |
| Toluene      | Inhalation | heart                           | Not classified                                                               | Rat                     | NOAEL 11.3 mg/l     | 15 weeks               |
| Toluene      | Inhalation | liver                           | Not classified                                                               | Rat                     | NOAEL 11.3 mg/l     | 15 weeks               |
| Toluene      | Inhalation | kidney and/or bladder           | Not classified                                                               | Rat                     | NOAEL 11.3 mg/l     | 15 weeks               |
| Toluene      | Inhalation | endocrine system                | Not classified                                                               | Rat                     | NOAEL 1.1 mg/l      | 4 weeks                |
| Toluene      | Inhalation | immune system                   | Not classified                                                               | Mouse                   | NOAEL Not available | 20 days                |
| Toluene      | Inhalation | bone, teeth, nails, and/or hair | Not classified                                                               | Mouse                   | NOAEL 1.1 mg/l      | 8 weeks                |
| Toluene      | Inhalation | hematopoietic system            | Not classified                                                               | Human                   | NOAEL Not available | occupational exposure  |
| Toluene      | Inhalation | vascular system                 | Not classified                                                               | Human                   | NOAEL Not available | occupational exposure  |
| Toluene      | Inhalation | gastrointestinal tract          | Not classified                                                               | Multiple animal species | NOAEL 11.3 mg/l     | 15 weeks               |
| Toluene      | Ingestion  | nervous system                  | Some positive                                                                | Rat                     | NOAEL 625           | 13 weeks               |

|         |           |                       |                                                                |                         |                       |          |
|---------|-----------|-----------------------|----------------------------------------------------------------|-------------------------|-----------------------|----------|
|         |           |                       | data exist, but the data are not sufficient for classification |                         | mg/kg/day             |          |
| Toluene | Ingestion | heart                 | Not classified                                                 | Rat                     | NOAEL 2,500 mg/kg/day | 13 weeks |
| Toluene | Ingestion | liver                 | Not classified                                                 | Multiple animal species | NOAEL 2,500 mg/kg/day | 13 weeks |
| Toluene | Ingestion | kidney and/or bladder | Not classified                                                 | Multiple animal species | NOAEL 2,500 mg/kg/day | 13 weeks |
| Toluene | Ingestion | hematopoietic system  | Not classified                                                 | Mouse                   | NOAEL 600 mg/kg/day   | 14 days  |
| Toluene | Ingestion | endocrine system      | Not classified                                                 | Mouse                   | NOAEL 105 mg/kg/day   | 28 days  |
| Toluene | Ingestion | immune system         | Not classified                                                 | Mouse                   | NOAEL 105 mg/kg/day   | 4 weeks  |

**Aspiration Hazard**

| Name                                   | Value             |
|----------------------------------------|-------------------|
| Hydrotreated Light Naphtha (Petroleum) | Aspiration hazard |
| Xylene                                 | Aspiration hazard |
| Ethylbenzene                           | Aspiration hazard |
| Toluene                                | Aspiration hazard |

**Exposure Levels**

Refer Section 8.1 **Control Parameters** of this Safety Data Sheet.

**Interactive Effects**

Not Determined

**SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

**12.1. Toxicity****Acute aquatic hazard:**

GHS Acute 2: Toxic to aquatic life.

**Chronic aquatic hazard:**

GHS Chronic 3: Harmful to aquatic life with long lasting effects.

No product test data available.

| Material                               | CAS Number | Organism       | Type      | Exposure | Test endpoint | Test result |
|----------------------------------------|------------|----------------|-----------|----------|---------------|-------------|
| Hydrotreated Light Naphtha (Petroleum) | 64742-49-0 | Fathead minnow | Estimated | 96 hours | LL50          | 8.2 mg/l    |
| Hydrotreated Light Naphtha (Petroleum) | 64742-49-0 | Green algae    | Estimated | 72 hours | EL50          | 3.1 mg/l    |
| Hydrotreated Light Naphtha (Petroleum) | 64742-49-0 | Water flea     | Estimated | 48 hours | EL50          | 4.5 mg/l    |

|                                        |            |                     |                                                       |            |       |                              |
|----------------------------------------|------------|---------------------|-------------------------------------------------------|------------|-------|------------------------------|
| Hydrotreated Light Naphtha (Petroleum) | 64742-49-0 | Green algae         | Estimated                                             | 72 hours   | NOEL  | 0.5 mg/l                     |
| Hydrotreated Light Naphtha (Petroleum) | 64742-49-0 | Water flea          | Estimated                                             | 21 days    | NOEL  | 2.6 mg/l                     |
| Xylene                                 | 1330-20-7  | Green algae         | Analogous Compound                                    | 73 hours   | ErC50 | 4.36 mg/l                    |
| Xylene                                 | 1330-20-7  | Rainbow trout       | Analogous Compound                                    | 96 hours   | LC50  | 2.6 mg/l                     |
| Xylene                                 | 1330-20-7  | Water flea          | Analogous Compound                                    | 48 hours   | EC50  | 3.82 mg/l                    |
| Xylene                                 | 1330-20-7  | Green algae         | Analogous Compound                                    | 73 hours   | NOEC  | 0.44 mg/l                    |
| Xylene                                 | 1330-20-7  | Water flea          | Analogous Compound                                    | 7 days     | NOEC  | 0.96 mg/l                    |
| Xylene                                 | 1330-20-7  | Rainbow trout       | Experimental                                          | 56 days    | NOEC  | 1.3 mg/l                     |
| Xylene                                 | 1330-20-7  | Activated sludge    | Analogous Compound                                    | 30 minutes | EC50  | >198 mg/l                    |
| Xylene                                 | 1330-20-7  | Redworm             | Experimental                                          | 56 days    | NOEC  | 42.6 mg/kg (Dry Weight)      |
| Xylene                                 | 1330-20-7  | Soil microbes       | Experimental                                          | 28 days    | EC50  | >1,000 mg/kg (Dry Weight)    |
| Propane                                | 74-98-6    | N/A                 | Data not available or insufficient for classification | N/A        | N/A   | N/A                          |
| Ethylbenzene                           | 100-41-4   | Activated sludge    | Experimental                                          | 49 hours   | EC50  | 130 mg/l                     |
| Ethylbenzene                           | 100-41-4   | Atlantic Silverside | Experimental                                          | 96 hours   | LC50  | 5.1 mg/l                     |
| Ethylbenzene                           | 100-41-4   | Green algae         | Experimental                                          | 96 hours   | EC50  | 3.6 mg/l                     |
| Ethylbenzene                           | 100-41-4   | Mysid Shrimp        | Experimental                                          | 96 hours   | LC50  | 2.6 mg/l                     |
| Ethylbenzene                           | 100-41-4   | Rainbow trout       | Experimental                                          | 96 hours   | LC50  | 4.2 mg/l                     |
| Ethylbenzene                           | 100-41-4   | Water flea          | Experimental                                          | 48 hours   | EC50  | 1.8 mg/l                     |
| Ethylbenzene                           | 100-41-4   | Water flea          | Experimental                                          | 7 days     | NOEC  | 0.96 mg/l                    |
| Toluene                                | 108-88-3   | Coho Salmon         | Experimental                                          | 96 hours   | LC50  | 5.5 mg/l                     |
| Toluene                                | 108-88-3   | Grass Shrimp        | Experimental                                          | 96 hours   | LC50  | 9.5 mg/l                     |
| Toluene                                | 108-88-3   | Green algae         | Experimental                                          | 72 hours   | EC50  | 12.5 mg/l                    |
| Toluene                                | 108-88-3   | Leopard frog        | Experimental                                          | 9 days     | LC50  | 0.39 mg/l                    |
| Toluene                                | 108-88-3   | Pink Salmon         | Experimental                                          | 96 hours   | LC50  | 6.41 mg/l                    |
| Toluene                                | 108-88-3   | Water flea          | Experimental                                          | 48 hours   | EC50  | 3.78 mg/l                    |
| Toluene                                | 108-88-3   | Coho Salmon         | Experimental                                          | 40 days    | NOEC  | 1.39 mg/l                    |
| Toluene                                | 108-88-3   | Diatom              | Experimental                                          | 72 hours   | NOEC  | 10 mg/l                      |
| Toluene                                | 108-88-3   | Water flea          | Experimental                                          | 7 days     | NOEC  | 0.74 mg/l                    |
| Toluene                                | 108-88-3   | Activated sludge    | Experimental                                          | 12 hours   | IC50  | 292 mg/l                     |
| Toluene                                | 108-88-3   | Bacteria            | Experimental                                          | 16 hours   | NOEC  | 29 mg/l                      |
| Toluene                                | 108-88-3   | Bacteria            | Experimental                                          | 24 hours   | EC50  | 84 mg/l                      |
| Toluene                                | 108-88-3   | Redworm             | Experimental                                          | 28 days    | LC50  | >150 mg per kg of bodyweight |
| Toluene                                | 108-88-3   | Soil microbes       | Experimental                                          | 28 days    | NOEC  | <26 mg/kg (Dry Weight)       |

## 12.2. Persistence and degradability

| Material                               | CAS Number | Test type                         | Duration | Study Type                    | Test result                | Protocol                            |
|----------------------------------------|------------|-----------------------------------|----------|-------------------------------|----------------------------|-------------------------------------|
| Hydrotreated Light Naphtha (Petroleum) | 64742-49-0 | Estimated Biodegradation          | 28 days  | BOD                           | 77 %BOD/ThOD               | OECD 301F - Manometric respirometry |
| Xylene                                 | 1330-20-7  | Analogous Compound Biodegradation | 28 days  | BOD                           | 94 %BOD/ThOD               | OECD 301F - Manometric respirometry |
| Xylene                                 | 1330-20-7  | Experimental Photolysis           |          | Photolytic half-life (in air) | 1.4 days (t 1/2)           |                                     |
| Propane                                | 74-98-6    | Experimental Photolysis           |          | Photolytic half-life (in air) | 27.5 days (t 1/2)          |                                     |
| Ethylbenzene                           | 100-41-4   | Experimental Biodegradation       | 28 days  | CO2 evolution                 | 70-80 %CO2 evolution/THCO2 | ISO 14593 Inorg C Headpace          |

|              |          |                             |         |                               |                   |                                |
|--------------|----------|-----------------------------|---------|-------------------------------|-------------------|--------------------------------|
|              |          |                             |         |                               | evolution         |                                |
| Ethylbenzene | 100-41-4 | Experimental Photolysis     |         | Photolytic half-life (in air) | 4.26 days (t 1/2) |                                |
| Toluene      | 108-88-3 | Experimental Biodegradation | 20 days | BOD                           | 80 %BOD/ThOD      | APHA Std Meth Water/Wastewater |
| Toluene      | 108-88-3 | Experimental Photolysis     |         | Photolytic half-life (in air) | 5.2 days (t 1/2)  |                                |

### 12.3 : Bioaccumulative potential

| Material                               | CAS Number | Test type                                             | Duration | Study Type             | Test result | Protocol |
|----------------------------------------|------------|-------------------------------------------------------|----------|------------------------|-------------|----------|
| Hydrotreated Light Naphtha (Petroleum) | 64742-49-0 | Data not available or insufficient for classification | N/A      | N/A                    | N/A         | N/A      |
| Xylene                                 | 1330-20-7  | Experimental BCF - Fish                               | 56 days  | Bioaccumulation factor | <=25.9      |          |
| Xylene                                 | 1330-20-7  | Analogous Compound Bioconcentration                   |          | Log Kow                | 3.2         |          |
| Propane                                | 74-98-6    | Experimental Bioconcentration                         |          | Log Kow                | 2.36        |          |
| Ethylbenzene                           | 100-41-4   | Experimental BCF - Fish                               | 42 days  | Bioaccumulation factor | 1           |          |
| Toluene                                | 108-88-3   | Experimental BCF - Other                              | 72 hours | Bioaccumulation factor | 90          |          |
| Toluene                                | 108-88-3   | Experimental Bioconcentration                         |          | Log Kow                | 2.73        |          |

### 12.4. Mobility in soil

Please contact manufacturer for more details

### 12.5 Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. Facility must be capable of handling aerosol cans. As a disposal alternative, utilize an acceptable permitted waste disposal facility.

## SECTION 14: Transport Information

### Australian Dangerous Goods Code (ADG) - Road/Rail Transport

UN No.: UN1950

Proper shipping name: AEROSOLS

Class/Division: 2.1

Sub Risk: Not applicable.

Packing Group: Not applicable.

Special Instructions: Limited quantity may apply

Hazchem Code: 2YE

IERG: 49

### International Air Transport Association (IATA) - Air Transport

UN No.: UN1950

Proper shipping name: AEROSOLS, FLAMMABLE

Class/Division: 2.1

Sub Risk: Not applicable.

**Packing Group:** Not applicable.

**International Maritime Dangerous Goods Code (IMDG)- Marine Transport**

**UN No.:** UN1950

**Proper shipping name:** AEROSOLS

**Class/Division:** 2.1

**Sub Risk:** Not applicable.

**Packing Group:** Not applicable.

**Marine Pollutant:** Not applicable.

**Special Instructions:** Limited quantity may apply

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Australian Inventory Status:**

All components of this product are listed on or exempt from the Australian Inventory of Industrial Chemicals (AIIC). Conditions may apply prior to introduction for direct importers of this product, Please contact 3M Australia on 136 136 for further details.

**Poison Schedule:** This product is intended for Industrial or Professional Use only and therefore is not packaged and labelled in accordance with the requirements of the Standard for the Uniform Scheduling of Medicines and Poisons.

## SECTION 16: Other information

**Revision information:**

Complete document review.

**DISCLAIMER:** The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Safety Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Greenguard ® is a United States based program. The 'Low VOC' reference related to United States Federal and State regulations exemptions for some solvents.

**3M Australia SDSs are available at [www.3m.com.au](http://www.3m.com.au)**