

Safety Data Sheet

Copyright, 2025, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 35-2051-7
 Version number:
 4.00

 Issue Date:
 2025/05/29
 Supercedes Date:
 2025/01/09

This Safety Data Sheet has been prepared in accordance with the Canadian Hazardous Products Regulations.

SECTION 1: Identification

1.1. Product identifier

Scotchgard(TM) Stone Floor Protector Plus

Product Identification Numbers

LK-T100-1848-7 70-0012-0839-9 75-0400-3166-0 HB-0045-8480-9 JN-3301-4284-3

UU-0089-9374-1 UU-0095-8933-2

1.2. Recommended use and restrictions on use

Intended Use

Hard Floor Maintenance

Specific Use

High Performance floor coating for Stone Floors

Restrictions on use

Not applicable

1.3. Supplier's details

Company: 3M Canada Company

Division: Commercial Branding and Transportation Division

Address: 1840 Oxford Street East, Post Office Box 5757, London, Ontario N6A 4T1

Telephone: (800) 364-3577 **Website:** www.3M.ca

1.4. Emergency telephone number

Medical Emergency Telephone:1-800-3M HELPS / 1800 364 3577

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Not classified according to the Canadian Hazardous Products Regulation.

2.2. Label elements

Signal word

Not applicable.

Symbols

Not applicable

Pictograms

Not applicable

2.3. Other hazards

None known.

10% of the mixture consists of ingredients of unknown acute oral toxicity.

SECTION 3: Composition/information on ingredients

This material is a mixture.

Ingredient	C.A.S. No.	% by Wt	Common Name
Water	7732-18-5	80 - 90	Water
Modified Silica	Trade Secret	1 - 7	Not Applicable
Proprietary Emulsion Blend 2	Trade Secret	1 - 5	Not Applicable
Ethoxydiglycol	111-90-0	0.5 - 1.5	Ethanol, 2-(2-ethoxyethoxy)-
POLY(METHYL	9011-14-7	0.5 - 1.5	2-Propenoic acid, 2-methyl-, methyl ester,
METHACRYLATE)			homopolymer
Proprietary Emulsion Blend 1	None	0.1 - 1.5	Not Applicable
Benzyl Benzoate	120-51-4	0.1 - < 1	Benzoic acid, phenylmethyl ester
Proprietary Polymer Emulsion 1	Trade Secret	0.1 - < 1	Not Applicable
Proprietary Stabilizer 1	Trade Secret	0.1 - 1	Not Applicable
Siloxane Carboxylate Potassium	Trade Secret	0.1 - < 1	Not Applicable
Salt			
Proprietary Stabilizer 2	Trade Secret	< 0.3	Not Applicable
Silicon Based Additive	Trade Secret	< 0.3	Not Applicable
MODIFIED	Trade Secret	< 0.2	Not Applicable
POLYDIMETHYLSILOXANE			
Polyethylene Wax	Trade Secret	< 0.08	Not Applicable
ADIPIC DIHYDRAZIDE	1071-93-8	< 0.06	Hexanedioic acid, dihydrazide
Proprietary Polymer Emulsion 2	Trade Secret	< 0.004	Not Applicable
Dimethicone	63148-62-9	< 0.002	Siloxanes and Silicones, di-Me
Methylchloroisothiazolinone	26172-55-4	< 0.0006	3(2H)-Isothiazolone, 5-chloro-2-methyl-
Methylisothiazonlione	2682-20-4	< 0.0003	3(2H)-Isothiazolone, 2-methyl-

Modified Silica is a non-hazardous material according to WHMIS criteria. Specific information has been withheld as a trade secret.

Proprietary Polymer Emulsion 2 is a non-hazardous material according to WHMIS criteria. Specific information has been withheld as a trade secret.

Polyethylene Wax is a non-hazardous material according to WHMIS criteria. Specific information has been withheld as a trade secret.

Proprietary Stabilizer 1 is a non-hazardous material according to WHMIS criteria. Specific information has been withheld as a trade secret.

Silicon-based Additive is a non-hazardous material according to WHMIS criteria. Specific information has been withheld as a trade secret.

Proprietary Stabilizer 2 is a non-hazardous material according to WHMIS criteria. Specific information has been withheld as a trade secret.

MODIFIED POLYDIMETHYLSILOXANE is a non-hazardous material according to WHMIS criteria. Specific information has been withheld as a trade secret.

Page: 2 of 11

Scotchgard(TM) Stone Floor Protector Plus

Proprietary Polymer Emulsion 1 is a non-hazardous material according to WHMIS criteria. Specific information has been withheld as a trade secret.

Proprietary Emulsion Blend 2 is a non-hazardous material according to WHMIS criteria. Specific information has been

withheld as a trade secret. Proprietary Emulsion Blend 1 is a non-hazardous material according to WHMIS criteria. Specific information has been

withheld as a trade secret.

Siloxane Carboxylate Potassium Salt is a non-hazardous material according to WHMIS criteria. Specific information has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

If exposed, wash with soap and water. If signs/symptoms develop, get medical attention.

Eye Contact:

If exposed, flush eyes with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms develop, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Unsuitable extinguishing media

None Determined

5.3. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance Condition Carbon monoxide **During Combustion** Carbon dioxide **During Combustion**

5.4. Special protection actions for fire-fighters

Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA). Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds

Scotchgard(TM) Stone Floor Protector Plus

the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial or professional use only. Not for consumer sale or use. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
Ethoxydiglycol	111-90-0	AIHA	TWA:140 mg/m3(25 ppm)	
Proprietary Polymer Emulsion 2	Trade Secret	ACGIH	TWA:25 ppm;STEL:35 ppm	

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Discost and chemical property	-	
Physical state	Liquid	
Colour	Milky White	
Odour	Moderate Acrylic	
Odour threshold	No Data Available	
pH	10 - 11	
Melting point/Freezing point	Not Applicable	
Boiling point	Approximately 95 °C	
Flash Point	93.9 °C [@ 2,666.44 Pa] [<i>Test Method</i> :Closed Cup]	
Evaporation rate	No Data Available	
Flammability	Not Applicable	
Flammable Limits(LEL)	No Data Available	
Flammable Limits(UEL)	No Data Available	
Vapour Pressure	< 2,399.8 Pa [@ 20 °C]	
Relative Vapour Density	No Data Available	
Density	Approximately 1 g/ml	
Relative density	Approximately 1 [Ref Std:WATER=1]	
Water solubility	Complete [Details: Dispersible]	
Solubility- non-water	No Data Available	
Partition coefficient: n-octanol/ water	No Data Available	
Autoignition temperature	No Data Available	
Decomposition temperature	No Data Available	
Kinematic Viscosity	No Data Available	
Volatile Organic Compounds	< 0.5 % weight	
Percent volatile	No Data Available	
VOC Less H2O & Exempt Solvents	< 20 g/l	
Molecular weight	Not Applicable	
	I	

	Particle Characteristics	Not Applicable
--	--------------------------	----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

No health effects are expected.

Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Ethoxydiglycol	Dermal	Rabbit	LD50 9,143 mg/kg
Ethoxydiglycol	Ingestion	Rat	LD50 5,400 mg/kg
POLY(METHYL METHACRYLATE)	Dermal		LD50 estimated to be > 5,000 mg/kg
POLY(METHYL METHACRYLATE)	Ingestion	Rat	LD50 > 5,000 mg/kg
Benzyl Benzoate	Dermal	Professio nal judgeme nt	LD50 estimated to be 2,000 - 5,000 mg/kg

Page: 6 of 11

Benzyl Benzoate	Ingestion	Rat	LD50 > 2,000 mg/kg
Siloxane Carboxylate Potassium Salt	Dermal	similar	LD50 > 2,000 mg/kg
		compoun	
		ds	
Siloxane Carboxylate Potassium Salt	Inhalation-	similar	LC50 2.3 mg/l
	Dust/Mist	compoun	
	(4 hours)	ds	
Siloxane Carboxylate Potassium Salt	Ingestion	similar	LD50 > 5,000 mg/kg
		compoun	
Proprietary Stabilizer 1	Dermal	ds	LD50 estimated to be 2,000 - 5,000 mg/kg
1 2			, , , , ,
Proprietary Stabilizer 1	Ingestion	Rat	LD50 > 2,000 mg/kg
Proprietary Stabilizer 2	Ingestion	Rat	LD50 > 2,000 mg/kg
MODIFIED POLYDIMETHYLSILOXANE	Dermal	Rabbit	LD50 > 2,000 mg/kg
MODIFIED POLYDIMETHYLSILOXANE	Ingestion	Rat	LD50 > 5,000 mg/kg
ADIPIC DIHYDRAZIDE	Ingestion	Mouse	LD50 > 5,000 mg/kg
Proprietary Polymer Emulsion 2	Ingestion	Rat	LD50 350 mg/kg
Dimethicone	Dermal	Multiple	LD50 > 2,000 mg/kg
		animal	
		species	
Dimethicone	Ingestion	Rat	LD50 > 5,000 mg/kg
Methylchloroisothiazolinone	Dermal	Rabbit	LD50 87 mg/kg
Methylchloroisothiazolinone	Inhalation-	Rat	LC50 0.171 mg/l
	Dust/Mist		
	(4 hours)		
Methylchloroisothiazolinone	Ingestion	Rat	LD50 40 mg/kg
Methylisothiazonlione	Dermal	Rabbit	LD50 87 mg/kg
Methylisothiazonlione	Inhalation-	Rat	LC50 0.171 mg/l
	Dust/Mist		
	(4 hours)		
Methylisothiazonlione	Ingestion	Rat	LD50 40 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Ethoxydiglycol	Rabbit	No significant irritation
POLY(METHYL METHACRYLATE)	Rabbit	No significant irritation
Benzyl Benzoate	Rabbit	Minimal irritation
Proprietary Stabilizer 1	Rabbit	Minimal irritation
Proprietary Stabilizer 2	Professio	Corrosive
	nal	
	judgeme	
	nt	
MODIFIED POLYDIMETHYLSILOXANE	Rabbit	No significant irritation
ADIPIC DIHYDRAZIDE	Rabbit	No significant irritation
Proprietary Polymer Emulsion 2	Rabbit	Corrosive
Dimethicone	Human	No significant irritation
	and	
	animal	
Methylchloroisothiazolinone	Rabbit	Corrosive
Methylisothiazonlione	Rabbit	Corrosive

Serious Eve Damage/Irritation

Serious Lye Damage/Irritation			
Name	Species	Value	
	-		
Ethoxydiglycol	Rabbit	Moderate irritant	
POLY(METHYL METHACRYLATE)	Rabbit	Mild irritant	
Benzyl Benzoate	Rabbit	No significant irritation	
Proprietary Stabilizer 1	Rabbit	Corrosive	
Proprietary Stabilizer 2	similar	Corrosive	
	health		
	hazards		
MODIFIED POLYDIMETHYLSILOXANE	Rabbit	No significant irritation	

Page: 7 of 11

Scotchgard(TM) Stone Floor Protector Plus

Proprietary Polymer Emulsion 2	Rabbit	Corrosive
Dimethicone	Rabbit	No significant irritation
Methylchloroisothiazolinone	Rabbit	Corrosive
Methylisothiazonlione	Rabbit	Corrosive

Skin Sensitization

Name	Species	Value
Ethoxydiglycol	Human	Not classified
Benzyl Benzoate	Human	Not classified
	and	
	animal	
MODIFIED POLYDIMETHYLSILOXANE	Human	Not classified
	and	
	animal	
ADIPIC DIHYDRAZIDE	Guinea	Sensitizing
	pig	
Dimethicone	Human	Not classified
	and	
	animal	
Methylchloroisothiazolinone	Human	Sensitizing
	and	
	animal	
Methylisothiazonlione	Human	Sensitizing
	and	
	animal	

Photosensitization

Name	Species	Value
Methylchloroisothiazolinone	Human	Not sensitizing
	and	
	animal	
Methylisothiazonlione	Human	Not sensitizing
	and	
	animal	

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Ethoxydiglycol	In Vitro	Not mutagenic
Ethoxydiglycol	In vivo	Not mutagenic
Benzyl Benzoate	In Vitro	Not mutagenic
MODIFIED POLYDIMETHYLSILOXANE	In Vitro	Not mutagenic
ADIPIC DIHYDRAZIDE	In vivo	Not mutagenic
Dimethicone	In Vitro	Not mutagenic
Dimethicone	In vivo	Not mutagenic
Methylchloroisothiazolinone	In vivo	Not mutagenic
Methylchloroisothiazolinone	In Vitro	Some positive data exist, but the data are not sufficient for classification
Methylisothiazonlione	In vivo	Not mutagenic
Methylisothiazonlione	In Vitro	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Dimethicone	Dermal	Mouse	Not carcinogenic
Dimethicone	Ingestion	Mouse	Not carcinogenic
Methylchloroisothiazolinone	Dermal	Mouse	Not carcinogenic
Methylchloroisothiazolinone	Ingestion	Rat	Not carcinogenic
Methylisothiazonlione	Dermal	Mouse	Not carcinogenic

Meth	ylisothiazonlione	Ingestion	Rat	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Ethoxydiglycol	Dermal	Not classified for development	Rat	NOAEL 5,500 mg/kg/day	during organogenesi s
Ethoxydiglycol	Ingestion	Not classified for development	Mouse	NOAEL 5,500 mg/kg/day	during organogenesi s
Ethoxydiglycol	Inhalation	Not classified for development	Rat	NOAEL 0.6 mg/l	during organogenesi s
Ethoxydiglycol	Ingestion	Not classified for male reproduction	Rat	NOAEL 2,200 mg/kg/day	2 generation
Benzyl Benzoate	Ingestion	Not classified for development	Rat	NOAEL 194 mg/kg/day	during gestation
Dimethicone	Ingestion	Not classified for development	Rat	NOAEL 3,800 mg/kg/day	during organogenesi s
Dimethicone	Dermal	Not classified for development	Rabbit	NOAEL 1,000 mg/kg/day	during organogenesi s
Methylchloroisothiazolinone	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Methylchloroisothiazolinone	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Methylchloroisothiazolinone	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesi s
Methylisothiazonlione	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Methylisothiazonlione	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Methylisothiazonlione	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesi s

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Ethoxydiglycol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
Proprietary Stabilizer 1	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar compoun ds	NOAEL Not available	
Proprietary Polymer Emulsion 2	Inhalation	respiratory irritation	May cause respiratory irritation	Human	NOAEL not available	
Methylchloroisothiazolinon e	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	
Methylisothiazonlione	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Ethoxydiglycol	Dermal	kidney and/or	Not classified	Rabbit	NOAEL	12 weeks

Page: 9 of 11

		bladder			1,000 mg/kg/day	
Ethoxydiglycol	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Pig	NOAEL 167 mg/kg/day	90 days
Ethoxydiglycol	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 2,700 mg/kg/day	90 days
Ethoxydiglycol	Ingestion	endocrine system	Not classified	Rat	NOAEL 2,500 mg/kg/day	90 days
Ethoxydiglycol	Ingestion	heart hematopoietic system nervous system	Not classified	Mouse	NOAEL 8,100 mg/kg/day	90 days
Benzyl Benzoate	Dermal	skin endocrine system nervous system heart hematopoietic system liver immune system kidney and/or bladder respiratory system	Not classified	Rat	NOAEL 1,250 mg/kg/day	4 weeks
Proprietary Stabilizer 1	Ingestion	nervous system kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	similar compoun ds	NOAEL Not available	
Dimethicone	Ingestion	eyes	Not classified	Rat	NOAEL 10%	90 days
Dimethicone	Ingestion	respiratory system	Not classified	Rat	NOAEL 1%	90 days
Dimethicone	Ingestion	gastrointestinal tract	Not classified	Multiple animal species	NOAEL 10%	90 days
Dimethicone	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 10%	90 days
Dimethicone	Ingestion	heart liver kidney and/or bladder vascular system	Not classified	Rat	NOAEL 1%	90 days

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

No data available.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transport Information

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

SECTION 16: Other information

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Health: 1 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document group:	35-2051-7	Version number:	4.00
Issue Date:	2025/05/29	Supercedes Date:	2025/01/09

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M Canada SDSs are available at www.3M.ca

Page: 11 of 11