

Safety Data Sheet

Copyright, 2025, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 19-8502-7
 Version number:
 7.06

 Revision date:
 19/08/2025
 Supersedes date:
 07/09/2023

Transportation version number:

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

3M Scotch-Weld™ Epoxy Adhesive DP100FR Cream

Product Identification Numbers

62-3531-1436-6

7100148760

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Structural adhesive.

1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

Telephone: +44 (0)1344 858 000

E Mail: ner-productstewardship@mmm.com

Website: www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet for each of these components is included. Please do not separate the component Safety Data Sheets from this cover page. The document numbers of the MSDSs for components of this product are:

19-8211-5, 19-8269-3

TRANSPORTATION INFORMATION

Refer to section 14 of the kit components for transport information.

KIT LABEL

2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

CLASSIFICATION:

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319

Skin Sensitization, Category 1 - Skin Sens. 1; H317

Hazardous to the Aquatic Environment (Chronic), Category 2 - Aquatic Chronic 2; H411

For full text of H phrases, see Section 16.

2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

SIGNAL WORD

WARNING.

Symbols

GHS07 (Exclamation mark) |GHS09 (Environment) |

Pictograms





Contains:

bis-[4-(2,3-epoxipropoxi)phenyl]propane

HAZARD STATEMENTS:

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

Prevention:

P273 Avoid release to the environment.

P280E Wear protective gloves.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P391 Collect spillage.

For containers not exceeding 125 ml the following Hazard and Precautionary statements may be used:

<=125 ml Hazard statements

H317 May cause an allergic skin reaction.

<=125 ml Precautionary statements

Prevention:

P280E Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or

mist

.

Refer to Safety Data Sheet for component % unknown values (www.3M.com/msds).

Revision information:

Section 1: E-mail address information was modified.



Safety Data Sheet

Copyright, 2025, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 19-8211-5
 Version number:
 10.01

 Revision date:
 05/03/2025
 Supersedes date:
 09/10/2023

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3M Scotch-WeldTM Epoxy Adhesive DP100FR Cream, Part A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Structural adhesive.

1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

Telephone: +44 (0)1344 858 000 **E Mail:** tox.uk@mmm.com **Website:** www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

A similar mixture has been tested for eye damage/irritation and the test results are reflected in the assigned classification. A similar mixture has been tested for skin corrosion/irritation and the test results are reflected in the assigned classification.

CLASSIFICATION:

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319

Skin Sensitization, Category 1 - Skin Sens. 1; H317

Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

SIGNAL WORD

WARNING.

Symbols

GHS07 (Exclamation mark) |

Pictograms



HAZARD STATEMENTS:

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

Prevention:

P280E Wear protective gloves.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

For containers not exceeding 125 ml the following Hazard and Precautionary statements may be used:

<=125 ml Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

<=125 ml Precautionary statements

Prevention:

P280E Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Contains 2% of components with unknown hazards to the aquatic environment.

2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Ingredient	Identifier(s)	9/0	Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide	(CAS-No.) 72244-98-5 (EC-No.) 701-196-7	65 - 75	Aquatic Chronic 3, H412 Skin Sens. 1B, H317
Polyphosphoric acids, ammonium salts	(CAS-No.) 68333-79-9 (EC-No.) 269-789-9	10 - 30	Acute Tox. 4, H302 Eye Irrit. 2, H319
2,4,6-tris(dimethylaminomethyl)phenol	(CAS-No.) 90-72-2 (EC-No.) 202-013-9	5 - 10	Acute Tox. 4, H302 Skin Corr. 1C, H314 Eye Dam. 1, H318
Bis[(dimethylamino)methyl]phenol	(CAS-No.) 71074-89-0 (EC-No.) 275-162-0	0.1 - 5	Acute Tox. 4, H302 Skin Corr. 1C, H314
Siloxanes and Silicones, di-Me, reaction products with silica	(CAS-No.) 67762-90-7	1 - 5	Substance with a national occupational exposure limit
Melamine	(CAS-No.) 108-78-1 (EC-No.) 203-615-4	< 0.5	Repr. 2, H361f Carc. 2, H351 STOT RE 2, H373

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eve contact

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

3M Scotch-Weld™ Epoxy Adhesive DP100FR Cream, Part A

The most important symptoms and effects based on the GB CLP classification include:

Irritation to the skin (localized redness, swelling, itching, and dryness). Allergic skin reaction (redness, swelling, blistering, and itching). Serious irritation to the eyes (significant redness, swelling, pain, tearing, and impaired vision).

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

<u>Substance</u>	<u>Condition</u>
Aldehydes.	During combustion.
Hydrocarbons.	During combustion.
Carbon monoxide	During combustion.
Carbon dioxide.	During combustion.
Ketones.	During combustion.
Ammonia	During combustion.
Oxides of nitrogen.	During combustion.
Oxides of sulphur.	During combustion.
Toxic vapour, gas, particulate.	During combustion.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS. Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient CAS Nbr Agency Limit type Additional comments

Silicon dioxide 67762-90-7 UK HSE TWA(as respirable dust):2.4 mg/m3;TWA(as inhalable

dust):6 mg/m3

UK HSE: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Indirect vented goggles.

Applicable Norms/Standards

Use eye protection conforming to EN 166

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

MaterialThickness (mm)Breakthrough TimePolymer laminateNo data availableNo data available

Applicable Norms/Standards Use gloves tested to EN 374

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.		
Specific Physical Form:	: Viscous Liquid		
Colour	White		
Odor	Strong Mercaptan		
Odour threshold	No data available.		
Melting point/freezing point	Not applicable.		
Boiling point/boiling range	No data available.		
Flammability	Not applicable.		
Flammable Limits(LEL)	No data available.		
Flammable Limits(UEL)	No data available.		
Flash point	> 93.9 °C [Test Method:Closed Cup]		
Autoignition temperature No data available.			
Decomposition temperature	No data available.		
рН	substance/mixture is non-soluble (in water)		
Kinematic Viscosity	50,000 mm ² /sec		
Water solubility	Nil		
Solubility- non-water	No data available.		
Partition coefficient: n-octanol/water	No data available.		

Vapour pressure	<=186,158.4 Pa [@ 55 °C]
Density	1.3 g/ml [Ref Std:WATER=1]
Relative density	1.3 [Ref Std:WATER=1]
Relative Vapour Density	Not applicable.
Particle Characteristics	Not applicable.

9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic Compounds 0 g/l
Evaporation rate Negligible
Molecular weight No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

Heat is generated during cure. Do not cure a mass larger than 50 grams in a confined space to prevent a premature exothermic reaction with production of intense heat and smoke.

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, dryness, cracking, blistering, and pain. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eve contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion

Harmful if swallowed.

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >300 - =2,000 mg/kg
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide	Dermal	Rabbit	LD50 > 10,200 mg/kg
Reaction products of pentaerythritol, propoxylated and 1-chloro- 2,3-epoxypropane with hydrogen sulphide	Ingestion	Rat	LD50 2,600 mg/kg
Polyphosphoric acids, ammonium salts	Dermal	Rat	LD50 > 5,000 mg/kg
Polyphosphoric acids, ammonium salts	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 4.85 mg/l
Polyphosphoric acids, ammonium salts	Ingestion	Rat	LD50 > 300, < 2,000 mg/kg
2,4,6-tris(dimethylaminomethyl)phenol	Dermal	Rat	LD50 1,280 mg/kg
2,4,6-tris(dimethylaminomethyl)phenol	Ingestion	Rat	LD50 1,000 mg/kg
Siloxanes and Silicones, di-Me, reaction products with silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
Siloxanes and Silicones, di-Me, reaction products with silica	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Rat	LD50 > 5,110 mg/kg
Bis[(dimethylamino)methyl]phenol	Ingestion		LD50 estimated to be 300 - 2,000 mg/kg
Melamine	Dermal	Rabbit	LD50 > 1,000 mg/kg
Melamine	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 5.19 mg/l
Melamine	Ingestion	Rat	LD50 3,161 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name Species Value

Overall product	In vitro data	Irritant
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide	Rabbit	No significant irritation
Polyphosphoric acids, ammonium salts	In vitro data	No significant irritation
2,4,6-tris(dimethylaminomethyl)phenol	Rabbit	Corrosive
Siloxanes and Silicones, di-Me, reaction products with silica	Rabbit	No significant irritation
Bis[(dimethylamino)methyl]phenol	similar compoun ds	Corrosive
Melamine	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
Overall product	In vitro data	Severe irritant
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide	Rabbit	Mild irritant
Polyphosphoric acids, ammonium salts	Rabbit	Moderate irritant
2,4,6-tris(dimethylaminomethyl)phenol	Rabbit	Corrosive
Siloxanes and Silicones, di-Me, reaction products with silica	Rabbit	No significant irritation
Bis[(dimethylamino)methyl]phenol	similar	Corrosive
	compoun	
	ds	
Melamine	Rabbit	No significant irritation

Skin Sensitisation

Name	Species	Value
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide	Mouse	Sensitising
Polyphosphoric acids, ammonium salts	similar compoun ds	Not classified
2,4,6-tris(dimethylaminomethyl)phenol	Guinea pig	Not classified
Siloxanes and Silicones, di-Me, reaction products with silica	Human and animal	Not classified
Melamine	Guinea pig	Not classified

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide	In Vitro	Not mutagenic
2,4,6-tris(dimethylaminomethyl)phenol	In Vitro	Not mutagenic
Siloxanes and Silicones, di-Me, reaction products with silica	In Vitro	Not mutagenic
Melamine	In Vitro	Not mutagenic
Melamine	In vivo	Not mutagenic

Carcinogenicity

~ ··· · · · · · · · · · · · · · · · · ·				
Name	Route	Species	Value	
Siloxanes and Silicones, di-Me, reaction products with silica	Not	Mouse	Some positive data exist, but the data are not	
	specified.		sufficient for classification	

3M Scotch-Weld™ Epoxy Adhesive DP100FR Cream, Part A

Ī	Melamine	Ingestion	Multiple	Carcinogenic.
١			animal	
۱			species	

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
2,4,6-tris(dimethylaminomethyl)phenol	Ingestion	Not classified for male reproduction	Rat	NOAEL 150 mg/kg/day	2 generation
2,4,6-tris(dimethylaminomethyl)phenol	Ingestion	Not classified for female reproduction	Rat	NOAEL 50 mg/kg/day	2 generation
2,4,6-tris(dimethylaminomethyl)phenol	Ingestion	Not classified for development	Rabbit	NOAEL 15 mg/kg/day	during gestation
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
Melamine	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,227 mg/kg/day	2 generation
Melamine	Ingestion	Not classified for development	Rat	NOAEL 1,060 mg/kg/day	during organogenesis
Melamine	Ingestion	Toxic to male reproduction	Rat	NOAEL 89 mg/kg/day	2 generation

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Polyphosphoric acids, ammonium salts	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
2,4,6- tris(dimethylaminomethyl) phenol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Reaction products of pentaerythritol, propoxylated and 1-chloro- 2,3-epoxypropane with hydrogen sulphide	Ingestion	hematopoietic system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 75 mg/kg/day	90 days
Reaction products of pentaerythritol, propoxylated and 1-chloro- 2,3-epoxypropane with hydrogen sulphide	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 250 mg/kg/day	90 days
Reaction products of pentaerythritol, propoxylated and 1-chloro- 2,3-epoxypropane with hydrogen sulphide	Ingestion	endocrine system heart skin immune system nervous system eyes kidney and/or bladder respiratory system vascular system	Not classified	Rat	NOAEL 1,000 mg/kg/day	90 days
2,4,6-	Dermal	skin	Not classified	Rat	NOAEL 25	4 weeks

tris(dimethylaminomethyl) phenol					mg/kg/day	
2,4,6- tris(dimethylaminomethyl) phenol	Dermal	liver nervous system auditory system hematopoietic system eyes	Not classified	Rat	NOAEL 125 mg/kg/day	4 weeks
2,4,6- tris(dimethylaminomethyl) phenol	Ingestion	heart endocrine system hematopoietic system liver muscles nervous system kidney and/or bladder respiratory system vascular system auditory system skin gastrointestinal tract bone, teeth, nails, and/or hair immune system eyes	Not classified	Rat	NOAEL 150 mg/kg/day	90 days
Siloxanes and Silicones, di-Me, reaction products with silica	Inhalation	respiratory system silicosis	Not classified	Human	NOAEL Not available	occupational exposure
Melamine	Ingestion	kidney and/or bladder	Causes damage to organs through prolonged or repeated exposure	Rat	LOAEL 44.6 mg/kg/day	90 days
Melamine	Ingestion	heart skin endocrine system gastrointestinal tract bone, teeth, nails, and/or hair hematopoietic system liver immune system muscles nervous system respiratory system	Not classified	Rat	NOAEL 1,400 mg/kg/day	90 days

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Туре	Exposure	Test endpoint	Test result
Reaction products	72244-98-5	Activated sludge	Experimental	3 hours	EC50	>1,000 mg/l
of pentaerythritol,			_			-

i-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide		,			,		
picyspypopane with playlogen sulphide Reaction products of periancythical, proposylated and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products of periancythical and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products of periancythical and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products of periancythical and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products of periancythical and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products of periancythical and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products of periancythical products and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products of periancythical products and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products of periancythical products and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products of periancythical products and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products of periancythical products and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products of periancythical products and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products of periancythical products and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products of periancythical products and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products of periancythical products and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products of periancythical products and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products of periancythical products and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products of periancythical products and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products of periancythical products and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products and 1-chionor 2.3-peocyspropane with polytogen sulphide Reaction products and 1-chionor 2.3-peocyspropane with	propoxylated and						
hydrogen sulphide Reaction produces of pentareythriol, proposylated and l-chlore-2,3- eposypropure with hydrogen sulphide Reaction produces of pentareythriol, relation-2,3- eposypropure with hydrogen sulphide Reaction produces of pentareythriol, relation-2,3- eposypropure with hydrogen sulphide Reaction produces of pentareythriol, relation-2,3- eposypropure with hydrogen sulphide Reaction produces of pentareythriol, relation-2,3- eposypropure with hydrogen sulphide Reaction produces of pentareythriol, proposylated and relation-2,3- eposypropure with hydrogen sulphide Reaction produces of pentareythriol, proposylated and relation-2,3- eposypropure with hydrogen sulphide Reaction produces of pentareythriol, proposylated and relation-2,3- eposypropure with hydrogen sulphide Reaction produces of pentareythriol, proposylated and relation-2,3- eposypropure with hydrogen sulphide Reaction produces of pentareythriol, proposylated and relation-2,3- eposypropure with hydrogen sulphide Reaction produces of pentareythriol, proposylated and relation-2,3- eposypropure with hydrogen sulphide Reaction produces of pentareythriol, proposylated and relation-2,3- eposypropure with hydrogen sulphide Reaction produces of pentareythriol, proposylated and relation-2,3- eposypropure with hydrogen sulphide Reaction produces of pentareythriol, proposylated and relation-2,3- eposypropure with hydrogen sulphide Reaction produces of pentareythriol, produces relation-3,3- eposypropure	· · · · · · · · · · · · · · · · · · ·						
Reaction products of pentarcythrical, proposylated and technical products of pentarcythrical, proposylated and technical products of pentarcythrical proposylated and technical products of pentarcythrical proposylated and technical proposylated and technical products and technical produc	epoxypropane with						
of pentacylatrical and i-chitors-2,3- prosystyporane with hydrogen sulphide Reaction products of pentacylatrical pentacylatrical products and pentacylatrical products and pentacylatrical pen	hydrogen sulphide						
proposylated and includence of perturby thirds, proposylated and includence and i	Reaction products	72244-98-5	Green algae	Experimental	72 hours	EC50	>733 mg/l
Carbon 2-2-3- Carbon 2-2-3- Carbon 2-3-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-	of pentaerythritol,						
pooxypropane with hydrogen sulphide Reaction products of pentacypthriol, proposylated and 1-chlore-2.3- peoxypropane with hydrogen sulphide Reaction products of pentacypthriol, proposylated and 1-chlore-2.3- peoxypropane with hydrogen sulphide Reaction products Reaction products of pentacypthriol, proposylated and 1-chlore-2.3- peoxypropane with hydrogen sulphide Reaction products of pentacypthriol, proposylated and 1-chlore-2.3- peoxypropane with hydrogen sulphide Reaction products of pentacypthriol, proposylated and 1-chlore-2.3- peopxypropane with hydrogen sulphide Reaction products of pentacypthriol, proposylated and 1-chlore-2.3- peopxypropane with hydrogen sulphide Reaction products of pentacypthriol, 1-chlore-2.3- peopxypropane with hydrogen sulphide Reaction products of pentacypthriol, 1-chlore-2.3- peopxypropane with hydrogen sulphide Reaction products of pentacypthriol, 1-chlore-2.3- peoxypropane with hydrogen sulphide Reaction products of pentacypthriol, 1-chlore-2.3- peoxypropane with hydrogen sulphide Reaction products and pentacypthriol, 1-chlore-2.3- peoxypropane with hydrogen sulphide Reaction products and pentacypthriol, 1-chlore-2.3- peoxypropane with hydrogen sulphide Reaction products and pentacypthriol, 1-chlore-2.3- peoxypropane with hydrogen sulphide Reaction products and pentacypthriol, 1-chlore-2.3- peoxypropane with hydrogen sulphide Reaction products and pentacypthriol, 1-chlore-2.3- peopxypropane with hydrogen sulphide Reaction products and pentacypthriol, 1-chlore-2.3- peopxypropane with hydrogen sulphide Reaction products and pentacypthriol, 1-chlore-2.3- peopxypropane with hydrogen sulphide Reaction products and pentacypthriol, 1-chlore-2.3- peopxypropane with hydrogen sulphide Reaction products and pentacypthriol pentacypthriol pentacypthriol, 1-chlore-2.3- peopxypropane with hydrogen sulphide Reaction products and pentacypthriol pentacypthriol, 1-chlore-2.3- pentacypthriol, 1-chlore-2.3- pentacypthriol, 1-chlore-2.3- pentacypthriol, 1-chlore-2.3- pentacypthriol, 1-chlore-2.3- pe	propoxylated and						
hydrogen sulphide Reaction products of pentacrythriol, proposylated and le-thoro-2.3- reprosports of pentacrythriol, proposylated and le-thoro-2.4- reprosports of pentacrythriol, proposylated and le-thoro-2.5- reprosports of pentacrythriol, proposy	1-chloro-2,3-						
Reaction products of pentacrythriol, proposylated and included and inc	epoxypropane with						
Reaction products of pentacrythriol, proposylated and incliners, 2-1- engage engage of pentacrythriol, proposylated and incliners, 2-1- engage engage engage of pentacrythriol, proposylated and incliners, 2-1- engage enga	hydrogen sulphide						
of pentacythriot, proposylated and 1-chloro-2,3-peopxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and 1-chloro-2,3-peopxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and 1-chloro-2,3-peopxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and 1-chloro-2,3-peopxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and 1-chloro-2,3-peopxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and 1-chloro-2,3-peopxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and 1-chloro-2,3-peopxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and 1-chloro-2,3-peopxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and 1-chloro-2,3-peopxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and 1-chloro-2,3-peopxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and 1-chloro-2,3-peopxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and 1-chloro-2,3-peopxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and 1-chloro-2,3-peopxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and 1-chloro-2,3-peopxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and 1-chloro-2,3-peopxypropane with hydrogen sulphide Reaction products of pentacythriot, products of pentacythriot, products of pentacythriot, proposylated and 1-chloro-2,3-peopxypropane with hydrogen sulphide Reaction products of pentacythriot, pr	Reaction products	72244-98-5	Water flea	Experimental	48 hours	EC50	12 mg/l
c-blore-2-2- c-poxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and -c-blore-2-2- -c-poxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and -c-blore-2-2- -c-poxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and -c-blore-2-2- -c-poxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and -c-blore-2-2- -c-poxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and -c-blore-2-2- -c-poxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and -c-blore-2-2- -c-poxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and -c-blore-2-2- -c-poxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and -c-blore-2-2- -c-poxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and -c-blore-2-2- -c-poxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and -c-blore-2-2- -c-poxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and -c-blore-2-2- -c-poxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and -c-blore-2-2- -c-poxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and -c-blore-2-2- -c-poxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and -c-blore-2-2- -c-poxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and -c-blore-2-2- -c-poxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and -c-blore-2-2- -c-poxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and -c-blore-2-2- -c-poxypropane with hydrogen sulphide Reaction products of pentacythriot, proposylated and -c-blore-2-2- -c-poxypropane	of pentaerythritol,			1			
peoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and Lechtore-2.3 peoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and Lechtore-2.3 peoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and Lechtore-2.3 peoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and Lechtore-2.3 peoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and Lechtore-2.3 peoxypropane with hydrogen sulphide Polyphosphoric acids, ammonium salts Polyphosphoric	propoxylated and						
hydrogen sulphide Reaction product 272244-98-5 of pentacythritot, proposylated and 1-chlore-2, 3- epoxypropane with hydrogen sulphide Reaction products and 1-chlore-2, 3- epoxypropane with hydrogen sulphide Reaction products and 1-chlore-2, 3- epoxypropane with hydrogen sulphide Reaction products and 1-chlore-2, 3- epoxypropane with hydrogen sulphide Reaction products and 1-chlore-2, 3- epoxypropane with hydrogen sulphide Reaction products and 1-chlore-2, 3- epoxypropane with hydrogen sulphide Polyphosphoric exists, ammonium sults Polyphosphoric exists, ammo	1-chloro-2,3-						
Reaction products of pentaerythrich, proposylated and ichildron, proposylated and ichi	epoxypropane with						
of pentacythriol, proposylated and 1-chloro-2-3- epoxypropane with hydrogen sulphide Reaction products of pentacythriol, proposylated and 1-chloro-2-3- epoxypropane with hydrogen sulphide Reaction products of pentacythriol, proposylated and 1-chloro-2-3- epoxypropane with hydrogen sulphide Reaction products of pentacythriol, proposylated and 1-chloro-2-3- epoxypropane with hydrogen sulphide Reaction products of pentacythriol, proposylated and 1-chloro-2-3- epoxypropane with hydrogen sulphide Replymosphoric acids, ammonium salts and the sulphide Reaction products of the sulphide Reaction products and the sulphide Reaction products of the sulphide Reaction products and the s	hydrogen sulphide						
proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2.3 sepoxypropane with hydrogen sulphide Rea	Reaction products	72244-98-5	Zebra Fish	Experimental	96 hours	LC50	87 mg/l
i.e.hloro-2, 3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and l-chloro-2, 3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and l-chloro-2, 3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and l-chloro-2, 3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and l-chloro-2, 3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and l-chloro-2, 3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and l-chloro-2, 3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and l-chloro-2, 3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and l-chloro-2, 3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and l-chloro-2, 3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and l-chloro-2, 3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and l-chloro-2, 3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and l-chloro-2, 3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and l-chloro-2, 3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and l-chloro-2, 3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and l-chloro-2, 3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, products of pentacrythriol, products of pentacrythriol, products of pentacrythriol pr	of pentaerythritol,						
pepoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and le-thoro-2,3 epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and le-thoro-2,3 epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and le-thoro-2,3 epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and le-thoro-2,3 epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and le-thoro-2,3 epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and le-thoro-2,3 epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and le-thoro-2,3 epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and le-thoro-2,3 epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and le-thoro-2,3 epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and le-thoro-2,3 epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and le-thoro-2,3 epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and le-thoro-2,3 epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and le-thoro-2,3 epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and le-thoro-2,3 epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and le-thoro-2,3 epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and le-thoro-2,3 epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and le-thoro-2,3 epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and le-thoro-2, pentacrythriol, propoxylated and le-thoro-2, pentacrythriol, products of pentacrythriol, propoxylated and le-thoro-2, pentacrythriol, propoxylated and le-thoro-2, pentacrythriol, propoxylated	propoxylated and						
hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide NOEC 3.5 mg/l Steprimental 21 days NOEC 3.5 mg/l Steprimental 22 hours NOEC 97.1 mg/l Steprimental 96 hours LC50 100 mg/l Steprimental 72 hours EC50 100 mg/l Steprimental 72 hours Popton mg/l Steprimental 72 hours Popton mg/l Steprimental 72 hours Popton mg/l Steprimental P							
Reaction products of pentaerythriot, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentaerythriot, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide Polyphosphoric acids, ammonium salts Polyphosphoric acids, ammon	epoxypropane with			1			
of pentacrythritol, propoxylated and le-holro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythritol, propoxylated and le-holro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythritol, propoxylated and le-holro-2,3- epoxypropane with hydrogen sulphide Polyphosphoric acids, ammonium salts Polyphosph	hydrogen sulphide						
proposylated and l-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythritol, propoxylated and l-chloro-2,3- epoxypropane with hydrogen sulphide Poxypropane with hydrogen sulphide Reaction products of sulphide Poxypropane with hydrogen sulphide Reaction products of sulphide Reaction produ	Reaction products	72244-98-5	Green algae	Experimental	72 hours	NOEC	338 mg/l
Cachioro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacryptriol, oppoxylated and -l-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacryptriol, oppoxylated and -l-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacryptriol, oppoxylated and -l-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacryptriol, oppoxylated and -l-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacryptriol, oppoxylated and -l-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacryptriol, oppoxylated and -l-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacryptriol, oppoxylated and -l-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacryptriol, oppoxylated and -l-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacryptriol, oppoxylated and -l-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacryptriol, oppoxylated and -l-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacryptriol, oppoxylated and -l-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacryptriol, oppoxylated and -l-chloro-2,3-epoxypropane with pentacryptriol, oppoxylated and -l-chloro-2,3-epoxypropane with pentacryptriol, oppoxylated and -l-chloro-2,3-epoxylated -l-chloro-2,3-epoxy	1 2						
peoxypropane with hydrogen sulphide Reaction products of pentacrythritol, propoxylated and 1-chloro-2,3- group oxypropane with hydrogen sulphide Reaction products of pentacrythritol, propoxylated and 1-chloro-2,3- groxypropane with hydrogen sulphide Reaction products of pentacrythritol, propoxylated and 1-chloro-2,3- groxypropane with hydrogen sulphide Reaction products of pentacrythritol, propoxylated and 1-chloro-2,3- groxypropane with hydrogen sulphide Reaction products of pentacrythritol, propoxylated and 1-chloro-2,3- groxypropane with hydrogen sulphide Reaction products of pentacrythritol, propoxylated and 1-chloro-2,3- groxypropane with hydrogen sulphide Reaction products of pentacrythritol, propoxylated and 1-chloro-2,3- groxyproxypropane with hydrogen sulphide Reaction products of pentacrythritol, propoxylated and 1-chloro-2,3- groxyproxyproxyproxyproxyproxyproxyproxyp							
hydrogen sulphide Reaction products of pentaerythritol, propoxylated and I-chloro-2,3- epoxypropane with pydrogen sulphide Polyphosphoric acids, ammonium salts							
Reaction products of pentaerythrid, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Polyphosphoric acids, ammonium salts Polyphosphoric acid							
of penterythritol, proposylated and l-chloro-2,3-epoxypropane with hydrogen sulphide Polyphosphoric acids, ammonium salts							
propoxylated and 1-chloro-2,3-cpoxypropane with hydrogen sulphide Polyphosphoric acids, armonium salts Polyphosphoric acid		72244-98-5	Water flea	Experimental	21 days	NOEC	3.5 mg/l
Lehloro-2,3- epoxypropane with hydrogen sulphide polyphosphoric acids, ammonium salts Estimated Stimated Stimate							
poxypropane with hydrogen sulphide Polyphosphoric acids, ammonium salts Polyphosphori	propoxylated and						
hydrogen sulphide Polyphosphoric acids, ammonium salts Polyphosphoric acids, ammonium							
Polyphosphoric acids, ammonium salts Polyphospho							
acids, ammonium salts Polyphosphoric acids, ammo						7.7.	100 7
Polyphosphoric acids, ammonium salts Polyphospho		68333-79-9	Activated sludge	Estimated	3 hours	EC50	>100 mg/l
Polyphosphoric acids, ammonium salts Polyphospho							
acids, ammonium salts Polyphosphoric acids, ammo							1 2 2 4 7
salts		68333-79-9	Green algae	Estimated	72 hours	EC50	>97.1 mg/l
Polyphosphoric acids, ammonium salts Polyphospho							
acids, ammonium salts Polyphosphoric acids, ammonium salts 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methylphenol					0.51	7.050	100 "
Salts Polyphosphoric acids, ammonium salts Polyphosphoric acids, ammonium salts Polyphosphoric acids, ammonium salts Polyphosphoric acids, ammonium salts 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methylamino methyl)phenol		68333-79-9	Rainbow trout	Estimated	96 hours	LC50	>100 mg/l
Polyphosphoric acids, ammonium salts Polyphosphoric acids, ammonium salts Rolphosphoric acids, ammonium salts Polyphosphoric acids, ammonium salts 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methylamino methyl)phenol	/						
acids, ammonium salts Polyphosphoric acids, ammonium salts 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methylamino methyl)phenol 2,4,6- tris(dimethylamino methylamino methyla					40.4	7.7.	100 "
Salts Polyphosphoric acids, ammonium salts 2,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 4,6- tris(dimethylamino methyl)phenol 4,6- tris(dimethylamino methyl)phenol 4,72 hours 4,8 hours 4,8 hours 4,72 hours 4,8 hours 4,7 hou		68333-79-9	Water flea	Estimated	48 hours	EC50	>100 mg/l
Polyphosphoric acids, ammonium salts 24,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methylamino methyl)phen							
acids, ammonium salts 2,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 3,5 Green algae Experimental Fixed methyl mino me						21000	10-1
salts 2,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 4,8 hours 48 hours 50 50 5100 mg/l	~ i i	68333-79-9	Green algae	Estimated	/2 hours	NOEC	9/.1 mg/l
2,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 48 hours EC50 FINO mg/l Experimental 48 hours EC50 FINO mg/l	· · · · · · · · · · · · · · · · · · ·						
tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 48 hours EC50 >100 mg/l Experimental 48 hours EC50 >100 mg/l To Hours NOEC 6.44 mg/l To Hours NOEC							
methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 48 hours EC50 FC50		90-72-2	N/A	Experimental	96 hours	LC50	/18 mg/l
2,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 48 hours Experimental 48 hours EC50 >100 mg/l Experimental 48 hours EC50 >100 mg/l To hours FC50 >100 mg/l FC50		1		1	1		
tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 48 hours EC50 S100 mg/l Experimental FE50 S100 mg/l FE50 FE50 S100 mg/l FE50 FE50 S100 mg/l FE50 FE50 S100 mg/l FE50 FE50 FE50 S100 mg/l FE50 FE50			10 0	<u> </u>	0.61	1. 050	100 7
methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 48 hours EC50 >100 mg/l FEC50 >100 mg/l	, , -	90-72-2	Common Carp	Experimental	96 hours	LC50	>100 mg/l
2,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 48 hours EC50 >100 mg/l Experimental 72 hours NOEC 6.44 mg/l tris(dimethylamino methyl)phenol Bis[(dimethylamin o)methyl)phenol Bis[(dimethylamin o)methyl)phenol Bis[(dimethylamin o)methyl)phenol Bis[(dimethylamin o)methyl)phenol Bis[(dimethylamin o)methyl)phenol N/A Data not available or insufficient for				1			
tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol Bis[(dimethylamin o)methyl)phenol Bis[(dimethylamin o)methyl]phenol		00.72.2	10 1	 	72.1	Ingre .	146.77
methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 3,4,6- Bis[(dimethylamino methyl)phenol 48 hours EC50 >100 mg/l NOEC 6.44 mg/l NOEC 6.44 mg/l NA NA NA NA NA NA		90-72-2	Green algae	Experimental	/2 hours	EC50	46. / mg/l
2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol Bis[(dimethylamin o)methyl]phenol				1			
tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol Bis[(dimethylamin o)methyl]phenol		00.72.2	IXXX : G	<u> </u>	101	Ingro	100 "
methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol Bis[(dimethylamin o)methyl]phenol		90-72-2	Water flea	Experimental	48 hours	EC50	>100 mg/l
2,4,6- tris(dimethylamino methyl)phenol Bis[(dimethylamin o)methyl]phenol N/A Data not available or insufficient for				1			
tris(dimethylamino methyl)phenol Bis[(dimethylamin o)methyl]phenol N/A Data not available or insufficient for		00.72.2		ln · · ·	72.1	Norc	
methyl)phenol Bis[(dimethylamin o)methyl]phenol	/ /	90-72-2	Green algae	Experimental	/2 hours	NOEC	6.44 mg/l
Bis[(dimethylamin o)methyl]phenol N/A Data not available or insufficient for N/A N/A NA				1			
o)methyl]phenol or insufficient for		71074 00 0	NT/A	D-4 (111	NT/A	NI/A	N/A
of insufficient for classification		1/10/4-89-0	IN/A		IN/A	IN/A	INA
	a)mathyllahanal						
	o)methyl]phenol						

Siloxanes and Silicones, di-Me, reaction products with silica	67762-90-7	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Melamine	108-78-1	Green algae	Experimental	96 hours	EC50	325 mg/l
Melamine	108-78-1	Guppy	Experimental	96 hours	LC50	>3,000 mg/l
Melamine	108-78-1	Water flea	Experimental	48 hours	EC50	48 mg/l
Melamine	108-78-1	Fathead minnow	Experimental	36 days	NOEC	5.1 mg/l
Melamine	108-78-1	Green algae	Experimental	96 hours	NOEC	98 mg/l
Melamine	108-78-1	Water flea	Experimental	21 days	NOEC	11 mg/l
Melamine	108-78-1	Activated sludge	Experimental	30 minutes	EC20	>1,992 mg/l
Melamine	108-78-1	Bacteria	Experimental	30 minutes	EC50	>10,000 mg/l
Melamine	108-78-1	Barley	Experimental	4 days	EC50	530 mg/l

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide	72244-98-5	Experimental Biodegradation	28 days	CO2 evolution	5 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
Polyphosphoric acids, ammonium salts	68333-79-9	Data not availbl- insufficient	N/A	N/A	N/A	N/A
2,4,6- tris(dimethylamino methyl)phenol	90-72-2	Experimental Biodegradation	28 days	BOD	4 %BOD/ThOD	OECD 301D - Closed bottle test
Bis[(dimethylamin o)methyl]phenol	71074-89-0	Modeled Biodegradation	28 days	BOD	41 %CO2 evolution/THCO2 evolution	Catalogic™
Siloxanes and Silicones, di-Me, reaction products with silica	67762-90-7	Data not availblinsufficient	N/A	N/A	N/A	N/A
Melamine	108-78-1	Experimental Biodegradation	14 days	BOD	0 %BOD/ThOD	OECD 301C - MITI test (I)
Melamine	108-78-1	Experimental Aquatic Inherent Biodegrad.	28 days	Dissolv. Organic Carbon Deplet	0 %removal of DOC	OECD 302B Zahn- Wellens/EVPA
Melamine	108-78-1	Experimental Soil Metabolism Aerobic		Half-life (t 1/2)	2-3 years (t 1/2)	

12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Reaction products	72244-98-5	Estimated		Log Kow	>1.2	
of pentaerythritol,		Bioconcentration				
propoxylated and						
1-chloro-2,3-						
epoxypropane with						
hydrogen sulphide						
Polyphosphoric	68333-79-9	Data not available	N/A	N/A	N/A	N/A
acids, ammonium		or insufficient for				
salts		classification				

2,4,6-	90-72-2	Experimental		Log Kow	-0.66	830.7550 Part.Coef Shake
tris(dimethylamino		Bioconcentration				Flask
methyl)phenol						
Bis[(dimethylamin	71074-89-0	Modeled		Log Kow	-2.34	ACD/Labs ChemSketch™
o)methyl]phenol		Bioconcentration				
Siloxanes and	67762-90-7	Data not available	N/A	N/A	N/A	N/A
Silicones, di-Me,		or insufficient for				
reaction products		classification				
with silica						
Melamine	108-78-1	Experimental BCF	42 days	Bioaccumulation	<3.8	OECD305-Bioconcentration
		- Fish		factor		
Melamine	108-78-1	Experimental		Log Kow	-1.14	EC A.8 Partition Coefficient
		Bioconcentration		-		

12.4. Mobility in soil

No test data available.

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Other adverse effects

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

08 04 09* Waste adhesives and sealants containing organic solvents or other dangerous substances

20 01 27* Paint, inks, adhesives and resins containing dangerous substances

SECTION 14: Transportation information

Not hazardous for transportation.

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number	No data available.	No data available.	No data available.
14.2 UN proper shipping name	No data available.	No data available.	No data available.

14.3 Transport hazard class(es)	No data available.	No data available.	No data available.
14.4 Packing group	No data available.	No data available.	No data available.
14.5 Environmental hazards	No data available.	No data available.	No data available.
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code	No data available.	No data available.	No data available.
Control Temperature	No data available.	No data available.	No data available.
Emergency Temperature	No data available.	No data available.	No data available.
ADR Classification Code	No data available.	No data available.	No data available.
IMDG Segregation Code	No data available.	No data available.	No data available.

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity <u>Ingredient</u>	CAS Nbr	Classification	Regulation
Melamine	108-78-1	Carc. 2	Annex VI-18th ATP according to the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain
Melamine	108-78-1	Grp. 2B: Possible human carc.	International Agency for Research on Cancer

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt

3M Scotch-Weld™ Epoxy Adhesive DP100FR Cream, Part A

from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

COMAH Regulation, SI 2015/483

Seveso hazard categories, Annex 1, Part 1

None

Seveso named dangerous substances, Annex 1, Part 2

None

11202

Regulation (EU) No 649/2012, as amended for GB

No chemicals listed

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

SECTION 16: Other information

List of relevant H statements

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361f	Suspected of damaging fertility.
H412	Harmful to aquatic life with long lasting effects.

11ama 6.1 : 6 ama 11 ama d

Revision information:

- Section 3: Composition/Information of ingredients table information was modified.
- Section 6: Accidental release personal information information was modified.
- Section 7: Conditions safe storage information was modified.
- Section 8: Occupational exposure limit table information was modified.
- OEL Reg Agency Desc information was modified.
- Section 9: Flammability (solid, gas) information information was deleted.
- Section 09: Flammability information information was added.
- Section 09: Particle Characteristics N/A information was added.
- Section 11: Reproductive Toxicity Table information was modified.
- Section 11: Target Organs Repeated Table information was modified.
- Section 11: Target Organs Single Table information was modified.
- Section 12: Component ecotoxicity information information was modified.
- Section 12: Persistence and Degradability information information was modified.
- Section 12:Bioccumulative potential information information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

3M Scotch-Weld™ Epoxy Adhesive DP100FR Cream, Part A	
3M SDSs for Great Britain are available at www.3M.com/uk For Northern Ireland documents, please contact your 3M representative to obtain a copy.	



Safety Data Sheet

Copyright, 2025, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 19-8269-3
 Version number:
 8.00

 Revision date:
 24/02/2025
 Supersedes date:
 09/10/2023

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3M Scotch-Weld™ Epoxy Adhesive DP100FR Cream, Part B

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Product

1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

Telephone: +44 (0)1344 858 000 **E Mail:** tox.uk@mmm.com **Website:** www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

The carcinogenicity classification for titanium dioxide is not applicable based on physical form (material is not a powder).

CLASSIFICATION:

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319

Skin Sensitization, Category 1 - Skin Sens. 1; H317

Hazardous to the Aquatic Environment (Chronic), Category 2 - Aquatic Chronic 2; H411

For full text of H phrases, see Section 16.

2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

SIGNAL WORD

WARNING.

Symbols

GHS07 (Exclamation mark) |GHS09 (Environment) |

Pictograms





Ingredient CAS Nbr EC No. % by Wt

bis-[4-(2,3-epoxipropoxi)phenyl]propane 1675-54-3 216-823-5 68 - 80

HAZARD STATEMENTS:

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

Prevention:

P273 Avoid release to the environment.

P280E Wear protective gloves.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P391 Collect spillage.

For containers not exceeding 125 ml the following Hazard and Precautionary statements may be used:

<=125 ml Hazard statements

H317 May cause an allergic skin reaction.

<=125 ml Precautionary statements

Prevention:

P280E Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

SUPPLEMENTAL INFORMATION:

3M Scotch-Weld™ Epoxy Adhesive DP100FR Cream, Part B

Supplemental Hazard Statements:

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Ingredient	Identifier(s)	%	Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB
bis-[4-(2,3-epoxipropoxi)phenyl]propane	(CAS-No.) 1675-54-3 (EC-No.) 216-823-5	68 - 80	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Polyphosphoric acids, ammonium salts	(CAS-No.) 68333-79-9 (EC-No.) 269-789-9	10 - 30	Acute Tox. 4, H302 Eye Irrit. 2, H319
Melamine	(CAS-No.) 108-78-1 (EC-No.) 203-615-4	<= 0.5	Repr. 2, H361f Carc. 2, H351 STOT RE 2, H373
Titanium dioxide	(CAS-No.) 13463-67-7 (EC-No.) 236-675-5	1 - 5	Carc. 2, H351 (inhalation)

Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

Ingredient	Identifier(s)	Specific Concentration Limits
		(C >= 5%) Skin Irrit. 2, H315 (C >= 5%) Eye Irrit. 2, H319

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

3M Scotch-Weld™ Epoxy Adhesive DP100FR Cream, Part B

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the GB CLP classification include:

Irritation to the skin (localized redness, swelling, itching, and dryness). Allergic skin reaction (redness, swelling, blistering, and itching). Serious irritation to the eyes (significant redness, swelling, pain, tearing, and impaired vision).

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance	<u>Condition</u>
Aldehydes.	During combustion.
Hydrocarbons.	During combustion.
Carbon monoxide	During combustion.
Carbon dioxide.	During combustion.
Hydrogen Chloride	During combustion.
Ketones.	During combustion.
Ammonia	During combustion.
Oxides of nitrogen.	During combustion.
Toxic vapour, gas, particulate.	During combustion.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS. Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from acids. Store away from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient CAS Nbr Agency Limit type Additional comments

Titanium dioxide 13463-67-7 UK HSE TWA(respirable):4

mg/m3;TWA(Inhalable):10

mg/m3

UK HSE: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Indirect vented goggles.

Applicable Norms/Standards

Use eye protection conforming to EN 166

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

MaterialThickness (mm)Breakthrough TimePolymer laminateNo data availableNo data available

Applicable Norms/Standards Use gloves tested to EN 374

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates Half facepiece or full facepiece supplied-air respirator

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Specific Physical Form:	Viscous Liquid
Colour	White
Odor	Mild Epoxy
Odour threshold	No data available.
Melting point/freezing point	Not applicable.
Boiling point/boiling range	No data available.

Flammability	Not applicable.
Flammable Limits(LEL)	No data available.
Flammable Limits(UEL)	No data available.
Flash point	> 93.9 °C [@ 101,325 Pa] [Test Method:Closed Cup]
Autoignition temperature	No data available.
Decomposition temperature	No data available.
рН	substance/mixture is non-soluble (in water)
Kinematic Viscosity	58,333 mm ² /sec
Water solubility	Negligible
Solubility- non-water	No data available.
Partition coefficient: n-octanol/water	No data available.
Vapour pressure	No data available.
Density	1.2 g/ml [Ref Std:WATER=1]
Relative density	1.2 [Ref Std:WATER=1]
Relative Vapour Density	No data available.
Particle Characteristics	Not applicable.

9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic Compounds

Evaporation rate

Molecular weight

O g/l

Negligible

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

Heat is generated during cure. Do not cure a mass larger than 50 grams in a confined space to prevent a premature exothermic reaction with production of intense heat and smoke.

10.5 Incompatible materials

Strong acids.

Strong oxidising agents.

10.6 Hazardous decomposition products

Substance Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Mild Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eve contact

Moderate eye irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion

May be harmful if swallowed.

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >2,000 - =5,000
-			mg/kg
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Dermal	Rat	LD50 > 1,600 mg/kg
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Ingestion	Rat	LD50 > 1,000 mg/kg
Polyphosphoric acids, ammonium salts	Dermal	Rat	LD50 > 5,000 mg/kg
Polyphosphoric acids, ammonium salts	Inhalation-	Rat	LC50 > 4.85 mg/l
	Dust/Mist		
	(4 hours)		
Polyphosphoric acids, ammonium salts	Ingestion	Rat	LD50 > 300, < 2,000 mg/kg
Titanium dioxide	Dermal	Rabbit	LD50 > 10,000 mg/kg
Titanium dioxide	Inhalation-	Rat	LC50 > 6.82 mg/l
	Dust/Mist		
	(4 hours)		
Titanium dioxide	Ingestion	Rat	LD50 > 10,000 mg/kg

3M Scotch-Weld™ Epoxy Adhesive DP100FR Cream, Part B

Melamine	Dermal	Rabbit	LD50 > 1,000 mg/kg
Melamine	Inhalation-	Rat	LC50 > 5.19 mg/l
	Dust/Mist		
	(4 hours)		
Melamine	Ingestion	Rat	LD50 3,161 mg/kg

 \overline{ATE} = acute toxicity estimate

Skin Corrosion/Irritation

OIII C011 0010II 111 100010		
Name	Species	Value
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Rabbit	Mild irritant
Polyphosphoric acids, ammonium salts	In vitro	No significant irritation
	data	
Titanium dioxide	Rabbit	No significant irritation
Melamine	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Rabbit	Moderate irritant
Polyphosphoric acids, ammonium salts	Rabbit	Moderate irritant
Titanium dioxide	Rabbit	No significant irritation
Melamine	Rabbit	No significant irritation

Skin Sensitisation

Name	Species	Value
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Human and animal	Sensitising
Polyphosphoric acids, ammonium salts	similar compoun ds	Not classified
Titanium dioxide	Human and animal	Not classified
Melamine	Guinea pig	Not classified

Respiratory Sensitisation

Name	Species	Value
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Human	Not classified

Germ Cell Mutagenicity

Name	Route	Value
bis-[4-(2,3-epoxipropoxi)phenyl]propane	In vivo	Not mutagenic
bis-[4-(2,3-epoxipropoxi)phenyl]propane	In Vitro	Some positive data exist, but the data are not sufficient for classification
Titanium dioxide	In Vitro	Not mutagenic
Titanium dioxide	In vivo	Not mutagenic
Melamine	In Vitro	Not mutagenic
Melamine	In vivo	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification
Titanium dioxide	Ingestion	Multiple animal	Not carcinogenic

		species	
Titanium dioxide	Inhalation	Rat	Carcinogenic.
Melamine	Ingestion	Multiple	Carcinogenic.
		animal	
		species	

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Ingestion	Not classified for female reproduction	Rat	NOAEL 750 mg/kg/day	2 generation
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Ingestion	Not classified for male reproduction	Rat	NOAEL 750 mg/kg/day	2 generation
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Dermal	Not classified for development	Rabbit	NOAEL 300 mg/kg/day	during organogenesis
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Ingestion	Not classified for development	Rat	NOAEL 750 mg/kg/day	2 generation
Melamine	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,227 mg/kg/day	2 generation
Melamine	Ingestion	Not classified for development	Rat	NOAEL 1,060 mg/kg/day	during organogenesis
Melamine	Ingestion	Toxic to male reproduction	Rat	NOAEL 89 mg/kg/day	2 generation

Target Organ(s)

Specific Target Organ Toxicity - single exposure

specific 1 miger of gain 1 officity single chrosure								
Name	Route	Target Organ(s)	Value	Species	Test result	Exposure		
						Duration		
Polyphosphoric acids,	Inhalation	respiratory irritation	Some positive data exist, but the	similar	NOAEL Not			
ammonium salts			data are not sufficient for	health	available			
			classification	hazards				

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
bis-[4-(2,3- epoxipropoxi)phenyl]prop ane	Dermal	liver	Not classified	Rat	NOAEL 1,000 mg/kg/day	2 years
bis-[4-(2,3- epoxipropoxi)phenyl]prop ane	Dermal	nervous system	Not classified	Rat	NOAEL 1,000 mg/kg/day	13 weeks
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Ingestion	auditory system heart endocrine system hematopoietic system liver eyes kidney and/or bladder	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days
Titanium dioxide	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 0.01 mg/l	2 years
Titanium dioxide	Inhalation	pulmonary fibrosis	Not classified	Human	NOAEL Not available	occupational exposure
Melamine	Ingestion	kidney and/or bladder	Causes damage to organs through prolonged or repeated exposure	Rat	LOAEL 44.6 mg/kg/day	90 days
Melamine	Ingestion	heart skin endocrine system gastrointestinal tract bone, teeth, nails, and/or hair	Not classified	Rat	NOAEL 1,400 mg/kg/day	90 days

hematopoietic system liver	
immune system	
muscles nervous	
system respiratory	
system	

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Type	Exposure	Test endpoint	Test result
bis-[4-(2,3- epoxipropoxi)phen yl]propane	1675-54-3	Activated sludge	Analogous Compound	3 hours	IC50	>100 mg/l
bis-[4-(2,3- epoxipropoxi)phen yl]propane	1675-54-3	Rainbow trout	Estimated	96 hours	LC50	2 mg/l
bis-[4-(2,3- epoxipropoxi)phen yl]propane	1675-54-3	Water flea	Estimated	48 hours	EC50	1.8 mg/l
bis-[4-(2,3- epoxipropoxi)phen yl]propane	1675-54-3	Green algae	Experimental	72 hours	ErC50	>11 mg/l
bis-[4-(2,3- epoxipropoxi)phen yl]propane	1675-54-3	Green algae	Experimental	72 hours	NOEC	4.2 mg/l
bis-[4-(2,3- epoxipropoxi)phen yl]propane	1675-54-3	Water flea	Experimental	21 days	NOEC	0.3 mg/l
Polyphosphoric acids, ammonium salts	68333-79-9	Activated sludge	Estimated	3 hours	EC50	>100 mg/l
Polyphosphoric acids, ammonium salts	68333-79-9	Green algae	Estimated	72 hours	EC50	>97.1 mg/l
Polyphosphoric acids, ammonium salts	68333-79-9	Rainbow trout	Estimated	96 hours	LC50	>100 mg/l
Polyphosphoric acids, ammonium salts	68333-79-9	Water flea	Estimated	48 hours	EC50	>100 mg/l
Polyphosphoric acids, ammonium salts	68333-79-9	Green algae	Estimated	72 hours	NOEC	97.1 mg/l
Melamine	108-78-1	Green algae	Experimental	96 hours	EC50	325 mg/l

Melamine	108-78-1	Guppy	Experimental	96 hours	LC50	>3,000 mg/l
Melamine	108-78-1	Water flea	Experimental	48 hours	EC50	48 mg/l
Melamine	108-78-1	Fathead minnow	Experimental	36 days	NOEC	5.1 mg/l
Melamine	108-78-1	Green algae	Experimental	96 hours	NOEC	98 mg/l
Melamine	108-78-1	Water flea	Experimental	21 days	NOEC	11 mg/l
Melamine	108-78-1	Activated sludge	Experimental	30 minutes	EC20	>1,992 mg/l
Melamine	108-78-1	Bacteria	Experimental	30 minutes	EC50	>10,000 mg/l
Melamine	108-78-1	Barley	Experimental	4 days	EC50	530 mg/l
Titanium dioxide	13463-67-7	Activated sludge	Experimental	3 hours	NOEC	>=1,000 mg/l
Titanium dioxide	13463-67-7	Diatom	Experimental	72 hours	EC50	>10,000 mg/l
Titanium dioxide	13463-67-7	Fathead minnow	Experimental	96 hours	LC50	>100 mg/l
Titanium dioxide	13463-67-7	Water flea	Experimental	48 hours	EC50	>100 mg/l
Titanium dioxide	13463-67-7	Diatom	Experimental	72 hours	NOEC	5,600 mg/l

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
bis-[4-(2,3- epoxipropoxi)phen yl]propane	1675-54-3	Experimental Biodegradation	28 days	BOD	5 %BOD/COD	OECD 301F - Manometric respirometry
bis-[4-(2,3- epoxipropoxi)phen yl]propane	1675-54-3	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	117 hours (t 1/2)	OECD 111 Hydrolysis func of pH
Polyphosphoric acids, ammonium salts	68333-79-9	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Melamine	108-78-1	Experimental Biodegradation	14 days	BOD	0 %BOD/ThOD	OECD 301C - MITI test (I)
Melamine	108-78-1	Experimental Aquatic Inherent Biodegrad.	28 days	Dissolv. Organic Carbon Deplet	0 %removal of DOC	OECD 302B Zahn- Wellens/EVPA
Melamine	108-78-1	Experimental Soil Metabolism Aerobic		Half-life (t 1/2)	2-3 years (t 1/2)	
Titanium dioxide	13463-67-7	Data not availbl- insufficient	N/A	N/A	N/A	N/A

12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
bis-[4-(2,3- epoxipropoxi)phen yl]propane	1675-54-3	Experimental Bioconcentration		Log Kow	3.242	OECD 117 log Kow HPLC method
Polyphosphoric acids, ammonium salts	68333-79-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Melamine	108-78-1	Experimental BCF - Fish	42 days	Bioaccumulation factor	<3.8	OECD305-Bioconcentration
Melamine	108-78-1	Experimental Bioconcentration		Log Kow	-1.14	EC A.8 Partition Coefficient
Titanium dioxide	13463-67-7	Experimental BCF - Fish	42 days	Bioaccumulation factor	9.6	

12.4. Mobility in soil

Material	Cas No.	Test type	Study Type	Test result	Protocol
bis-[4-(2,3-			Koc	450 l/kg	Episuite TM
epoxipropoxi)pheny		in Soil			

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Other adverse effects

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Combustion products will include halogen acid (HCl/HF/HBr). Facility must be capable of handling halogenated materials. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

08 04 09* Waste adhesives and sealants containing organic solvents or other dangerous substances

20 01 27* Paint, inks, adhesives and resins containing dangerous substances

SECTION 14: Transportation information

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number	UN3082	UN3082	UN3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(EPOXY RESIN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(EPOXY RESIN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(EPOXY RESIN)
14.3 Transport hazard class(es)	9	9	9
14.4 Packing group	III	III	III
14.5 Environmental	Environmentally Hazardous	Not applicable	Marine Pollutant

hazards			
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code	No data available.	No data available.	No data available.
Control Temperature	No data available.	No data available.	No data available.
Emergency Temperature	No data available.	No data available.	No data available.
ADR Classification Code	M6	Not applicable.	Not applicable.
IMDG Segregation Code	Not applicable.	Not applicable.	NONE

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

~ .		• •
Carcin	geni	icity

 Ingredient	CAS Nbr	Classification	Regulation
Melamine	108-78-1	Carc. 2	Annex VI-18th ATP according to the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain
Melamine	108-78-1	Grp. 2B: Possible human carc.	International Agency for Research on Cancer
Titanium dioxide	13463-67-7	Grp. 2B: Possible human carc.	International Agency for Research on Cancer
bis-[4-(2,3-epoxipropoxi)phenyl]propane	1675-54-3	Gr. 3: Not classifiable	International Agency for Research on Cancer

Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject to Annex XVII of regulation (EC) 1907/2006, as amended for GB, with regard to restrictions on the manufacture, placing on the market and use when present in certain dangerous conditions. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

<u>Ingredient</u> <u>CAS Nbr</u>

3M Scotch-Weld™ Epoxy Adhesive DP100FR Cream, Part B

bis-[4-(2,3-epoxipropoxi)phenyl]propane

1675-54-3

Restriction status: listed in UK REACH Annex XVII

Restricted uses: See Annex XVII to Regulation (EC) No 1907/2006 as amended for Great Britain for Conditions of

Restriction

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

COMAH Regulation, SI 2015/483

Seveso hazard categories, Annex 1, Part 1

Hazard Categories	Qualifying quantity (tonnes) for the appli	cation of
	Lower-tier requirements	Upper-tier requirements
E2 Hazardous to the Aquatic	200	500
environment		

Seveso named dangerous substances, Annex 1, Part 2 None

Regulation (EU) No 649/2012, as amended for GB

No chemicals listed

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

SECTION 16: Other information

List of relevant H statements

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351i	Suspected of causing cancer by inhalation.
H361f	Suspected of damaging fertility.
H411	Toxic to aquatic life with long lasting effects

3M Scotch-Weld™ Epoxy Adhesive DP100FR Cream, Part B

Revision information:

GB Section 15: Carcinogenicity information information was modified.

Section 1: Product use information information was modified.

Section 3: Composition/Information of ingredients table information was modified.

Section 6: Accidental release personal information information was modified.

Section 7: Conditions safe storage information was modified.

Section 8: Occupational exposure limit table information was modified.

OEL Reg Agency Desc information was modified.

Section 8: Respiratory protection - recommended respirators information information was modified.

Section 9: Flammability (solid, gas) information information was deleted.

Section 09: Flammability information information was added.

Section 09: Odor information was modified.

Section 09: Particle Characteristics N/A information was added.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

3M SDSs for Great Britain are available at www.3M.com/uk

For Northern Ireland documents, please contact your 3M representative to obtain a copy.