



Safety Data Sheet

Copyright, 2024, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group: 34-6308-0
Issue Date: 12/15/24

Version Number: 5.00
Supersedes Date: 12/11/24

SECTION 1: Identification

1.1. Product identifier

3M™ Perfect-It™ Boat Wash, 09034, 09035

Product Identification Numbers

ID Number UPC
60-4550-8612-8

ID Number UPC
60-4550-8613-6

7100087484, 7100087813

1.2. Recommended use and restrictions on use

Recommended use

Marine

1.3. Supplier's details

MANUFACTURER: 3M
DIVISION: Automotive Aftermarket
ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA
Telephone: 1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

The label elements below were prepared in accordance with OSHA Hazard Communication Standard, 29 CFR 1910.1200. This information may be different from the actual product label information for labels regulated by other agencies.

2.1. Hazard classification

Serious Eye Damage/Irritation: Category 2A.
Skin Corrosion/Irritation: Category 2.

2.2. Label elements

Signal word

Warning

Symbols

Exclamation mark |

Pictograms



Hazard Statements

Causes serious eye irritation.

Causes skin irritation.

Precautionary Statements

General:

Keep out of reach of children.

Prevention:

Wear protective gloves and eye/face protection.

Wash thoroughly after handling.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Supplemental Information:

Test data on the raw material is reflected in the skin and eye hazard classification for the product.

SECTION 3: Composition/information on ingredients

| Ingredient | C.A.S. No. | % by Wt |
|---|---------------|------------------------|
| Water | 7732-18-5 | 70 - 90 Trade Secret * |
| Alcohol Ethoxysulfate (Sodium Salt) | 68585-34-2 | 1 - 5 Trade Secret * |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts | 68081-81-2 | 1 - 5 Trade Secret * |
| Cocoamidopropylbetaine | 61789-40-0 | 1 - 5 Trade Secret * |
| Lauryldimethylamine Oxide | 1643-20-5 | 1 - 5 Trade Secret * |
| Sodium Chloride | 7647-14-5 | 1 - 5 Trade Secret * |
| Sodium Mono-C10-16-Alkyl Sulfates | 68585-47-7 | 1 - 5 Trade Secret * |
| Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts | 68439-57-6 | 1 - 5 Trade Secret * |
| Fragrance Ingredient | Trade Secret* | <= 0.1 Trade Secret * |

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures**5.1. Suitable extinguishing media**

Use a fire fighting agent suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

7.2. Conditions for safe storage including any incompatibilities

Protect from sunlight. Store away from heat.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Occupational exposure limits**

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|----------------------|-------------------|---------------|---|----------------------------|
| Fragrance Ingredient | Trade Secret | AIHA | TWA:8.7 mg/m ³ (2 ppm);STEL(15 minutes):17.4 mg/m ³ (4 ppm) | Dermal Sensitizer |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls**8.2.1. Engineering controls**

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)**Eye/face protection**

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

Indirect Vented Goggles

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

Half facepiece or full facepiece supplied-air respirator

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|--|
| Appearance | |
| Physical state | Liquid |
| Color | Bright Yellow |
| Odor | Fruity Odor, Pleasant Odor, Sweet Clean |
| Odor threshold | <i>No Data Available</i> |
| pH | 7.8 - 8.8 |
| Melting point | <i>Not Applicable</i> |
| Boiling Point | <i>No Data Available</i> |
| Flash Point | No flash point |
| Evaporation rate | <i>No Data Available</i> |
| Flammability (solid, gas) | Not Applicable |
| Flammable Limits(LEL) | <i>Not Applicable</i> |
| Flammable Limits(UEL) | <i>Not Applicable</i> |
| Vapor Pressure | <i>No Data Available</i> |
| Vapor Density | <i>No Data Available</i> |
| Density | 1 g/cm3 |
| Specific Gravity | 0.995 - 1.042 [Ref Std: WATER=1] |
| Solubility in Water | Complete |
| Solubility- non-water | Complete |
| Partition coefficient: n-octanol/ water | <i>No Data Available</i> |
| Autoignition temperature | <i>Not Applicable</i> |
| Decomposition temperature | <i>No Data Available</i> |
| Viscosity | 150 - 350 centipoise [@ 77 °F] |
| Hazardous Air Pollutants | 0 % weight |
| Molecular weight | <i>Not Applicable</i> |
| Volatile Organic Compounds | 0.1 % weight [Test Method:calculated per CARB title 2] |
| Percent volatile | 89.8 % weight [Test Method:Estimated] |
| VOC Less H2O & Exempt Solvents | 0.1 lb/gal [Test Method:calculated SCAQMD rule 443.1] |

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
|------------------|------------------|

Carbon monoxide
Carbon dioxide
Irritant Vapors or Gases

Not Specified
Not Specified
Not Specified

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.
Allergic Skin Reaction (non-photo induced) in sensitive people: Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact:

Severe Eye Irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|---|--------------------------------|---------|--|
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Sodium Mono-C10-16-Alkyl Sulfates | Dermal | Rat | LD50 > 2,000 mg/kg |
| Sodium Mono-C10-16-Alkyl Sulfates | Ingestion | Rat | LD50 1,800 mg/kg |
| Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts | Dermal | Rabbit | LD50 6,300 mg/kg |
| Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 52 mg/l |
| Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts | Ingestion | Rat | LD50 2,079 mg/kg |
| Alcohol Ethoxysulfate (Sodium Salt) | Dermal | Rat | LD50 > 2,000 mg/kg |
| Alcohol Ethoxysulfate (Sodium Salt) | Ingestion | Rat | LD50 2,870 mg/kg |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts | Dermal | Rat | LD50 > 2,000 mg/kg |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts | Ingestion | Rat | LD50 1,080 mg/kg |
| Cocoamidopropylbetaine | Dermal | Rat | LD50 > 2,000 mg/kg |
| Cocoamidopropylbetaine | Ingestion | Rat | LD50 > 1,500 mg/kg |
| Lauryldimethylamine Oxide | Ingestion | Rat | LD50 1,064 mg/kg |
| Lauryldimethylamine Oxide | Dermal | similar | LD50 > 2,000 mg/kg |

| | | compounds | |
|----------------------|--------------------------------|-----------|-------------------------|
| Sodium Chloride | Dermal | Rabbit | LD50 > 10,000 mg/kg |
| Sodium Chloride | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 10.5 mg/l |
| Sodium Chloride | Ingestion | Rat | LD50 3,550 mg/kg |
| Fragrance Ingredient | Dermal | Rabbit | LD50 >2000, <5000 mg/kg |
| Fragrance Ingredient | Inhalation-Dust/Mist (4 hours) | Rat | LC50 >1, <5 mg/l |
| Fragrance Ingredient | Ingestion | Rat | LD50 1,430 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|---|-------------------------|---------------------------|
| Sodium Mono-C10-16-Alkyl Sulfates | Rabbit | Irritant |
| Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts | Rabbit | Irritant |
| Alcohol Ethoxysulfate (Sodium Salt) | Rabbit | Irritant |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts | Rabbit | Irritant |
| Cocoamidopropylbetaine | Rabbit | Minimal irritation |
| Lauryldimethylamine Oxide | Rabbit | Irritant |
| Sodium Chloride | Rabbit | No significant irritation |
| Fragrance Ingredient | Multiple animal species | Irritant |

Serious Eye Damage/Irritation

| Name | Species | Value |
|---|---------|-------------------|
| Sodium Mono-C10-16-Alkyl Sulfates | Rabbit | Corrosive |
| Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts | Rabbit | Corrosive |
| Alcohol Ethoxysulfate (Sodium Salt) | Rabbit | Corrosive |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts | Rabbit | Corrosive |
| Cocoamidopropylbetaine | Rabbit | Corrosive |
| Lauryldimethylamine Oxide | Rabbit | Corrosive |
| Sodium Chloride | Rabbit | Mild irritant |
| Fragrance Ingredient | Rabbit | Moderate irritant |

Skin Sensitization

| Name | Species | Value |
|---|-------------------------|--|
| Sodium Mono-C10-16-Alkyl Sulfates | Guinea pig | Not classified |
| Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts | Guinea pig | Not classified |
| Alcohol Ethoxysulfate (Sodium Salt) | Guinea pig | Not classified |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts | Guinea pig | Not classified |
| Cocoamidopropylbetaine | Multiple animal species | Not classified |
| Lauryldimethylamine Oxide | Guinea pig | Not classified |
| Fragrance Ingredient | Human | Some positive data exist, but the data are not sufficient for classification |

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|------|-------|-------|
|------|-------|-------|

| | | |
|---|----------|--|
| | | |
| Sodium Mono-C10-16-Alkyl Sulfates | In Vitro | Not mutagenic |
| Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts | In Vitro | Not mutagenic |
| Alcohol Ethoxysulfate (Sodium Salt) | In Vitro | Not mutagenic |
| Alcohol Ethoxysulfate (Sodium Salt) | In vivo | Not mutagenic |
| Cocoamidopropylbetaine | In Vitro | Not mutagenic |
| Cocoamidopropylbetaine | In vivo | Not mutagenic |
| Lauryldimethylamine Oxide | In Vitro | Not mutagenic |
| Lauryldimethylamine Oxide | In vivo | Not mutagenic |
| Sodium Chloride | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Sodium Chloride | In vivo | Some positive data exist, but the data are not sufficient for classification |
| Fragrance Ingredient | In vivo | Not mutagenic |
| Fragrance Ingredient | In Vitro | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|---|-----------|---------|--|
| Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts | Ingestion | Rat | Not carcinogenic |
| Lauryldimethylamine Oxide | Dermal | Mouse | Not carcinogenic |
| Lauryldimethylamine Oxide | Ingestion | Rat | Not carcinogenic |
| Sodium Chloride | Ingestion | Rat | Not carcinogenic |
| Fragrance Ingredient | Ingestion | Mouse | Some positive data exist, but the data are not sufficient for classification |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test Result | Exposure Duration |
|---|-----------|--|---------|---------------------|--------------------------|
| Sodium Mono-C10-16-Alkyl Sulfates | Ingestion | Not classified for development | Rat | NOAEL 250 mg/kg/day | during organogenesis |
| Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts | Ingestion | Not classified for development | Mouse | NOAEL 2 mg/kg/day | during organogenesis |
| Alcohol Ethoxysulfate (Sodium Salt) | Ingestion | Not classified for female reproduction | Rat | NOAEL 300 mg/kg/day | 2 generation |
| Alcohol Ethoxysulfate (Sodium Salt) | Ingestion | Not classified for male reproduction | Rat | NOAEL 300 mg/kg/day | 2 generation |
| Alcohol Ethoxysulfate (Sodium Salt) | Ingestion | Not classified for development | Rat | NOAEL 300 mg/kg/day | 2 generation |
| Lauryldimethylamine Oxide | Ingestion | Not classified for male reproduction | Rat | NOAEL 250 mg/kg/day | 28 days |
| Lauryldimethylamine Oxide | Ingestion | Not classified for female reproduction | Rat | NOAEL 100 mg/kg/day | premating into lactation |
| Lauryldimethylamine Oxide | Ingestion | Not classified for development | Rat | NOAEL 25 mg/kg/day | during gestation |
| Fragrance Ingredient | Ingestion | Not classified for female reproduction | Rat | NOAEL 5 mg/kg/day | 1 generation |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|--|------------|------------------------|--|------------------------|---------------------|-------------------|
| Sodium Mono-C10-16-Alkyl Sulfates | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL not available | |
| Sulfonic Acids, C14-16-Alkane Hydroxy and C14- | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for | similar health | NOAEL Not available | |

| | | | | | | |
|---|------------|------------------------|--|------------------------|---------------------|--|
| 16 Alkene, Sodium Salts | | | classification | hazards | | |
| Alcohol Ethoxysulfate (Sodium Salt) | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |
| Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL not available | |
| Cocoamidopropylbetaine | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| Lauryldimethylamine Oxide | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |
| Fragrance Ingredient | Inhalation | respiratory irritation | May cause respiratory irritation | Human and animal | NOAEL not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|---|-----------|--|--|---------|-----------------------|-------------------|
| Sulfonic Acids, C14-16-Alkane Hydroxy and C14-16 Alkene, Sodium Salts | Ingestion | endocrine system hematopoietic system liver immune system eyes kidney and/or bladder | Not classified | Rat | NOAEL 195 mg/kg/day | 2 years |
| Alcohol Ethoxysulfate (Sodium Salt) | Dermal | skin heart endocrine system gastrointestinal tract hematopoietic system liver immune system nervous system eyes kidney and/or bladder respiratory system vascular system | Not classified | Mouse | NOAEL 6.91 mg/day | 90 days |
| Alcohol Ethoxysulfate (Sodium Salt) | Ingestion | blood eyes | Not classified | Rat | NOAEL 225 mg/kg/day | 90 days |
| Cocoamidopropylbetaine | Ingestion | heart endocrine system hematopoietic system liver nervous system eyes kidney and/or bladder | Not classified | Rat | NOAEL 1,000 mg/kg/day | 92 days |
| Lauryldimethylamine Oxide | Dermal | skin | Not classified | Mouse | NOAEL 6.2 mg/kg/day | 91 days |
| Lauryldimethylamine Oxide | Ingestion | eyes | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 88 mg/kg/day | 90 days |
| Lauryldimethylamine Oxide | Ingestion | heart skin endocrine system gastrointestinal tract hematopoietic system liver immune system muscles nervous system kidney and/or bladder respiratory system | Not classified | Rat | NOAEL 440 mg/kg/day | 90 days |
| Sodium Chloride | Ingestion | blood kidney and/or bladder vascular system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 2,240 mg/kg/day | 9 months |
| Sodium Chloride | Ingestion | nervous system eyes | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 1,700 mg/kg/day | 90 days |

| | | | | | | |
|----------------------|------------|--|--|-----|---------------------|----------|
| Sodium Chloride | Ingestion | liver respiratory system | Not classified | Rat | NOAEL 33 mg/kg/day | 90 days |
| Fragrance Ingredient | Inhalation | hematopoietic system liver nervous system respiratory system heart endocrine system gastrointestinal tract kidney and/or bladder | Not classified | Rat | NOAEL 4.34 mg/l | 14 days |
| Fragrance Ingredient | Ingestion | liver nervous system kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 400 mg/kg/day | 13 weeks |
| Fragrance Ingredient | Ingestion | gastrointestinal tract heart endocrine system bone, teeth, nails, and/or hair hematopoietic system immune system eyes respiratory system | Not classified | Rat | NOAEL 800 mg/kg/day | 13 weeks |

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information**Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations**13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information**15.1. US Federal Regulations**

Contact 3M for more information.

EPCRA 311/312 Hazard Classifications:**Physical Hazards**

Not applicable

Health Hazards

Serious eye damage or eye irritation

Skin Corrosion or Irritation

15.2. State Regulations

Contact 3M for more information.

15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact 3M for more information.

15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information**NFPA Hazard Classification**

Health: 2 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group: 34-6308-0

Version Number: 5.00

Issue Date: 12/15/24

Supersedes Date: 12/11/24

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at www.3M.com