

Safety Data Sheet

Copyright, 2025, Solventum India Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Solventum products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Solventum, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 29-0522-2
 Version number:
 1.03

 Issue Date:
 13/07/2025
 Supersedes date:
 08/01/2021

This Safety Data Sheet has been prepared in accordance with the GHS guidelines & India Hazardous substances (Classification, Labeling & Packaging) Draft Rules 2011.

SECTION 1: Identification

1.1. Product identifier

Filtek™ Z250 XT Nano Hybrid Universal Restorative

Product Identification Numbers

70-2010-7910-3	70-2010-7911-1	70-2010-7912-9	70-2010-7913-7	70-2010-7914-5
70-2010-7915-2	70-2010-7916-0	70-2010-7917-8	70-2010-7918-6	70-2010-7919-4
70-2010-7920-2	70-2010-7921-0	70-2010-7922-8	70-2010-7924-4	70-2010-7925-1
70-2010-7926-9	70-2010-7927-7	70-2010-7928-5	70-2010-7929-3	70-2010-7930-1
70-2010-7931-9	70-2010-7932-7	70-2010-7933-5	70-2010-7934-3	70-2010-7935-0
70-2010-8811-2	70-2010-8940-9	70-2010-8942-5	70-2010-8946-6	70-2010-8950-8
70-2010-8951-6	EH-2010-1503-7	EH-2010-1504-5	EH-2010-1505-2	EH-2010-1506-0
EH-2010-1507-8	EH-2010-1508-6	EH-2010-1509-4	EH-2010-1510-2	EH-2010-1513-6
EH-2010-1514-4	HB-0042-0995-1	HB-0042-0999-3	HB-0042-1000-9	HB-0042-1001-7
HB-0042-1002-5	HB-0042-1003-3	HB-0042-1004-1	HB-0042-1005-8	HB-0042-1006-6
HB-0042-1007-4	HB-0042-1008-2	HB-0042-1009-0	HB-0042-6796-7	HB-0042-8997-9
HB-0045-0672-9	HB-0045-0673-7	HB-0045-0676-0	HB-0045-0687-7	HB-0045-0688-5
HB-0045-0689-3	HB-0045-0690-1	HB-0045-0691-9	HB-0045-0692-7	HB-0045-0693-5
HB-0045-0694-3	HB-0045-0695-0	HB-0045-3428-3	HB-0045-3429-1	HB-0045-7056-8
HB-0045-7057-6	HB-0045-7058-4	HB-0045-7059-2	HB-0045-7060-0	HB-0046-1264-2
UU-0091-3127-5	UU-0091-3128-3	UU-0091-3129-1	UU-0091-3130-9	UU-0091-3131-7
UU-0091-3132-5	UU-0091-3133-3	UU-0091-3134-1	UU-0091-3135-8	UU-0091-3136-6
UU-0091-3137-4	UU-0091-3138-2	UU-0091-3139-0	UU-0091-3140-8	UU-0091-3141-6
UU-0133-0716-8	UU-0136-1812-7	UU-0136-1813-5	UU-0136-1814-3	UU-0136-1815-0
UU-0136-1816-8	UU-0136-1817-6	UU-0136-1818-4	UU-0136-1819-2	UU-0136-1820-0
UU-0136-1821-8				

1.2. Recommended use and restrictions on use

Recommended use

Dental Product, Restorative

Restrictions on use

For use by dental professionals only.

1.3. Supplier's details

Address: KCI Medical India Private Limited, S - 327, Greater Kailash - II, New Delhi, Delhi, 110048, India

Filtek™ Z250 XT Nano Hybrid Universal Restorative

Telephone: 1-855-423-6725

E Mail: psops supportteam@solventum.com

Website: , Solventum India Company. All rights reserved. Copying and/or downloading of this information for

the purpose of properly utilizing Solventum products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Solventum, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit

thereon.

1.4. Emergency telephone number

CHEMTREC 1-800-424-9300 OR 1-703-527-3887, Contract number# 1015211

SECTION 2: Hazard identification

Under MSIHC Rules, information is noted below on flammability, acute toxicity and explosivity relevant to this product. In line with international standards, information on other hazard classes and associated precautionary statements relevant to this product are included as well.

2.1. Classification of the substance or mixture

Acute Toxicity (oral): Category 5. Skin Sensitizer: Category 1B.

2.2. Label elements

Signal Word

Warning

Symbols

Exclamation mark

Pictograms



HAZARD STATEMENTS:

H303 May be harmful if swallowed. H317 May cause an allergic skin reaction.

PRECAUTIONARY STATEMENTS

Prevention:

P280E Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

This material is a mixture.

Ingredient	CAS Nbr	% b	y Wt
·			

Page: 2 of 14

FiltekTM Z250 XT Nano Hybrid Universal Restorative

Silane treated ceramic	444758-98-9	70 - 80
Silane treated silica	248596-91-0	1 - 10
(1-methylethylidene)bis[4,1-	1565-94-2	1 - 10
phenyleneoxy(2-hydroxy-3,1-propanediyl)]		
bismethacrylate		
Diurethane dimethacrylate (UDMA)	72869-86-4	1 - 10
Bisphenol A Polyethylene Glycol Diether	41637-38-1	1 - 10
Dimethacrylate (BISEMA-6)		
Triethylene glycol dimethacrylate	109-16-0	< 1

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Allergic skin reaction (redness, swelling, blistering, and itching).

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

SubstanceConditionCarbon monoxide.During combustion.Carbon dioxide.During combustion.

5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation

to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Use PPE - Exposure Assessment
Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE
recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE
listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and
chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing
bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a
sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air
respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2
and 11 of the SDS.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not get in eyes.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use in a well-ventilated area.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Skin/hand protection

See Section 7.1 for additional information on skin protection.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

nformation on basic physical and chemical properties				
Physical state	Solid.			
Specific Physical Form:	Paste			
Color	Tooth			
Odor	Slight Acrylate			
Odour threshold	No data available.			
рН	Not applicable.			
Melting point/Freezing point: NA	No data available.			
Boiling point/Initial boiling point/Boiling range	Not applicable.			
Flash point	No flash point			
Evaporation rate	Not applicable.			
Flammability	Not applicable.			
Flammable Limits(LEL)	Not applicable.			
Flammable Limits(UEL) Not applicable.				
Vapour pressure	Not applicable.			
Relative Vapor Density Not applicable.				
Density	2.1 g/cm3			
Relative density 2.1 [Ref Std: WATER=1]				
Water solubility Negligible				
Solubility- non-water	No data available.			
Partition coefficient: n-octanol/water	Not applicable.			
Autoignition temperature	No data available.			
Decomposition temperature No data available.				
Kinematic Viscosity No data available.				
Volatile organic compounds (VOC) No data available.				
Percent volatile	No data available.			
VOC less H2O & exempt solvents	No data available.			
Molecular weight No data available.				
	-			

Particle Characteristics	Not applicable.
--------------------------	-----------------

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Light.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

This product may have a characteristic odour; however, no adverse health effects are anticipated.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eve contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

May be harmful if swallowed.

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >2,000 - =5,000 mg/kg
Silane treated ceramic	Dermal		LD50 estimated to be > 5,000 mg/kg
Silane treated ceramic	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
Silane treated silica	Dermal		LD50 estimated to be > 5,000 mg/kg
Silane treated silica	Ingestion		LD50 estimated to be > 5,000 mg/kg
Diurethane dimethacrylate (UDMA)	Dermal	Rat	LD50 > 2,000 mg/kg
Diurethane dimethacrylate (UDMA)	Ingestion	Rat	LD50 > 5,000 mg/kg
Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISEMA-6)	Dermal	Rat	LD50 > 2,000 mg/kg
Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISEMA-6)	Ingestion	Rat	LD50 > 35,000 mg/kg
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-	Ingestion	Rat	LD50 > 11,700 mg/kg

FiltekTM Z250 XT Nano Hybrid Universal Restorative

propanediyl)] bismethacrylate			
Triethylene glycol dimethacrylate	Dermal	Mouse	LD50 > 2,000
Triethylene glycol dimethacrylate	Ingestion	Rat	LD50 10,837 mg/kg

 \overline{ATE} = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Silane treated ceramic	similar	No significant irritation
	compoun	
	ds	
Silane treated silica	Professio	No significant irritation
	nal	
	judgemen	
	t	
Diurethane dimethacrylate (UDMA)	Rabbit	No significant irritation
Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISEMA-6)	Rabbit	Minimal irritation
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)]	Rabbit	No significant irritation
bismethacrylate		
Triethylene glycol dimethacrylate	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
Silane treated ceramic	similar compoun ds	Mild irritant
Silane treated silica	Professio nal judgemen t	No significant irritation
Diurethane dimethacrylate (UDMA)	Rabbit	No significant irritation
Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISEMA-6)	Rabbit	No significant irritation
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)]	In vitro	No significant irritation
bismethacrylate	data	
Triethylene glycol dimethacrylate	Rabbit	No significant irritation

Sensitization:

Skin Sensitisation

Name	Species	Value
Silane treated ceramic	similar compoun ds	Not classified
Diurethane dimethacrylate (UDMA)	Multiple animal species	Sensitising
Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISEMA-6)	Guinea pig	Not classified
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Mouse	Not classified
Triethylene glycol dimethacrylate	Mouse	Sensitising

Respiratory Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Diurethane dimethacrylate (UDMA)	In Vitro	Not mutagenic
Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISEMA-6)	In Vitro	Not mutagenic
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)]	In Vitro	Not mutagenic

Page: 7 of 14

FiltekTM Z250 XT Nano Hybrid Universal Restorative

bismethacrylate		
Triethylene glycol dimethacrylate	In Vitro	Some positive data exist, but the data are not
		sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Silane treated ceramic	Inhalation	similar	Some positive data exist, but the data are not
		compoun	sufficient for classification
		ds	
Triethylene glycol dimethacrylate	Dermal	Mouse	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Diurethane dimethacrylate (UDMA)	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
Diurethane dimethacrylate (UDMA)	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	56 days
Diurethane dimethacrylate (UDMA)	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
(1-methylethylidene)bis[4,1- phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	during gestation
Triethylene glycol dimethacrylate	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
Triethylene glycol dimethacrylate	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	5 weeks
Triethylene glycol dimethacrylate	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	premating into lactation

Target Organ(s)

Specific Target Organ Toxicity - single exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Silane treated ceramic	Inhalation	pulmonary fibrosis	Not classified	similar compoun ds	NOAEL Not available	
Diurethane dimethacrylate (UDMA)	Ingestion	liver kidney and/or bladder heart skin endocrine system gastrointestinal tract bone, teeth, nails, and/or hair hematopoietic system immune system muscles nervous system eyes respiratory system vascular system	Not classified	Rat	NOAEL 1,000 mg/kg/day	56 days
(1- methylethylidene)bis[4,1-	Ingestion	endocrine system hematopoietic	Not classified	Rat	NOAEL 1,000	90 days

phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate		system liver heart skin gastrointestinal tract bone, teeth, nails, and/or hair immune system muscles nervous system eyes kidney and/or bladder respiratory system vascular system			mg/kg/day	
Triethylene glycol dimethacrylate	Dermal	liver	Not classified	Mouse	NOAEL 2,000 mg/kg/day	13 weeks
Triethylene glycol dimethacrylate	Dermal	skin	Not classified	Mouse	NOAEL 100 mg/kg/day	13 weeks
Triethylene glycol dimethacrylate	Dermal	gastrointestinal tract hematopoietic system nervous system kidney and/or bladder respiratory system	Not classified	Mouse	NOAEL 2,000 mg/kg/day	13 weeks
Triethylene glycol dimethacrylate	Ingestion	hematopoietic system liver nervous system kidney and/or bladder eyes	Not classified	Rat	NOAEL 3,849 mg/kg/day	13 weeks

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

Acute aquatic hazard:

Not acutely toxic to aquatic life by GHS criteria.

Chronic aquatic hazard:

Not chronically toxic to aquatic life by GHS criteria.

No product test data available.

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
Silane treated ceramic	444758-98-9	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1-	1565-94-2	Common Carp	Analogous Compound	96 hours	No tox obs at lmt of water sol	>100 mg/l

bismentarylate (1)- (1)- (1)- (1)- (1)- (1)- (1)- (1)-	propanediyl)]		T				
phenylencoxy2- propagatedyl) bismethacrylate (1- methylethylideno) sigl_1- propagatedyl) bismethacrylate (1- methylethylideno) sigl_1- propagatedyl) bismethacrylate phenylencoxy2- phydroxy3_1- propagatedyl) bismethacrylate Bisphenol A Polyethylene Glycol Diether Dimethacrylate BISEMA-6) Bisphenol A Polyethylene Glycol Diether Dimethacrylate BISEMA-6 Bisphenol A Polyethylene Glycol Diether Bisphenol A Bisphenol A Polyethylene Glycol Diether Bisphenol A Polyethylene Glycol Diether Bisphenol A Bisphenol A	(1- methylethylidene)b	1565-94-2	Green algae	1 1	96 hours	EC50	>100 mg/l
	phenyleneoxy(2-						
	propanediyl)]						
methylethylidene) sijs41-1 phenyleneoxy(2-1) phenyleneoxy(3-1) propanediyl) bismethacrylate Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISEMA-6) Green algae Estimated 48 hours EL50 >100 mg/l Glycol Diether Dimethacrylate (BISEMA-6) Green algae Endpoint not reached First Color		1565 04 2	Graan algaa	Evnorimental	06 hours	EC10	1.1 mg/l
is[4,1]- hydroxy-3,1- propanediv]) hismethacrylate Bisphenol A Polyethylene Glycel Diether Dimethacrylate ClUDMA) Total Club Club Club Club Club Club Club Clu	(1303-94-2	Green argae	Experimental	90 Hours	ECTO	1.1 mg/1
phenylencoxy(2-hydroxy-31-bropanedyt)) bismethacrylate Bisphenol A Polyethylene Glycor Diether Dimethacrylate GliSEMA-6) Bisphenol A Polyethylene Glycot Diether Dimethacrylate GliDEMA Diurethane Gmethacrylate (LDMA) Diurethane Gmethacrylate Diurethane Gmethacrylate Diurethane Gmethacrylate Diurethane Gmethacrylate Diurethane Gme							
propanel(y1) bismethacrylate Bisphenol A Polyethylene Glycol Diether Dimethacrylate Bisphenol A Polyethylene Bisphenol A Polyethylene Glycol Diether Dimethacrylate Green algae Endpoint not Frached Frached	phenyleneoxy(2-						
bismethacrylate Bisphenol A Polyethylene Glycol Diether Dimethacrylate CliDMA) Diurethane dimethacrylate	hydroxy-3,1-						
Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISEMA-6) Bisphenol A Polyethylene Glycol Diether Dimethacrylate (LIDMA) Diurethane dimethacrylate (LIDMA) Clubariane Takes See-86-4 Green algae Endpoint not reached reached ClubMA) Tirethylene glycol dimethacrylate (LIDMA) Clubariane Green algae Endpoint not reached Clubariane Green algae Experimental Tiethylene glycol dimethacrylate Clubariane Green algae Experimental Tiethylene glycol Tiet	propanediyl)]						
Polyethylene Glycol Diether Dimethacrylate (BISEMA-6) Bisphenol A Polyethylene Glycol Diverbane dimethacrylate (LDMA) Diurethane Glycol Diverbane dimethacrylate (LDMA) Diurethane Glycol Diverbane Glycol Div							
Comparison Com		41637-38-1	Activated sludge	Estimated	3 hours	EC50	>1,000 mg/l
Dimethancylate (BISEMA-6) Bisphenol A Polyethylene Glyceol Diether Dimethacrylate (BISEMA-6) Bisphenol A Polyethylene Glyceol Diether Dimethacrylate (BISEMA-6) Bisphenol A Polyethylene Glyceol Diether Dimethacrylate (BISEMA-6) Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISEMA-6) Bisphenol A Polyethylene Glycol Diether Dimethacrylate (UDMA) Diurethane divethane divethane divethane divethane divethane divethane div							
(BISEMA-6) Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISEMA-6) Diurethane dimethacrylate (UDMA) Silane treated silica 248596-91-0 N/A Data not available or insufficient for classification classification CIDMA Diurethane dimethacrylate (UDMA) Silane treated silica 248596-91-0 N/A Data not available or insufficient for classification classification CIDMA Diurethane dimethacrylate (UDMA) Silane treated silica 248596-91-0 N/A Data not available or insufficient for classification classification CIDMA Diurethane dimethacrylate CIDMA Silane treated silica 248596-91-0 N/A Data not available or insufficient for classification classification classification CIDMA Diurethane dimethacrylate CIDMA Silane treated silica 248596-91-0 N/A Data not available or insufficient for classification classification CIDMA Diurethane dimethacrylate CIDMA Silane treated silica 248596-91-0 N/A Data not available or insufficient for classification CIDMA Silane treated silica 248596-91-0 N/A Data not available or insufficient for classification							
Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISEMA-6) Bisphenol A Polyethylene Glycol Diether Dimethacrylate (UDMA) Diurethane divethane divethane divethane divethane divethane divethane divethane div							
Polyethylene Glycol Diether Dimethacrylate (BISEMA-6) Bisphenol A Polyethylene Glycol Diether Dimethacrylate (UDMA) Diurethane dimethacrylate (UDMA) Polyethylene Glycol Diether Dimethacrylate Polyethylene Glycol Diether Di		41637-38-1	Green algae	Estimated	72 hours	EL50	>100 mg/l
Glýcol Diether Dimethacrylate (BISEMA-6) Bisphenol A Polycthylene Glycol Diether Dimethacrylate (BISEMA-6) Diurethane dimethacrylate (UDMA) Diurethane dimethacrylate (UDMA) Diurethane dimethacrylate (UDMA) Diurethane dimethacrylate (UDMA) Triethylene glycol dimethacrylate (UDMA) Friethylene glycol dimethacrylate (UD9-16-0 Green algae Experimental Polycol Diagnal Diag		11037 30 1	Green argue	Estimated	72 110415	LESO	100 mg/1
Bisphenol A 24637-38-1 Water flea Estimated 48 hours EL50 >100 mg/l	Glycol Diether						
Bisphenol A Polyethylene Gliycol Diether Dimethacrylate (BISEMA-6) Bisphenol A Polyethylene Gliycol Diether Dimethacrylate (IDMA) Diurethane dimethacrylate (IDMA) Data not available or insufficient for classification Triethylene glycol dimethacrylate Triethylene glycol Triethylene glycol Triethylene glycol Triethylene glycol Triethylene glycol Diop-16-0 Water flea Estimated 48 hours EL50 >100 mg/l Seprimental 48 hours ErC50 >100 mg/l Doy-16-0 Bisphenol A hours ErC50 >100 mg/l N/A N/A N/A N/A N/A N/A N/A N/A N/A N/	Dimethacrylate						
Polyethylene (BISEMA-6) Bisphenol A Polyethylene (Glycol Diether Dimethacrylate (BISEMA-6) Dimethacrylate (BISEMA-6) Dimethacrylate (BISEMA-6) Dimethacrylate (BISEMA-6) Diurethane dimethacrylate (UDMA) Diurethane della experimental (UDMA) Diurethane dimethacrylate	(BISEMA-6)						
Glycol Diether Dimethacrylate (BISEMA-6) Bisphenol A Polyethylene (Glycol Diether Dimethacrylate (BISEMA-6) Bisphenol A Polyethylene (Glycol Diether Dimethacrylate (BISEMA-6) Diurethane (Tasked) Diurethane		41637-38-1	Water flea	Estimated	48 hours	EL50	>100 mg/l
Dimethacrylate (BISEMA-6) Bisphenol A Polyethylene Glycol Diether Olimethacrylate (BISEMA-6) Direthane dimethacrylate (UDMA) Silane treated silica 248596-91-0 N/A Data not available or insufficient for classification Triethylene glycol dimethacrylate Triethylene glycol Triethylene glycol Triethylene glycol Divertine Triethylene glycol Triethylene glycol Triethylene glycol Divertine Divertine Setimated Set							
Bisphenol A 41637-38-1 Zebra Fish Estimated 96 hours LL50 >100 mg/l							
Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISEMA-6) Diurethane dimethacrylate (UDMA) Tirethylene glycol dimethacrylate Tirethylene glycol dimethacrylate Tiriethylene glycol Tiriethylene glycol Diurethacrylate Tiriethylene glycol T							
Polyethylene Glycol Diether Dimethacrylate (BISEMA-6) Diurethane dimethacrylate (UDMA) Direthane dimethacrylate (UDMA) Direthane dimethacrylate (UDMA) Direthane dimethacrylate (UDMA) Direthane dimethacrylate (UDMA) Silane treated silica 248596-91-0 N/A Data not available or insufficient for classification Triethylene glycol dimethacrylate Triethylene glycol 109-16-0 Green algae Experimental 72 hours NOEC 18.6 mg/l Direthacrylate Triethylene glycol 109-16-0 Water flea Experimental 21 days NOEC 32 mg/l		41637-38-1	Zehra Fish	Estimated	96 hours	1150	>100 mg/l
Glycol Diether Dimethacrylate (BISEMA-6) Diurethane dimethacrylate (UDMA) Silane treated silica Diurethane dimethacrylate Triethylene glycol 109-16-0 Green algae Experimental 72 hours NOEC 18.6 mg/l Diurethane dimethacrylate Triethylene glycol 109-16-0 Water flea Experimental 21 days NOEC 32 mg/l		11057 50 1	2014 1 1511	Estimated	70 nours	LESO	2 100 mg/1
(BISEMA-6) Diurethane dimethacrylate (UDMA) Diurethane dimethacrylate (UDMA) Diurethane dimethacrylate (UDMA) Diurethane dimethacrylate (UDMA) Tiurethane dimethacrylate (UDMA) Diurethane dimethacrylate (UDMA) Silane treated silica 248596-91-0 N/A Data not available or insufficient for classification Triethylene glycol dimethacrylate Triethylene glycol lo9-16-0 Green algae Experimental Experimental To hours ErC50 Sl00 mg/l Sebra Fish Experimental Po hours LC50 LC50 LC4 mg/l Ba.6 mg/l Ba.6 mg/l Triethylene glycol lo9-16-0 Water flea Experimental Po hours LC50 Sl06 mg/l Ba.6 mg/l Ba.7 mg/l	Glycol Diether						
Diurethane dimethacrylate (UDMA) Takes 2869-86-4 Diurethane dimethacrylate (UDMA) Endpoint not reached Triethylene glycol dimethacrylate Triethylene glycol 109-16-0 Green algae Experimental Tay hours ErC50 Sebra Fish Experimental Pa hours ErC50 Sebra Fish Experimental Pa hours Diurethane dimethacrylate Triethylene glycol 109-16-0 Green algae Experimental Tay hours NOEC 18.6 mg/l Triethylene glycol 109-16-0 Water flea Experimental 21 days NOEC 32 mg/l	Dimethacrylate						
dimethacrylate (UDMA) Diurethane dimethacrylate (UDMA) Triethylene glycol dimethacrylate Tr	(BISEMA-6)						
Diurethane dimethacrylate (UDMA) Diurethane dimethacrylate (UDMA) Taken and the properties of th		72869-86-4	Green algae		72 hours	ErC50	>100 mg/l
Diurethane dimethacrylate (UDMA) Silane treated silica 248596-91-0 N/A Data not available or insufficient for classification Triethylene glycol dimethacrylate Triethylene glycol l09-16-0 Green algae Experimental Experimental 72 hours NOEC 18.6 mg/l Triethylene glycol l09-16-0 Water flea Experimental 21 days NOEC 32 mg/l				reached			
dimethacrylate (UDMA) Diurethane dimethacrylate (UDMA) Diurethane dimethacrylate (UDMA) Toiurethane dimethacrylate (UDMA) Toiurethane dimethacrylate (UDMA) Silane treated silica Z48596-91-0 N/A Data not available or insufficient for classification Triethylene glycol dimethacrylate		72000000		P	40.1	F050	100 "
Diurethane dimethacrylate (UDMA) Experimental Poblic Pobli		72869-86-4	Water flea	Experimental	48 hours	EC50	>100 mg/l
Diurethane dimethacrylate (UDMA) Diurethane dimethacrylate (UDMA) Diurethane dimethacrylate (UDMA) Diurethane dimethacrylate (UDMA) Triethylate (UDMA) Silane treated silica 248596-91-0 Triethylate glycol dimethacrylate Triethylate glycol lo9-16-0 Triethylate gl	-						
dimethacrylate (UDMA) Diurethane dimethacrylate (UDMA) Silane treated silica 248596-91-0 N/A Data not available or insufficient for classification Triethylene glycol dimethacrylate Triethylene glycol 109-16-0 Green algae Experimental 72 hours Triethylene glycol dimethacrylate Triethylene glycol 109-16-0 Green algae Experimental 72 hours Triethylene glycol 109-16-0 Water flea Experimental 21 days NOEC 32 mg/l		72869-86-4	Zehra Fish	Experimental	96 hours	I C50	10.1 mg/l
Diurethane dimethacrylate (UDMA) Ditance treated silica 248596-91-0 N/A Data not available or insufficient for classification Triethylene glycol dimethacrylate Triethylene glycol Triethyle		72007 00 1	Zeora i isii	Experimental	yo nours	Less	10.1 mg/
dimethacrylate (UDMA) Silane treated silica 248596-91-0 N/A Data not available or insufficient for classification Triethylene glycol dimethacrylate Triethylene glycol 109-16-0 Green algae Experimental 72 hours NOEC 18.6 mg/l Triethylene glycol 109-16-0 Water flea Experimental 21 days NOEC 32 mg/l	(UDMA)						
dimethacrylate (UDMA) Silane treated silica 248596-91-0 N/A Data not available or insufficient for classification Triethylene glycol dimethacrylate Triethylene glycol 109-16-0 Green algae Experimental 72 hours NOEC 18.6 mg/l Triethylene glycol 109-16-0 Water flea Experimental 21 days NOEC 32 mg/l	Diurethane	72869-86-4	Green algae	Endpoint not	72 hours	ErC10	>100 mg/l
Silane treated silica 248596-91-0 N/A Data not available or insufficient for classification Triethylene glycol dimethacrylate Triethylene glycol 109-16-0 Green algae Experimental Triethylene glycol 109-16-0 Water flea Experimental	dimethacrylate			reached			
or insufficient for classification Triethylene glycol dimethacrylate Triethylene glycol 109-16-0 Triethylene glycol 109-16-0 Water flea Experimental Triethylene glycol 109-16-0 Water flea Experimental Triethylene glycol 109-16-0 Triethylene glycol 109-16-0 Triethylene glycol 109-16-0 Triethylene glycol 109-16-0	(UDMA)						
Classification Clas	Silane treated silica	248596-91-0	N/A		N/A	N/A	N/A
Triethylene glycol dimethacrylate Triethylene glycol 109-16-0 Water flea Experimental Triethylene glycol 109-16-0 Water flea Experimental Triethylene glycol 109-16-0							
dimethacrylate Triethylene glycol 109-16-0 Water flea Experimental Z1 days NOEC 32 mg/l	Triothylana alvasi	100 16 0	Graan algaa		72 hours	ErC50	>100 mg/l
Triethylene glycol dimethacrylate Triethylene glycol dimethacrylate Triethylene glycol dimethacrylate Triethylene glycol dimethacrylate Triethylene glycol 109-16-0 Water flea Experimental Fish Exp		109-10-0	Green argae	Experimental	/2 Hours	EICSU	-100 IIIg/1
dimethacrylate Triethylene glycol dimethacrylate Triethylene glycol dimethacrylate Triethylene glycol 109-16-0 Water flea Experimental Z1 days NOEC 32 mg/l		109-16-0	Zebra Fish	Experimental	96 hours	LC50	16.4 mg/l
Triethylene glycol dimethacrylate 109-16-0 Green algae Experimental 72 hours NOEC 18.6 mg/l Triethylene glycol 109-16-0 Water flea Experimental 21 days NOEC 32 mg/l					3 110410		
dimethacrylate		109-16-0	Green algae	Experimental	72 hours	NOEC	18.6 mg/l
Triethylene glycol 109-16-0 Water flea Experimental 21 days NOEC 32 mg/l	dimethacrylate						
	Triethylene glycol	109-16-0	Water flea	Experimental	21 days	NOEC	32 mg/l
dimethacrylate	dimethacrylate				<u> </u>	1	

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Silane treated	444758-98-9	Data not	N/A	N/A	N/A	N/A

ceramic		available- insufficient				
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2	Experimental Biodegradation	28 days	BOD	21 %BOD/ThOD	similar to OECD 301F
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	29 days (t 1/2)	
Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISEMA-6)	41637-38-1	Experimental Biodegradation	28 days	Percent degraded	24 %degraded	
Diurethane dimethacrylate (UDMA)	72869-86-4	Experimental Biodegradation	28 days	CO2 evolution	22 %CO2 evolution/THCO2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2
Silane treated silica	248596-91-0	Data not available- insufficient	N/A	N/A	N/A	N/A
Triethylene glycol dimethacrylate	109-16-0	Experimental Biodegradation	28 days	CO2 evolution	85 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2

12.3 : Bioaccumulative potential

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Silane treated ceramic	444758-98-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
(1- methylethylidene)b is[4,1- phenyleneoxy(2- hydroxy-3,1- propanediyl)] bismethacrylate	1565-94-2	Experimental Bioconcentration		Log Kow	4.63	
Bisphenol A Polyethylene Glycol Diether Dimethacrylate (BISEMA-6)	41637-38-1	Estimated Bioconcentration		Bioaccumulation factor	6.6	
Diurethane dimethacrylate (UDMA)	72869-86-4	Experimental Bioconcentration		Log Kow	3.39	
Silane treated silica	248596-91-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Triethylene glycol dimethacrylate	109-16-0	Experimental Bioconcentration		Log Kow	2.3	EC A.8 Partition Coefficient

12.4. Mobility in soil

Please contact manufacturer for more details

12.5 Other Adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility.

SECTION 14: Transport Information

Not hazardous for transportation.

Air Transport (IATA)Regulations

UN No Not applicable

Proper Shipping Name Not applicable Hazard Classs/Division Not applicable Subsidiary Risk Not applicable Packing Group: Not applicable

Marine Transport (IMDG)

UN No Not applicable

Proper Shipping Name Not applicable Hazard Classs/Division Not applicable Subsidiary Risk Not applicable **Packing Group:** Not applicable

Environmental Hazards: Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact manufacturer for more information

Applicable Environmental, Health and Safety Regulations

The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989

The Bio Medical Waste (Management & Handling) Rules, 1998

Hazardous Chemicals (Classification, Packaging and Labelling Draft Rules), 2011

The following ingredients are listed as hazardous on Part II of Schedule I of the India Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) rules

None.

The following ingredients are classified as hazardous based on the criteria listed under Part I of Schedule I of the India Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) rules:

The product is classified as Non-Hazardous as per MSIHC Rules, 1989.

SECTION 16: Other information

NFPA Hazard Classification

Health: 2 Flammability: 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar

emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Revision information:

Section 1: Address information was modified.

Company Telephone information was modified.

Section 1: E-mail address information was modified.

Section 1: Emergency telephone information was modified.

Section 1: Product identification numbers information was modified.

Section 1: Product name information was modified.

Label: GHS Classification information was modified.

Label: GHS Environmental Hazard Statements information was deleted.

Label: GHS Precautionary - Disposal information was deleted.

Label: GHS Precautionary - Prevention information was modified.

Label: Graphic information was modified.

Label: Signal Word information was modified.

Label: Symbol information was modified.

Section 2: Ingredient table information was modified.

Section 04: First Aid - Symptoms and Effects (GHS) information was added.

Section 6: Accidental release personal information information was modified.

Section 7: Precautions safe handling information information was modified.

Section 9: Flammability (solid, gas) information information was deleted.

Section 09: Flammability information information was added.

Section 09: Kinematic Viscosity information information was added.

Section 09: Nanoparticle information was deleted.

Section 09: Particle Characteristics N/A information was added.

Section 09: Percent Volatile information was modified.

Section 09: Vapor Density Value information was modified.

Section 09: Viscosity information was deleted.

Section 09: VOC Less H2O & Exempt Solvents information was modified.

Section 09: Volatile Organic Compounds information was modified.

Section 11: Acute Toxicity table information was modified.

Section 11: Carcinogenicity Table information was modified.

Section 11: Germ Cell Mutagenicity Table information was modified.

Section 11: Reproductive Toxicity Table information was modified.

Section 11: Serious Eye Damage/Irritation Table information was modified.

Section 11: Skin Corrosion/Irritation Table information was modified.

Section 11: Skin Sensitization Table information was modified.

Section 11: Target Organs - Repeated Table information was modified.

Section 12: Chronic aquatic hazard information information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

Section 15: Regulations - Inventories information was modified.

Section 16: Web address information was modified.

DISCLAIMER: The information in this Safety Data Sheet (SDS) is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this SDS or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own evaluation to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into India, you are responsible to comply with all applicable regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration/notification.

Solventum India SDSs are available at Solventum.com

Filtek™ Z250 XT Nano Hybrid Universal Restor	ative	