



Safety Data Sheet

Copyright, 2026, Meguiar's Inc.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group: 45-2758-6
Issue Date: 02/16/26

Version Number: 1.00
Supersedes Date: Initial Issue

SECTION 1: Identification

1.1. Product identifier

DRTU2002 Iron Removing Spray "Clay" 2025 Update (IRSCU1)

1.2. Recommended use and restrictions on use

Recommended use

Custom Compound

1.3. Supplier's details

MANUFACTURER: Meguiar's, Inc.
DIVISION: Meguiar's
ADDRESS: 213 Technology Dr, Irvine, CA 92618
Telephone: 1-800-347-5700

1.4. Emergency telephone number

CHEMTREC 1-800-424-9300 (24 hours)

SECTION 2: Hazard identification

2.1. Hazard classification

Acute Toxicity (oral): Category 4.

Serious Eye Damage/Irritation: Category 1.

Skin Sensitizer: Category 1.

2.2. Label elements

Signal word

Danger

Symbols

Corrosion | Exclamation mark |

Pictograms



Hazard Statements

Harmful if swallowed.
Causes serious eye damage.
May cause an allergic skin reaction.

Precautionary statements

General:

Keep out of reach of children.

Prevention:

Avoid breathing vapor or spray.
Wash exposed skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves, eye protection, and face protection.

Response:

IF SWALLOWED OR IN EYES: Immediately call a POISON CENTER or doctor.
IF ON SKIN: Wash with plenty of soap and water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Rinse mouth.
If skin irritation or rash occurs: Get medical attention.
Take off contaminated clothing and wash it before reuse.

Disposal:

Dispose of contents and container in accordance with applicable local, regional, national, and international regulations.

3% of the mixture consists of ingredients of unknown acute oral toxicity.
3% of the mixture consists of ingredients of unknown acute dermal toxicity.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
Water	7732-18-5	80 - 100
SODIUM MERCAPTOACETATE	367-51-1	3 - 7 Trade Secret *
ETHOXYLATED C9-11 ALCOHOLS	68439-46-3	1 - 5 Trade Secret *
POLY(OXY-1,2-ETHANEDIYL),.ALPHA.-UNDECYL-.OMEGA.-HYDROXY-	34398-01-1	1 - 5
SODIUM XYLENE SULFONATE	1300-72-7	1 - 5 Trade Secret *
Aminopolycarboxylic Acid	Trade Secret*	1 - 5
ALCOHOL ETHOXYSULFATE (SODIUM SALT)	68585-34-2	1 - < 3 Trade Secret *

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Allergic skin reaction (redness, swelling, blistering, and itching). Serious damage to the eyes (corneal cloudiness, severe pain, tearing, ulcerations, and significantly impaired or loss of vision).

4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide
Carbon dioxide
Oxides of Sulfur

Condition

During Combustion
During Combustion
During Combustion

5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS. Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
Thioglycolic acid and salts	367-51-1	ACGIH	TWA:1 ppm	SKIN; Dermal sensitizer

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full Face Shield

Indirect Vented Goggles

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the

results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

For prolonged or repeated contact, gloves made from the following material(s) are recommended (breakthrough times are >4 hours): Nitrile Rubber

For short-term or splash contact, gloves made from the following material(s) are recommended (breakthrough times are ≤4 hours): Butyl Rubber, Neoprene

Any glove recommended for prolonged/repeated contact is also suitable for short-term/splash contact.

If this product is used in a manner that presents a higher potential for exposure (e.g., spraying, high splash potential, etc.), then use of a protective apron may be necessary. See recommended glove material(s) for determining appropriate apron material(s). If a glove material is not available as an apron, polymer laminate is a suitable option.

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece air-purifying respirator suitable for organic vapors or acid gases and particulates

Half facepiece or full facepiece supplied-air respirator

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Specific Physical Form:	Gel
Color	Colorless
Odor	Mercaptan
Odor threshold	No Data Available
pH	5
Melting point/Freezing point	No Data Available
Boiling point/Initial boiling point/Boiling range	100 °C
Flash Point	Flash point > 93 °C (200 °F)
Evaporation rate	No Data Available
Flammability	Not Applicable
Flammable Limits(LEL)	No Data Available
Flammable Limits(UEL)	No Data Available
Vapor Pressure	No Data Available
Relative Vapor Density	No Data Available
Density	1.05 g/ml
Relative Density	1.05
Water solubility	Complete
Solubility- non-water	Complete
Partition coefficient: n-octanol/ water	No Data Available
Autoignition temperature	No Data Available
Decomposition temperature	No Data Available

Kinematic Viscosity	9.5 mm ² /sec
Volatile Organic Compounds	0 %
Percent volatile	No Data Available
VOC Less H ₂ O & Exempt Solvents	2.53 lb/gal

Particle Characteristics	Not Applicable
--------------------------	----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

<u>Substance</u>	<u>Condition</u>
------------------	------------------

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact:

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

Ingestion:

Harmful if swallowed. Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >300 - =2,000 mg/kg
SODIUM MERCAPTOACETATE	Dermal	Rat	LD50 >1000, <2000 mg/kg
SODIUM MERCAPTOACETATE	Ingestion	Rat	LD50 >50, <200 mg/kg
ETHOXYLATED C9-11 ALCOHOLS	Dermal	Rabbit	LD50 > 2,000 mg/kg
ETHOXYLATED C9-11 ALCOHOLS	Ingestion	Rat	LD50 1,000 mg/kg
SODIUM XYLENE SULFONATE	Dermal	Rabbit	LD50 > 2,000 mg/kg
SODIUM XYLENE SULFONATE	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 6.4 mg/l
SODIUM XYLENE SULFONATE	Ingestion	Rat	LD50 7,200 mg/kg
ALCOHOL ETHOXYLSULFATE (SODIUM SALT)	Dermal	Rat	LD50 > 2,000 mg/kg
ALCOHOL ETHOXYLSULFATE (SODIUM SALT)	Ingestion	Rat	LD50 2,870 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
SODIUM MERCAPTOACETATE	Rabbit	Minimal irritation
ETHOXYLATED C9-11 ALCOHOLS	Rabbit	Mild irritant
SODIUM XYLENE SULFONATE	Rabbit	Minimal irritation
ALCOHOL ETHOXYLSULFATE (SODIUM SALT)	Rabbit	Irritant

Serious Eye Damage/Irritation

Name	Species	Value
SODIUM MERCAPTOACETATE	Rabbit	Mild irritant
ETHOXYLATED C9-11 ALCOHOLS	Rabbit	Corrosive
SODIUM XYLENE SULFONATE	Rabbit	Moderate irritant
ALCOHOL ETHOXYLSULFATE (SODIUM SALT)	Rabbit	Corrosive

Skin Sensitization

Name	Species	Value
SODIUM MERCAPTOACETATE	Mouse	Sensitizing
ETHOXYLATED C9-11 ALCOHOLS	Guinea pig	Not classified
SODIUM XYLENE SULFONATE	Guinea pig	Not classified
ALCOHOL ETHOXYLSULFATE (SODIUM SALT)	Guinea pig	Not classified

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
SODIUM MERCAPTOACETATE	In Vitro	Not mutagenic

SODIUM MERCAPTOACETATE	In vivo	Some positive data exist, but the data are not sufficient for classification
ETHOXYLATED C9-11 ALCOHOLS	In Vitro	Not mutagenic
SODIUM XYLENE SULFONATE	In Vitro	Not mutagenic
ALCOHOL ETHOXYLSULFATE (SODIUM SALT)	In Vitro	Not mutagenic
ALCOHOL ETHOXYLSULFATE (SODIUM SALT)	In vivo	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
SODIUM MERCAPTOACETATE	Dermal	Mouse	Not carcinogenic
SODIUM XYLENE SULFONATE	Dermal	Multiple animal species	Not carcinogenic

Reproductive Toxicity**Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test Result	Exposure Duration
SODIUM MERCAPTOACETATE	Ingestion	Not classified for male reproduction	Rat	NOAEL 40 mg/kg/day	2 generation
SODIUM MERCAPTOACETATE	Ingestion	Not classified for female reproduction	Rat	NOAEL 20 mg/kg/day	2 generation
SODIUM MERCAPTOACETATE	Dermal	Not classified for development	Rat	NOAEL 100 mg/kg/day	during gestation
SODIUM MERCAPTOACETATE	Ingestion	Not classified for development	Rat	NOAEL 20 mg/kg/day	2 generation
ETHOXYLATED C9-11 ALCOHOLS	Dermal	Not classified for female reproduction	Rat	NOAEL 250 mg/kg/day	2 generation
ETHOXYLATED C9-11 ALCOHOLS	Dermal	Not classified for development	Rat	NOAEL 250 mg/kg/day	2 generation
ETHOXYLATED C9-11 ALCOHOLS	Dermal	Not classified for male reproduction	Rat	NOAEL 100 mg/kg/day	2 generation
SODIUM XYLENE SULFONATE	Ingestion	Not classified for development	Rabbit	NOAEL 1,000 mg/kg/day	during gestation
ALCOHOL ETHOXYLSULFATE (SODIUM SALT)	Ingestion	Not classified for female reproduction	Rat	NOAEL 300 mg/kg/day	2 generation
ALCOHOL ETHOXYLSULFATE (SODIUM SALT)	Ingestion	Not classified for male reproduction	Rat	NOAEL 300 mg/kg/day	2 generation
ALCOHOL ETHOXYLSULFATE (SODIUM SALT)	Ingestion	Not classified for development	Rat	NOAEL 300 mg/kg/day	2 generation

Target Organ(s)**Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
ETHOXYLATED C9-11 ALCOHOLS	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
SODIUM XYLENE SULFONATE	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL not available	
ALCOHOL ETHOXYLSULFATE (SODIUM SALT)	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
SODIUM MERCAPTOACETATE	Dermal	skin	Not classified	Rat	LOAEL 11.25 mg/kg/day	13 weeks
SODIUM	Dermal	heart	Not classified	Rat	NOAEL 180	13 weeks

MERCAPTOACETATE					mg/kg/day	
SODIUM MERCAPTOACETATE	Dermal	endocrine system	Not classified	Rat	NOAEL 180 mg/kg/day	13 weeks
SODIUM MERCAPTOACETATE	Dermal	gastrointestinal tract	Not classified	Rat	NOAEL 180 mg/kg/day	13 weeks
SODIUM MERCAPTOACETATE	Dermal	bone, teeth, nails, and/or hair	Not classified	Rat	NOAEL 180 mg/kg/day	13 weeks
SODIUM MERCAPTOACETATE	Dermal	hematopoietic system	Not classified	Rat	NOAEL 180 mg/kg/day	13 weeks
SODIUM MERCAPTOACETATE	Dermal	liver	Not classified	Rat	NOAEL 180 mg/kg/day	13 weeks
SODIUM MERCAPTOACETATE	Dermal	immune system	Not classified	Rat	NOAEL 180 mg/kg/day	13 weeks
SODIUM MERCAPTOACETATE	Dermal	muscles	Not classified	Rat	NOAEL 180 mg/kg/day	13 weeks
SODIUM MERCAPTOACETATE	Dermal	nervous system	Not classified	Rat	NOAEL 180 mg/kg/day	13 weeks
SODIUM MERCAPTOACETATE	Dermal	eyes	Not classified	Rat	NOAEL 180 mg/kg/day	13 weeks
SODIUM MERCAPTOACETATE	Dermal	kidney and/or bladder	Not classified	Rat	NOAEL 180 mg/kg/day	13 weeks
SODIUM MERCAPTOACETATE	Dermal	respiratory system	Not classified	Rat	NOAEL 180 mg/kg/day	13 weeks
SODIUM MERCAPTOACETATE	Dermal	vascular system	Not classified	Rat	NOAEL 180 mg/kg/day	13 weeks
SODIUM MERCAPTOACETATE	Ingestion	heart	Not classified	Rat	NOAEL 60 mg/kg/day	13 weeks
SODIUM MERCAPTOACETATE	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 60 mg/kg/day	13 weeks
SODIUM MERCAPTOACETATE	Ingestion	liver	Not classified	Rat	NOAEL 60 mg/kg/day	13 weeks
SODIUM MERCAPTOACETATE	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 60 mg/kg/day	13 weeks
SODIUM MERCAPTOACETATE	Ingestion	nervous system	Not classified	Rat	NOAEL 60 mg/kg/day	13 weeks
SODIUM MERCAPTOACETATE	Ingestion	eyes	Not classified	Rat	NOAEL 60 mg/kg/day	13 weeks
ETHOXYLATED C9-11 ALCOHOLS	Dermal	kidney and/or bladder	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
ETHOXYLATED C9-11 ALCOHOLS	Dermal	heart	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
ETHOXYLATED C9-11 ALCOHOLS	Dermal	hematopoietic system	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
ETHOXYLATED C9-11 ALCOHOLS	Dermal	liver	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
ETHOXYLATED C9-11 ALCOHOLS	Dermal	nervous system	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
ETHOXYLATED C9-11 ALCOHOLS	Dermal	respiratory system	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
SODIUM XYLENE SULFONATE	Dermal	liver	Not classified	Rat	NOAEL 500 mg/kg/day	14 weeks
SODIUM XYLENE SULFONATE	Dermal	heart	Not classified	Rat	NOAEL 500 mg/kg/day	14 weeks
SODIUM XYLENE SULFONATE	Dermal	skin	Not classified	Rat	NOAEL 500 mg/kg/day	14 weeks
SODIUM XYLENE SULFONATE	Dermal	endocrine system	Not classified	Rat	NOAEL 500 mg/kg/day	14 weeks
SODIUM XYLENE SULFONATE	Dermal	gastrointestinal tract	Not classified	Rat	NOAEL 500 mg/kg/day	14 weeks
SODIUM XYLENE SULFONATE	Dermal	bone, teeth, nails, and/or hair	Not classified	Rat	NOAEL 500 mg/kg/day	14 weeks
SODIUM XYLENE SULFONATE	Dermal	hematopoietic system	Not classified	Rat	NOAEL 500 mg/kg/day	14 weeks
SODIUM XYLENE SULFONATE	Dermal	immune system	Not classified	Rat	NOAEL 500 mg/kg/day	14 weeks
SODIUM XYLENE SULFONATE	Dermal	nervous system	Not classified	Rat	NOAEL 500 mg/kg/day	14 weeks

SODIUM XYLENE SULFONATE	Dermal	kidney and/or bladder	Not classified	Rat	NOAEL 500 mg/kg/day	14 weeks
SODIUM XYLENE SULFONATE	Dermal	respiratory system	Not classified	Rat	NOAEL 500 mg/kg/day	14 weeks
SODIUM XYLENE SULFONATE	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 763 mg/kg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	skin	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	heart	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	endocrine system	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	gastrointestinal tract	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	hematopoietic system	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	liver	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	immune system	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	nervous system	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	eyes	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	kidney and/or bladder	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	respiratory system	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Dermal	vascular system	Not classified	Mouse	NOAEL 6.91 mg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Ingestion	blood	Not classified	Rat	NOAEL 225 mg/kg/day	90 days
ALCOHOL ETHOXY SULFATE (SODIUM SALT)	Ingestion	eyes	Not classified	Rat	NOAEL 225 mg/kg/day	90 days

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material

and/or its components.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact manufacturer for more information

EPCRA 311/312 Hazard Classifications:

Physical Hazards

Not Applicable.

Health Hazards

Acute toxicity

Respiratory or Skin Sensitization

Serious eye damage or eye irritation

15.2. State Regulations

Contact manufacturer for more information

15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact manufacturer for more information

15.4. International Regulations

Contact manufacturer for more information

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 2 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group: 45-2758-6
Issue Date: 02/16/26

Version Number: 1.00
Supersedes Date: Initial Issue

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Meguiar's Inc. MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Meguiar's Inc. product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Meguiar's Inc. product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Meguiar's Inc. product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Meguiar's Inc. provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Meguiar's Inc. makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Meguiar's Inc.

Meguiar's, Inc. USA SDSs are available at www.Meguiars.com