



## Safety Data Sheet

Copyright, 2024, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |           |                         |          |
|------------------------|-----------|-------------------------|----------|
| <b>Document Group:</b> | 32-6399-3 | <b>Version Number:</b>  | 5.03     |
| <b>Issue Date:</b>     | 11/21/24  | <b>Supersedes Date:</b> | 09/20/22 |

### Product identifier

3M(TM) Scotch-Weld(TM) Structural Plastic Adhesive DP8010 Blue

### ID Number(s):

62-2863-1445-5, 62-2863-1450-5, 62-2863-3630-0, 62-2863-5030-1

7100036719, 7100036718, 7100036717, 7100291546

### Recommended use

Structural adhesive

### Supplier's details

|                      |                                         |
|----------------------|-----------------------------------------|
| <b>MANUFACTURER:</b> | 3M                                      |
| <b>DIVISION:</b>     | Industrial Adhesives and Tapes Division |
| <b>ADDRESS:</b>      | 3M Center, St. Paul, MN 55144-1000, USA |
| <b>Telephone:</b>    | 1-888-3M HELPS (1-888-364-3577)         |

### Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

**This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet (SDS), Article Information Sheet (AIS), or Article Information Letter (AIL) for each of these components is included. Please do not separate the component documents from this cover page. The document numbers for components of this product are:**

18-1419-3, 31-9758-9

**DISCLAIMER:** The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

**3M USA SDSs are available at [www.3M.com](http://www.3M.com)**



## Safety Data Sheet

Copyright, 2026, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |           |                         |          |
|------------------------|-----------|-------------------------|----------|
| <b>Document Group:</b> | 31-9758-9 | <b>Version Number:</b>  | 7.05     |
| <b>Issue Date:</b>     | 09/03/26  | <b>Supersedes Date:</b> | 11/21/24 |

### SECTION 1: Identification

#### 1.1. Product identifier

3M(TM) Scotch-Weld(TM) Structural Plastic Adhesive DP8010 Blue and Structural Plastic Adhesive 8010 Blue, Part B

#### Product Identification Numbers

|                |     |                |     |
|----------------|-----|----------------|-----|
| ID Number      | UPC | ID Number      | UPC |
| 62-2863-8530-7 |     | 62-2863-9530-6 |     |

62-2863-9532-2

7100036720, 7100153259

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Structural adhesive, Industrial use

#### 1.3. Supplier's details

|                      |                                         |
|----------------------|-----------------------------------------|
| <b>MANUFACTURER:</b> | 3M                                      |
| <b>DIVISION:</b>     | Industrial Adhesives and Tapes Division |
| <b>ADDRESS:</b>      | 3M Center, St. Paul, MN 55144-1000, USA |
| <b>Telephone:</b>    | 1-888-3M HELPS (1-888-364-3577)         |

#### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

### SECTION 2: Hazard identification

#### 2.1. Hazard classification

Serious Eye Damage/Irritation: Category 1.

Respiratory Sensitizer: Category 1.

Skin Sensitizer: Category 1.

Carcinogenicity: Category 2.

Reproductive Toxicity: Category 1B.

#### 2.2. Label elements

Signal word

Danger

**Symbols**

Corrosion | Health Hazard |

**Pictograms**



**Hazard Statements**

Causes serious eye damage.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause an allergic skin reaction.  
Suspected of causing cancer.  
May damage fertility or the unborn child.

**Precautionary statements**

**Prevention:**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Avoid breathing vapors.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear protective gloves, eye protection, and face protection.  
In case of inadequate ventilation wear respiratory protection.

**Response:**

IF ON SKIN: Wash with plenty of soap and water.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or concerned: Immediately call a POISON CENTER or doctor.  
If experiencing respiratory symptoms or if skin irritation or rash occurs: Call a POISON CENTER or doctor.  
Take off contaminated clothing and wash it before reuse.

**Storage:**

Store locked up.

**Disposal:**

Dispose of contents and container in accordance with applicable local, regional, national, and international regulations.

23% of the mixture consists of ingredients of unknown acute oral toxicity.

23% of the mixture consists of ingredients of unknown acute dermal toxicity.

### SECTION 3: Composition/information on ingredients

| Ingredient                                     | C.A.S. No.    | % by Wt                |
|------------------------------------------------|---------------|------------------------|
| Tetrahydrofurfuryl Methacrylate                | 2455-24-5     | 30 - 60 Trade Secret * |
| Acrylate Polymer (NJTS Reg. No. 04499600-7169) | Trade Secret* | 10 - 30                |
| 2-Ethylhexyl Methacrylate                      | 688-84-6      | 10 - 24 Trade Secret * |

|                                                  |               |                          |
|--------------------------------------------------|---------------|--------------------------|
| Dibutyl Itaconate                                | 2155-60-4     | <= 8                     |
| Impact Modifier                                  | 20882-04-6    | 3 - 7 Trade Secret *     |
| Glass Microspheres (NJTS Reg. No. 04499600-7431) | Trade Secret* | 0.1 - 5                  |
| Succinic Anhydride                               | 108-30-5      | 0.1 - 0.6 Trade Secret * |
| Tetrahydrofurfuryl Alcohol                       | 97-99-4       | <= 0.25                  |
| Methyl Methacrylate                              | 80-62-6       | <= 0.2                   |
| Styrene Monomer                                  | 100-42-5      | <= 0.2                   |
| Maleic Anhydride                                 | 108-31-6      | < 0.002                  |

NJTS or NJTSRN: New Jersey Trade Secret Registry Number.

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye Contact:

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

#### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Allergic respiratory reaction (difficulty breathing, wheezing, cough, and tightness of chest). Allergic skin reaction (redness, swelling, blistering, and itching). Serious damage to the eyes (corneal cloudiness, severe pain, tearing, ulcerations, and significantly impaired or loss of vision).

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### Hazardous Decomposition or By-Products

#### Substance

Hydrocarbons  
Carbon monoxide  
Carbon dioxide  
Hydrogen Cyanide  
Oxides of Nitrogen

#### Condition

During Combustion  
During Combustion  
During Combustion  
During Combustion  
During Combustion

### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

### 6.3. Methods and material for containment and cleaning up

Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Use personal protective equipment (gloves, respirators, etc.) as required.

### 7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from acids.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient      | C.A.S. No. | Agency | Limit type             | Additional Comments                       |
|-----------------|------------|--------|------------------------|-------------------------------------------|
| Styrene Monomer | 100-42-5   | ACGIH  | TWA:10 ppm;STEL:20 ppm | A3: Confirmed animal carcin., Ototoxicant |

|                            |          |       |                                              |                                                               |
|----------------------------|----------|-------|----------------------------------------------|---------------------------------------------------------------|
| Styrene Monomer            | 100-42-5 | OSHA  | TWA:100 ppm;CEIL:200 ppm                     |                                                               |
| Maleic Anhydride           | 108-31-6 | ACGIH | TWA(inhalable fraction and vapor):0.01 mg/m3 | A4: Not class. as human carcin, Dermal/Respiratory Sensitizer |
| Maleic Anhydride           | 108-31-6 | OSHA  | TWA:1 mg/m3(0.25 ppm)                        |                                                               |
| Methyl Methacrylate        | 80-62-6  | ACGIH | TWA:50 ppm;STEL:100 ppm                      | A4: Not class. as human carcin, Dermal Sensitizer             |
| Methyl Methacrylate        | 80-62-6  | OSHA  | TWA:410 mg/m3(100 ppm)                       |                                                               |
| Tetrahydrofurfuryl Alcohol | 97-99-4  | AIHA  | TWA:2 mg/m3(0.5 ppm)                         | SKIN                                                          |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Provide appropriate local exhaust ventilation for cutting, grinding, sanding or machining. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full Face Shield

Indirect Vented Goggles

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (e.g., spraying, high splash potential, etc.), then use of a protective apron may be necessary. See recommended glove material(s) for determining appropriate apron material(s). If a glove material is not available as an apron, polymer laminate is a suitable option.

#### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

Half facepiece or full facepiece supplied-air respirator

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                         |                                                          |
|-----------------------------------------|----------------------------------------------------------|
| Physical state                          | Liquid                                                   |
| Specific Physical Form:                 | Paste                                                    |
| Color                                   | Blue-Green                                               |
| Odor                                    | Mild Acrylic                                             |
| Odor threshold                          | No Data Available                                        |
| pH                                      | Not Applicable                                           |
| Melting point                           | Not Applicable                                           |
| Boiling Point                           | No Data Available                                        |
| Flash Point                             | 223 °F [Test Method:Closed Cup]                          |
| Evaporation rate                        | No Data Available                                        |
| Flammability                            | Not Applicable                                           |
| Flammable Limits(LEL)                   | No Data Available                                        |
| Flammable Limits(UEL)                   | No Data Available                                        |
| Vapor Pressure                          | No Data Available                                        |
| Relative Vapor Density                  | No Data Available                                        |
| Density                                 | 0.95 - 1.05 g/ml                                         |
| Relative Density                        | 0.95 - 1.05 [Ref Std:WATER=1]                            |
| Solubility in Water                     | Slight (less than 10%)                                   |
| Solubility- non-water                   | No Data Available                                        |
| Partition coefficient: n-octanol/ water | No Data Available                                        |
| Autoignition temperature                | No Data Available                                        |
| Decomposition temperature               | No Data Available                                        |
| Kinematic Viscosity                     | No Data Available                                        |
| Hazardous Air Pollutants                | < 0.2 % weight                                           |
| Molecular weight                        | No Data Available                                        |
| Volatile Organic Compounds              | 0.6 % weight [Details:when used as intended with Part A] |
| VOC Less H2O & Exempt Solvents          | 5.5 g/l [Details:when used as intended with Part A]      |
| Particle Characteristics                | Not Applicable                                           |

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Heat  
Sparks and/or flames

### 10.5. Incompatible materials

Strong acids

## 10.6. Hazardous decomposition products

### Substance

None known.

### Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### **Inhalation:**

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. Allergic Respiratory Reaction: Signs/symptoms may include difficulty breathing, wheezing, cough, and tightness of chest. May cause additional health effects (see below).

#### **Skin Contact:**

May be harmful in contact with skin. Contact with the skin during product use is not expected to result in significant irritation. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching. May cause additional health effects (see below).

#### **Eye Contact:**

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

#### **Ingestion:**

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea. May cause additional health effects (see below).

#### **Additional Health Effects:**

#### **Reproductive/Developmental Toxicity:**

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

#### **Carcinogenicity:**

Contains a chemical or chemicals which can cause cancer.

| <u>Ingredient</u> | <u>CAS No.</u> | <u>Class Description</u>      | <u>Regulation</u>                           |
|-------------------|----------------|-------------------------------|---------------------------------------------|
| Styrene           | 100-42-5       | Grp. 2A: Probable human carc. | International Agency for Research on Cancer |
| Styrene           | 100-42-5       | Anticipated human carcinogen  | National Toxicology Program Carcinogens     |

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

### Acute Toxicity

| Name                            | Route                      | Species                | Value                                                   |
|---------------------------------|----------------------------|------------------------|---------------------------------------------------------|
| Overall product                 | Dermal                     |                        | No data available; calculated ATE >2,000 - =5,000 mg/kg |
| Overall product                 | Ingestion                  |                        | No data available; calculated ATE >5,000 mg/kg          |
| Tetrahydrofurfuryl Methacrylate | Ingestion                  | Rat                    | LD50 4,000 mg/kg                                        |
| Tetrahydrofurfuryl Methacrylate | Dermal                     | similar health hazards | LD50 estimated to be 2,000 - 5,000 mg/kg                |
| 2-Ethylhexyl Methacrylate       | Dermal                     | Professional judgement | LD50 estimated to be > 5,000 mg/kg                      |
| 2-Ethylhexyl Methacrylate       | Ingestion                  | Rat                    | LD50 > 2,000 mg/kg                                      |
| Dibutyl Itaconate               | Ingestion                  | Rat                    | LD50 > 2,000 mg/kg                                      |
| Dibutyl Itaconate               | Dermal                     | similar health hazards | LD50 estimated to be > 5,000 mg/kg                      |
| Impact Modifier                 | Dermal                     | Professional judgement | LD50 estimated to be > 5,000 mg/kg                      |
| Impact Modifier                 | Ingestion                  | Rat                    | LD50 > 2,000 mg/kg                                      |
| Succinic Anhydride              | Dermal                     | Rat                    | LD50 > 2,000 mg/kg                                      |
| Succinic Anhydride              | Ingestion                  | Rat                    | LD50 1,510 mg/kg                                        |
| Tetrahydrofurfuryl Alcohol      | Dermal                     | Professional judgement | LD50 estimated to be 2,000 - 5,000 mg/kg                |
| Tetrahydrofurfuryl Alcohol      | Inhalation-Vapor (4 hours) | Rat                    | LC50 > 3.1 mg/l                                         |
| Tetrahydrofurfuryl Alcohol      | Ingestion                  | Rat                    | LD50 > 2,000 mg/kg                                      |
| Methyl Methacrylate             | Dermal                     | Rabbit                 | LD50 > 5,000 mg/kg                                      |
| Methyl Methacrylate             | Inhalation-Vapor (4 hours) | Rat                    | LC50 29.8 mg/l                                          |
| Methyl Methacrylate             | Ingestion                  | Rat                    | LD50 7,900 mg/kg                                        |
| Styrene Monomer                 | Dermal                     | Rat                    | LD50 > 2,000 mg/kg                                      |
| Styrene Monomer                 | Inhalation-Vapor (4 hours) | Rat                    | LC50 11.8 mg/l                                          |
| Styrene Monomer                 | Ingestion                  | Rat                    | LD50 5,000 mg/kg                                        |
| Maleic Anhydride                | Dermal                     | Rabbit                 | LD50 2,620 mg/kg                                        |
| Maleic Anhydride                | Ingestion                  | Rat                    | LD50 1,030 mg/kg                                        |

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

| Name                            | Species                | Value                     |
|---------------------------------|------------------------|---------------------------|
| Tetrahydrofurfuryl Methacrylate | Rabbit                 | No significant irritation |
| 2-Ethylhexyl Methacrylate       | Rabbit                 | Minimal irritation        |
| Dibutyl Itaconate               | In vitro data          | No significant irritation |
| Impact Modifier                 | Professional judgement | Mild irritant             |
| Succinic Anhydride              | In vitro data          | Corrosive                 |
| Tetrahydrofurfuryl Alcohol      | Rabbit                 | No significant irritation |
| Methyl Methacrylate             | Rabbit                 | Irritant                  |
| Styrene Monomer                 | Professional           | Mild irritant             |

|                  |                  |           |
|------------------|------------------|-----------|
|                  | judgement        |           |
| Maleic Anhydride | Human and animal | Corrosive |

### Serious Eye Damage/Irritation

| Name                            | Species                | Value                     |
|---------------------------------|------------------------|---------------------------|
| Tetrahydrofurfuryl Methacrylate | Rabbit                 | No significant irritation |
| 2-Ethylhexyl Methacrylate       | Rabbit                 | No significant irritation |
| Dibutyl Itaconate               | In vitro data          | No significant irritation |
| Impact Modifier                 | In vitro data          | Corrosive                 |
| Succinic Anhydride              | similar health hazards | Corrosive                 |
| Tetrahydrofurfuryl Alcohol      | Rabbit                 | Severe irritant           |
| Methyl Methacrylate             | Rabbit                 | Mild irritant             |
| Styrene Monomer                 | Professional judgement | Moderate irritant         |
| Maleic Anhydride                | Rabbit                 | Corrosive                 |

### Skin Sensitization

| Name                            | Species                 | Value          |
|---------------------------------|-------------------------|----------------|
| Tetrahydrofurfuryl Methacrylate | official classification | Sensitizing    |
| 2-Ethylhexyl Methacrylate       | Guinea pig              | Sensitizing    |
| Dibutyl Itaconate               | Mouse                   | Not classified |
| Impact Modifier                 | Professional judgement  | Sensitizing    |
| Succinic Anhydride              | Mouse                   | Sensitizing    |
| Tetrahydrofurfuryl Alcohol      | Mouse                   | Not classified |
| Methyl Methacrylate             | Human and animal        | Sensitizing    |
| Styrene Monomer                 | Guinea pig              | Not classified |
| Maleic Anhydride                | Multiple animal species | Sensitizing    |

### Respiratory Sensitization

| Name                | Species           | Value          |
|---------------------|-------------------|----------------|
| Succinic Anhydride  | similar compounds | Sensitizing    |
| Methyl Methacrylate | Human             | Not classified |
| Maleic Anhydride    | Human             | Sensitizing    |

### Germ Cell Mutagenicity

| Name                            | Route    | Value         |
|---------------------------------|----------|---------------|
| Tetrahydrofurfuryl Methacrylate | In Vitro | Not mutagenic |
| 2-Ethylhexyl Methacrylate       | In Vitro | Not mutagenic |

|                            |          |                                                                              |
|----------------------------|----------|------------------------------------------------------------------------------|
| Dibutyl Itaconate          | In Vitro | Not mutagenic                                                                |
| Impact Modifier            | In Vitro | Not mutagenic                                                                |
| Succinic Anhydride         | In Vitro | Not mutagenic                                                                |
| Tetrahydrofurfuryl Alcohol | In Vitro | Not mutagenic                                                                |
| Methyl Methacrylate        | In vivo  | Not mutagenic                                                                |
| Methyl Methacrylate        | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Styrene Monomer            | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Styrene Monomer            | In vivo  | Some positive data exist, but the data are not sufficient for classification |
| Maleic Anhydride           | In vivo  | Not mutagenic                                                                |
| Maleic Anhydride           | In Vitro | Some positive data exist, but the data are not sufficient for classification |

### Carcinogenicity

| Name                | Route      | Species                 | Value            |
|---------------------|------------|-------------------------|------------------|
| Succinic Anhydride  | Ingestion  | Multiple animal species | Not carcinogenic |
| Methyl Methacrylate | Ingestion  | Rat                     | Not carcinogenic |
| Methyl Methacrylate | Inhalation | Human and animal        | Not carcinogenic |
| Styrene Monomer     | Ingestion  | Mouse                   | Carcinogenic     |
| Styrene Monomer     | Inhalation | Human and animal        | Carcinogenic     |

### Reproductive Toxicity

#### Reproductive and/or Developmental Effects

| Name                            | Route      | Value                                  | Species | Test Result           | Exposure Duration        |
|---------------------------------|------------|----------------------------------------|---------|-----------------------|--------------------------|
| Tetrahydrofurfuryl Methacrylate | Ingestion  | Not classified for male reproduction   | Rat     | NOAEL 300 mg/kg/day   | 29 days                  |
| Tetrahydrofurfuryl Methacrylate | Ingestion  | Toxic to female reproduction           | Rat     | NOAEL 120 mg/kg/day   | premating into lactation |
| Tetrahydrofurfuryl Methacrylate | Ingestion  | Toxic to development                   | Rat     | NOAEL 120 mg/kg/day   | premating into lactation |
| 2-Ethylhexyl Methacrylate       | Ingestion  | Not classified for male reproduction   |         | NOAEL 1,000 mg/kg/day | 49 days                  |
| 2-Ethylhexyl Methacrylate       | Ingestion  | Not classified for female reproduction |         | NOAEL 300 mg/kg/day   | premating into lactation |
| 2-Ethylhexyl Methacrylate       | Ingestion  | Not classified for development         |         | NOAEL 300 mg/kg/day   | during gestation         |
| Dibutyl Itaconate               | Ingestion  | Not classified for development         | Rat     | NOAEL 300 mg/kg/day   | during gestation         |
| Tetrahydrofurfuryl Alcohol      | Ingestion  | Toxic to female reproduction           | Rat     | NOAEL 50 mg/kg/day    | premating into lactation |
| Tetrahydrofurfuryl Alcohol      | Dermal     | Toxic to male reproduction             | Rat     | NOAEL 100 mg/kg/day   | 13 weeks                 |
| Tetrahydrofurfuryl Alcohol      | Ingestion  | Toxic to male reproduction             | Rat     | NOAEL 150 mg/kg/day   | 47 days                  |
| Tetrahydrofurfuryl Alcohol      | Inhalation | Toxic to male reproduction             | Rat     | NOAEL 0.6 mg/l        | 90 days                  |
| Tetrahydrofurfuryl Alcohol      | Ingestion  | Toxic to development                   | Rat     | NOAEL 50 mg/kg/day    | premating into lactation |
| Methyl Methacrylate             | Ingestion  | Not classified for female reproduction | Rat     | NOAEL 400 mg/kg/day   | 2 generation             |
| Methyl Methacrylate             | Ingestion  | Not classified for male reproduction   | Rat     | NOAEL 400 mg/kg/day   | 2 generation             |
| Methyl Methacrylate             | Ingestion  | Not classified for development         | Rabbit  | NOAEL 450 mg/kg/day   | during gestation         |

|                     |            |                                        |                         |                     |                      |
|---------------------|------------|----------------------------------------|-------------------------|---------------------|----------------------|
| Methyl Methacrylate | Inhalation | Not classified for development         | Rat                     | NOAEL 8.3 mg/l      | during organogenesis |
| Styrene Monomer     | Ingestion  | Not classified for female reproduction | Rat                     | NOAEL 21 mg/kg/day  | 3 generation         |
| Styrene Monomer     | Inhalation | Not classified for female reproduction | Rat                     | NOAEL 2.1 mg/l      | 2 generation         |
| Styrene Monomer     | Inhalation | Not classified for male reproduction   | Rat                     | NOAEL 2.1 mg/l      | 2 generation         |
| Styrene Monomer     | Ingestion  | Not classified for male reproduction   | Rat                     | NOAEL 400 mg/kg/day | 60 days              |
| Styrene Monomer     | Ingestion  | Not classified for development         | Rat                     | NOAEL 400 mg/kg/day | during gestation     |
| Styrene Monomer     | Inhalation | Not classified for development         | Multiple animal species | NOAEL 2.1 mg/l      | during gestation     |
| Maleic Anhydride    | Ingestion  | Not classified for female reproduction | Rat                     | NOAEL 55 mg/kg/day  | 2 generation         |
| Maleic Anhydride    | Ingestion  | Not classified for male reproduction   | Rat                     | NOAEL 55 mg/kg/day  | 2 generation         |
| Maleic Anhydride    | Ingestion  | Not classified for development         | Rat                     | NOAEL 140 mg/kg/day | during organogenesis |

## Target Organ(s)

### Specific Target Organ Toxicity - single exposure

| Name                       | Route      | Target Organ(s)                   | Value                                                                        | Species                 | Test Result         | Exposure Duration     |
|----------------------------|------------|-----------------------------------|------------------------------------------------------------------------------|-------------------------|---------------------|-----------------------|
| Impact Modifier            | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | similar health hazards  | NOAEL Not available |                       |
| Succinic Anhydride         | Inhalation | respiratory irritation            | May cause respiratory irritation                                             | similar health hazards  | NOAEL Not available |                       |
| Tetrahydrofurfuryl Alcohol | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | similar health hazards  | NOAEL Not available |                       |
| Methyl Methacrylate        | Inhalation | respiratory irritation            | May cause respiratory irritation                                             | Human                   | NOAEL Not available | occupational exposure |
| Styrene Monomer            | Inhalation | auditory system                   | Causes damage to organs                                                      | Multiple animal species | LOAEL 4.3 mg/l      | not available         |
| Styrene Monomer            | Inhalation | liver                             | Causes damage to organs                                                      | Mouse                   | LOAEL 2.1 mg/l      | not available         |
| Styrene Monomer            | Inhalation | central nervous system depression | May cause drowsiness or dizziness                                            | Human                   | NOAEL Not available | occupational exposure |
| Styrene Monomer            | Inhalation | respiratory irritation            | May cause respiratory irritation                                             | Human and animal        | NOAEL Not available |                       |
| Styrene Monomer            | Inhalation | endocrine system                  | Not classified                                                               | Rat                     | NOAEL Not available | not available         |
| Styrene Monomer            | Inhalation | kidney and/or bladder             | Not classified                                                               | Multiple animal species | NOAEL 2.1 mg/l      | not available         |
| Maleic Anhydride           | Inhalation | respiratory irritation            | May cause respiratory irritation                                             | Human                   | NOAEL Not available |                       |

### Specific Target Organ Toxicity - repeated exposure

| Name                            | Route     | Target Organ(s)      | Value          | Species | Test Result         | Exposure Duration |
|---------------------------------|-----------|----------------------|----------------|---------|---------------------|-------------------|
| Tetrahydrofurfuryl Methacrylate | Ingestion | endocrine system     | Not classified | Rat     | NOAEL 300 mg/kg/day | 29 days           |
| Tetrahydrofurfuryl Methacrylate | Ingestion | hematopoietic system | Not classified | Rat     | NOAEL 300 mg/kg/day | 29 days           |

**3M(TM) Scotch-Weld(TM) Structural Plastic Adhesive DP8010 Blue and Structural Plastic Adhesive 8010 Blue, Part B**  
**09/03/26**

|                                 |           |                                 |                |       |                       |          |
|---------------------------------|-----------|---------------------------------|----------------|-------|-----------------------|----------|
| Tetrahydrofurfuryl Methacrylate | Ingestion | immune system                   | Not classified | Rat   | NOAEL 300 mg/kg/day   | 29 days  |
| Tetrahydrofurfuryl Methacrylate | Ingestion | heart                           | Not classified | Rat   | NOAEL 300 mg/kg/day   | 29 days  |
| Tetrahydrofurfuryl Methacrylate | Ingestion | liver                           | Not classified | Rat   | NOAEL 300 mg/kg/day   | 29 days  |
| Tetrahydrofurfuryl Methacrylate | Ingestion | nervous system                  | Not classified | Rat   | NOAEL 300 mg/kg/day   | 29 days  |
| Tetrahydrofurfuryl Methacrylate | Ingestion | kidney and/or bladder           | Not classified | Rat   | NOAEL 300 mg/kg/day   | 29 days  |
| Tetrahydrofurfuryl Methacrylate | Ingestion | respiratory system              | Not classified | Rat   | NOAEL 300 mg/kg/day   | 29 days  |
| 2-Ethylhexyl Methacrylate       | Ingestion | heart                           | Not classified | Rat   | NOAEL 360 mg/kg/day   | 90 days  |
| 2-Ethylhexyl Methacrylate       | Ingestion | endocrine system                | Not classified | Rat   | NOAEL 360 mg/kg/day   | 90 days  |
| 2-Ethylhexyl Methacrylate       | Ingestion | hematopoietic system            | Not classified | Rat   | NOAEL 360 mg/kg/day   | 90 days  |
| 2-Ethylhexyl Methacrylate       | Ingestion | liver                           | Not classified | Rat   | NOAEL 360 mg/kg/day   | 90 days  |
| 2-Ethylhexyl Methacrylate       | Ingestion | immune system                   | Not classified | Rat   | NOAEL 360 mg/kg/day   | 90 days  |
| 2-Ethylhexyl Methacrylate       | Ingestion | nervous system                  | Not classified | Rat   | NOAEL 360 mg/kg/day   | 90 days  |
| 2-Ethylhexyl Methacrylate       | Ingestion | eyes                            | Not classified | Rat   | NOAEL 360 mg/kg/day   | 90 days  |
| 2-Ethylhexyl Methacrylate       | Ingestion | kidney and/or bladder           | Not classified | Rat   | NOAEL 360 mg/kg/day   | 90 days  |
| Dibutyl Itaconate               | Ingestion | endocrine system                | Not classified | Rat   | NOAEL 1,000 mg/kg/day | 90 days  |
| Dibutyl Itaconate               | Ingestion | hematopoietic system            | Not classified | Rat   | NOAEL 1,000 mg/kg/day | 90 days  |
| Dibutyl Itaconate               | Ingestion | liver                           | Not classified | Rat   | NOAEL 1,000 mg/kg/day | 90 days  |
| Dibutyl Itaconate               | Ingestion | kidney and/or bladder           | Not classified | Rat   | NOAEL 1,000 mg/kg/day | 90 days  |
| Dibutyl Itaconate               | Ingestion | heart                           | Not classified | Rat   | NOAEL 1,000 mg/kg/day | 90 days  |
| Dibutyl Itaconate               | Ingestion | nervous system                  | Not classified | Rat   | NOAEL 1,000 mg/kg/day | 90 days  |
| Dibutyl Itaconate               | Ingestion | eyes                            | Not classified | Rat   | NOAEL 1,000 mg/kg/day | 90 days  |
| Succinic Anhydride              | Ingestion | heart                           | Not classified | Mouse | NOAEL 300 mg/kg/day   | 13 weeks |
| Succinic Anhydride              | Ingestion | skin                            | Not classified | Mouse | NOAEL 300 mg/kg/day   | 13 weeks |
| Succinic Anhydride              | Ingestion | endocrine system                | Not classified | Mouse | NOAEL 300 mg/kg/day   | 13 weeks |
| Succinic Anhydride              | Ingestion | bone, teeth, nails, and/or hair | Not classified | Mouse | NOAEL 300 mg/kg/day   | 13 weeks |
| Succinic Anhydride              | Ingestion | hematopoietic system            | Not classified | Mouse | NOAEL 300 mg/kg/day   | 13 weeks |
| Succinic Anhydride              | Ingestion | liver                           | Not classified | Mouse | NOAEL 300 mg/kg/day   | 13 weeks |
| Succinic Anhydride              | Ingestion | immune system                   | Not classified | Mouse | NOAEL 300 mg/kg/day   | 13 weeks |
| Succinic Anhydride              | Ingestion | nervous system                  | Not classified | Mouse | NOAEL 300 mg/kg/day   | 13 weeks |
| Succinic Anhydride              | Ingestion | kidney and/or                   | Not classified | Mouse | NOAEL 300             | 13 weeks |

**3M(TM) Scotch-Weld(TM) Structural Plastic Adhesive DP8010 Blue and Structural Plastic Adhesive 8010 Blue, Part B**  
**09/03/26**

|                            |            |                           |                                                                              |                         |                      |                       |
|----------------------------|------------|---------------------------|------------------------------------------------------------------------------|-------------------------|----------------------|-----------------------|
|                            |            | bladder                   |                                                                              |                         | mg/kg/day            |                       |
| Succinic Anhydride         | Ingestion  | respiratory system        | Not classified                                                               | Mouse                   | NOAEL 300 mg/kg/day  | 13 weeks              |
| Tetrahydrofurfuryl Alcohol | Inhalation | nervous system            | Causes damage to organs through prolonged or repeated exposure               | Rat                     | LOAEL 0.2 mg/l       | 90 days               |
| Tetrahydrofurfuryl Alcohol | Inhalation | hematopoietic system      | Some positive data exist, but the data are not sufficient for classification | Rat                     | NOAEL 0.6 mg/l       | 90 days               |
| Tetrahydrofurfuryl Alcohol | Inhalation | eyes                      | Not classified                                                               | Rat                     | NOAEL 2.1 mg/l       | 90 days               |
| Tetrahydrofurfuryl Alcohol | Ingestion  | hematopoietic system      | Some positive data exist, but the data are not sufficient for classification | Rat                     | NOAEL 69 mg/kg/day   | 91 days               |
| Tetrahydrofurfuryl Alcohol | Ingestion  | immune system             | Some positive data exist, but the data are not sufficient for classification | Rat                     | NOAEL 150 mg/kg/day  | 28 days               |
| Tetrahydrofurfuryl Alcohol | Ingestion  | endocrine system          | Not classified                                                               | Rat                     | NOAEL 600 mg/kg/day  | 28 days               |
| Tetrahydrofurfuryl Alcohol | Ingestion  | kidney and/or bladder     | Not classified                                                               | Rat                     | NOAEL 600 mg/kg/day  | 28 days               |
| Tetrahydrofurfuryl Alcohol | Ingestion  | liver                     | Not classified                                                               | Rat                     | NOAEL 781 mg/kg/day  | 91 days               |
| Tetrahydrofurfuryl Alcohol | Ingestion  | eyes                      | Not classified                                                               | Rat                     | NOAEL 781 mg/kg/day  | 91 days               |
| Tetrahydrofurfuryl Alcohol | Ingestion  | heart                     | Not classified                                                               | Rat                     | NOAEL 600 mg/kg/day  | 28 days               |
| Tetrahydrofurfuryl Alcohol | Ingestion  | nervous system            | Not classified                                                               | Rat                     | NOAEL 600 mg/kg/day  | 28 days               |
| Methyl Methacrylate        | Dermal     | peripheral nervous system | Not classified                                                               | Human                   | NOAEL Not available  | occupational exposure |
| Methyl Methacrylate        | Inhalation | olfactory system          | Causes damage to organs through prolonged or repeated exposure               | Human                   | NOAEL Not available  | occupational exposure |
| Methyl Methacrylate        | Inhalation | kidney and/or bladder     | Not classified                                                               | Multiple animal species | NOAEL Not available  | 14 weeks              |
| Methyl Methacrylate        | Inhalation | liver                     | Not classified                                                               | Mouse                   | NOAEL 12.3 mg/l      | 14 weeks              |
| Methyl Methacrylate        | Inhalation | respiratory system        | Not classified                                                               | Human                   | NOAEL Not available  | occupational exposure |
| Methyl Methacrylate        | Ingestion  | kidney and/or bladder     | Not classified                                                               | Rat                     | NOAEL 90.3 mg/kg/day | 2 years               |
| Methyl Methacrylate        | Ingestion  | heart                     | Not classified                                                               | Rat                     | NOAEL 90.3 mg/kg/day | 2 years               |
| Methyl Methacrylate        | Ingestion  | skin                      | Not classified                                                               | Rat                     | NOAEL 90.3 mg/kg/day | 2 years               |
| Methyl Methacrylate        | Ingestion  | endocrine system          | Not classified                                                               | Rat                     | NOAEL 90.3 mg/kg/day | 2 years               |
| Methyl Methacrylate        | Ingestion  | gastrointestinal tract    | Not classified                                                               | Rat                     | NOAEL 90.3 mg/kg/day | 2 years               |
| Methyl Methacrylate        | Ingestion  | hematopoietic system      | Not classified                                                               | Rat                     | NOAEL 90.3 mg/kg/day | 2 years               |
| Methyl Methacrylate        | Ingestion  | liver                     | Not classified                                                               | Rat                     | NOAEL 90.3 mg/kg/day | 2 years               |
| Methyl Methacrylate        | Ingestion  | muscles                   | Not classified                                                               | Rat                     | NOAEL 90.3 mg/kg/day | 2 years               |
| Methyl Methacrylate        | Ingestion  | nervous system            | Not classified                                                               | Rat                     | NOAEL 90.3 mg/kg/day | 2 years               |
| Methyl Methacrylate        | Ingestion  | respiratory system        | Not classified                                                               | Rat                     | NOAEL 90.3 mg/kg/day | 2 years               |
| Styrene Monomer            | Inhalation | auditory system           | Causes damage to organs through prolonged or repeated exposure               | Human                   | NOAEL not available  | occupational exposure |
| Styrene Monomer            | Inhalation | eyes                      | Causes damage to organs through prolonged or repeated exposure               | Human                   | NOAEL Not available  | occupational exposure |
| Styrene Monomer            | Inhalation | liver                     | May cause damage to organs though prolonged or repeated exposure             | Mouse                   | LOAEL 0.85 mg/l      | 13 weeks              |

**3M(TM) Scotch-Weld(TM) Structural Plastic Adhesive DP8010 Blue and Structural Plastic Adhesive 8010 Blue, Part B**  
**09/03/26**

|                  |            |                                 |                                                                              |                         |                     |               |
|------------------|------------|---------------------------------|------------------------------------------------------------------------------|-------------------------|---------------------|---------------|
| Styrene Monomer  | Inhalation | nervous system                  | Some positive data exist, but the data are not sufficient for classification | Multiple animal species | LOAEL 1.1 mg/l      | not available |
| Styrene Monomer  | Inhalation | hematopoietic system            | Not classified                                                               | Rat                     | NOAEL 0.85 mg/l     | 7 days        |
| Styrene Monomer  | Inhalation | endocrine system                | Not classified                                                               | Rat                     | NOAEL 0.6 mg/l      | 10 days       |
| Styrene Monomer  | Inhalation | respiratory system              | Not classified                                                               | Multiple animal species | LOAEL 0.09 mg/l     | not available |
| Styrene Monomer  | Inhalation | heart                           | Not classified                                                               | Multiple animal species | NOAEL 4.3 mg/l      | 2 years       |
| Styrene Monomer  | Inhalation | gastrointestinal tract          | Not classified                                                               | Multiple animal species | NOAEL 4.3 mg/l      | 2 years       |
| Styrene Monomer  | Inhalation | bone, teeth, nails, and/or hair | Not classified                                                               | Multiple animal species | NOAEL 4.3 mg/l      | 2 years       |
| Styrene Monomer  | Inhalation | muscles                         | Not classified                                                               | Multiple animal species | NOAEL 4.3 mg/l      | 2 years       |
| Styrene Monomer  | Inhalation | kidney and/or bladder           | Not classified                                                               | Multiple animal species | NOAEL 4.3 mg/l      | 2 years       |
| Styrene Monomer  | Ingestion  | nervous system                  | Some positive data exist, but the data are not sufficient for classification | Rat                     | LOAEL 500 mg/kg/day | 8 weeks       |
| Styrene Monomer  | Ingestion  | immune system                   | Some positive data exist, but the data are not sufficient for classification | Multiple animal species | NOAEL Not available | not available |
| Styrene Monomer  | Ingestion  | liver                           | Not classified                                                               | Rat                     | NOAEL 677 mg/kg/day | 6 months      |
| Styrene Monomer  | Ingestion  | kidney and/or bladder           | Not classified                                                               | Rat                     | NOAEL 677 mg/kg/day | 6 months      |
| Styrene Monomer  | Ingestion  | hematopoietic system            | Not classified                                                               | Dog                     | NOAEL 600 mg/kg/day | 470 days      |
| Styrene Monomer  | Ingestion  | heart                           | Not classified                                                               | Rat                     | NOAEL 35 mg/kg/day  | 105 weeks     |
| Styrene Monomer  | Ingestion  | respiratory system              | Not classified                                                               | Rat                     | NOAEL 35 mg/kg/day  | 105 weeks     |
| Maleic Anhydride | Inhalation | respiratory system              | Causes damage to organs through prolonged or repeated exposure               | Rat                     | LOAEL 0.0011 mg/l   | 6 months      |
| Maleic Anhydride | Inhalation | endocrine system                | Not classified                                                               | Rat                     | NOAEL 0.0098 mg/l   | 6 months      |
| Maleic Anhydride | Inhalation | hematopoietic system            | Not classified                                                               | Rat                     | NOAEL 0.0098 mg/l   | 6 months      |
| Maleic Anhydride | Inhalation | nervous system                  | Not classified                                                               | Rat                     | NOAEL 0.0098 mg/l   | 6 months      |
| Maleic Anhydride | Inhalation | kidney and/or bladder           | Not classified                                                               | Rat                     | NOAEL 0.0098 mg/l   | 6 months      |
| Maleic Anhydride | Inhalation | heart                           | Not classified                                                               | Rat                     | NOAEL 0.0098 mg/l   | 6 months      |
| Maleic Anhydride | Inhalation | liver                           | Not classified                                                               | Rat                     | NOAEL 0.0098 mg/l   | 6 months      |
| Maleic Anhydride | Inhalation | eyes                            | Not classified                                                               | Rat                     | NOAEL 0.0098 mg/l   | 6 months      |
| Maleic Anhydride | Ingestion  | kidney and/or bladder           | Some positive data exist, but the data are not sufficient for classification | Rat                     | NOAEL 55 mg/kg/day  | 80 days       |
| Maleic Anhydride | Ingestion  | liver                           | Some positive data exist, but the data are not sufficient for classification | Rat                     | LOAEL 250 mg/kg/day | 183 days      |
| Maleic Anhydride | Ingestion  | heart                           | Not classified                                                               | Rat                     | NOAEL 600 mg/kg/day | 183 days      |
| Maleic Anhydride | Ingestion  | nervous system                  | Not classified                                                               | Rat                     | NOAEL 600           | 183 days      |

|                  |           |                        |                |     |                     |         |
|------------------|-----------|------------------------|----------------|-----|---------------------|---------|
|                  |           |                        |                |     | mg/kg/day           |         |
| Maleic Anhydride | Ingestion | gastrointestinal tract | Not classified | Rat | NOAEL 150 mg/kg/day | 80 days |
| Maleic Anhydride | Ingestion | hematopoietic system   | Not classified | Dog | NOAEL 60 mg/kg/day  | 90 days |
| Maleic Anhydride | Ingestion | skin                   | Not classified | Rat | NOAEL 150 mg/kg/day | 80 days |
| Maleic Anhydride | Ingestion | endocrine system       | Not classified | Rat | NOAEL 150 mg/kg/day | 80 days |
| Maleic Anhydride | Ingestion | immune system          | Not classified | Rat | NOAEL 150 mg/kg/day | 80 days |
| Maleic Anhydride | Ingestion | eyes                   | Not classified | Rat | NOAEL 150 mg/kg/day | 80 days |
| Maleic Anhydride | Ingestion | respiratory system     | Not classified | Rat | NOAEL 150 mg/kg/day | 80 days |

#### Aspiration Hazard

| Name            | Value             |
|-----------------|-------------------|
| Styrene Monomer | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

## SECTION 12: Ecological information

#### Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

#### Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

## SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

## SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

## SECTION 15: Regulatory information

#### 15.1. US Federal Regulations

Contact 3M for more information.

**EPCRA 311/312 Hazard Classifications:****Physical Hazards**

Not Applicable.

**Health Hazards**

Carcinogenicity

Reproductive toxicity

Respiratory or Skin Sensitization

Serious eye damage or eye irritation

**Section 313 Toxic Chemicals subject to the reporting requirements of that section and 40 CFR part 372 (EPCRA):****Ingredient**

Styrene Monomer

**C.A.S. No**

100-42-5

**% by Wt**

&lt;= 0.2

**15.2. State Regulations**

Contact 3M for more information.

**15.3. Chemical Inventories**

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact 3M for more information.

**15.4. International Regulations**

Contact 3M for more information.

|                                                                                                          |
|----------------------------------------------------------------------------------------------------------|
| <b>This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.</b> |
|----------------------------------------------------------------------------------------------------------|

**SECTION 16: Other information****NFPA Hazard Classification****Health:** 3 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**Document Group:** 31-9758-9**Version Number:** 7.05**Issue Date:** 09/03/26**Supersedes Date:** 11/21/24

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer

may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

**3M USA SDSs are available at [www.3M.com](http://www.3M.com)**



## Safety Data Sheet

Copyright, 2026, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document Group:** 18-1419-3  
**Issue Date:** 09/03/26

**Version Number:** 11.05  
**Supersedes Date:** 04/08/22

### SECTION 1: Identification

#### 1.1. Product identifier

3M(TM) Scotch-Weld(TM) Structural Plastic Adhesive DP8010 and Structural Plastic Adhesive 8010, Part A

#### Product Identification Numbers

| ID Number      | UPC               | ID Number      | UPC               |
|----------------|-------------------|----------------|-------------------|
| 62-2883-7530-6 | 000-21200-49113-9 | 62-2883-8530-5 | 500-21200-49115-8 |

7000046400, 7100050479

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Structural adhesive, Industrial use

#### 1.3. Supplier's details

**MANUFACTURER:** 3M  
**DIVISION:** Industrial Adhesives and Tapes Division  
**ADDRESS:** 3M Center, St. Paul, MN 55144-1000, USA  
**Telephone:** 1-888-3M HELPS (1-888-364-3577)

#### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

### SECTION 2: Hazard identification

#### 2.1. Hazard classification

Acute Toxicity (oral): Category 4.  
Serious Eye Damage/Irritation: Category 1.  
Respiratory Sensitizer: Category 1.  
Skin Sensitizer: Category 1.  
Germ Cell Mutagenicity: Category 2.

#### 2.2. Label elements

##### Signal word

Danger

##### Symbols

Corrosion | Exclamation mark | Health Hazard |

#### Pictograms



#### Hazard Statements

Harmful if swallowed.  
 Causes serious eye damage.  
 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 May cause an allergic skin reaction.  
 Suspected of causing genetic defects.

#### Precautionary statements

##### Prevention:

Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.  
 Avoid breathing vapors.  
 Wash exposed skin thoroughly after handling.  
 Do not eat, drink or smoke when using this product.  
 Contaminated work clothing should not be allowed out of the workplace.  
 Wear protective gloves, eye protection, and face protection.  
 In case of inadequate ventilation wear respiratory protection.

##### Response:

IF ON SKIN: Wash with plenty of soap and water.  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 IF exposed or concerned: Immediately call a POISON CENTER or doctor.  
 Rinse mouth.  
 If experiencing respiratory symptoms or if skin irritation or rash occurs: Call a POISON CENTER or doctor.  
 Take off contaminated clothing and wash it before reuse.

##### Storage:

Store locked up.

##### Disposal:

Dispose of contents and container in accordance with applicable local, regional, national, and international regulations.

##### Supplemental Information:

Persons previously sensitized to amines may develop a cross-sensitization reaction to certain other amines.

62% of the mixture consists of ingredients of unknown acute oral toxicity.

## SECTION 3: Composition/information on ingredients

| Ingredient                                            | C.A.S. No.    | % by Wt |
|-------------------------------------------------------|---------------|---------|
| Synthetic Rubber Oligomer (NJTS Reg No 04499600-7168) | Trade Secret* | 40 - 70 |

|                          |             |                        |
|--------------------------|-------------|------------------------|
| Polyfunctional Aziridine | 64265-57-2  | 10 - 30 Trade Secret * |
| Amine Borane Complex     | 223674-50-8 | 5 - 14                 |
| Amorphous Silica         | 67762-90-7  | 1 - 5                  |

NJTS or NJTSRN: New Jersey Trade Secret Registry Number.

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye Contact:

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

#### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Allergic respiratory reaction (difficulty breathing, wheezing, cough, and tightness of chest). Allergic skin reaction (redness, swelling, blistering, and itching). Serious damage to the eyes (corneal cloudiness, severe pain, tearing, ulcerations, and significantly impaired or loss of vision).

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### Hazardous Decomposition or By-Products

#### Substance

Aldehydes  
Amine Compounds  
Carbon monoxide  
Carbon dioxide  
Oxides of Nitrogen  
Toxic Vapor, Gas, Particulate

#### Condition

During Combustion  
During Combustion  
During Combustion  
During Combustion  
During Combustion  
During Combustion

### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

Refer to Section 15 for additional information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Use personal protective equipment (gloves, respirators, etc.) as required.

### 7.2. Conditions for safe storage including any incompatibilities

Protect from sunlight. Store away from heat. Store away from acids.

Refer to Section 15 for additional information

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient                                              | C.A.S. No. | Agency | Limit type                                                                   | Additional Comments |
|---------------------------------------------------------|------------|--------|------------------------------------------------------------------------------|---------------------|
| Silica: Amorphous, including natural diatomaceous earth | 67762-90-7 | OSHA   | TWA:20 millions of particles/cu. ft.;TWA concentration:0.8 mg/m <sup>3</sup> |                     |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment. Provide appropriate local exhaust ventilation for cutting, grinding, sanding or machining.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

Indirect Vented Goggles

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (e.g., spraying, high splash potential, etc.), then use of a protective apron may be necessary. See recommended glove material(s) for determining appropriate apron material(s). If a glove material is not available as an apron, polymer laminate is a suitable option.

#### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Refer to Section 15 for additional information

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                         |                   |
|-------------------------|-------------------|
| Physical state          | Liquid            |
| Specific Physical Form: | Viscous Liquid    |
| Color                   | Colorless         |
| Odor                    | Mild Acrylic      |
| Odor threshold          | No Data Available |
| pH                      | Not Applicable    |

|                                                |                                                                                                                      |
|------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>Melting point</b>                           | <i>Not Applicable</i>                                                                                                |
| <b>Boiling Point</b>                           | $\geq 210^{\circ}\text{F}$ [ $@ 1 \text{ atm}$ ]                                                                     |
| <b>Flash Point</b>                             | $206^{\circ}\text{F}$ [ <i>Test Method:</i> Closed Cup] [ <i>Details:</i> SPECIFIC METHOD: SETAFLASH ASTM D-3278-96] |
| <b>Evaporation rate</b>                        | <i>No Data Available</i>                                                                                             |
| <b>Flammability</b>                            | Not Applicable                                                                                                       |
| <b>Flammable Limits(LEL)</b>                   | <i>No Data Available</i>                                                                                             |
| <b>Flammable Limits(UEL)</b>                   | <i>No Data Available</i>                                                                                             |
| <b>Vapor Pressure</b>                          | $0.1 \text{ mmHg}$ [ $@ 68^{\circ}\text{F}$ ] [ <i>Details:</i> MITS data]                                           |
| <b>Relative Vapor Density</b>                  | <i>No Data Available</i>                                                                                             |
| <b>Density</b>                                 | $1.063 \text{ g/ml}$ [ $@ 68^{\circ}\text{F}$ ]                                                                      |
| <b>Relative Density</b>                        | $1.063$ [ <i>Ref Std:</i> WATER=1]                                                                                   |
| <b>Solubility in Water</b>                     | Slight (less than 10%)                                                                                               |
| <b>Solubility- non-water</b>                   | <i>No Data Available</i>                                                                                             |
| <b>Partition coefficient: n-octanol/ water</b> | <i>No Data Available</i>                                                                                             |
| <b>Autoignition temperature</b>                | <i>No Data Available</i>                                                                                             |
| <b>Decomposition temperature</b>               | <i>No Data Available</i>                                                                                             |
| <b>Kinematic Viscosity</b>                     | $28,222 \text{ mm}^2/\text{sec}$                                                                                     |
| <b>Hazardous Air Pollutants</b>                | $0 \%$ weight [ <i>Test Method:</i> Calculated]                                                                      |
| <b>Molecular weight</b>                        | <i>No Data Available</i>                                                                                             |
| <b>Volatile Organic Compounds</b>              | $0 \text{ g/l}$                                                                                                      |
| <b>Percent volatile</b>                        | $0 \%$ [ <i>Test Method:</i> ACS METHOD]                                                                             |
| <b>VOC Less H2O &amp; Exempt Solvents</b>      | $0 \text{ g/l}$ [ <i>Test Method:</i> tested per EPA method 24]                                                      |

**Particle Characteristics***Not Applicable***SECTION 10: Stability and reactivity****10.1. Reactivity**

This material is considered to be non reactive under normal use conditions.

**10.2. Chemical stability**

Stable.

**10.3. Possibility of hazardous reactions**

Hazardous polymerization will not occur.

**10.4. Conditions to avoid**

Heat

**10.5. Incompatible materials**

Strong acids

**10.6. Hazardous decomposition products**SubstanceCondition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

**SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be

present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

##### Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. Allergic Respiratory Reaction: Signs/symptoms may include difficulty breathing, wheezing, cough, and tightness of chest.

##### Skin Contact:

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

##### Eye Contact:

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

##### Ingestion:

Harmful if swallowed. Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

#### Additional Health Effects:

##### Genotoxicity:

Genotoxicity and Mutagenicity: May interact with genetic material and possibly alter gene expression.

##### Additional Information:

Persons previously sensitized to amines may develop a cross-sensitization reaction to certain other amines.

#### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

##### Acute Toxicity

| Name                     | Route                          | Species | Value                                                 |
|--------------------------|--------------------------------|---------|-------------------------------------------------------|
| Overall product          | Ingestion                      |         | No data available; calculated ATE >300 - =2,000 mg/kg |
| Polyfunctional Aziridine | Dermal                         | Rabbit  | LD50 > 3,000 mg/kg                                    |
| Polyfunctional Aziridine | Inhalation-Dust/Mist (4 hours) | Rat     | LC50 0.252 mg/l                                       |
| Polyfunctional Aziridine | Ingestion                      | Rat     | LD50 3,038 mg/kg                                      |
| Amine Borane Complex     | Ingestion                      | Rat     | LD50 693 mg/kg                                        |
| Amorphous Silica         | Dermal                         | Rabbit  | LD50 > 5,000 mg/kg                                    |
| Amorphous Silica         | Inhalation-Dust/Mist (4 hours) | Rat     | LC50 > 0.691 mg/l                                     |
| Amorphous Silica         | Ingestion                      | Rat     | LD50 > 5,110 mg/kg                                    |

ATE = acute toxicity estimate

##### Skin Corrosion/Irritation

| Name | Species | Value |
|------|---------|-------|
|------|---------|-------|

|                          |        |                           |
|--------------------------|--------|---------------------------|
| Polyfunctional Aziridine | Rabbit | Mild irritant             |
| Amine Borane Complex     | Rabbit | No significant irritation |
| Amorphous Silica         | Rabbit | No significant irritation |

**Serious Eye Damage/Irritation**

| Name                     | Species                | Value                     |
|--------------------------|------------------------|---------------------------|
| Polyfunctional Aziridine | Rabbit                 | Corrosive                 |
| Amine Borane Complex     | Professional judgement | Severe irritant           |
| Amorphous Silica         | Rabbit                 | No significant irritation |

**Skin Sensitization**

| Name                     | Species          | Value          |
|--------------------------|------------------|----------------|
| Polyfunctional Aziridine | Human and animal | Sensitizing    |
| Amine Borane Complex     | Guinea pig       | Sensitizing    |
| Amorphous Silica         | Human and animal | Not classified |

**Respiratory Sensitization**

| Name                     | Species | Value       |
|--------------------------|---------|-------------|
| Polyfunctional Aziridine | Human   | Sensitizing |

**Germ Cell Mutagenicity**

| Name                     | Route    | Value         |
|--------------------------|----------|---------------|
| Polyfunctional Aziridine | In vivo  | Mutagenic     |
| Amine Borane Complex     | In Vitro | Not mutagenic |
| Amorphous Silica         | In Vitro | Not mutagenic |

**Carcinogenicity**

| Name             | Route         | Species | Value                                                                        |
|------------------|---------------|---------|------------------------------------------------------------------------------|
| Amorphous Silica | Not Specified | Mouse   | Some positive data exist, but the data are not sufficient for classification |

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

| Name             | Route     | Value                                  | Species | Test Result           | Exposure Duration    |
|------------------|-----------|----------------------------------------|---------|-----------------------|----------------------|
| Amorphous Silica | Ingestion | Not classified for female reproduction | Rat     | NOAEL 509 mg/kg/day   | 1 generation         |
| Amorphous Silica | Ingestion | Not classified for male reproduction   | Rat     | NOAEL 497 mg/kg/day   | 1 generation         |
| Amorphous Silica | Ingestion | Not classified for development         | Rat     | NOAEL 1,350 mg/kg/day | during organogenesis |

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

| Name                     | Route      | Target Organ(s)        | Value                             | Species | Test Result | Exposure Duration |
|--------------------------|------------|------------------------|-----------------------------------|---------|-------------|-------------------|
| Polyfunctional Aziridine | Inhalation | respiratory irritation | Some positive data exist, but the | Rat     | NOAEL Not   | 4 hours           |

|  |  |  |                                            |  |           |  |
|--|--|--|--------------------------------------------|--|-----------|--|
|  |  |  | data are not sufficient for classification |  | available |  |
|--|--|--|--------------------------------------------|--|-----------|--|

**Specific Target Organ Toxicity - repeated exposure**

| Name             | Route      | Target Organ(s)    | Value          | Species | Test Result         | Exposure Duration     |
|------------------|------------|--------------------|----------------|---------|---------------------|-----------------------|
| Amorphous Silica | Inhalation | respiratory system | Not classified | Human   | NOAEL Not available | occupational exposure |
| Amorphous Silica | Inhalation | silicosis          | Not classified | Human   | NOAEL Not available | occupational exposure |

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information****Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

**Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

**SECTION 13: Disposal considerations****13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

**EPA Hazardous Waste Number (RCRA):** Not regulated

Refer to Section 15 for additional information

**SECTION 14: Transport Information**

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

**SECTION 15: Regulatory information****15.1. US Federal Regulations**

Contact 3M for more information.

**EPCRA 311/312 Hazard Classifications:****Physical Hazards**

Not Applicable.

**Health Hazards**

Acute toxicity

Germ cell mutagenicity

Respiratory or Skin Sensitization

Serious eye damage or eye irritation

**Additional TSCA Information**

| <b>Components</b>    | <b>CAS No</b> | <b>Additional Information</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Amine Borane Complex | 223674-50-8   | Allowed use(s): Catalyst. Required exposure controls when handling the LVE substance: Appropriate local exhaust ventilation; chemical safety goggles; rubber gloves; laboratory coat and/or apron as appropriate based on the results of an exposure assessment; NIOSH approved respirator based on airborne concentration of contaminants and in accordance to OSHA regulations. Required environmental release controls for the LVE substance: Incineration of wastes and cleanup materials in a permitted facility. |

**15.2. State Regulations**

Contact 3M for more information.

**15.3. Chemical Inventories**

The components of this product are in compliance with the chemical notification requirements of TSCA. One or more of the components in this material is not listed on the TSCA inventory, but is approved for specific commercial use(s) under a US EPA low volume exemption.

Contact 3M for more information.

**15.4. International Regulations**

Contact 3M for more information.

**This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.**

**SECTION 16: Other information****NFPA Hazard Classification**

**Health:** 3 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**Document Group:** 18-1419-3

**Version Number:** 11.05

**Issue Date:** 09/03/26

**Supersedes Date:** 04/08/22

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable

for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

**3M USA SDSs are available at [www.3M.com](http://www.3M.com)**