

# Safety Data Sheet

Copyright, 2025, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 30-7072-9
 Version number:
 7.00

 Revision date:
 30/06/2025
 Supersedes date:
 18/08/2021

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### 1.1. Product identifier

3M Marine Adhesive Sealant Fast Cure 4000 UV White PN06580 E

#### **Product Identification Numbers**

KS-9990-0617-8

7000095179

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Sealant

# 1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

**Telephone:** +44 (0)1344 858 000

E Mail: ner-productstewardship@mmm.com

Website: www.3M.com/uk

# 1.4. Emergency telephone number

+44 (0)1344 858 000

# **SECTION 2: Hazard identification**

#### 2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

The carcinogenicity classification for titanium dioxide is not applicable based on physical form (material is not a powder).

# **CLASSIFICATION:**

Hazardous to the Aquatic Environment (Chronic), Category 2 - Aquatic Chronic 2; H411

For full text of H phrases, see Section 16.

#### 2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

# **Symbols**

GHS09 (Environment) |

# **Pictograms**



## **HAZARD STATEMENTS:**

H411 Toxic to aquatic life with long lasting effects.

## PRECAUTIONARY STATEMENTS

**Prevention:** 

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

# SUPPLEMENTAL INFORMATION:

# **Supplemental Hazard Statements:**

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe

spray or mist.

EUH208 Contains Tin, dioctylbis(2,4-pentanedionato-κO2,κO4)-. | Trimethoxyvinylsilane. | N-

(3-(Trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction.

# 2.3. Other hazards

Persons previously sensitised to amines may develop a cross-sensitisation reaction to certain other amines.

This material does not contain any substances that are assessed to be a PBT or vPvB

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

## 3.2. Mixtures

Ingredient	Identifier(s)	Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB
	(CAS-No.) 471-34-1 (EC-No.) 207-439-9	Substance with a national occupational exposure limit

Polyether 1	Trade Secret	10 - 30	Substance not classified as hazardous
Polyether 2	Trade Secret	10 - 30	Substance not classified as hazardous
Diisodecyl Phthalate	(CAS-No.) 68515-49-1 (EC-No.) 271-091-4	10 - 20	Substance not classified as hazardous
Titanium dioxide	(CAS-No.) 13463-67-7 (EC-No.) 236-675-5	5 - 10	Substance with a national occupational exposure limit
Mixture of Fatty Acids	(CAS-No.) 68424-38-4 (EC-No.) 270-299-2	< 3	Substance not classified as hazardous
Vinyltrimethoxysilane	(CAS-No.) 2768-02-7 (EC-No.) 220-449-8	< 1	Skin Sens. 1B, H317 Flam. Liq. 3, H226 Acute Tox. 4, H332
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiylbis[12-hydroxyoctadecanamide]	(EC-No.) ELINCS 484- 050-2	< 1	Aquatic Acute 1, H400,M=10 Aquatic Chronic 1, H410,M=10
N-(3- (Trimethoxysilyl)propyl)ethylenediamine	(CAS-No.) 1760-24-3 (EC-No.) 217-164-6	0.1 - 1	Acute Tox. 4, H332 Acute Tox. 4, H302 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 2, H373
Hindered Amine	(CAS-No.) 63843-89-0 (EC-No.) 264-513-3	< 1	Aquatic Chronic 1, H410,M=10 Acute Tox. 4, H302 STOT RE 1, H372
Tin, dioctylbis(2,4-pentanedionato-O,O')	(CAS-No.) 54068-28-9 (EC-No.) ELINCS 483- 270-6	0.1 - 0.5	Skin Sens. 1B, H317 Repr. 2, H361d STOT RE 1, H372 Aquatic Chronic 2, H411

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

# Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

# Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

# If swallowed

## 3M Marine Adhesive Sealant Fast Cure 4000 UV White PN06580 E

Rinse mouth. If you feel unwell, get medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

#### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

## 5.1. Extinguishing media

DO NOT USE WATER In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

## 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

# **Hazardous Decomposition or By-Products**

**Substance** 

Carbon monoxide Carbon dioxide. Irritant vapours or gases.

#### Condition

During combustion. During combustion. During combustion.

#### 5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

#### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

## 6.3. Methods and material for containment and cleaning up

Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

#### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Use personal protective equipment (eg. gloves, respirators...) as required.

# 7.2. Conditions for safe storage including any incompatibilities

Keep container tightly closed to prevent contamination with water or air. If contamination is suspected, do not reseal container. Store away from heat. Store away from amines.

#### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

# Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Titanium dioxide	13463-67-7	UK HSE	TWA(respirable):4	
			mg/m3;TWA(Inhalable):10	
			mg/m3	
DUST, INERT OR NUISANCE	471-34-1	UK HSE	TWA(as respirable dust):4	
			mg/m3;TWA(as inhalable	
			dust):10 mg/m3	

UK HSE: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

# **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

#### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

## 8.2.2. Personal protective equipment (PPE)

# Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Applicable Norms/Standards

Use eye protection conforming to EN 166

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the

results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

MaterialThickness (mm)Breakthrough TimePolymer laminateNo data availableNo data available

When only incidental contact is anticipated, alternative glove material(s) may be used. If contact with the glove does occur, remove immediately and replace with a set of new gloves. For incidental contact, gloves made of the following material(s) may be used: Nitrile rubber.

Applicable Norms/Standards
Use gloves tested to EN 374

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

## Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state	Liquid.	
Specific Physical Form:	Paste	
Colour	White	
Odor	Slight Polyether	
Odour threshold	No data available.	
Melting point/freezing point	Not applicable.	
Boiling point/boiling range	Not applicable.	
Flammability	Not applicable.	
Flammable Limits(LEL)	Not applicable.	
Flammable Limits(UEL)	Not applicable.	
Flash point	No flash point	
Autoignition temperature	No data available.	
Decomposition temperature	No data available.	
рН	substance/mixture is non-soluble (in water)	
Kinematic Viscosity	No data available.	
Water solubility	No data available.	
Solubility- non-water	No data available.	
Partition coefficient: n-octanol/water	No data available.	

Vapour pressure	Not applicable.		
Density	1.3 - 1.5 g/ml		
Relative density	1.3 - 1.5 [ <i>Ref Std</i> :WATER=1]		
Relative Vapour Density	Not applicable.		
Particle Characteristics	Not applicable.		

## 9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic CompoundsNo data available.Evaporation rateNot applicable.Molecular weightNo data available.Percent volatile0.93 % weight

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

## 10.2 Chemical stability

Stable.

# 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

Heat.

## 10.5 Incompatible materials

Alcohols.

Amines.

Water

# 10.6 Hazardous decomposition products

Substance

None known.

Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

\_\_\_\_\_

## Inhalation

No health effects are expected.

#### Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

## Eve contact

Contact with the eyes during product use is not expected to result in significant irritation.

## Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

## **Additional Health Effects:**

# **Reproductive/Developmental Toxicity:**

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

# Additional information:

Persons previously sensitised to amines may develop a cross-sensitisation reaction to certain other amines.

## **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Calcium Carbonate	Dermal	Rat	LD50 > 2,000 mg/kg
Calcium Carbonate	Inhalation- Dust/Mist (4 hours)	Rat	LC50 3 mg/l
Calcium Carbonate	Ingestion	Rat	LD50 6,450 mg/kg
Polyether 1	Ingestion	Rat	LD50 > 2,000 mg/kg
Polyether 2	Ingestion	Rat	LD50 > 2,000 mg/kg
Polyether 1	Dermal	similar health hazards	LD50 estimated to be 2,000 - 5,000 mg/kg
Polyether 2	Dermal	similar health hazards	LD50 estimated to be 2,000 - 5,000 mg/kg
Diisodecyl Phthalate	Dermal	Rabbit	LD50 > 3,160 mg/kg
Diisodecyl Phthalate	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 12.5 mg/l
Diisodecyl Phthalate	Ingestion	Rat	LD50 > 9,700 mg/kg
Titanium dioxide	Dermal	Rabbit	LD50 > 10,000 mg/kg
Titanium dioxide	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 6.82 mg/l
Titanium dioxide	Ingestion	Rat	LD50 > 10,000 mg/kg
Mixture of Fatty Acids	Ingestion	Rat	LD50 > 5,000 mg/kg
Mixture of Fatty Acids	Dermal	similar health hazards	LD50 estimated to be > 5,000 mg/kg
Vinyltrimethoxysilane	Dermal	Rabbit	LD50 3,260 mg/kg
Vinyltrimethoxysilane	Inhalation- Vapour (4	Rat	LC50 16.8 mg/l

	hours)		
Vinyltrimethoxysilane	Ingestion	Rat	LD50 7,120 mg/kg
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	Dermal	Rabbit	LD50 > 2,000 mg/kg
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	Inhalation-	Rat	LC50 >1.49, <2.44 mg/l
	Dust/Mist		
	(4 hours)		
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	Ingestion	Rat	LD50 1,897 mg/kg
Reaction mass of 12-hydroxy-N-[2-[(1-	Dermal	Rat	LD50 > 2,000
oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-			
oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-			
alkandiylbis[12-hydroxyoctadecanamide]			
Reaction mass of 12-hydroxy-N-[2-[(1-	Inhalation-	Rat	LC50 > 6.3
oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-	Dust/Mist		
oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-	(4 hours)		
alkandiylbis[12-hydroxyoctadecanamide]		_	
Reaction mass of 12-hydroxy-N-[2-[(1-	Ingestion	Rat	LD50 > 2,000
oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-			
oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-			
alkandiylbis[12-hydroxyoctadecanamide]	D 1	D.	I D 50 - 2 000 //
Tin, dioctylbis(2,4-pentanedionato-O,O')	Dermal	Rat	LD50 > 2,000 mg/kg
Tin, dioctylbis(2,4-pentanedionato-O,O')	Ingestion	Rat	LD50 > 2,000 mg/kg
Hindered Amine	Dermal	Rat	LD50 > 3,170 mg/kg
Hindered Amine	Ingestion	Rat	LD50 1,490 mg/kg

ATE = acute toxicity estimate

# Skin Corrosion/Irritation

Name	Species	Value
Calcium Carbonate	Rabbit	No significant irritation
Diisodecyl Phthalate	Rabbit	Minimal irritation
Titanium dioxide	Rabbit	No significant irritation
Mixture of Fatty Acids	Rabbit	No significant irritation
Vinyltrimethoxysilane	Rabbit	Minimal irritation
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	Rabbit	Mild irritant
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide,	Rabbit	No significant irritation
12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-		
alkandiylbis[12-hydroxyoctadecanamide]		
Tin, dioctylbis(2,4-pentanedionato-O,O')	Rabbit	No significant irritation
Hindered Amine	Rabbit	No significant irritation

**Serious Eye Damage/Irritation** 

Name	Species	Value
Calcium Carbonate	Rabbit	No significant irritation
Diisodecyl Phthalate	Rabbit	Mild irritant
Titanium dioxide	Rabbit	No significant irritation
Mixture of Fatty Acids	Rabbit	No significant irritation
Vinyltrimethoxysilane	Rabbit	No significant irritation
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	Rabbit	Corrosive
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide,	Rabbit	Mild irritant
12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-		
alkandiylbis[12-hydroxyoctadecanamide]		
Tin, dioctylbis(2,4-pentanedionato-O,O')	Rabbit	Mild irritant
Hindered Amine	Rabbit	Mild irritant

# **Skin Sensitisation**

Name	Species	Value
Diisodecyl Phthalate	Guinea	Not classified
	pig	
Titanium dioxide	Human	Not classified
	and	
	animal	

\_\_\_\_

Mixture of Fatty Acids	similar	Not classified
	compoun	
	ds	
Vinyltrimethoxysilane	Guinea	Some positive data exist, but the data are not
	pig	sufficient for classification
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	Multiple	Sensitising
	animal	
	species	
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide,	Mouse	Not classified
12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-		
alkandiylbis[12-hydroxyoctadecanamide]		
Tin, dioctylbis(2,4-pentanedionato-O,O')	Mouse	Sensitising
Hindered Amine	Guinea	Not classified
	pig	

# Photosensitisation

Name	Species	Value
Hindered Amine	Guinea	Not sensitising
	nig	

# **Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Diisodecyl Phthalate	In Vitro	Not mutagenic
Diisodecyl Phthalate	In vivo	Not mutagenic
Titanium dioxide	In Vitro	Not mutagenic
Titanium dioxide	In vivo	Not mutagenic
Mixture of Fatty Acids	In Vitro	Not mutagenic
Vinyltrimethoxysilane	In vivo	Not mutagenic
Vinyltrimethoxysilane	In Vitro	Some positive data exist, but the data are not sufficient for classification
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	In Vitro	Not mutagenic
N-(3-(Trimethoxysilyl)propyl)ethylenediamine	In vivo	Not mutagenic
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiylbis[12-hydroxyoctadecanamide]	In Vitro	Not mutagenic
Tin, dioctylbis(2,4-pentanedionato-O,O')	In Vitro	Not mutagenic
Hindered Amine	In vivo	Not mutagenic
Hindered Amine	In Vitro	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Titanium dioxide	Ingestion	Multiple	Not carcinogenic
		animal	
		species	
Titanium dioxide	Inhalation	Rat	Carcinogenic.

# Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Calcium Carbonate	Ingestion	Not classified for development	Rat	NOAEL 625 mg/kg/day	premating & during gestation
Diisodecyl Phthalate	Ingestion	Not classified for female reproduction	Rat	NOAEL 927 mg/kg/day	2 generation
Diisodecyl Phthalate	Ingestion	Not classified for male reproduction	Rat	NOAEL 929	2 generation

				mg/kg/day	
Diisodecyl Phthalate	Ingestion	Toxic to development	Rat	NOAEL 38 mg/kg/day	2 generation
Vinyltrimethoxysilane	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
Vinyltrimethoxysilane	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
Vinyltrimethoxysilane	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
Vinyltrimethoxysilane	Inhalation	Not classified for development	Rat	NOAEL 1.8 mg/l	during organogenesis
N-(3- (Trimethoxysilyl)propyl)ethylenediamine	Ingestion	Not classified for female reproduction	Rat	NOAEL 500 mg/kg/day	premating into lactation
N-(3- (Trimethoxysilyl)propyl)ethylenediamine	Ingestion	Not classified for male reproduction	Rat	NOAEL 500 mg/kg/day	28 days
N-(3- (Trimethoxysilyl)propyl)ethylenediamine	Ingestion	Not classified for development	Rat	NOAEL 750 mg/kg/day	during gestation
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiylbis[12-hydroxyoctadecanamide]	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiylbis[12-hydroxyoctadecanamide]	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	28 days
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]alkyl]octadecanamide, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alkyl]octadecanamide and N,N'-1,2-alkandiylbis[12-hydroxyoctadecanamide]	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
Tin, dioctylbis(2,4-pentanedionato-O,O')	Ingestion	Toxic to development	similar compoun ds	NOAEL not available	2 generation
Hindered Amine	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	premating into lactation
Hindered Amine	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	36 days
Hindered Amine	Ingestion	Not classified for development	Rat	NOAEL 10 mg/kg/day	premating into lactation

# Target Organ(s)

**Specific Target Organ Toxicity - single exposure** 

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Calcium Carbonate	Inhalation	respiratory system	Not classified	Rat	NOAEL 0.812 mg/l	90 minutes
N-(3- (Trimethoxysilyl)propyl)et hylenediamine	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

specific Target Organ Toxicity - repeated exposure									
Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration			
Calcium Carbonate	Inhalation	respiratory system	Not classified	Human	NOAEL Not available	occupational exposure			
Diisodecyl Phthalate	Inhalation	respiratory system   hematopoietic	Not classified	Rat	NOAEL 0.5 mg/l	2 weeks			

		system   liver				
Diisodecyl Phthalate	Inhalation	kidney and/or bladder	Not classified	Rat	NOAEL 0.5 mg/l	2 generation
Diisodecyl Phthalate	Ingestion	endocrine system	Not classified	Rat	NOAEL 686 mg/kg/day	90 days
Diisodecyl Phthalate	Ingestion	liver   kidney and/or bladder   heart	Not classified	Rat	NOAEL 500 mg/kg/day	90 days
Diisodecyl Phthalate	Ingestion	hematopoietic system	Not classified	Dog	NOAEL 320 mg/kg/day	90 days
Titanium dioxide	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 0.01 mg/l	2 years
Titanium dioxide	Inhalation	pulmonary fibrosis	Not classified	Human	NOAEL Not available	occupational exposure
Vinyltrimethoxysilane	Inhalation	kidney and/or bladder	Not classified	Rat	NOAEL mg/l	14 weeks
Vinyltrimethoxysilane	Inhalation	hematopoietic system   eyes	Not classified	Rat	NOAEL 2.4 mg/l	14 weeks
Vinyltrimethoxysilane	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 250 mg/kg/day	40 days
Vinyltrimethoxysilane	Ingestion	endocrine system   hematopoietic system   liver   immune system	Not classified	Rat	NOAEL 1,000 mg/kg/day	40 days
N-(3- (Trimethoxysilyl)propyl)et hylenediamine	Dermal	skin   endocrine system   hematopoietic system   kidney and/or bladder	Not classified	Rat	NOAEL 1,545 mg/kg/day	11 days
N-(3- (Trimethoxysilyl)propyl)et hylenediamine	Inhalation	respiratory system	May cause damage to organs though prolonged or repeated exposure	Rat	NOAEL 0.015 mg/l	90 days
N-(3- (Trimethoxysilyl)propyl)et hylenediamine	Inhalation	hematopoietic system   eyes   kidney and/or bladder	Not classified	Rat	NOAEL 0.044 mg/l	90 days
N-(3- (Trimethoxysilyl)propyl)et hylenediamine	Ingestion	hematopoietic system   nervous system	Not classified	Rat	NOAEL 500 mg/kg/day	28 days
Tin, dioctylbis(2,4-pentanedionato-O,O')	Ingestion	immune system	Causes damage to organs through prolonged or repeated exposure	similar compoun ds	NOAEL not available	
Hindered Amine	Ingestion	gastrointestinal tract   hematopoietic system   liver   immune system	Causes damage to organs through prolonged or repeated exposure	Rat	NOAEL 2 mg/kg/day	36 days

#### **Aspiration Hazard**

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

## 11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

# **SECTION 12: Ecological information**

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

\_\_\_\_\_

# 12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Type	Exposure	Test endpoint	Test result
Calcium Carbonate	471-34-1	Green algae	Experimental	72 hours	No tox obs at lmt	>100 mg/l
					of water sol	_
Calcium Carbonate	471-34-1	Rainbow trout	Experimental	96 hours	No tox obs at lmt of water sol	>100 mg/l
Calcium Carbonate	471-34-1	Water flea	Experimental	48 hours	No tox obs at lmt of water sol	>100 mg/l
Calcium Carbonate	471-34-1	Green algae	Experimental	72 hours	No tox obs at lmt of water sol	100 mg/l
Calcium Carbonate	471-34-1	Activated sludge	Experimental	3 hours	EC50	>1,000 mg/l
Calcium Carbonate	471-34-1	Redworm	Experimental	14 days	LC50	>1,000 mg/kg (Dry Weight)
Calcium Carbonate	471-34-1	Soil microbes	Experimental	28 days	EC50	>1,000 mg/kg (Dry Weight)
Calcium Carbonate	471-34-1	Soybean	Experimental	21 days	EC50	1,000 mg/kg (Dry Weight)
Polyether 1	Trade Secret	Green algae	Experimental	72 hours	ErC50	>100 mg/l
Polyether 1	Trade Secret	Water flea	Experimental	48 hours	EC50	>100 mg/l
Polyether 2	Trade Secret	Green algae	Experimental	72 hours	ErC50	>100 mg/l
Polyether 2	Trade Secret	Water flea	Experimental	48 hours	EC50	>100 mg/l
Diisodecyl Phthalate	68515-49-1	Activated sludge	Experimental	30 minutes	EC50	>83.3 mg/l
Diisodecyl Phthalate	68515-49-1	Green algae	Experimental	96 hours	EC50	>100 mg/l
Diisodecyl Phthalate	68515-49-1	Rainbow trout	Experimental	96 hours	LC50	>100 mg/l
Diisodecyl Phthalate	68515-49-1	Water flea	Experimental	48 hours	EC50	>100 mg/l
Diisodecyl Phthalate	68515-49-1	Green algae	Experimental	96 hours	NOEC	100 mg/l
Diisodecyl Phthalate	68515-49-1	Water flea	Experimental	21 days	NOEC	100 mg/l
Titanium dioxide	13463-67-7	Diatom	Experimental	72 hours	ErC50	>10,000 mg/l
Titanium dioxide	13463-67-7	Fathead minnow	Experimental	96 hours	No tox obs at lmt of water sol	>100 mg/l
Titanium dioxide	13463-67-7	Green algae	Experimental	72 hours	No tox obs at lmt of water sol	>100 mg/l
Titanium dioxide	13463-67-7	Water flea	Experimental	48 hours	No tox obs at lmt of water sol	>100 mg/l
Titanium dioxide	13463-67-7	Amphipod	Experimental	10 days	NOEC	>14,989 mg/kg (Dry Weight)
Titanium dioxide	13463-67-7	Diatom	Experimental	72 hours	NOEC	5,600 mg/l
Titanium dioxide	13463-67-7	Fish	Experimental	30 days	No tox obs at lmt of water sol	100 mg/l
Titanium dioxide	13463-67-7	Green algae	Experimental	72 hours	No tox obs at lmt of water sol	100 mg/l
Titanium dioxide	13463-67-7	Water flea	Experimental	30 days	No tox obs at lmt of water sol	100 mg/l
Titanium dioxide	13463-67-7	Activated sludge	Experimental	3 hours	NOEC	>=1,000 mg/l
Titanium dioxide	13463-67-7	Redworm	Experimental	14 days	NOEC	>=1,000 mg/kg (Dry Weight)
Mixture of Fatty Acids	68424-38-4	Green algae	Analogous Compound	96 hours	EC50	>100 mg/l

\_\_\_\_\_

Mixture of Fatty Acids	68424-38-4	Water flea	Analogous Compound	24 hours	EC50	40 mg/l
Mixture of Fatty Acids	68424-38-4	Zebra Fish	Analogous Compound	96 hours	LC50	46 mg/l
Mixture of Fatty Acids	68424-38-4	Green algae	Analogous Compound	96 hours	EC10	48 mg/l
Mixture of Fatty Acids	68424-38-4	Bacteria	Analogous Compound	30 minutes	EC10	850 mg/l
N-(3- (Trimethoxysilyl)pr opyl)ethylenediami ne	1760-24-3	Bacteria	Experimental	16 hours	EC50	67 mg/l
N-(3- (Trimethoxysilyl)pr opyl)ethylenediami ne	1760-24-3	Fathead minnow	Experimental	96 hours	LC50	168 mg/l
N-(3- (Trimethoxysilyl)pr opyl)ethylenediami ne	1760-24-3	Green algae	Experimental	72 hours	ErC50	8.8 mg/l
N-(3- (Trimethoxysilyl)pr opyl)ethylenediami ne	1760-24-3	Water flea	Experimental	48 hours	EC50	81 mg/l
N-(3- (Trimethoxysilyl)pr opyl)ethylenediami ne	1760-24-3	Green algae	Experimental	72 hours	NOEC	3.1 mg/l
Hindered Amine	63843-89-0	Activated sludge	Experimental	3 hours	IC20	>100 mg/l
Hindered Amine	63843-89-0	Water flea	Experimental	21 days	NOEC	0.002 mg/l
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]al kyl]octadecanamid e, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alk yl]octadecanamide and N,N'-1,2-alkandiylbis[12-hydroxyoctadecanamide]	484-050-2	Water flea	Endpoint not reached	48 hours	EC50	>100 mg/l
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]al kyl]octadecanamid e, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alk yl]octadecanamide and N,N'-1,2-alkandiylbis[12-hydroxyoctadecanamide]		Activated sludge	Experimental	3 hours	EC50	>100 mg/l
Reaction mass of 12-hydroxy-N-[2-[(1- oxodecyl)amino]al kyl]octadecanamid e, 12-hydroxy-N-[2-[(1- oxooctyl)amino]alk yl]octadecanamide and N,N'-1,2-alkandiylbis[12-	484-050-2	Common Carp	Experimental	96 hours	No tox obs at lmt of water sol	>100 mg/l

hydroxyoctadecana mide]						
Reaction mass of 12-hydroxy-N-[2-[(1-	484-050-2	Green algae	Experimental	72 hours	EC50	0.025 mg/l
oxodecyl)amino]al kyl]octadecanamid e, 12-hydroxy-N-						
[2-[(1-oxooctyl)amino]alk						
yl]octadecanamide and N,N'-1,2- alkandiylbis[12-						
hydroxyoctadecana mide]	101.050.2	W			Vond	100 /
Reaction mass of 12-hydroxy-N-[2- [(1-	484-050-2	Water flea	Endpoint not reached	21 days	NOEC	>100 mg/l
oxodecyl)amino]al kyl]octadecanamid e, 12-hydroxy-N-						
[2-[(1-oxooctyl)amino]alk						
yl]octadecanamide and N,N'-1,2- alkandiylbis[12-						
hydroxyoctadecana mide]	404.050.2			72.1	None	0.007
Reaction mass of 12-hydroxy-N-[2- [(1-	484-050-2	Green algae	Experimental	72 hours	NOEC	0.007 mg/l
oxodecyl)amino]al kyl]octadecanamid e, 12-hydroxy-N-						
[2-[(1- oxooctyl)amino]alk yl]octadecanamide						
and N,N'-1,2- alkandiylbis[12-						
hydroxyoctadecana mide]					7010	
Vinyltrimethoxysil ane		Bacteria	Experimental	5 hours	EC10	1.1 mg/l
ane	2768-02-7	Green algae	Experimental	72 hours	EC50	>957 mg/l
Vinyltrimethoxysil ane		Rainbow trout	Experimental	96 hours	LC50	191 mg/l
Vinyltrimethoxysil ane		Water flea	Experimental	48 hours	EC50	169 mg/l
Vinyltrimethoxysil ane		Green algae	Experimental	72 hours	NOEC	957 mg/l
ane	2768-02-7	Water flea	Experimental	21 days	NOEC	28 mg/l
Tin, dioctylbis(2,4-pentanedionato-O,O')	54068-28-9	Fathead minnow	Estimated	96 hours	LC50	282 mg/l
Tin, dioctylbis(2,4-pentanedionato-	54068-28-9	Green algae	Estimated	72 hours	ErC50	226 mg/l
pentanedionato-	54068-28-9	Water flea	Estimated	48 hours	EC50	70.2 mg/l
O,O') Tin, dioctylbis(2,4-pentanedionato-	54068-28-9	Fathead minnow	Estimated	34 days	NOEC	27 mg/l
O,O') Tin, dioctylbis(2,4- pentanedionato-	54068-28-9	Green algae	Estimated	72 hours	NOEC	8.7 mg/l
O,O')						

Tin, dioctylbis(2,4-	54068-28-9	Water flea	Lectimated	21 days	NOEC	0.62 mg/l
pentanedionato-						
O,O')						

# 12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Calcium Carbonate	471-34-1	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Polyether 1	Trade Secret	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Polyether 2	Trade Secret	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Diisodecyl Phthalate	68515-49-1	Experimental Biodegradation	28 days	BOD	74 %BOD/ThOD	OECD 301F - Manometric respirometry
Titanium dioxide	13463-67-7	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Mixture of Fatty Acids	68424-38-4	Analogous Compound Biodegradation	28 days	Dissolv. Organic Carbon Deplet	86 %removal of DOC	OECD 301E - Modif. OECD Screen
N-(3- (Trimethoxysilyl)pr opyl)ethylenediami ne	1760-24-3	Experimental Biodegradation	28 days	Dissolv. Organic Carbon Deplet	39 %removal of DOC	EC C.4.A. DOC Die-Away Test
N-(3- (Trimethoxysilyl)pr opyl)ethylenediami ne	1760-24-3	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	1.5 minutes (t 1/2)	
Hindered Amine	63843-89-0	Experimental Biodegradation	28 days	CO2 evolution	2 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
Reaction mass of 12-hydroxy-N-[2- [(1- oxodecyl)amino]al kyl]octadecanamid e, 12-hydroxy-N- [2-[(1- oxooctyl)amino]alk yl]octadecanamide	484-050-2	Experimental Biodegradation	28 days	CO2 evolution	7 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
and N,N'-1,2- alkandiylbis[12- hydroxyoctadecana mide]						
ane	2768-02-7	Experimental Biodegradation	28 days	BOD	51 %BOD/ThOD	OECD 301F - Manometric respirometry
Tin, dioctylbis(2,4-pentanedionato-O,O')	54068-28-9	Experimental Biodegradation	28 days	BOD	9 %BOD/ThOD	OECD 301F - Manometric respirometry
Tin, dioctylbis(2,4-pentanedionato-O,O')	54068-28-9	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	<10 minutes (t 1/2)	OECD 111 Hydrolysis func of pH

# 12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Calcium Carbonate	471-34-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Polyether 1	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Polyether 2	Trade Secret	Bioconcentration		Log Kow	>1.7	
Diisodecyl Phthalate	68515-49-1	Estimated BCF - Fish	56 days	Bioaccumulation factor	<14.4	OECD305-Bioconcentration

Titanium dioxide	13463-67-7	Experimental BCF - Fish	42 days	Bioaccumulation factor	9.6	
Mixture of Fatty Acids	68424-38-4	Experimental Bioconcentration		Log Kow	3.3	OECD 107 log Kow shke flsk mtd
N-(3- (Trimethoxysilyl)pr opyl)ethylenediami ne	1760-24-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Hindered Amine	63843-89-0	Experimental BCF - Fish	60 days	Bioaccumulation factor	≤437.1	OECD305-Bioconcentration
Reaction mass of 12-hydroxy-N-[2-[(1-oxodecyl)amino]al kyl]octadecanamid e, 12-hydroxy-N-[2-[(1-oxooctyl)amino]alk yl]octadecanamide and N,N'-1,2-alkandiylbis[12-hydroxyoctadecanamide]		Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Vinyltrimethoxysil ane	2768-02-7	Estimated Bioconcentration		Log Kow	-2	
Tin, dioctylbis(2,4-pentanedionato-O,O')	54068-28-9	Analogous Compound BCF - Fish	30 days	Bioaccumulation factor	<100	OECD305-Bioconcentration
Tin, dioctylbis(2,4-pentanedionato-O,O')	54068-28-9	Hydrolysis product Bioconcentration		Log Kow	0.68	EC A.8 Partition Coefficient

# 12.4. Mobility in soil

Material	Cas No.	Test type	Study Type	Test result	Protocol
Hindered Amine	63843-89-0	Modeled Mobility in Soil	Koc	≥420 l/kg	ACD/Labs ChemSketch <sup>TM</sup>
Reaction mass of 12-hydroxy-N-[2- [(1- oxodecyl)amino]alk yl]octadecanamide, 12-hydroxy-N-[2- [(1- oxooctyl)amino]alk yl]octadecanamide and N,N'-1,2- alkandiylbis[12- hydroxyoctadecana mide]	484-050-2	Experimental Mobility in Soil	Кос	>430000 l/kg	OECD 121 Estim. of Koc by HPLC
Vinyltrimethoxysila ne	2768-02-7	Estimated Mobility in Soil	Koc	650 l/kg	Episuite <sup>TM</sup>
Tin, dioctylbis(2,4- pentanedionato- O,O')	54068-28-9	Analogous Compound Mobility in Soil	Koc	290,000 l/kg	
Tin, dioctylbis(2,4-pentanedionato-O,O')	54068-28-9	Analogous Compound Mobility in Soil	Koc	33 l/kg	ACD/Labs ChemSketch™

# 12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

# 12.6. Other adverse effects

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

# EU waste code (product as sold)

08 04 09\* Waste adhesives and sealants containing organic solvents or other dangerous substances

20 01 27\* Paint, inks, adhesives and resins containing dangerous substances

# **SECTION 14: Transportation information**

Not hazardous for transportation.

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number	No data available.	No data available.	No data available.
14.2 UN proper shipping name	No data available.	No data available.	No data available.
14.3 Transport hazard class(es)	No data available.	No data available.	No data available.
14.4 Packing group	No data available.	No data available.	No data available.
14.5 Environmental hazards	No data available.	No data available.	No data available.
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code	No data available.	No data available.	No data available.
Control Temperature	No data available.	No data available.	No data available.
Emergency Temperature	No data available.	No data available.	No data available.

# 3M Marine Adhesive Sealant Fast Cure 4000 UV White PN06580 E

ADR Classification Code	No data available.	No data available.	No data available.
IMDG Segregation Code	No data available.	No data available.	No data available.

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# Carcinogenicity

 Ingredient	CAS Nbr	Classification	Regulation
Titanium dioxide	13463-67-7	Grp. 2B: Possible human carc.	International Agency for Research on Cancer

# Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject to Annex XVII of regulation (EC) 1907/2006, as amended for GB, with regard to restrictions on the manufacture, placing on the market and use when present in certain dangerous conditions. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

<u>Ingredient</u>	<u>CAS Nbr</u>
Diisodecyl Phthalate	68515-49-1

Restriction status: listed in UK REACH Annex XVII

Restricted uses: See Annex XVII to Regulation (EC) No 1907/2006 as amended for Great Britain for Conditions of

Restriction

## Global inventory status

Contact 3M for more information.

# COMAH Regulation, SI 2015/483

Seveso hazard categories, Annex 1, Part 1

Hazard Categories	Qualifying quantity (tonnes) for the application of		
	Lower-tier requirements	Upper-tier requirements	
E2 Hazardous to the Aquatic	200	500	
environment			

Seveso named dangerous substances, Annex 1, Part 2 None

## Regulation (EU) No 649/2012, as amended for GB

	Chemical	Identifier(s)	Annex I
_			

Page: 19 of 21

Tin, dioctylbis(2,4-pentanedionato-O,O')	54068-28-9	Part 1
--	------------	--------

## 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

# **SECTION 16: Other information**

#### List of relevant H statements

H226

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

#### **Revision information:**

EU Section 09: pH information information was modified.

GB Section 02: Other hazards phrase information was added.

GB Section 04: Information on toxicological effects information was added.

Flammable liquid and vapour.

GB Section 12: Classification Warning information was added.

GB Section 15: Carcinogenicity information information was added.

GB Section 15: Chemical Safety Assessment information was added.

GBSDS Section 14 Transport in bulk - Main Heading information was added.

GBSDS Section 14 UN Number information was added.

Section 1: E-mail address information was modified.

Section 1: Product use information information was modified.

Contains statement for sensitizers information was added.

Contains statement for sensitizers information was deleted.

Label: CLP Percent Unknown information was deleted.

List of sensitizers information was added.

List of sensitizers information was deleted.

Section 2: Other hazards phrase information was deleted.

Section 3: Composition/Information of ingredients table information was added.

Section 3: Composition/Information of ingredients table information was deleted.

Section 04: Information on toxicological effects information was deleted.

Section 5: Fire - Extinguishing media information information was modified.

Section 6: Accidental release personal information information was modified.

Section 7: Conditions safe storage information was modified.

Section 8: Occupational exposure limit table information was modified.

OEL Reg Agency Desc information was modified.

Section 08: Skin protection - incidental contact text information was added.

Section 08: Skin protection - incidental contact information was added.

Section 9: Flammability (solid, gas) information information was deleted.

Section 09: Flammability information information was added.

Section 09: Particle Characteristics N/A information was added.

Section 9: Vapour density value information was modified.

Section 11: Acute Toxicity table information was modified.

Section 11: Classification disclaimer information was deleted.

## 3M Marine Adhesive Sealant Fast Cure 4000 UV White PN06580 E

- Section 11: GB Classification disclaimer information was added.
- Section 11: GB No endocrine disruptor information available warning information was added.
- Section 11: Germ Cell Mutagenicity Table information was modified.
- Section 11: Health Effects Inhalation information information was modified.
- Section 11: No endocrine disruptor information available warning information was deleted.
- Photosensitisation Table information was modified.
- Section 11: Reproductive Toxicity Table information was modified.
- Section 11: Serious Eye Damage/Irritation Table information was modified.
- Section 11: Skin Corrosion/Irritation Table information was modified.
- Section 11: Skin Sensitization Table information was modified.
- Section 11: Target Organs Repeated Table information was added.
- Section 11: Target Organs Repeated Table information was deleted.
- Section 11: Target Organs Single Table information was modified.
- Section 12: 12.6. Endocrine Disrupting Properties information was deleted.
- Section 12: 12.6. Other adverse effects information was added.
- Section 12: 12.7. Other adverse effects information was deleted.
- Section 12: Classification Warning information was deleted.
- Section 12: Component ecotoxicity information information was modified.
- Section 12: Mobility in soil information information was modified.
- Prints No Data if Adverse effects information is not present information was deleted.
- Section 12: No endocrine disruptor information available warning information was added.
- Section 12: No endocrine disruptor information available warning information was deleted.
- Section 12: Persistence and Degradability information information was modified.
- Section 12:Bioccumulative potential information information was modified.
- Section 14 Multiplier Main Heading information was deleted.
- Section 14 Multiplier Regulation Data information was deleted.
- Section 14 Transport Category Main Heading information was deleted.
- Section 14 Transport Category Regulation Data information was deleted.
- Section 14 Marine transport in bulk according to IMO instruments Main Heading information was deleted.
- Section 14 Tunnel Code Main Heading information was deleted.
- Section 14 Tunnel Code Regulation Data information was deleted.
- Section 14 UN Number information was deleted.
- Section 15: Carcinogenicity information information was deleted.
- Section 15: Chemical Safety Assessment information was deleted.
- Section 15: Restrictions on manufacture ingredients information information was modified.
- Section 15: Seveso Hazard Category Text information was added.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was added.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was deleted.

- Section 16: Web address information was added.
- Section 16: Web address information was deleted.
- Section 2: No PBT/vPvB information available warning information was added.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

# 3M SDSs for Great Britain are available at www.3M.com/uk

For Northern Ireland documents, please contact your 3M representative to obtain a copy.