Safety Data Sheet

Copyright,2026, 3M Company.All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	39-0150-1	**Version number:**	2.00
Issue Date:	18/05/2026	**Supersedes date:**	03/08/2021

This Safety Data Sheet has been prepared in accordance with the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (Safe Work Australia, December 2011)

SECTION 1: Identification

1.1. Product identifier
3M™ Perfect-It™ Gelcoat Compound + Polish, 30343, 30344, 30345, 30346, 30347

Product Identification Numbers
60-4551-1012-6 60-4551-1013-4

7100223149 7100223173

1.2. Recommended use and restrictions on use

Recommended use
Marine

For Industrial or Professional use only.

1.3. Supplier's details
Address: 3M Australia - Building A, 1 Rivett Road, North Ryde NSW 2113
Telephone: 136 136
E Mail: productinfo.au@mmm.com
Website: www.3m.com.au

1.4. Emergency telephone number
EMERGENCY: 1800 097 146 (Australia only)

SECTION 2: Hazard identification

This product is classified as a hazardous chemical according to the Model Work Health and Safety Regulations, 2011, in accordance with applicable State and Territory legislation.

Refer to Section 14 of this Safety Data Sheets for product Dangerous Goods Classification.

2.1. Classification of the substance or mixture
Skin Sensitizer: Category 1A.


2.2. Label elements

The label elements below were prepared in accordance with the Code of Practice on Preparation of Safety Data Sheets for Hazardous Chemicals (Safe Work Australia, December 2011). This information may be different from the actual product label.

Signal word
Warning

Symbols
Exclamation mark |

Pictograms



Hazard statements

H317	May cause an allergic skin reaction.

Precautionary statements

General:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.

Prevention:

P272	Contaminated work clothing should not be allowed out of the workplace.
P280E	Wear protective gloves.

Response:

P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Disposal:

P501	Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

2.3. Other assigned/identified product hazards

Aspiration does not apply - viscosity Aspiration hazard classification does not apply due to the kinematic viscosity of the product. Aspiration classification does not apply due to the viscosity of the product.

2.4. Other hazards which do not result in classification

Causes mild skin irritation.
Harmful to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

This material is a mixture.

Ingredient	CAS Nbr	% by Weight
Water	7732-18-5	30 - 60
Aluminium oxide	1344-28-1	10 - 30
Distillates (petroleum), hydrotreated light	64742-47-8	10 - 30

Polyethylene Glycol Sorbitan Monooleate	9005-65-6	3 - 7
Polyethylene-Polypropylene Glycol	9003-11-6	3 - 7
White Mineral Oil (Petroleum)	8042-47-5	1 - 5
Glycerin	56-81-5	0.5 - 1.5
Diethanolamine	111-42-2	<= 0.25
2-Methyl-4-isothiazolin-3-one	2682-20-4	< 0.009
Octhilinone	26530-20-1	< 0.007

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation
Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact
Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact
Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed
Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Allergic skin reaction (redness, swelling, blistering, and itching).

4.3. Indication of any immediate medical attention and special treatment required
Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media
Use a fire fighting agent suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture
None inherent in this product.

Hazardous Decomposition or By-Products

Substance	Condition
Carbon monoxide.	During combustion.
Carbon dioxide.	During combustion.

5.3. Special protective actions for fire-fighters
No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures
Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing

bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS. Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice.

6.2. Environmental precautions
Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up
Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling
Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Use personal protective equipment (eg. gloves, respirators…) as required.

7.2. Conditions for safe storage including any incompatibilities
No special storage requirements.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits
If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Diethanolamine	111-42-2	ACGIH	TWA(inhalable fraction and vapour):1 mg/m3	A3: Confirmed animal carcinogen. Danger of cutaneous absorption.
Diethanolamine	111-42-2	Australia OELs	TWA(8 hours): 13 mg/m3 (3 ppm)	
Aluminium oxide	1344-28-1	Australia OELs	TWA(Inspirable dust)(8 hours):10 mg/m3	
Glycerin	56-81-5	Australia OELs	TWA(Inspirable dust)(8 hours):10 mg/m3	
Mineral oil, excluding metal working fluids, pure, highly and severely refined, inhalable fraction	64742-47-8	ACGIH	TWA(inhalable fraction):5 mg/m3	A4: Not class. as human carcin
Mineral oil, excluding metal working fluids, pure, highly and	8042-47-5	ACGIH	TWA(inhalable fraction):5 mg/m3	A4: Not class. as human carcin

severely refined, inhalable fraction				
OIL MIST, REFINED MINERAL	8042-47-5	Australia OELs	TWA(as mist)(8 hours):5 mg/m3	

ACGIH : American Conference of Governmental Industrial Hygienists
AIHA : American Industrial Hygiene Association
Australia OELs : Australia. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment
CMRG : Chemical Manufacturer's Recommended Guidelines
TWA: Time-Weighted-Average
STEL: Short Term Exposure Limit
CEIL: Ceiling
Sen: Sensitiser
Sk: Absorption through the skin may be a significant source of exposure.

8.2. Exposure controls

8.2.1. Engineering controls
No engineering controls required.

8.2.2. Personal protective equipment (PPE)

Eye/face protection
None required.

Skin/hand protection
Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (e.g., spraying, high splash potential, etc.), then use of a protective apron may be necessary. See recommended glove material(s) for determining appropriate apron material(s). If a glove material is not available as an apron, polymer laminate is a suitable option.

Select and use gloves according to AS/NZ 2161.

Respiratory protection
None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Colour	White
Odour	Slight Solvent
Odour threshold	*No data available.*
pH	7.5 - 9
Melting point/Freezing point	*No data available.*
Boiling point/Initial boiling point/Boiling range	*No data available.*
Flash point	No flash point
Evaporation rate	*No data available.*
Flammability	Not applicable.

Flammable Limits(LEL)	*No data available.*
Flammable Limits(UEL)	*No data available.*
Vapour pressure	*No data available.*
Relative Vapor Density	*No data available.*
Density	1.1 - 1.1 kg/l
Relative density	1.05 - 1.1 [*Ref Std:*WATER=1]
Water solubility	*No data available.*
Solubility- non-water	*No data available.*
Partition coefficient: n-octanol/water	*No data available.*
Autoignition temperature	*No data available.*
Decomposition temperature	*No data available.*
Kinematic Viscosity	32,407 mm²/sec
Volatile organic compounds (VOC)	14.6 % weight [*Test Method:*calculated per CARB title 2]
Percent volatile	*No data available.*
VOC less H2O & exempt solvents	306 g/l [*Test Method:*calculated SCAQMD rule 443.1]
Average particle size	*No data available.*
Bulk density	*No data available.*
Molecular weight	*No data available.*
Softening point	*No data available.*

* The values noted with an asterisk (*) in the above table are representative values based on testing of raw materials and selected products. Additionally, a material's characteristics may change depending upon the process and conditions of use at a facility, including further changes in particle size, or mixture with other materials. In order to obtain specific data for the material, we recommend the user conduct characterization testing based on the use factors at the specific facility.

Particle Characteristics	*Not applicable.*

SECTION 10: Stability and reactivity

10.1 Reactivity
This material is considered to be non reactive under normal use conditions

10.2 Chemical stability
Stable.

10.3. Conditions to avoid
None known.

10.4. Possibility of hazardous reactions
Hazardous polymerisation will not occur.

10.5 Incompatible materials
None known.

No data available.

10.6 Hazardous decomposition products

Substance	**Condition**
None known.	

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient

classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation
No known health effects.

Skin contact
Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching. May cause additional health effects (see below).

Eye contact
Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion
Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:
Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Carcinogenicity:
Contains a chemical or chemicals which can cause cancer.

Toxicological Data
If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Inhalation-Vapour(4 hr)		No data available; calculated ATE >50 mg/l
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Aluminium oxide	Dermal		LD50 estimated to be > 5,000 mg/kg
Aluminium oxide	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 2.3 mg/l
Aluminium oxide	Ingestion	Rat	LD50 > 5,000 mg/kg
Distillates (petroleum), hydrotreated light	Ingestion	Rat	LD50 > 15,000 mg/kg
Distillates (petroleum), hydrotreated light	Dermal	similar compounds	LD50 > 5,000 mg/kg
Polyethylene Glycol Sorbitan Monooleate	Dermal	Not available	LD50 > 5,000 mg/kg
Polyethylene Glycol Sorbitan Monooleate	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 5.1 mg/l
Polyethylene Glycol Sorbitan	Ingestion	Rat	LD50 20,000 mg/kg

Monooleate			
Polyethylene-Polypropylene Glycol	Dermal	similar compounds	LD50 > 2,000 mg/kg
Polyethylene-Polypropylene Glycol	Ingestion	similar compounds	LD50 > 5,000 mg/kg
White Mineral Oil (Petroleum)	Dermal	Rabbit	LD50 > 2,000 mg/kg
White Mineral Oil (Petroleum)	Ingestion	Rat	LD50 > 5,000 mg/kg
Glycerin	Dermal	Rabbit	LD50 estimated to be > 5,000 mg/kg
Glycerin	Ingestion	Rat	LD50 > 5,000 mg/kg
Diethanolamine	Dermal	Rabbit	LD50 8,180 mg/kg
Diethanolamine	Ingestion	Rat	LD50 1,410 mg/kg
2-Methyl-4-isothiazolin-3-one	Dermal	Rat	LD50 242 mg/kg
2-Methyl-4-isothiazolin-3-one	Inhalation-Dust/Mist (4 hours)	Rat	LC50 0.11 mg/l
2-Methyl-4-isothiazolin-3-one	Ingestion	Rat	LD50 120 mg/kg
Octhilinone	Dermal	Rabbit	LD50 311 mg/kg
Octhilinone	Inhalation-Dust/Mist (4 hours)	Rat	LC50 0.27 mg/l
Octhilinone	Ingestion	Rat	LD50 125 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Aluminium oxide	Rabbit	No significant irritation
Distillates (petroleum), hydrotreated light	similar compounds	Mild irritant
Polyethylene Glycol Sorbitan Monooleate	Rabbit	No significant irritation
Polyethylene-Polypropylene Glycol	similar compounds	No significant irritation
White Mineral Oil (Petroleum)	Rabbit	No significant irritation
Glycerin	Rabbit	No significant irritation
Diethanolamine	Rabbit	Irritant
2-Methyl-4-isothiazolin-3-one	Rabbit	Corrosive
Octhilinone	Rabbit	Corrosive

Serious Eye Damage/Irritation

Name	Species	Value
Aluminium oxide	Rabbit	No significant irritation
Distillates (petroleum), hydrotreated light	similar compounds	No significant irritation
Polyethylene Glycol Sorbitan Monooleate	Rabbit	No significant irritation
Polyethylene-Polypropylene Glycol	similar compounds	No significant irritation
White Mineral Oil (Petroleum)	Rabbit	Mild irritant
Glycerin	Rabbit	No significant irritation
Diethanolamine	Rabbit	Corrosive
2-Methyl-4-isothiazolin-3-one	Rabbit	Corrosive
Octhilinone	similar health hazards	Corrosive

Skin Sensitisation

Name	Species	Value
Distillates (petroleum), hydrotreated light	similar compounds	Not classified
Polyethylene Glycol Sorbitan Monooleate	Guinea pig	Not classified
Polyethylene-Polypropylene Glycol	Guinea pig	Not classified
White Mineral Oil (Petroleum)	Guinea pig	Not classified
Glycerin	Guinea pig	Not classified
Diethanolamine	Human and animal	Not classified
2-Methyl-4-isothiazolin-3-one	Human and animal	Sensitising
Octhilinone	Human and animal	Sensitising

Photosensitisation

Name	Species	Value
2-Methyl-4-isothiazolin-3-one	Human and animal	Not sensitizing

Respiratory Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Aluminium oxide	In Vitro	Not mutagenic
Distillates (petroleum), hydrotreated light	In Vitro	Not mutagenic
Polyethylene Glycol Sorbitan Monooleate	In Vitro	Not mutagenic
Polyethylene-Polypropylene Glycol	In Vitro	Not mutagenic
White Mineral Oil (Petroleum)	In Vitro	Not mutagenic
Diethanolamine	In Vitro	Not mutagenic
2-Methyl-4-isothiazolin-3-one	In vivo	Not mutagenic
2-Methyl-4-isothiazolin-3-one	In Vitro	Some positive data exist, but the data are not sufficient for classification
Octhilinone	In Vitro	Not mutagenic
Octhilinone	In vivo	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Aluminium oxide	Inhalation	Rat	Not carcinogenic
Polyethylene Glycol Sorbitan Monooleate	Ingestion	Rat	Some positive data exist, but the data are not sufficient for classification
White Mineral Oil (Petroleum)	Dermal	Mouse	Not carcinogenic
White Mineral Oil (Petroleum)	Inhalation	Multiple animal species	Not carcinogenic
Glycerin	Ingestion	Mouse	Some positive data exist, but the data are not sufficient for classification
Diethanolamine	Dermal	Mouse	Carcinogenic.
2-Methyl-4-isothiazolin-3-one	Dermal	Mouse	Not carcinogenic
2-Methyl-4-isothiazolin-3-one	Ingestion	Rat	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Polyethylene Glycol Sorbitan Monooleate	Ingestion	Not classified for female reproduction	Rat	NOAEL 6,666 mg/kg/day	3 generation
Polyethylene Glycol Sorbitan Monooleate	Ingestion	Not classified for male reproduction	Rat	NOAEL 6,666 mg/kg/day	3 generation
Polyethylene Glycol Sorbitan Monooleate	Ingestion	Not classified for development	Rat	NOAEL 5,000 mg/kg/day	during organogenesis
White Mineral Oil (Petroleum)	Ingestion	Not classified for female reproduction	Rat	NOAEL 4,350 mg/kg/day	13 weeks
White Mineral Oil (Petroleum)	Ingestion	Not classified for male reproduction	Rat	NOAEL 4,350 mg/kg/day	13 weeks
White Mineral Oil (Petroleum)	Ingestion	Not classified for development	Rat	NOAEL 4,350	during gestation

				mg/kg/day	
Glycerin	Ingestion	Not classified for female reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation
Glycerin	Ingestion	Not classified for male reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation
Glycerin	Ingestion	Not classified for development	Rat	NOAEL 2,000 mg/kg/day	2 generation
Diethanolamine	Ingestion	Not classified for male reproduction	Rat	NOAEL 128 mg/kg/day	1 generation
Diethanolamine	Dermal	Not classified for development	Rabbit	NOAEL 100 mg/kg/day	during organogenesis
Diethanolamine	Inhalation	Not classified for development	Rat	NOAEL 0.05 mg/l	during organogenesis
Diethanolamine	Ingestion	Toxic to female reproduction	Rat	NOAEL 38 mg/kg/day	1 generation
Diethanolamine	Ingestion	Toxic to development	Rat	NOAEL 38 mg/kg/day	1 generation
2-Methyl-4-isothiazolin-3-one	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
2-Methyl-4-isothiazolin-3-one	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
2-Methyl-4-isothiazolin-3-one	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis
Octhilinone	Ingestion	Not classified for development	Rabbit	NOEL 20 mg/kg/day	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Distillates (petroleum), hydrotreated light	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Diethanolamine	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL not available	
Diethanolamine	Ingestion	kidney and/or bladder	May cause damage to organs	Rat	NOAEL 200 mg/kg	
Diethanolamine	Ingestion	central nervous system depression	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 200 mg/kg	not applicable
Diethanolamine	Ingestion	liver	Not classified	Rat	NOAEL 1,600 mg/kg	not applicable
2-Methyl-4-isothiazolin-3-one	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	
Octhilinone	Inhalation	respiratory irritation	May cause respiratory irritation	Rat	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Aluminium oxide	Inhalation	pneumoconiosis	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	occupational exposure
Aluminium oxide	Inhalation	pulmonary fibrosis	Not classified	Human	NOAEL Not available	occupational exposure
Distillates (petroleum), hydrotreated light	Inhalation	liver	Not classified	Rat	NOAEL 6 mg/l	13 weeks
Distillates (petroleum), hydrotreated light	Inhalation	kidney and/or bladder	Not classified	Rat	LOAEL 1.5 mg/l	13 weeks
Distillates (petroleum), hydrotreated light	Inhalation	hematopoietic system	Not classified	Rat	NOAEL 6 mg/l	13 weeks
Distillates (petroleum), hydrotreated light	Ingestion	liver	Not classified	Rat	NOAEL 1,000 mg/kg/day	13 weeks
Distillates (petroleum), hydrotreated light	Ingestion	kidney and/or bladder	Not classified	Rat	LOAEL 100 mg/kg/day	13 weeks
Distillates (petroleum), hydrotreated light	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 1,000 mg/kg/day	13 weeks
Distillates (petroleum), hydrotreated light	Ingestion	eyes	Not classified	Rat	NOAEL 1,000 mg/kg/day	13 weeks
Polyethylene Glycol Sorbitan Monooleate	Ingestion	heart	Not classified	Rat	NOAEL 4,132 mg/kg/day	90 days
Polyethylene Glycol Sorbitan Monooleate	Ingestion	endocrine system	Not classified	Rat	NOAEL 4,132 mg/kg/day	90 days
Polyethylene Glycol Sorbitan Monooleate	Ingestion	gastrointestinal tract	Not classified	Rat	NOAEL 4,132 mg/kg/day	90 days
Polyethylene Glycol Sorbitan Monooleate	Ingestion	bone, teeth, nails, and/or hair	Not classified	Rat	NOAEL 4,132 mg/kg/day	90 days
Polyethylene Glycol Sorbitan Monooleate	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 4,132 mg/kg/day	90 days
Polyethylene Glycol Sorbitan	Ingestion	liver	Not classified	Rat	NOAEL 4,132 mg/kg/day	90 days

Monooleate						
Polyethylene Glycol Sorbitan Monooleate	Ingestion	immune system	Not classified	Rat	NOAEL 4,132 mg/kg/day	90 days
Polyethylene Glycol Sorbitan Monooleate	Ingestion	nervous system	Not classified	Rat	NOAEL 4,132 mg/kg/day	90 days
Polyethylene Glycol Sorbitan Monooleate	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 4,132 mg/kg/day	90 days
Polyethylene Glycol Sorbitan Monooleate	Ingestion	respiratory system	Not classified	Rat	NOAEL 4,132 mg/kg/day	90 days
White Mineral Oil (Petroleum)	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 1,381 mg/kg/day	90 days
White Mineral Oil (Petroleum)	Ingestion	liver	Not classified	Rat	NOAEL 1,336 mg/kg/day	90 days
White Mineral Oil (Petroleum)	Ingestion	immune system	Not classified	Rat	NOAEL 1,336 mg/kg/day	90 days
Glycerin	Inhalation	respiratory system	Not classified	Rat	NOAEL 3.91 mg/l	14 days
Glycerin	Inhalation	heart	Not classified	Rat	NOAEL 3.91 mg/l	14 days
Glycerin	Inhalation	liver	Not classified	Rat	NOAEL 3.91 mg/l	14 days
Glycerin	Inhalation	kidney and/or bladder	Not classified	Rat	NOAEL 3.91 mg/l	14 days
Glycerin	Ingestion	endocrine system	Not classified	Rat	NOAEL 10,000 mg/kg/day	2 years
Glycerin	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 10,000 mg/kg/day	2 years
Glycerin	Ingestion	liver	Not classified	Rat	NOAEL 10,000 mg/kg/day	2 years
Glycerin	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 10,000 mg/kg/day	2 years
Diethanolamine	Dermal	hematopoietic system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 63 mg/kg/day	13 weeks
Diethanolamine	Dermal	liver	Not classified	Rat	NOAEL 500 mg/kg/day	13 weeks
Diethanolamine	Dermal	nervous system	Not classified	Rat	NOAEL 500 mg/kg/day	13 weeks
Diethanolamine	Dermal	kidney and/or bladder	Not classified	Rat	NOAEL 500 mg/kg/day	13 weeks
Diethanolamine	Dermal	skin	Not classified	Rat	NOAEL 250 mg/kg/day	13 weeks
Diethanolamine	Dermal	heart	Not classified	Rat	NOAEL 500 mg/kg/day	13 weeks
Diethanolamine	Dermal	endocrine system	Not classified	Rat	NOAEL 500 mg/kg/day	13 weeks
Diethanolami	Dermal	gastrointestinal	Not classified	Rat	NOAEL 500	13 weeks

ne		tract			mg/kg/day	
Diethanolamine	Dermal	bone, teeth, nails, and/or hair	Not classified	Rat	NOAEL 500 mg/kg/day	13 weeks
Diethanolamine	Dermal	immune system	Not classified	Rat	NOAEL 500 mg/kg/day	13 weeks
Diethanolamine	Dermal	muscles	Not classified	Rat	NOAEL 500 mg/kg/day	13 weeks
Diethanolamine	Dermal	eyes	Not classified	Rat	NOAEL 500 mg/kg/day	13 weeks
Diethanolamine	Dermal	respiratory system	Not classified	Rat	NOAEL 500 mg/kg/day	13 weeks
Diethanolamine	Dermal	vascular system	Not classified	Rat	NOAEL 500 mg/kg/day	13 weeks
Diethanolamine	Inhalation	hematopoietic system	Not classified	Rat	NOAEL 0.41 mg/l	13 weeks
Diethanolamine	Inhalation	liver	Not classified	Rat	NOAEL 0.41 mg/l	13 weeks
Diethanolamine	Inhalation	kidney and/or bladder	Not classified	Rat	NOAEL 0.41 mg/l	13 weeks
Diethanolamine	Inhalation	respiratory system	Not classified	Rat	LOAEL 0.015 mg/l	13 weeks
Diethanolamine	Inhalation	heart	Not classified	Rat	NOAEL 0.41 mg/l	13 weeks
Diethanolamine	Inhalation	skin	Not classified	Rat	NOAEL 0.41 mg/l	13 weeks
Diethanolamine	Inhalation	endocrine system	Not classified	Rat	NOAEL 0.41 mg/l	13 weeks
Diethanolamine	Inhalation	gastrointestinal tract	Not classified	Rat	NOAEL 0.41 mg/l	13 weeks
Diethanolamine	Inhalation	bone, teeth, nails, and/or hair	Not classified	Rat	NOAEL 0.41 mg/l	13 weeks
Diethanolamine	Inhalation	immune system	Not classified	Rat	NOAEL 0.41 mg/l	13 weeks
Diethanolamine	Inhalation	muscles	Not classified	Rat	NOAEL 0.41 mg/l	13 weeks
Diethanolamine	Inhalation	nervous system	Not classified	Rat	NOAEL 0.41 mg/l	13 weeks
Diethanolamine	Inhalation	eyes	Not classified	Rat	NOAEL 0.41 mg/l	13 weeks
Diethanolamine	Inhalation	vascular system	Not classified	Rat	NOAEL 0.41 mg/l	13 weeks
Diethanolamine	Ingestion	hematopoietic system	May cause damage to organs though prolonged or repeated exposure	Rat	NOAEL 15 mg/kg/day	13 weeks
Diethanolamine	Ingestion	nervous system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 57 mg/kg/day	13 weeks
Diethanolamine	Ingestion	endocrine system	Not classified	Rat	NOAEL 240 mg/kg/day	13 weeks
Diethanolamine	Ingestion	liver	Not classified	Rat	NOAEL 240 mg/kg/day	13 weeks
Diethanolamine	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 240 mg/kg/day	13 weeks
Diethanolamine	Ingestion	heart	Not classified	Rat	NOAEL 240 mg/kg/day	13 weeks
Diethanolami	Ingestion	skin	Not classified	Rat	NOAEL 240	13 weeks

ne					mg/kg/day	
Diethanolamine	Ingestion	gastrointestinal tract	Not classified	Rat	NOAEL 240 mg/kg/day	13 weeks
Diethanolamine	Ingestion	bone, teeth, nails, and/or hair	Not classified	Rat	NOAEL 240 mg/kg/day	13 weeks
Diethanolamine	Ingestion	immune system	Not classified	Rat	NOAEL 240 mg/kg/day	13 weeks
Diethanolamine	Ingestion	muscles	Not classified	Rat	NOAEL 240 mg/kg/day	13 weeks
Diethanolamine	Ingestion	eyes	Not classified	Rat	NOAEL 240 mg/kg/day	13 weeks
Diethanolamine	Ingestion	respiratory system	Not classified	Rat	NOAEL 240 mg/kg/day	13 weeks
Diethanolamine	Ingestion	vascular system	Not classified	Rat	NOAEL 240 mg/kg/day	13 weeks

Aspiration Hazard

Name	Value
Distillates (petroleum), hydrotreated light	Aspiration hazard
White Mineral Oil (Petroleum)	Aspiration hazard

Exposure Levels
Refer Section **8.1 Control Parameters** of this Safety Data Sheet.

Interactive Effects
Not Determined

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

Acute aquatic hazard:
GHS Acute 3: Harmful to aquatic life.

Chronic aquatic hazard:
GHS Chronic 3: Harmful to aquatic life with long lasting effects.

No product test data available.

Material	CAS Number	Organism	Type	Exposure	Test endpoint	Test result
Aluminium oxide	1344-28-1	Fish	Experimental	96 hours	LC50	>100 mg/l
Aluminium oxide	1344-28-1	Green algae	Experimental	72 hours	EC50	>100 mg/l
Aluminium oxide	1344-28-1	Water flea	Experimental	48 hours	LC50	>100 mg/l
Aluminium oxide	1344-28-1	Green algae	Experimental	72 hours	NOEC	>100 mg/l
Distillates (petroleum), hydrotreated light	64742-47-8	Green algae	Experimental	72 hours	EL50	>1,000 mg/l
Distillates (petroleum), hydrotreated light	64742-47-8	Rainbow trout	Experimental	96 hours	LL50	>1,000 mg/l
Distillates (petroleum),	64742-47-8	Water flea	Experimental	48 hours	EL50	>1,000 mg/l

hydrotreated light						
Distillates (petroleum), hydrotreated light	64742-47-8	Green algae	Experimental	72 hours	NOEL	1,000 mg/l
Polyethylene Glycol Sorbitan Monooleate	9005-65-6	Green algae	Analogous Compound	72 hours	EL50	58.84 mg/l
Polyethylene Glycol Sorbitan Monooleate	9005-65-6	Zebra Fish	Analogous Compound	96 hours	LL50	>100 mg/l
Polyethylene Glycol Sorbitan Monooleate	9005-65-6	Green algae	Analogous Compound	72 hours	EL10	19.05 mg/l
Polyethylene Glycol Sorbitan Monooleate	9005-65-6	Water flea	Analogous Compound	21 days	NOEL	10 mg/l
Polyethylene-Polypropylene Glycol	9003-11-6	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
White Mineral Oil (Petroleum)	8042-47-5	Water flea	Analogous Compound	48 hours	EL50	>100 mg/l
White Mineral Oil (Petroleum)	8042-47-5	Bluegill	Experimental	96 hours	LL50	>100 mg/l
White Mineral Oil (Petroleum)	8042-47-5	Green algae	Analogous Compound	72 hours	NOEL	100 mg/l
White Mineral Oil (Petroleum)	8042-47-5	Water flea	Analogous Compound	21 days	NOEL	>100 mg/l
Glycerin	56-81-5	Rainbow trout	Experimental	96 hours	LC50	54,000 mg/l
Glycerin	56-81-5	Water flea	Experimental	48 hours	LC50	1,955 mg/l
Glycerin	56-81-5	Bacteria	Experimental	16 hours	NOEC	10,000 mg/l
Diethanolamine	111-42-2	Brine shrimp	Experimental	24 hours	EC50	2,800 mg/l
Diethanolamine	111-42-2	Diatom	Experimental	72 hours	EC50	86.96 mg/l
Diethanolamine	111-42-2	Green algae	Experimental	72 hours	ErC50	9.5 mg/l
Diethanolamine	111-42-2	Rainbow trout	Experimental	96 hours	LC50	460 mg/l
Diethanolamine	111-42-2	Sheepshead Minnow	Experimental	96 hours	LC50	>589 mg/l
Diethanolamine	111-42-2	Water flea	Experimental	48 hours	EC50	30.1 mg/l
Diethanolamine	111-42-2	Diatom	Experimental	72 hours	NOEC	<16 mg/l
Diethanolamine	111-42-2	Green algae	Experimental	72 hours	ErC10	1.4 mg/l
Diethanolamine	111-42-2	Water flea	Experimental	21 days	NOEC	0.78 mg/l
Diethanolamine	111-42-2	Activated sludge	Experimental	30 minutes	EC10	>1,000 mg/l
Diethanolamine	111-42-2	Plant	Experimental	21 days	EC50	1,632 mg/kg (Dry Weight)
Diethanolamine	111-42-2	Redworm	Experimental	63 days	EC50	776 mg/kg (Dry Weight)
Diethanolamine	111-42-2	Springtail	Experimental	28 days	EC50	4,205 mg/kg (Dry Weight)
2-Methyl-4-isothiazolin-3-one	2682-20-4	Diatom	Experimental	72 hours	ErC50	0.099 mg/l
2-Methyl-4-isothiazolin-3-one	2682-20-4	Green algae	Experimental	96 hours	ErC50	0.23 mg/l
2-Methyl-4-isothiazolin-3-one	2682-20-4	Mysid Shrimp	Experimental	96 hours	LC50	1.81 mg/l
2-Methyl-4-isothiazolin-3-one	2682-20-4	Sheepshead Minnow	Experimental	96 hours	LC50	25.1 mg/l
2-Methyl-4-isothiazolin-3-one	2682-20-4	Water flea	Experimental	48 hours	LC50	0.934 mg/l
2-Methyl-4-isothiazolin-3-one	2682-20-4	Blackworm	Experimental	28 days	NOEC	25 mg/kg (Dry Weight)
2-Methyl-4-isothiazolin-3-one	2682-20-4	Diatom	Experimental	72 hours	ErC10	0.04 mg/l
2-Methyl-4-isothiazolin-3-one	2682-20-4	Fathead minnow	Experimental	33 days	NOEC	2.1 mg/l
2-Methyl-4-isothiazolin-3-one	2682-20-4	Green algae	Experimental	96 hours	NOEC	0.12 mg/l
2-Methyl-4-isothiazolin-3-one	2682-20-4	Water flea	Experimental	21 days	NOEC	0.044 mg/l
2-Methyl-4-isothiazolin-3-one	2682-20-4	Activated sludge	Experimental	3 hours	EC50	41 mg/l
Octhilinone	26530-20-1	Diatom	Experimental	72 hours	EC50	0.0015 mg/l

Octhilinone	26530-20-1	Green algae	Experimental	72 hours	EC50	0.084 mg/l
Octhilinone	26530-20-1	Mysid Shrimp	Experimental	96 hours	LC50	0.071 mg/l
Octhilinone	26530-20-1	Rainbow trout	Experimental	96 hours	LC50	0.036 mg/l
Octhilinone	26530-20-1	Sheepshead Minnow	Experimental	96 hours	LC50	0.18 mg/l
Octhilinone	26530-20-1	Water flea	Experimental	48 hours	EC50	0.42 mg/l
Octhilinone	26530-20-1	Diatom	Experimental	72 hours	NOEC	0.00068 mg/l
Octhilinone	26530-20-1	Green algae	Experimental	72 hours	NOEC	0.0156 mg/l
Octhilinone	26530-20-1	Water flea	Experimental	21 days	NOEC	0.0016 mg/l
Octhilinone	26530-20-1	Activated sludge	Experimental	3 hours	EC50	30.4 mg/l
Octhilinone	26530-20-1	Bobwhite quail	Experimental	14 days	LD50	384 ppm diet
Octhilinone	26530-20-1	Lettuce	Experimental	17 days	EC50	45 mg/kg (Dry Weight)
Octhilinone	26530-20-1	Redworm	Experimental	14 days	LC50	866 mg/kg (Dry Weight)
Octhilinone	26530-20-1	Soil microbes	Experimental	28 days	EC50	84.1 mg/kg (Dry Weight)

12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Aluminium oxide	1344-28-1	Data not available-insufficient	N/A	N/A	N/A	N/A
Distillates (petroleum), hydrotreated light	64742-47-8	Estimated Biodegradation	28 days	BOD	69 %BOD/ThOD	OECD 301F - Manometric respirometry
Polyethylene Glycol Sorbitan Monooleate	9005-65-6	Experimental Biodegradation	28 days	CO2 evolution	61 %CO2 evolution/THCO2 evolution	ISO 14593 Inorg C Headspace
Polyethylene-Polypropylene Glycol	9003-11-6	Data not available-insufficient	N/A	N/A	N/A	N/A
White Mineral Oil (Petroleum)	8042-47-5	Experimental Biodegradation	28 days	CO2 evolution	0 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
Glycerin	56-81-5	Experimental Biodegradation	14 days	BOD	63 %BOD/ThOD	OECD 301C - MITI test (I)
Diethanolamine	111-42-2	Experimental Biodegradation	28 days	BOD	93 %BOD/ThOD	OECD 301F - Manometric respirometry
Diethanolamine	111-42-2	Experimental Biodegradation	9 days	Dissolv. Organic Carbon Deplet	98 %removal of DOC	OECD 302B Zahn-Wellens/EVPA
2-Methyl-4-isothiazolin-3-one	2682-20-4	Experimental Biodegradation	29 days	CO2 evolution	50 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
2-Methyl-4-isothiazolin-3-one	2682-20-4	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	>1 years (t 1/2)	OECD 111 Hydrolysis func of pH
Octhilinone	26530-20-1	Experimental Biodegradation	28 days	BOD	< 10 %BOD/ThOD	OECD 301D - Closed bottle test
Octhilinone	26530-20-1	Experimental Aquatic Inherent Biodegrad.	59 days	Dissolv. Organic Carbon Deplet	88 %removal of DOC	OECD 303A - Simulated Aerobic

12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Aluminium oxide	1344-28-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Distillates (petroleum), hydrotreated light	64742-47-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Polyethylene Glycol Sorbitan	9005-65-6	Modeled Bioconcentration		Bioaccumulation factor	5	Catalogic™

Monooleate						
Polyethylene Glycol Sorbitan Monooleate	9005-65-6	Modeled Bioconcentration		Log Kow	5.61	Episuite™
Polyethylene-Polypropylene Glycol	9003-11-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
White Mineral Oil (Petroleum)	8042-47-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Glycerin	56-81-5	Experimental Bioconcentration		Log Kow	-1.75	similar to OECD 107
Diethanolamine	111-42-2	Experimental Bioconcentration		Log Kow	-2.18	OECD 107 log Kow shke flsk mtd
2-Methyl-4-isothiazolin-3-one	2682-20-4	Analogous Compound BCF - Fish	56 days	Bioaccumulation factor	5.75	
2-Methyl-4-isothiazolin-3-one	2682-20-4	Experimental Bioconcentration		Log Kow	-0.486	OECD 107 log Kow shke flsk mtd
Octhilinone	26530-20-1	Experimental Bioconcentration		Log Kow	2.92	OECD 117 log Kow HPLC method

12.4. Mobility in soil
Please contact manufacturer for more details

12.5 Other adverse effects
No information available.

SECTION 13: Disposal considerations

13.1. Disposal methods
Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes.

SECTION 14: Transport Information

Australian Dangerous Goods Code (ADG) - Road/Rail Transport
UN No.: Not applicable.
Proper shipping name: Not applicable.
Class/Division: Not applicable.
Sub Risk: Not applicable.
Packing Group: Not applicable.

Hazchem Code: Not applicable
IERG: Not applicable.

International Air Transport Association (IATA) - Air Transport
UN No.: Not applicable.
Proper shipping name: Not applicable.
Class/Division: Not applicable.
Sub Risk: Not applicable.
Packing Group: Not applicable.

International Maritime Dangerous Goods Code (IMDG)- Marine Transport
UN No.: Not applicable.
Proper shipping name: Not applicable.
Class/Division: Not applicable.

Sub Risk: Not applicable.
Packing Group: Not applicable.
Marine Pollutant: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory Status:
All components of this product are listed on or exempt from the Australian Inventory of Industrial Chemicals (AIIC). Conditions may apply prior to introduction for direct importers of this product, Please contact 3M Australia on 136 136 for further details.

Poison Schedule: This product is intended for Industrial or Professional Use only and therefore is not packaged and labelled in accordance with the requirements of the Standard for the Uniform Scheduling of Medicines and Poisons.

SECTION 16: Other information

Revision information:
Complete document review.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Safety Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.
Greenguard ® is a United States based program. The ‘Low VOC’ reference related to United States Federal and State regulations exemptions for some solvents.

3M Australia SDSs are available at www.3m.com.au