



Safety Data Sheet

Copyright, 2026, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group:	29-0894-5	Version Number:	7.00
Issue Date:	07/24/26	Supersedes Date:	06/05/24

SECTION 1: Identification

1.1. Product identifier

3M™ Creme Cleanser Ready-To-Use

Product Identification Numbers

ID Number	UPC	ID Number	UPC
70-0715-9366-2	00-48011-59818-0		

7100135688

1.2. Recommended use and restrictions on use

Recommended use

Cleans away hard water scale, rust stains, soap scum and heavy soil from stainless steel surfaces, bathroom fixtures and ceramic surfaces. Extra thick formula contains very fine grade abrasive particles for extra scrubbing power, Hard Surface Cleaner

1.3. Supplier's details

MANUFACTURER:	3M
DIVISION:	Commercial Branding and Transportation Division
ADDRESS:	3M Center, St. Paul, MN 55144-1000, USA
Telephone:	1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

2.1. Hazard classification

Skin Corrosion/Irritation: Category 1.
Serious Eye Damage/Irritation: Category 1.
Carcinogenicity: Category 1A.
Reproductive Toxicity: Category 2.
Specific Target Organ Toxicity (repeated exposure): Category 1.

2.2. Label elements

Signal word

Danger

Symbols

Corrosion | Health Hazard |

Pictograms**Hazard Statements**

Causes severe skin burns and eye damage.

May cause cancer.

Suspected of damaging fertility or the unborn child.

Causes damage to organs through prolonged or repeated exposure: respiratory system.

Precautionary statements**Prevention:**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe vapors.

Wash exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves, protective clothing, eye protection, face protection, and if needed, respiratory protection (see SDS Section 8).

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Immediately call a POISON CENTER or doctor.

Get medical attention if you feel unwell.

Wash contaminated clothing before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents and container in accordance with applicable local, regional, national, and international regulations.

2.3. Hazards not otherwise classified

May cause chemical gastrointestinal burns.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
Water	7732-18-5	30 - 60
Silicon Dioxide	14808-60-7	15 - 40 Trade Secret *
Alkylbenzene Sulfonic Acid	68584-22-5	1 - 5 Trade Secret *

C9-11 Alcohol Ethoxylated (ethoxylation <=2.5)	68439-46-3	1 - 5 Trade Secret *
C9-11 Alcohols Ethoxylated (ethoxylation >5, <=10)	68439-46-3	< 1
Methyl Salicylate	119-36-8	0.1 - 1 Trade Secret *
C9-11 Alcohols Ethoxylated (ethoxylation >2.5, <=4)	68439-46-3	<= 0.03

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately flush with large amounts of water for at least 15 minutes. Remove contaminated clothing. Get immediate medical attention. Wash clothing before reuse.

Eye Contact:

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

If Swallowed:

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Skin burns (localized redness, swelling, itching, intense pain, blistering, and tissue destruction). Serious damage to the eyes (corneal cloudiness, severe pain, tearing, ulcerations, and significantly impaired or loss of vision). Target organ effects following prolonged or repeated exposure. See Section 11 for additional details.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Oxides of Sulfur

Condition

During Combustion

5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Use personal protective

equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. For large spills, if necessary, get assistance from professional spill clean up team. For small spills, carefully cover the spill with soda ash (sodium carbonate) or sodium bicarbonate. Work from around the perimeter inward. Avoid splashing. Add enough water to ease mixing and stir. Continue stirring and adding water and neutralizing agent until the reaction stops. Let cool before collecting. Or use a commercially available 'Acid spill' clean-up kit. Follow the kit directions exactly, as specified. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a metal container approved for use in transportation by appropriate authorities. The container must be lined with polyethylene plastic or contain a plastic drum liner made of polyethylene. Clean up residue with detergent and water. Cover, but do not seal for 48 hours. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.) Keep away from reactive metals (eg. Aluminum, zinc etc.) to avoid the formation of hydrogen gas that could create an explosion hazard. Use personal protective equipment (gloves, respirators, etc.) as required.

7.2. Conditions for safe storage including any incompatibilities

Store away from oxidizing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
Silica, crystalline, respirable fraction	14808-60-7	ACGIH	TWA(respirable fraction):0.025 mg/m3	A2: Suspected human carcin.
Silicon Dioxide	14808-60-7	OSHA	TWA Table Z-1(respirable):0.05 mg/m3;TWA Table Z-3(respirable):0.1 mg/m3;TWA concentration(respirable):0.1 mg/m3(2.4 millions of	

			particles/cu. ft.)	
--	--	--	--------------------	--

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full Face Shield

Indirect Vented Goggles

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (e.g., spraying, high splash potential, etc.), then use of a protective apron may be necessary. See recommended glove material(s) for determining appropriate apron material(s). If a glove material is not available as an apron, polymer laminate is a suitable option.

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Color	White
Odor	Minty
Odor threshold	No Data Available
pH	1.15 - 2.15
Melting point	No Data Available
Boiling Point	No Data Available

Flash Point	>=100 °C [Test Method: Closed Cup]
Evaporation rate	No Data Available
Flammability	Not Applicable
Flammable Limits(LEL)	No Data Available
Flammable Limits(UEL)	No Data Available
Vapor Pressure	No Data Available
Relative Vapor Density	No Data Available
Density	No Data Available
Relative Density	1.24562 [Ref Std: WATER=1]
Solubility in Water	Moderate
Solubility- non-water	No Data Available
Partition coefficient: n-octanol/ water	No Data Available
Autoignition temperature	No Data Available
Decomposition temperature	No Data Available
Kinematic Viscosity	No Data Available
Volatile Organic Compounds	1 - 5 % weight
VOC Less H ₂ O & Exempt Solvents	< 170 g/l

Particle Characteristics Not Applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong oxidizing agents

Alkali and alkaline earth metals

10.6. Hazardous decomposition products

Substance

None known.

Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

Skin Contact:

Corrosive (Skin Burns): Signs/symptoms may include localized redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction. Allergic Skin Reaction (non-photo induced) in sensitive people: Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact:

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

Ingestion:

Gastrointestinal Corrosion: Signs/symptoms may include severe mouth, throat and abdominal pain; nausea; vomiting; and diarrhea; blood in the feces and/or vomitus may also be seen. May cause additional health effects (see below).

Additional Health Effects:

Prolonged or repeated exposure may cause target organ effects:

Silicosis: Signs/symptoms may include breathlessness, weakness, chest pain, persistent cough, increased amounts of sputum, and heart disease.

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

<u>Ingredient</u>	<u>CAS No.</u>	<u>Class Description</u>	<u>Regulation</u>
Silica, Crystalline (Respirable Size)	14808-60-7	Known To Be Human Carcinogen.	National Toxicology Program Carcinogens
Silica dust, crystalline, in the form of quartz or cristobalite	14808-60-7	Grp. 1: Carcinogenic to humans	International Agency for Research on Cancer

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

<u>Name</u>	<u>Route</u>	<u>Species</u>	<u>Value</u>
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Silicon Dioxide	Dermal		LD50 estimated to be > 5,000 mg/kg
Silicon Dioxide	Ingestion		LD50 estimated to be > 5,000 mg/kg
Alkylbenzene Sulfonic Acid	Dermal	Rabbit	LD50 2,000 mg/kg
Alkylbenzene Sulfonic Acid	Ingestion	Rat	LD50 > 300, < 2000 mg/kg
C9-11 Alcohol Ethoxylated (ethoxylation <=2.5)	Dermal	similar compounds	LD50 > 2,000 mg/kg
C9-11 Alcohol Ethoxylated (ethoxylation <=2.5)	Inhalation-Dust/Mist (4 hours)	similar compounds	LC50 > 1.6 mg/l
C9-11 Alcohol Ethoxylated (ethoxylation <=2.5)	Ingestion	similar compound	LD50 3,488 mg/kg

		ds	
C9-11 Alcohols Ethoxylated (ethoxylation >5, <=10)	Dermal	Rabbit	LD50 > 2,000 mg/kg
C9-11 Alcohols Ethoxylated (ethoxylation >5, <=10)	Ingestion	Rat	LD50 1,000 mg/kg
Methyl Salicylate	Inhalation-Vapor (4 hours)	Rat	LC50 > 1.2 mg/l
Methyl Salicylate	Ingestion	Rat	LD50 890 mg/kg
C9-11 Alcohols Ethoxylated (ethoxylation >2.5, <=4)	Dermal	Rabbit	LD50 > 5,000 mg/kg
C9-11 Alcohols Ethoxylated (ethoxylation >2.5, <=4)	Ingestion	Rat	LD50 > 2,000 mg/kg
C9-11 Alcohols Ethoxylated (ethoxylation >2.5, <=4)	Inhalation-Dust/Mist (4 hours)	similar compound ds	LC50 > 1.6 mg/l

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Silicon Dioxide	Professional judgment	No significant irritation
Alkylbenzene Sulfonic Acid	similar compounds	Minimal irritation
C9-11 Alcohol Ethoxylated (ethoxylation <=2.5)	similar compounds	Minimal irritation
C9-11 Alcohols Ethoxylated (ethoxylation >5, <=10)	Rabbit	Mild irritant
Methyl Salicylate	Rabbit	Minimal irritation
C9-11 Alcohols Ethoxylated (ethoxylation >2.5, <=4)	similar compounds	Mild irritant

Serious Eye Damage/Irritation

Name	Species	Value
Alkylbenzene Sulfonic Acid	similar compounds	Severe irritant
C9-11 Alcohol Ethoxylated (ethoxylation <=2.5)	Professional judgment	Moderate irritant
C9-11 Alcohols Ethoxylated (ethoxylation >5, <=10)	Rabbit	Corrosive
Methyl Salicylate	In vitro data	Corrosive
C9-11 Alcohols Ethoxylated (ethoxylation >2.5, <=4)	similar compounds	Moderate irritant

Skin Sensitization

Name	Species	Value
Alkylbenzene Sulfonic Acid	Human	Some positive data exist, but the data are not sufficient for classification
C9-11 Alcohol Ethoxylated (ethoxylation <=2.5)	Guinea pig	Not classified
C9-11 Alcohols Ethoxylated (ethoxylation >5, <=10)	Guinea pig	Not classified
Methyl Salicylate	Human and animal	Sensitizing
C9-11 Alcohols Ethoxylated (ethoxylation >2.5, <=4)	similar compounds	Not classified

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Silicon Dioxide	In Vitro	Some positive data exist, but the data are not sufficient for classification
Silicon Dioxide	In vivo	Some positive data exist, but the data are not sufficient for classification
Alkylbenzene Sulfonic Acid	In Vitro	Not mutagenic
C9-11 Alcohol Ethoxylated (ethoxylation <=2.5)	In Vitro	Not mutagenic
C9-11 Alcohols Ethoxylated (ethoxylation >5, <=10)	In Vitro	Not mutagenic
Methyl Salicylate	In Vitro	Not mutagenic
C9-11 Alcohols Ethoxylated (ethoxylation >2.5, <=4)	In Vitro	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Silicon Dioxide	Inhalation	Human and animal	Carcinogenic
Methyl Salicylate	Ingestion	Multiple animal species	Not carcinogenic

Reproductive Toxicity**Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test Result	Exposure Duration
C9-11 Alcohol Ethoxylated (ethoxylation <=2.5)	Dermal	Not classified for female reproduction	Rat	NOAEL 250 mg/kg/day	2 generation
C9-11 Alcohol Ethoxylated (ethoxylation <=2.5)	Dermal	Not classified for development	Rat	NOAEL 250 mg/kg/day	2 generation
C9-11 Alcohol Ethoxylated (ethoxylation <=2.5)	Dermal	Not classified for male reproduction	Rat	NOAEL 100 mg/kg/day	2 generation
C9-11 Alcohols Ethoxylated (ethoxylation >5, <=10)	Dermal	Not classified for female reproduction	Rat	NOAEL 250 mg/kg/day	2 generation
C9-11 Alcohols Ethoxylated (ethoxylation >5, <=10)	Dermal	Not classified for development	Rat	NOAEL 250 mg/kg/day	2 generation
C9-11 Alcohols Ethoxylated (ethoxylation >5, <=10)	Dermal	Not classified for male reproduction	Rat	NOAEL 100 mg/kg/day	2 generation
Methyl Salicylate	Ingestion	Not classified for female reproduction	Rat	NOAEL 250 mg/kg/day	3 generation
Methyl Salicylate	Ingestion	Not classified for male reproduction	Rat	NOAEL 250 mg/kg/day	3 generation
Methyl Salicylate	Ingestion	Toxic to development	similar compounds	NOAEL Not Available	
C9-11 Alcohols Ethoxylated (ethoxylation >2.5, <=4)	Dermal	Not classified for female reproduction	Rat	NOAEL 250 mg/kg/day	2 generation
C9-11 Alcohols Ethoxylated (ethoxylation >2.5, <=4)	Dermal	Not classified for development	Rat	NOAEL 250 mg/kg/day	2 generation
C9-11 Alcohols Ethoxylated (ethoxylation >2.5, <=4)	Dermal	Not classified for male reproduction	Rat	NOAEL 100 mg/kg/day	2 generation

Target Organ(s)**Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
C9-11 Alcohol Ethoxylated	Inhalation	respiratory irritation	Some positive data exist, but the	similar	NOAEL Not	

(ethoxylation <=2.5)			data are not sufficient for classification	health hazards	available	
C9-11 Alcohols Ethoxylated (ethoxylation >5, <=10)	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Methyl Salicylate	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not Available	
C9-11 Alcohols Ethoxylated (ethoxylation >2.5, <=4)	Inhalation	respiratory irritation	Not classified	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Silicon Dioxide	Inhalation	silicosis	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure
C9-11 Alcohol Ethoxylated (ethoxylation <=2.5)	Dermal	kidney and/or bladder	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
C9-11 Alcohol Ethoxylated (ethoxylation <=2.5)	Dermal	heart	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
C9-11 Alcohol Ethoxylated (ethoxylation <=2.5)	Dermal	hematopoietic system	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
C9-11 Alcohol Ethoxylated (ethoxylation <=2.5)	Dermal	liver	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
C9-11 Alcohol Ethoxylated (ethoxylation <=2.5)	Dermal	nervous system	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
C9-11 Alcohol Ethoxylated (ethoxylation <=2.5)	Dermal	respiratory system	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
C9-11 Alcohols Ethoxylated (ethoxylation >5, <=10)	Dermal	kidney and/or bladder	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
C9-11 Alcohols Ethoxylated (ethoxylation >5, <=10)	Dermal	heart	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
C9-11 Alcohols Ethoxylated (ethoxylation >5, <=10)	Dermal	hematopoietic system	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
C9-11 Alcohols Ethoxylated (ethoxylation >5, <=10)	Dermal	liver	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
C9-11 Alcohols Ethoxylated (ethoxylation >5, <=10)	Dermal	nervous system	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
C9-11 Alcohols Ethoxylated (ethoxylation >5, <=10)	Dermal	respiratory system	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
Methyl Salicylate	Inhalation	kidney and/or bladder	Not classified	Rat	NOAEL 0.7 mg/l	28 days
Methyl Salicylate	Ingestion	bone, teeth, nails, and/or hair	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 250 mg/kg/day	2 years
Methyl Salicylate	Ingestion	gastrointestinal tract	Not classified	Rat	NOAEL 1,000 mg/kg/day	2 years
Methyl Salicylate	Ingestion	respiratory system	Not classified	Rat	NOAEL 1,000 mg/kg/day	2 years
Methyl Salicylate	Ingestion	liver	Not classified	Dog	NOAEL 350 mg/kg/day	2 years
Methyl Salicylate	Ingestion	heart	Not classified	Rat	NOAEL 1,000 mg/kg/day	2 years
Methyl Salicylate	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 1,000 mg/kg/day	2 years
Methyl Salicylate	Ingestion	kidney and/or	Not classified	Rat	NOAEL	2 years

		bladder			1,000 mg/kg/day	
C9-11 Alcohols Ethoxylated (ethoxylation >2.5, <=4)	Dermal	kidney and/or bladder	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
C9-11 Alcohols Ethoxylated (ethoxylation >2.5, <=4)	Dermal	heart	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
C9-11 Alcohols Ethoxylated (ethoxylation >2.5, <=4)	Dermal	hematopoietic system	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
C9-11 Alcohols Ethoxylated (ethoxylation >2.5, <=4)	Dermal	liver	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
C9-11 Alcohols Ethoxylated (ethoxylation >2.5, <=4)	Dermal	nervous system	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks
C9-11 Alcohols Ethoxylated (ethoxylation >2.5, <=4)	Dermal	respiratory system	Not classified	Rat	NOAEL 125 mg/kg/day	13 weeks

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information**Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations**13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): D002 (Corrosive)

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact 3M for more information.

EPCRA 311/312 Hazard Classifications:

Physical Hazards

Not Applicable.

Health Hazards

Carcinogenicity

Hazard Not Otherwise Classified (HNOC)

Reproductive toxicity

Serious eye damage or eye irritation

Skin Corrosion or Irritation

Specific target organ toxicity (single or repeated exposure)

15.2. State Regulations

Contact 3M for more information.

15.3. Chemical Inventories

The components of this product are in compliance with the new substance notification requirements of CEPA.

The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of the Korean Toxic Chemical Control Law. Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact 3M for more information.

15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 3 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group: 29-0894-5
Issue Date: 07/24/26

Version Number: 7.00
Supersedes Date: 06/05/24

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at www.3M.com