# Safety Data Sheet

Copyright,2025, Meguiar's Inc.
All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|---|---|---|---|
| **Document Group:** | 37-6722-5 | **Version Number:** | 2.03 |
| **Issue Date:** | 09/18/25 | **Supersedes Date:** | 03/12/25 |

## SECTION 1: Identification

**1.1. Product identifier**
Ultimate All Wheel Cleaner G1801 [G180120 G180124 G180132]

**Product Identification Numbers**
LB-1100-2153-9, LB-1100-2474-0, 14-1000-9867-3, 14-1001-1471-0
7100178571, 7100299999

**1.2. Recommended use and restrictions on use**

**Recommended use**
Automotive, Wheel Cleaner

**1.3. Supplier's details**

| | |
|---|---|
| **MANUFACTURER:** | Meguiar's, Inc. |
| **DIVISION:** | Meguiar's |
| **ADDRESS:** | 213 Technology Dr, Irvine, CA 92618 |
| **Telephone:** | 1-800-347-5700 |

**1.4. Emergency telephone number**
CHEMTREC 1-800-424-9300 (24 hours)

## SECTION 2: Hazard identification

The label elements below were prepared in accordance with OSHA Hazard Communication Standard, 29 CFR 1910.1200. This information may be different from the actual product label information for labels regulated by other agencies.

**2.1. Hazard classification**
Acute Toxicity (oral): Category 4.
Serious Eye Damage/Irritation: Category 2A.
Skin Sensitizer: Category 1.

**2.2. Label elements**
**Signal word**
Warning

**Symbols**
Exclamation mark |

**Pictograms**

**Hazard Statements**

Harmful if swallowed.
Causes serious eye irritation.
May cause an allergic skin reaction.

**Precautionary statements**
**General:**
Keep out of reach of children.

**Prevention:**
Avoid breathing vapor or spray.
Wash exposed skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves and eye protection.

**Response:**
IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.
IF ON SKIN: Wash with plenty of soap and water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Rinse mouth.
If eye irritation persists or if skin irritation or rash occurs: Get medical attention.
Take off contaminated clothing and wash it before reuse.

**Disposal:**
Dispose of contents and container in accordance with applicable local, regional, national, and international regulations.

1% of the mixture consists of ingredients of unknown acute oral toxicity.
1% of the mixture consists of ingredients of unknown acute dermal toxicity.

## SECTION 3: Composition/information on ingredients

| Ingredient | C.A.S. No. | % by Wt |
|---|---|---|
| SODIUM MERCAPTOACETATE | 367-51-1 | 1 - 10 Trade Secret * |
| ALCOHOL ETHOXYSULFATE (SODIUM SALT) | 68585-34-2 | 1 - 5 Trade Secret * |
| ETHOXYLATED C9-11 ALCOHOLS | 68439-46-3 | 1 - 5 Trade Secret * |
| SODIUM XYLENE SULFONATE | 1300-72-7 | 1 - 5 Trade Secret * |
| 5-chloro-2-methyl-4-isothiazoline-3-one | 26172-55-4 | < 0.0012 |
| 2-Methyl-4-isothiazoline-3-one | 2682-20-4 | < 0.0005 |

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

# SECTION 4: First aid measures

**4.1. Description of first aid measures**

**Inhalation:**
Remove person to fresh air. If you feel unwell, get medical attention.

**Skin Contact:**
Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

**Eye Contact:**
Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

**If Swallowed:**
Rinse mouth. If you feel unwell, get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

Allergic skin reaction (redness, swelling, blistering, and itching).

**4.3. Indication of any immediate medical attention and special treatment required**
Not applicable

# SECTION 5: Fire-fighting measures

**5.1. Suitable extinguishing media**
In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

**5.2. Special hazards arising from the substance or mixture**
Closed containers exposed to heat from fire may build pressure and explode.

**Hazardous Decomposition or By-Products**

| Substance | Condition |
|---|---|
| Carbon monoxide | During Combustion |
| Carbon dioxide | During Combustion |
| Oxides of Sulfur | During Combustion |

**5.3. Special protective actions for fire-fighters**
Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

# SECTION 6: Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**
Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information

regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

**6.2. Environmental precautions**
Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

**6.3. Methods and material for containment and cleaning up**
Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling**
Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

**7.2. Conditions for safe storage including any incompatibilities**
Store away from acids. Store away from oxidizing agents.

## SECTION 8: Exposure controls/personal protection

**8.1. Control parameters**

**Occupational exposure limits**
No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

**8.2. Exposure controls**

**8.2.1. Engineering controls**
Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

**8.2.2. Personal protective equipment (PPE)**

**Eye/face protection**

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:
Full Face Shield
Indirect Vented Goggles

**Skin/hand protection**
Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (e.g., spraying, high splash potential, etc.), then use of a protective apron may be necessary. See recommended glove material(s) for determining appropriate apron material(s). If a glove material is not available as an apron, polymer laminate is a suitable option.

**Respiratory protection**

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:
Half facepiece or full facepiece air-purifying respirator suitable for organic vapors or acid gases
Half facepiece or full facepiece supplied-air respirator

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

**9.1. Information on basic physical and chemical properties**

| | |
|---|---|
| **Physical state** | Liquid |
| **Color** | Transparent Colorless |
| **Odor** | Pungent Sulfuric, Weak Vanilla |
| **Odor threshold** | *No Data Available* |
| **pH** | 6.5 - 7.5 |
| **Melting point/Freezing point** | *No Data Available* |
| **Boiling point/Initial boiling point/Boiling range** | 100 ºC |
| **Flash Point** | > 93.3 ºC [*Test Method:*Pensky-Martens Closed Cup] |
| **Evaporation rate** | *No Data Available* |
| **Flammability** | Not Applicable |
| **Flammable Limits(LEL)** | *No Data Available* |
| **Flammable Limits(UEL)** | *No Data Available* |
| **Vapor Pressure** | *No Data Available* |
| **Relative Vapor Density** | *No Data Available* |
| **Density** | 1.05 g/ml |
| **Relative Density** | 1.05 |
| **Water solubility** | *No Data Available* |
| **Solubility- non-water** | *No Data Available* |
| **Partition coefficient: n-octanol/ water** | *No Data Available* |
| **Autoignition temperature** | *No Data Available* |
| **Decomposition temperature** | *No Data Available* |
| **Kinematic Viscosity** | 276 mm2/sec |
| **Volatile Organic Compounds** | 0 % weight [*Test Method:*calculated per CARB title 2] |
| **Percent volatile** | 89.9 % weight [*Test Method:*Estimated] |
| **VOC Less H2O & Exempt Solvents** | 325.7 g/l [*Test Method:*calculated SCAQMD rule 443.1] |

| | |
|---|---|
| **Particle Characteristics** | *Not Applicable* |

## SECTION 10: Stability and reactivity

**10.1. Reactivity**
This material is considered to be non reactive under normal use conditions.

**10.2. Chemical stability**

Stable.

**10.3. Possibility of hazardous reactions**
Hazardous polymerization will not occur.

**10.4. Conditions to avoid**
None known.

**10.5. Incompatible materials**
Strong oxidizing agents
Strong acids

**10.6. Hazardous decomposition products**

| Substance | Condition |
|---|---|
| None known. | |

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

**The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.**

**11.1. Information on Toxicological effects**

**Signs and Symptoms of Exposure**

**Based on test data and/or information on the components, this material may produce the following health effects:**

**Inhalation:**
Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

**Skin Contact:**
Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

**Eye Contact:**
Severe Eye Irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

**Ingestion:**
Harmful if swallowed. Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

**Toxicological Data**
If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

| Name | Route | Species | Value |
|---|---|---|---|
| Overall product | Dermal | | No data available; calculated ATE >5,000 mg/kg |

| | | | |
|---|---|---|---|
| Overall product | Ingestion | | No data available; calculated ATE >300 - =2,000 mg/kg |
| SODIUM MERCAPTOACETATE | Dermal | Rat | LD50 >1000, <2000 mg/kg |
| SODIUM MERCAPTOACETATE | Ingestion | Rat | LD50 >50, <200 mg/kg |
| ETHOXYLATED C9-11 ALCOHOLS | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| ETHOXYLATED C9-11 ALCOHOLS | Ingestion | Rat | LD50 1,000 mg/kg |
| SODIUM XYLENE SULFONATE | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| SODIUM XYLENE SULFONATE | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 6.4 mg/l |
| SODIUM XYLENE SULFONATE | Ingestion | Rat | LD50 7,200 mg/kg |
| ALCOHOL ETHOXYSULFATE (SODIUM SALT) | Dermal | Rat | LD50 > 2,000 mg/kg |
| ALCOHOL ETHOXYSULFATE (SODIUM SALT) | Ingestion | Rat | LD50 2,870 mg/kg |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Dermal | Rabbit | LD50 87 mg/kg |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Inhalation-Dust/Mist (4 hours) | Rat | LC50 0.171 mg/l |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Ingestion | Rat | LD50 40 mg/kg |
| 2-Methyl-4-isothiazoline-3-one | Dermal | Rabbit | LD50 87 mg/kg |
| 2-Methyl-4-isothiazoline-3-one | Inhalation-Dust/Mist (4 hours) | Rat | LC50 0.171 mg/l |
| 2-Methyl-4-isothiazoline-3-one | Ingestion | Rat | LD50 40 mg/kg |

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

| Name | Species | Value |
|---|---|---|
| SODIUM MERCAPTOACETATE | Rabbit | Minimal irritation |
| ETHOXYLATED C9-11 ALCOHOLS | Rabbit | Mild irritant |
| SODIUM XYLENE SULFONATE | Rabbit | Minimal irritation |
| ALCOHOL ETHOXYSULFATE (SODIUM SALT) | Rabbit | Irritant |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Rabbit | Corrosive |
| 2-Methyl-4-isothiazoline-3-one | Rabbit | Corrosive |

**Serious Eye Damage/Irritation**

| Name | Species | Value |
|---|---|---|
| Overall product | In vitro data | Severe irritant |
| SODIUM MERCAPTOACETATE | Rabbit | Mild irritant |
| ETHOXYLATED C9-11 ALCOHOLS | Rabbit | Corrosive |
| SODIUM XYLENE SULFONATE | Rabbit | Moderate irritant |
| ALCOHOL ETHOXYSULFATE (SODIUM SALT) | Rabbit | Corrosive |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Rabbit | Corrosive |
| 2-Methyl-4-isothiazoline-3-one | Rabbit | Corrosive |

**Skin Sensitization**

| Name | Species | Value |
|---|---|---|
| SODIUM MERCAPTOACETATE | Mouse | Sensitizing |
| ETHOXYLATED C9-11 ALCOHOLS | Guinea pig | Not classified |
| SODIUM XYLENE SULFONATE | Guinea pig | Not classified |
| ALCOHOL ETHOXYSULFATE (SODIUM SALT) | Guinea pig | Not classified |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Human and animal | Sensitizing |
| 2-Methyl-4-isothiazoline-3-one | Human and animal | Sensitizing |

### Photosensitization

| Name | Species | Value |
|---|---|---|
| 5-chloro-2-methyl-4-isothiazoline-3-one | Human and animal | Not sensitizing |
| 2-Methyl-4-isothiazoline-3-one | Human and animal | Not sensitizing |

### Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

### Germ Cell Mutagenicity

| Name | Route | Value |
|---|---|---|
| SODIUM MERCAPTOACETATE | In Vitro | Not mutagenic |
| SODIUM MERCAPTOACETATE | In vivo | Some positive data exist, but the data are not sufficient for classification |
| ETHOXYLATED C9-11 ALCOHOLS | In Vitro | Not mutagenic |
| SODIUM XYLENE SULFONATE | In Vitro | Not mutagenic |
| ALCOHOL ETHOXYSULFATE (SODIUM SALT) | In Vitro | Not mutagenic |
| ALCOHOL ETHOXYSULFATE (SODIUM SALT) | In vivo | Not mutagenic |
| 5-chloro-2-methyl-4-isothiazoline-3-one | In vivo | Not mutagenic |
| 5-chloro-2-methyl-4-isothiazoline-3-one | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| 2-Methyl-4-isothiazoline-3-one | In vivo | Not mutagenic |
| 2-Methyl-4-isothiazoline-3-one | In Vitro | Some positive data exist, but the data are not sufficient for classification |

### Carcinogenicity

| Name | Route | Species | Value |
|---|---|---|---|
| SODIUM MERCAPTOACETATE | Dermal | Mouse | Not carcinogenic |
| SODIUM XYLENE SULFONATE | Dermal | Multiple animal species | Not carcinogenic |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Dermal | Mouse | Not carcinogenic |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Ingestion | Rat | Not carcinogenic |
| 2-Methyl-4-isothiazoline-3-one | Dermal | Mouse | Not carcinogenic |
| 2-Methyl-4-isothiazoline-3-one | Ingestion | Rat | Not carcinogenic |

### Reproductive Toxicity

### Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test Result | Exposure Duration |
|---|---|---|---|---|---|
| SODIUM MERCAPTOACETATE | Ingestion | Not classified for male reproduction | Rat | NOAEL 40 mg/kg/day | 2 generation |
| SODIUM MERCAPTOACETATE | Ingestion | Not classified for female reproduction | Rat | NOAEL 20 mg/kg/day | 2 generation |
| SODIUM MERCAPTOACETATE | Dermal | Not classified for development | Rat | NOAEL 100 mg/kg/day | during gestation |
| SODIUM MERCAPTOACETATE | Ingestion | Not classified for development | Rat | NOAEL 20 mg/kg/day | 2 generation |
| ETHOXYLATED C9-11 ALCOHOLS | Dermal | Not classified for female reproduction | Rat | NOAEL 250 mg/kg/day | 2 generation |
| ETHOXYLATED C9-11 ALCOHOLS | Dermal | Not classified for development | Rat | NOAEL 250 mg/kg/day | 2 generation |
| ETHOXYLATED C9-11 ALCOHOLS | Dermal | Not classified for male reproduction | Rat | NOAEL 100 mg/kg/day | 2 generation |
| SODIUM XYLENE SULFONATE | Ingestion | Not classified for development | Rabbit | NOAEL 1,000 mg/kg/day | during gestation |
| ALCOHOL ETHOXYSULFATE | Ingestion | Not classified for female reproduction | Rat | NOAEL 300 | 2 generation |

| | | | | | |
|---|---|---|---|---|---|
| (SODIUM SALT) | | | | mg/kg/day | |
| ALCOHOL ETHOXYSULFATE (SODIUM SALT) | Ingestion | Not classified for male reproduction | Rat | NOAEL 300 mg/kg/day | 2 generation |
| ALCOHOL ETHOXYSULFATE (SODIUM SALT) | Ingestion | Not classified for development | Rat | NOAEL 300 mg/kg/day | 2 generation |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Ingestion | Not classified for female reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Ingestion | Not classified for male reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Ingestion | Not classified for development | Rat | NOAEL 15 mg/kg/day | during organogenesis |
| 2-Methyl-4-isothiazoline-3-one | Ingestion | Not classified for female reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| 2-Methyl-4-isothiazoline-3-one | Ingestion | Not classified for male reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| 2-Methyl-4-isothiazoline-3-one | Ingestion | Not classified for development | Rat | NOAEL 15 mg/kg/day | during organogenesis |

## Target Organ(s)

### Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|---|---|---|---|---|---|---|
| ETHOXYLATED C9-11 ALCOHOLS | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |
| SODIUM XYLENE SULFONATE | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL not available | |
| ALCOHOL ETHOXYSULFATE (SODIUM SALT) | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Inhalation | respiratory irritation | May cause respiratory irritation | similar health hazards | NOAEL Not available | |
| 2-Methyl-4-isothiazoline-3-one | Inhalation | respiratory irritation | May cause respiratory irritation | similar health hazards | NOAEL Not available | |

### Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|---|---|---|---|---|---|---|
| SODIUM MERCAPTOACETATE | Dermal | skin | Not classified | Rat | LOAEL 11.25 mg/kg/day | 13 weeks |
| SODIUM MERCAPTOACETATE | Dermal | heart \| endocrine system \| gastrointestinal tract \| bone, teeth, nails, and/or hair \| hematopoietic system \| liver \| immune system \| muscles \| nervous system \| eyes \| kidney and/or bladder \| respiratory system \| vascular system | Not classified | Rat | NOAEL 180 mg/kg/day | 13 weeks |
| SODIUM MERCAPTOACETATE | Ingestion | heart \| hematopoietic system \| liver \| kidney and/or bladder \| nervous | Not classified | Rat | NOAEL 60 mg/kg/day | 13 weeks |

| | | | | | | |
|---|---|---|---|---|---|---|
| | | system \| eyes | | | | |
| ETHOXYLATED C9-11 ALCOHOLS | Dermal | kidney and/or bladder \| heart \| hematopoietic system \| liver \| nervous system \| respiratory system | Not classified | Rat | NOAEL 125 mg/kg/day | 13 weeks |
| SODIUM XYLENE SULFONATE | Dermal | liver \| heart \| skin \| endocrine system \| gastrointestinal tract \| bone, teeth, nails, and/or hair \| hematopoietic system \| immune system \| nervous system \| kidney and/or bladder \| respiratory system | Not classified | Rat | NOAEL 500 mg/kg/day | 14 weeks |
| SODIUM XYLENE SULFONATE | Ingestion | hematopoietic system | Not classified | Rat | NOAEL 763 mg/kg/day | 90 days |
| ALCOHOL ETHOXYSULFATE (SODIUM SALT) | Dermal | skin \| heart \| endocrine system \| gastrointestinal tract \| hematopoietic system \| liver \| immune system \| nervous system \| eyes \| kidney and/or bladder \| respiratory system \| vascular system | Not classified | Mouse | NOAEL 6.91 mg/day | 90 days |
| ALCOHOL ETHOXYSULFATE (SODIUM SALT) | Ingestion | blood \| eyes | Not classified | Rat | NOAEL 225 mg/kg/day | 90 days |

**Aspiration Hazard**
For the component/components, either no data are currently available or the data are not sufficient for classification.

**Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.**

# SECTION 12: Ecological information

## Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

## Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

# SECTION 13: Disposal considerations

**13.1. Disposal methods**
Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes

unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

## SECTION 14: Transport Information

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

## SECTION 15: Regulatory information

### 15.1. US Federal Regulations

Contact manufacturer for more information

**EPCRA 311/312 Hazard Classifications:**

| **Physical Hazards** |
|---|
| Not Applicable. |

| **Health Hazards** |
|---|
| Acute toxicity |
| Respiratory or Skin Sensitization |
| Serious eye damage or eye irritation |

### 15.2. State Regulations

Contact manufacturer for more information

### 15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact manufacturer for more information

### 15.4. International Regulations

Contact manufacturer for more information

**This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.**

## SECTION 16: Other information

**NFPA Hazard Classification**

**Health:** 2 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

| | | | |
|---|---|---|---|
| **Document Group:** | 37-6722-5 | **Version Number:** | 2.03 |
| **Issue Date:** | 09/18/25 | **Supersedes Date:** | 03/12/25 |

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Meguiar's Inc. MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF

PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Meguiar's Inc. product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Meguiar's Inc. product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Meguiar's Inc. product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Meguiar's Inc. provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Meguiar's Inc. makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Meguiar's Inc.

**Meguiar's, Inc. USA SDSs are available at www.Meguiars.com**