



## Safety Data Sheet

Copyright,2026, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |            |                         |            |
|------------------------|------------|-------------------------|------------|
| <b>Document group:</b> | 45-4194-2  | <b>Version number:</b>  | 1.02       |
| <b>Issue Date:</b>     | 2026/01/12 | <b>Supersedes Date:</b> | 2025/06/02 |

This Safety Data Sheet has been prepared in accordance with the Canadian Hazardous Products Regulations.

### SECTION 1: Identification

#### 1.1. Product identifier

3M Fastbond 1074 Spray Adhesive

#### Product Identification Numbers

62-1100-2910-5

#### 1.2. Recommended use and restrictions on use

##### Intended Use

Adhesive

##### Restrictions on use

Not applicable

#### 1.3. Supplier's details

|                   |  |
|-------------------|--|
| <b>Company:</b>   | 3M Canada Company  |
| <b>Division:</b>  | Industrial Adhesives and Tapes Division                                |
| <b>Address:</b>   | 1840 Oxford Street East, Post Office Box 5757, London, Ontario N6A 4T1 |
| <b>Telephone:</b> | (800) 364-3577   |
| <b>Website:</b>   | www.3M.ca  |

#### 1.4. Emergency telephone number

Medical Emergency Telephone:1-800-3M HELPS / 1800 364 3577

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

Aerosol: Category 2.

Skin Sensitizer: Category 1A.

#### 2.2. Label elements

##### Signal word

Warning

##### Symbols

Flame |Exclamation mark |

**Pictograms****Hazard Statements**

Flammable aerosol. Pressurized container: may burst if heated.  
May cause an allergic skin reaction.

**Precautionary statements****Prevention:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing vapour or spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves.

**Response:**

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.

**Storage:**

Protect from sunlight. Do not expose to temperatures exceeding 122°F (50°C).

**Disposal:**

Dispose of contents and container in accordance with applicable local, regional, national, and international regulations.

**2.3. Other hazards**

None known.

2% of the mixture consists of ingredients of unknown acute oral toxicity.

## SECTION 3: Composition/information on ingredients

This material is a mixture.

| Ingredient  | C.A.S. No.  | % by Wt | Common Name                             |
|---|-------------|---------|---|
| Polymer   | None        | 40 - 50 | Not Applicable                          |
| Water   | 7732-18-5   | 40 - 50 | Water                                   |
| Ethyl Alcohol   | 64-17-5     | 1 - 5   | Ethanol                                 |
| Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-[[1-[(2-propen-1-yloxy)methyl]tridecyl]oxy]-, ammonium salt (1:1) | 224646-44-0 | < 1.5   | No Data Available                       |
| Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-[[1-[(2-propen-1-yloxy)methyl]undecyl]oxy]-, ammonium salt (1:1)  | 352661-91-7 | < 1.5   | No Data Available                       |
| 5-chloro-2-methyl-4-isothiazoline-3-one   | 26172-55-4  | < 0.002 | 3(2H)-Isothiazolone, 5-chloro-2-methyl- |
| 2-Methyl-4-isothiazoline-3-one  | 2682-20-4   | < 0.001 | 3(2H)-Isothiazolone, 2-methyl-          |

Polymer is a non-hazardous material according to WHMIS criteria. Specific information has been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye Contact:

Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

#### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Allergic skin reaction (redness, swelling, blistering, and itching).

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Unsuitable extinguishing media

None Determined

### 5.3. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

### Hazardous Decomposition or By-Products

| <u>Substance</u>          | <u>Condition</u>  |
|---------------------------|-------------------|
| Carbon monoxide           | During Combustion |
| Carbon dioxide            | During Combustion |
| Irritant Vapours or Gases | During Combustion |
| Oxides of Nitrogen        | During Combustion |

### 5.4. Special protection actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools.

Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE

ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

### 6.2. Environmental precautions

For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

### 6.3. Methods and material for containment and cleaning up

If possible, seal leaking container. Place leaking containers in a well-ventilated area, preferably an operating exhaust hood, or if necessary outdoors on an impermeable surface until appropriate packaging for the leaking container or its contents is available. Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage including any incompatibilities

Protect from sunlight. Do not expose to temperatures exceeding 122°F (50°C). Store away from heat.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient    | C.A.S. No. | Agency | Limit type    | Additional Comments |
|---------------|------------|--------|---------------|---------------------|
| Ethyl Alcohol | 64-17-5    | ACGIH  | STEL:1000 ppm |                     |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face

protection(s) are recommended:  
Safety Glasses with side shields

### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (e.g., spraying, high splash potential, etc.), then use of a protective apron may be necessary. See recommended glove material(s) for determining appropriate apron material(s). If a glove material is not available as an apron, polymer laminate is a suitable option.

### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |                                |
|--|--------------------------------|
| <b>Physical state</b>                          | Liquid                         |
| <b>Specific Physical Form:</b>                 | Aerosol                        |
| <b>Colour</b>                                  | White                          |
| <b>Odour</b>                                   | Mild Acrylate                  |
| <b>Odour threshold</b>                         | <i>No Data Available</i>       |
| <b>pH</b>                                      | 4                              |
| <b>Melting point/Freezing point</b>            | <i>Not Applicable</i>          |
| <b>Boiling point</b>                           | 100 °C                         |
| <b>Flash Point</b>                             | No flash point                 |
| <b>Evaporation rate</b>                        | <i>No Data Available</i>       |
| <b>Flammability</b>                            | Flammable Aerosol: Category 2. |
| <b>Flammable Limits(LEL)</b>                   | <i>No Data Available</i>       |
| <b>Flammable Limits(UEL)</b>                   | <i>No Data Available</i>       |
| <b>Vapour Pressure</b>                         | <i>No Data Available</i>       |
| <b>Relative Vapour Density</b>                 | <i>No Data Available</i>       |
| <b>Density</b>                                 | 1 g/ml                         |
| <b>Relative density</b>                        | 1 [Ref Std: WATER=1]           |
| <b>Water solubility</b>                        | Moderate                       |
| <b>Solubility- non-water</b>                   | <i>No Data Available</i>       |
| <b>Partition coefficient: n-octanol/ water</b> | <i>No Data Available</i>       |
| <b>Autoignition temperature</b>                | <i>No Data Available</i>       |
| <b>Decomposition temperature</b>               | <i>No Data Available</i>       |
| <b>Kinematic Viscosity</b>                     | <i>No Data Available</i>       |
| <b>Volatile Organic Compounds</b>              | <i>No Data Available</i>       |

|                                |                   |
|--------------------------------|-------------------|
| Percent volatile               | No Data Available |
| VOC Less H2O & Exempt Solvents | No Data Available |

|                          |                |
|--------------------------|----------------|
| Particle Characteristics | Not Applicable |
|--------------------------|----------------|

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Heat

### 10.5. Incompatible materials

Not determined

### 10.6. Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known.      |                  |

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion:

No known health effects.

**Additional Information:**

This product contains ethanol. Alcoholic beverages and ethanol in alcoholic beverages have been classified by the International Agency for Research on Cancer as carcinogenic to humans. There are also data associating human consumption of alcoholic beverages with developmental toxicity and liver toxicity. Exposure to ethanol during the foreseeable use of this product is not expected to cause cancer, developmental toxicity, or liver toxicity.

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

| Name                                    | Route                          | Species | Value  |
|---|--------------------------------|---------|--|
| Overall product                         | Ingestion                      |         | No data available; calculated ATE >5,000 mg/kg |
| Ethyl Alcohol                           | Dermal                         | Rabbit  | LD50 > 15,800 mg/kg                            |
| Ethyl Alcohol                           | Inhalation-Vapor (4 hours)     | Rat     | LC50 124.7 mg/l                                |
| Ethyl Alcohol                           | Ingestion                      | Rat     | LD50 17,800 mg/kg                              |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Dermal                         | Rabbit  | LD50 87 mg/kg                                  |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Inhalation-Dust/Mist (4 hours) | Rat     | LC50 0.171 mg/l                                |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Ingestion                      | Rat     | LD50 40 mg/kg                                  |
| 2-Methyl-4-isothiazoline-3-one          | Dermal                         | Rabbit  | LD50 87 mg/kg                                  |
| 2-Methyl-4-isothiazoline-3-one          | Inhalation-Dust/Mist (4 hours) | Rat     | LC50 0.171 mg/l                                |
| 2-Methyl-4-isothiazoline-3-one          | Ingestion                      | Rat     | LD50 40 mg/kg                                  |

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

| Name                                    | Species | Value                     |
|---|---------|---------------------------|
| Ethyl Alcohol                           | Rabbit  | No significant irritation |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Rabbit  | Corrosive                 |
| 2-Methyl-4-isothiazoline-3-one          | Rabbit  | Corrosive                 |

**Serious Eye Damage/Irritation**

| Name                                    | Species | Value           |
|---|---------|-----------------|
| Ethyl Alcohol                           | Rabbit  | Severe irritant |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Rabbit  | Corrosive       |
| 2-Methyl-4-isothiazoline-3-one          | Rabbit  | Corrosive       |

**Skin Sensitization**

| Name                                    | Species          | Value          |
|---|------------------|----------------|
| Ethyl Alcohol                           | Human            | Not classified |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Human and animal | Sensitizing    |
| 2-Methyl-4-isothiazoline-3-one          | Human and animal | Sensitizing    |

**Photosensitization**

| Name                                    | Species   | Value           |
|---|-----------|-----------------|
| 5-chloro-2-methyl-4-isothiazoline-3-one | Human and | Not sensitizing |

|                                |                  |                 |
|--------------------------------|------------------|-----------------|
|                                | animal           |                 |
| 2-Methyl-4-isothiazoline-3-one | Human and animal | Not sensitizing |

**Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity**

| Name                                    | Route    | Value  |
|---|----------|--|
| Ethyl Alcohol                           | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Ethyl Alcohol                           | In vivo  | Some positive data exist, but the data are not sufficient for classification |
| 5-chloro-2-methyl-4-isothiazoline-3-one | In vivo  | Not mutagenic  |
| 5-chloro-2-methyl-4-isothiazoline-3-one | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| 2-Methyl-4-isothiazoline-3-one          | In vivo  | Not mutagenic  |
| 2-Methyl-4-isothiazoline-3-one          | In Vitro | Some positive data exist, but the data are not sufficient for classification |

**Carcinogenicity**

| Name                                    | Route     | Species                 | Value  |
|---|-----------|-------------------------|--|
| Ethyl Alcohol                           | Ingestion | Multiple animal species | Some positive data exist, but the data are not sufficient for classification |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Dermal    | Mouse                   | Not carcinogenic   |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Ingestion | Rat                     | Not carcinogenic   |
| 2-Methyl-4-isothiazoline-3-one          | Dermal    | Mouse                   | Not carcinogenic   |
| 2-Methyl-4-isothiazoline-3-one          | Ingestion | Rat                     | Not carcinogenic   |

**Reproductive Toxicity**

**Reproductive and/or Developmental Effects**

| Name                                    | Route      | Value                                  | Species | Test result           | Exposure Duration              |
|---|------------|--|---------|-----------------------|--------------------------------|
| Ethyl Alcohol                           | Inhalation | Not classified for development         | Rat     | NOAEL 38 mg/l         | during gestation               |
| Ethyl Alcohol                           | Ingestion  | Not classified for development         | Rat     | NOAEL 5,200 mg/kg/day | prematuring & during gestation |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Ingestion  | Not classified for female reproduction | Rat     | NOAEL 10 mg/kg/day    | 2 generation                   |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Ingestion  | Not classified for male reproduction   | Rat     | NOAEL 10 mg/kg/day    | 2 generation                   |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Ingestion  | Not classified for development         | Rat     | NOAEL 15 mg/kg/day    | during organogenesis           |
| 2-Methyl-4-isothiazoline-3-one          | Ingestion  | Not classified for female reproduction | Rat     | NOAEL 10 mg/kg/day    | 2 generation                   |
| 2-Methyl-4-isothiazoline-3-one          | Ingestion  | Not classified for male reproduction   | Rat     | NOAEL 10 mg/kg/day    | 2 generation                   |
| 2-Methyl-4-isothiazoline-3-one          | Ingestion  | Not classified for development         | Rat     | NOAEL 15 mg/kg/day    | during organogenesis           |

**Target Organ(s)**

**Specific Target Organ Toxicity - single exposure**

| Name          | Route      | Target Organ(s)        | Value                             | Species | Test result | Exposure Duration |
|---------------|------------|------------------------|-----------------------------------|---------|-------------|-------------------|
| Ethyl Alcohol | Inhalation | respiratory irritation | Some positive data exist, but the | Human   | LOAEL 9.4   | not available     |

**3M Fastbond 1074 Spray Adhesive**

|   |            |                                   |  |                         |                     |  |
|---|------------|-----------------------------------|--|-------------------------|---------------------|--|
|   |            |                                   | data are not sufficient for classification |                         | mg/l                |  |
| Ethyl Alcohol                           | Inhalation | central nervous system depression | Not classified                             | Human and animal        | NOAEL not available |  |
| Ethyl Alcohol                           | Ingestion  | central nervous system depression | Not classified                             | Multiple animal species | NOAEL not available |  |
| Ethyl Alcohol                           | Ingestion  | kidney and/or bladder             | Not classified                             | Dog                     | NOAEL 3,000 mg/kg   |  |
| 5-chloro-2-methyl-4-isothiazoline-3-one | Inhalation | respiratory irritation            | May cause respiratory irritation           | similar health hazards  | NOAEL Not available |  |
| 2-Methyl-4-isothiazoline-3-one          | Inhalation | respiratory irritation            | May cause respiratory irritation           | similar health hazards  | NOAEL Not available |  |

**Specific Target Organ Toxicity - repeated exposure**

| Name          | Route      | Target Organ(s)       | Value  | Species | Test result           | Exposure Duration |
|---------------|------------|-----------------------|--|---------|-----------------------|-------------------|
| Ethyl Alcohol | Inhalation | liver                 | Some positive data exist, but the data are not sufficient for classification | Rabbit  | LOAEL 124 mg/l        | 365 days          |
| Ethyl Alcohol | Inhalation | hematopoietic system  | Not classified   | Rat     | NOAEL 25 mg/l         | 14 days           |
| Ethyl Alcohol | Inhalation | immune system         | Not classified   | Rat     | NOAEL 25 mg/l         | 14 days           |
| Ethyl Alcohol | Ingestion  | liver                 | Some positive data exist, but the data are not sufficient for classification | Rat     | LOAEL 8,000 mg/kg/day | 4 months          |
| Ethyl Alcohol | Ingestion  | kidney and/or bladder | Not classified   | Dog     | NOAEL 3,000 mg/kg/day | 7 days            |

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.**

**SECTION 12: Ecological information**

No data available.

**SECTION 13: Disposal considerations****13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Facility must be capable of handling aerosol cans. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

**SECTION 14: Transport Information**

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Global inventory status

Contact 3M for more information. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

## SECTION 16: Other information

**National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.**

**Health: 2 Flammability: 1 Instability: 0 Special Hazards: None**

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

|                        |            |                         |            |
|------------------------|------------|-------------------------|------------|
| <b>Document group:</b> | 45-4194-2  | <b>Version number:</b>  | 1.02       |
| <b>Issue Date:</b>     | 2026/01/12 | <b>Supersedes Date:</b> | 2025/06/02 |

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M Canada SDSs are available at [www.3M.ca](http://www.3M.ca)