



## Safety Data Sheet

Copyright, 2025, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document Group:</b>	36-0138-2	<b>Version Number:</b>	3.00
<b>Issue Date:</b>	03/01/2025	<b>Supersedes Date:</b>	03/06/2021

This Safety Data Sheet has been prepared in accordance with the Malaysia Occupational Safety and Health (Chemical Classification, Labelling and Safety Data Sheets) Regulations 2013.

### SECTION 1: Identification

#### 1.1. Product identifier

Scotchgard™ Rug & Carpet Cleaner (Cat. No. 4107)

#### Product Identification Numbers

70-0052-8382-8      70-0052-8384-4      70-0068-4740-7      70-0070-7983-6      70-0070-7984-4

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Fabric and carpet cleaner

For Consumer Use

#### 1.3. Supplier's details

**ADDRESS:** 3M Malaysia Sdn. Bhd., Level 8, Block F, Oasis Square, No.2, Jalan PJU 1A/7A, Ara Damansara 47301  
Petaling, Jaya, Selangor  
**Telephone:** 03-7884 2888  
**E Mail:** 3mmyehsr@mmm.com  
**Website:** www.3M.com.my

#### 1.4. Emergency telephone number

+60 03-7884 2888

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

Gas Under Pressure: Liquefied gas.

Specific Target Organ Toxicity (single exposure): Category 2.

#### 2.2. Label elements

##### Signal word

Warning

##### Symbols

Gas cylinder | Health Hazard |

**Pictograms**



**Hazard Statements:**

H280 Contains gas under pressure; may explode if heated.

H371 May cause damage to organs: cardiovascular system.

**Precautionary statements**

**General:**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

**Prevention:**

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

**Storage:**

P410 + P403 Protect from sunlight. Store in a well-ventilated place.

**Disposal:**

P501 Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

**2.3. Other hazards**

None known

**SECTION 3: Composition/information on ingredients**

This material is a mixture.

Ingredient	C.A.S. No.	% by Wt
WATER	7732-18-5	80 - 95
STYRENE-MALEIC ANHYDRIDE COPOLYMER	26022-09-3	1 - 5
ISOBUTANE	75-28-5	1 - 5
SODIUM MONO-C10-16-ALKYL SULFATES	68585-47-7	1 - 1.5
SODIUM NITRATE	7632-00-0	< 0.2
LAURYL DIMETHYLAMINE OXIDE	1643-20-5	< 0.2
MORPHOLINE	110-91-8	< 0.2

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**Inhalation:**

Remove person to fresh air. Get medical attention.

**Skin Contact:**

Wash with soap and water. If signs/symptoms develop, get medical attention.

**Eye Contact:**

Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

**If Swallowed:**

Rinse mouth. If you feel unwell, get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

Target organ effects. See Section 11 for additional details.

**4.3. Indication of any immediate medical attention and special treatment required**

Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary.

**SECTION 5: Fire-fighting measures**

**5.1. Suitable extinguishing media**

Use a fire fighting agent suitable for the surrounding fire.

**5.2. Special hazards arising from the substance or mixture**

Closed containers exposed to heat from fire may build pressure and explode.

**Hazardous Decomposition or By-Products**

Substance

Carbon monoxide

Carbon dioxide

Oxides of Sulfur

Condition

During Combustion

During Combustion

During Combustion

**5.3. Special protective actions for fire-fighters**

No special protective actions for fire-fighters are anticipated.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

**6.2. Environmental precautions**

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

**6.3. Methods and material for containment and cleaning up**

If possible, seal leaking container. Place leaking containers in a well-ventilated area, preferably an operating exhaust hood, or if necessary outdoors on an impermeable surface until appropriate packaging for the leaking container or its contents is available. Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Do not pierce or

burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Use personal protective equipment (gloves, respirators, etc.) as required.

**7.2. Conditions for safe storage including any incompatibilities**

Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store away from heat.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
MORPHOLINE	110-91-8	ACGIH	TWA:20 ppm	A4: Not class. as human carcin, Danger of cutaneous absorption
MORPHOLINE	110-91-8	Malaysia OELs	TWA(8 hours):71 mg/m3(20 ppm)	SKIN
ISOBUTANE	75-28-5	ACGIH	STEL:1000 ppm	

ACGIH : American Conference of Governmental Industrial Hygienists

CMRG : Chemical Manufacturer's Recommended Guidelines

Malaysia OELs : Malaysia. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

**8.2. Exposure controls**

**8.2.1. Engineering controls**

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

**8.2.2. Personal protective equipment (PPE)**

**Eye/face protection**

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect Vented Goggles

**Skin/hand protection**

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Butyl Rubber

Polymer laminate

**Respiratory protection**

During heating: Use a positive pressure supplied-air respirator if there is a potential for over exposure from an uncontrolled release, exposure levels are not known, or under any other circumstances where air-purifying respirators may not provide

adequate protection.

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece supplied-air respirator

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Specific Physical Form:</b>	Aerosol
<b>Color</b>	Milky White
<b>Odor</b>	Light Floral
<b>Odor threshold</b>	<i>No Data Available</i>
<b>pH</b>	9.3
<b>Melting point/Freezing point</b>	<i>Not Applicable</i>
<b>Boiling point/Initial boiling point/Boiling range</b>	98 °C - 100 °C [ <i>Details:(Liquid Product)</i> ]
<b>Flash Point</b>	No flash point
<b>Evaporation rate</b>	<i>Not Applicable</i>
<b>Flammability</b>	Non-flammable Aerosol: Category 3.
<b>Flammable Limits(LEL)</b>	<i>No Data Available</i>
<b>Flammable Limits(UEL)</b>	<i>No Data Available</i>
<b>Vapor Pressure</b>	1,999.8 Pa - 2,266.5 Pa [ <i>@ 20 °C</i> ] [ <i>Test Method: Tested per ASTM protocol</i> ] [ <i>Details:(Liquid Product)</i> ]
<b>Relative Vapor Density</b>	<i>Not Applicable</i>
<b>Density</b>	1 g/ml [ <i>Details:(Liquid Product)</i> ]
<b>Relative Density</b>	1 [ <i>Ref Std: WATER=1</i> ] [ <i>Details:(Liquid Product)</i> ]
<b>Water solubility</b>	Complete
<b>Solubility- non-water</b>	<i>No Data Available</i>
<b>Partition coefficient: n-octanol/ water</b>	<i>No Data Available</i>
<b>Autoignition temperature</b>	<i>Not Applicable</i>
<b>Decomposition temperature</b>	<i>No Data Available</i>
<b>Kinematic Viscosity</b>	<i>No Data Available</i>
<b>Volatile Organic Compounds</b>	4.9 %
<b>Percent volatile</b>	Approximately 95 %
<b>VOC Less H2O &amp; Exempt Solvents</b>	<i>No Data Available</i>

<b>Particle Characteristics</b>	<i>No Data Available</i>
---------------------------------	--------------------------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Heat

#### 10.5. Incompatible materials

None known.

#### 10.6. Hazardous decomposition products

<u>Substance</u>	<u>Condition</u>
------------------	------------------

None known.	
-------------	--

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

##### Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

May cause additional health effects (see below).

##### Skin Contact:

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

##### Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

##### Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

#### Additional Health Effects:

##### Single exposure may cause target organ effects:

Single exposure, above recommended guidelines, may cause: Cardiac Sensitization: Signs/symptoms may include irregular heartbeat (arrhythmia), faintness, chest pain, and may be fatal.

##### Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

#### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or

the data are not sufficient for classification.

**Acute Toxicity**

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Inhalation-Vapor(4 hr)		No data available; calculated ATE >50 mg/l
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
ISOBUTANE	Inhalation-Gas (4 hours)	Rat	LC50 276,000 ppm
SODIUM MONO-C10-16-ALKYL SULFATES	Dermal	Rat	LD50 > 2,000 mg/kg
SODIUM MONO-C10-16-ALKYL SULFATES	Ingestion	Rat	LD50 1,800 mg/kg
SODIUM NITRATE	Ingestion	Rat	LD50 180 mg/kg
MORPHOLINE	Dermal	Rabbit	LD50 500 mg/kg
MORPHOLINE	Inhalation-Vapor	Rat	LC50 estimated to be 10 - 20 mg/l
MORPHOLINE	Ingestion	Rat	LD50 1,680 mg/kg
LAURYLDIMETHYLAMINE OXIDE	Dermal	similar compounds	LD50 > 2,000 mg/kg
LAURYLDIMETHYLAMINE OXIDE	Ingestion	similar compounds	LD50 1,064 mg/kg

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

Name	Species	Value
ISOBUTANE	Professional judgement	No significant irritation
SODIUM MONO-C10-16-ALKYL SULFATES	Rabbit	Irritant
SODIUM NITRATE	Rabbit	No significant irritation
MORPHOLINE	Rabbit	Corrosive
LAURYLDIMETHYLAMINE OXIDE	similar compounds	Irritant

**Serious Eye Damage/Irritation**

Name	Species	Value
ISOBUTANE	Professional judgement	No significant irritation
SODIUM MONO-C10-16-ALKYL SULFATES	Rabbit	Corrosive
SODIUM NITRATE	Rabbit	Severe irritant
MORPHOLINE	Rabbit	Corrosive
LAURYLDIMETHYLAMINE OXIDE	similar compounds	Corrosive

**Sensitization:**

**Skin Sensitization**

Name	Species	Value
SODIUM MONO-C10-16-ALKYL SULFATES	Guinea pig	Not classified
MORPHOLINE	Guinea pig	Not classified

LAURYL DIMETHYLAMINE OXIDE	Guinea pig	Not classified
----------------------------	------------	----------------

### Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

### Germ Cell Mutagenicity

Name	Route	Value
ISOBUTANE	In Vitro	Not mutagenic
SODIUM MONO-C10-16-ALKYL SULFATES	In Vitro	Not mutagenic
SODIUM NITRATE	In Vitro	Some positive data exist, but the data are not sufficient for classification
SODIUM NITRATE	In vivo	Some positive data exist, but the data are not sufficient for classification
MORPHOLINE	In Vitro	Some positive data exist, but the data are not sufficient for classification
MORPHOLINE	In vivo	Some positive data exist, but the data are not sufficient for classification
LAURYL DIMETHYLAMINE OXIDE	In Vitro	Not mutagenic

### Carcinogenicity

Name	Route	Species	Value
SODIUM NITRATE	Ingestion	Multiple animal species	Some positive data exist, but the data are not sufficient for classification
MORPHOLINE	Ingestion	Multiple animal species	Not carcinogenic
MORPHOLINE	Inhalation	Rat	Not carcinogenic

### Reproductive Toxicity

#### Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
SODIUM MONO-C10-16-ALKYL SULFATES	Ingestion	Not classified for development	Rat	NOAEL 250 mg/kg/day	during organogenesis
SODIUM NITRATE	Ingestion	Not classified for female reproduction	Mouse	NOAEL 425 mg/kg/day	2 generation
SODIUM NITRATE	Ingestion	Not classified for male reproduction	Mouse	NOAEL 425 mg/kg/day	2 generation
SODIUM NITRATE	Ingestion	Not classified for development	Rat	NOAEL 50 mg/kg/day	gestation into lactation
MORPHOLINE	Ingestion	Not classified for development		NA	
MORPHOLINE	Ingestion	Toxic to male reproduction	similar compounds	NOAEL 60 mg/kg/day	2 generation

### Target Organ(s)

#### Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
ISOBUTANE	Inhalation	cardiac sensitization	Causes damage to organs	Multiple animal species	NOAEL Not available	
ISOBUTANE	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human and animal	NOAEL Not available	
ISOBUTANE	Inhalation	respiratory irritation	Not classified	Mouse	NOAEL Not available	
SODIUM MONO-C10-16-	Inhalation	respiratory irritation	Some positive data exist, but the	similar	NOAEL not	



ALKYL SULFATES			data are not sufficient for classification	health hazards	available	
SODIUM NITRATE	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
SODIUM NITRATE	Ingestion	methemoglobinemia	Causes damage to organs	Human	NOAEL Not available	
MORPHOLINE	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
LAURYLDIMETHYLAMINE OXIDE	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not Available	

**Specific Target Organ Toxicity - repeated exposure**

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
ISOBUTANE	Inhalation	kidney and/or bladder	Not classified	Rat	NOAEL 4,500 ppm	13 weeks
SODIUM NITRATE	Ingestion	skin   gastrointestinal tract   hematopoietic system   eyes   kidney and/or bladder   heart   endocrine system   bone, teeth, nails, and/or hair   liver   immune system   muscles   nervous system   respiratory system	Not classified	Rat	NOAEL 310 mg/kg/day	14 weeks
MORPHOLINE	Dermal	liver   kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Guinea pig	LOAEL 900 mg/kg/day	13 days
MORPHOLINE	Dermal	hematopoietic system	Not classified	Guinea pig	NOAEL 900 mg/kg/day	13 days
MORPHOLINE	Inhalation	eyes	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure
MORPHOLINE	Inhalation	pulmonary fibrosis	May cause damage to organs though prolonged or repeated exposure	Rat	NOAEL 0.09 mg/l	13 weeks
MORPHOLINE	Inhalation	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 64 mg/l	5 days
MORPHOLINE	Inhalation	liver	Not classified	Rat	LOAEL 64 mg/l	5 days
MORPHOLINE	Inhalation	heart   endocrine system	Not classified	Rat	NOAEL 0.9 mg/l	13 weeks
MORPHOLINE	Inhalation	gastrointestinal tract   nervous system	Not classified	Rat	NOAEL 0.53 mg/l	104 weeks
MORPHOLINE	Ingestion	kidney and/or bladder	May cause damage to organs though prolonged or repeated exposure	Rat	LOAEL 160 mg/kg/day	30 days
MORPHOLINE	Ingestion	liver   respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 160 mg/kg/day	30 days
MORPHOLINE	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 800 mg/kg/day	30 days
MORPHOLINE	Ingestion	endocrine system	Not classified	Rat	NOAEL 323 mg/kg/day	4 weeks
LAURYLDIMETHYLAMINE OXIDE	Ingestion	eyes	Some positive data exist, but the data are not sufficient for classification	similar compounds	NOAEL 88 mg/kg/day	90 days

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

## SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labeling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

### 12.1. Toxicity

#### Acute aquatic hazard:

GHS Acute 3: Harmful to aquatic life.

#### Chronic aquatic hazard:

Not chronically toxic to aquatic life by GHS criteria.

No product test data available

Material	Cas #	Organism	Type	Exposure	Test Endpoint	Test Result
ISOBUTANE	75-28-5	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
STYRENE-MALEIC ANHYDRIDE COPOLYMER	26022-09-3	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
SODIUM MONO-C10-16-ALKYL SULFATES	68585-47-7	Green algae	Experimental	72 hours	EC50	>20 mg/l
SODIUM MONO-C10-16-ALKYL SULFATES	68585-47-7	Rainbow Trout	Experimental	96 hours	LC50	3.6 mg/l
SODIUM MONO-C10-16-ALKYL SULFATES	68585-47-7	Water flea	Experimental	48 hours	EC50	4.7 mg/l
SODIUM MONO-C10-16-ALKYL SULFATES	68585-47-7	Fathead Minnow	Estimated	42 days	NOEC	1.4 mg/l
SODIUM MONO-C10-16-ALKYL SULFATES	68585-47-7	Water flea	Estimated	7 days	EC50	0.88 mg/l
SODIUM MONO-C10-16-ALKYL SULFATES	68585-47-7	Green algae	Experimental	72 hours	EC10	5.4 mg/l
LAURYL DIMETHYLAMINE OXIDE	1643-20-5	Green algae	Experimental	72 hours	ErC50	0.11 mg/l
LAURYL DIMETHYLAMINE OXIDE	1643-20-5	Medaka	Experimental	96 hours	LC50	30 mg/l
LAURYL DIMETHYLAMINE OXIDE	1643-20-5	Water flea	Experimental	48 hours	EC50	2.2 mg/l
LAURYL DIMETHYLAMINE OXIDE	1643-20-5	Fathead Minnow	Experimental	302 days	NOEC	0.42 mg/l
LAURYL DIMETHYLAMINE OXIDE	1643-20-5	Green algae	Experimental	72 hours	NOEC	0.0049 mg/l
LAURYL DIMETHYLAMINE OXIDE	1643-20-5	Water flea	Experimental	21 days	NOEC	0.36 mg/l
MORPHOLINE	110-91-8	Activated sludge	Experimental	30 minutes	EC20	>1,000 mg/l
MORPHOLINE	110-91-8	Fish	Experimental	96 hours	LC50	100 mg/l

MORPHOLINE	110-91-8	Green algae	Experimental	96 hours	ErC50	28 mg/l
MORPHOLINE	110-91-8	Rainbow Trout	Experimental	96 hours	LC50	180 mg/l
MORPHOLINE	110-91-8	Water flea	Experimental	48 hours	EC50	45 mg/l
MORPHOLINE	110-91-8	Green algae	Experimental	96 hours	NOEC	10 mg/l
MORPHOLINE	110-91-8	Water flea	Experimental	21 days	NOEC	5 mg/l
SODIUM NITRATE	7632-00-0	Green algae	Experimental	72 hours	EC50	>100 mg/l
SODIUM NITRATE	7632-00-0	Invertebrate	Experimental	48 hours	LC50	37 mg/l
SODIUM NITRATE	7632-00-0	Rainbow Trout	Experimental	96 hours	LC50	0.9 mg/l
SODIUM NITRATE	7632-00-0	Fathead Minnow	Estimated	32 days	NOEC	3.1 mg/l

## 12.2. Persistence and degradability

Material	CAS No.	Test Type	Duration	Study Type	Test Result	Protocol
ISOBUTANE	75-28-5	Experimental Photolysis		Photolytic half-life (in air)	13.4 days (t 1/2)	
STYRENE-MALEIC ANHYDRIDE COPOLYMER	26022-09-3	Data not available/insufficient	N/A	N/A	N/A	N/A
SODIUM MONO-C10-16-ALKYL SULFATES	68585-47-7	Experimental Biodegradation	28 days	Percent degraded	96 %degraded	OECD 301D - Closed Bottle Test
LAURYL DIMETHYLAMINE OXIDE	1643-20-5	Experimental Biodegradation	28 days	Carbon dioxide evolution	95.27 %CO2 evolution/THCO2 evolution	OECD 301B - Mod. Sturm or CO2
MORPHOLINE	110-91-8	Experimental Biodegradation	28 days	Dissolv. Organic Carbon Deplet	93 %removal of DOC	OECD 301E - Modif. OECD Screen
MORPHOLINE	110-91-8	Experimental Biodegradation	31 days	Dissolv. Organic Carbon Deplet	98 %removal of DOC	OECD 302B Zahn-Wellens/EVPA
SODIUM NITRATE	7632-00-0	Data not available/insufficient	N/A	N/A	N/A	N/A

## 12.3. Bioaccumulative potential

Material	CAS No.	Test Type	Duration	Study Type	Test Result	Protocol
ISOBUTANE	75-28-5	Experimental Bioconcentration		Log of Octanol/H2O part. coeff	2.76	
STYRENE-MALEIC ANHYDRIDE COPOLYMER	26022-09-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
SODIUM MONO-C10-16-ALKYL SULFATES	68585-47-7	Experimental Bioconcentration		Log of Octanol/H2O part. coeff	0.78	
LAURYL DIMETHYLAMINE OXIDE	1643-20-5	Estimated Bioconcentration		Log of Octanol/H2O part. coeff	1.85	
MORPHOLINE	110-91-8	Experimental BCF - Fish	42 days	Bioaccumulation Factor	<2.8	OECD305-Bioconcentration
MORPHOLINE	110-91-8	Experimental Bioconcentration		Log of Octanol/H2O part. coeff	-2.55	OECD 107 log Kow shke flsk mtd
SODIUM NITRATE	7632-00-0	Experimental Bioconcentration		Log of Octanol/H2O part. coeff	-3.7	OECD 107 log Kow shke flsk mtd

#### 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5 Other adverse effects

No information available

The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

According to the Environmental Quality (Scheduled Wastes) Regulations 2005, scheduled waste has to be sent to a prescribed premise for recycling, treatment or disposal. Please approach Kualiti Alam for proper schedule waste classification and disposal.

## SECTION 14: Transport Information

### Marine Transport (IMDG)

**UN Number:**UN1950

**Proper Shipping Name:**AEROSOLS, NON-FLAMMABLE

**Technical Name:**None assigned.

**Hazard Class/Division:**2.2

**Subsidiary Risk:**None assigned.

**Packing Group:**None assigned.

**Limited Quantity:**Yes

**Marine Pollutant:** None assigned.

**Marine Pollutant Technical Name:** None assigned.

**Other Dangerous Goods Descriptions:**

None assigned.

### Air Transport (IATA)

**UN Number:**UN1950

**Proper Shipping Name:**AEROSOLS, NON-FLAMMABLE

**Technical Name:**None assigned.

**Hazard Class/Division:**2.2

**Subsidiary Risk:**None assigned.

**Packing Group:**None assigned.

**Limited Quantity:**None assigned.

**Marine Pollutant:** None assigned.

**Marine Pollutant Technical Name:** None assigned.

**Other Dangerous Goods Descriptions:**

None assigned.

Transportation classifications are provided as a customer service. As for shipping, YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. 3M's transportation classifications are based on product formulation, packaging, 3M policies and 3M's understanding of applicable current regulations. 3M does not guarantee the accuracy of this classification information. This information applies only to transportation classification and not the packaging, labeling or marking requirements. The above information is only for reference. If you are shipping by air or ocean, YOU are advised to check & meet applicable regulatory requirements.

## **SECTION 15: Regulatory information**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **Global inventory status**

Contact 3M for more information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

## **SECTION 16: Other information**

DISCLAIMER: The information in this Safety Data Sheet (SDS) is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this SDS or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own evaluation to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into Malaysia, you are responsible for all applicable regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration/notification.

**3M Malaysia SDSs are available at [www.3M.com.my](http://www.3M.com.my)**