



Safety Data Sheet

Copyright, 2026, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|------------------------|------------|-------------------------|------------|
| Document group: | 34-4961-8 | Version number: | 6.03 |
| Revision date: | 13/04/2026 | Supersedes date: | 17/09/2025 |

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006) as amended by Regulation (EU) 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3M™ Finesse-it™ Polish - Final Finish [105]

Product Identification Numbers

60-4402-4234-9

7100075470

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Abrasive Product

1.3. Details of the supplier of the safety data sheet

Address: 3M Ireland Limited, 70 SIR JOHN ROGERSON'S QUAY, D02R296 DUBLIN 2
Telephone: +353 1 280 3555
E Mail: ner-productstewardship@mmm.com
Website: www.3M.com

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

Aspiration hazard classification does not apply due to the kinematic viscosity of the product.

CLASSIFICATION:

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

Not applicable

SUPPLEMENTAL INFORMATION:**Supplemental Hazard Statements:**

| | |
|--------|--|
| EUH066 | Repeated exposure may cause skin dryness or cracking. |
| EUH210 | Safety data sheet available on request. |
| EUH208 | Contains 1,2-benzisothiazol-3(2H)-one. Alkylolammonium Salt. May produce an allergic reaction. |

2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

SECTION 3: Composition/information on ingredients**3.1. Substances**

Not applicable

3.2. Mixtures

| Ingredient | Identifier(s) | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|-----------|--|
| Water | (CAS-No.) 7732-18-5 (EC-No.) 231-791-2 | 45 - 60 | Substance not classified as hazardous |
| Aluminum Oxide Mineral (non-fibrous) | (CAS-No.) 1344-28-1 (EC-No.) 215-691-6 (REACH-No.) 01-2119529248-35 | 10 - 20 | Substance with a national occupational exposure limit |
| Hydrocarbons, C11-C12, isoalkanes, <2% aromatics | (EC-No.) 918-167-1 (REACH-No.) 01-2119472146-39 | < 15 | Flam. Liq. 3, H226 Asp. Tox. 1, H304 EUH066 |
| Glycerin | (CAS-No.) 56-81-5 (EC-No.) 200-289-5 | 5 - 15 | Substance with a national occupational exposure limit |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | (EC-No.) 926-141-6 (REACH-No.) 01-2119456620-43 | < 10 | Asp. Tox. 1, H304 EUH066 |
| Mineral Oil | (CAS-No.) 8042-47-5 (EC-No.) 232-455-8 (REACH-No.) 01-2119487078-27 | 1 - 5 | Asp. Tox. 1, H304 |
| morpholine | (CAS-No.) 110-91-8 (EC-No.) 203-815-1 | 0.1 - 0.8 | Flam. Liq. 3, H226 Acute Tox. 3, H311 Acute Tox. 4, H332 Acute Tox. 4, H302 |

| | | | |
|------------------------------|---|-----------|--|
| | | | Skin Corr. 1B, H314 Eye Dam. 1, H318 Repr. 2, H361f |
| Alkylolammonium Salt | (EC-No.) 701-048-1 | 0.1 - 0.2 | Skin Sens. 1B, H317 |
| 1,2-benzisothiazol-3(2H)-one | (CAS-No.) 2634-33-5 (EC-No.) 220-120-9 | < 0.03 | Acute Tox. 2, H330(LC50 = 0.21 mg/l ATE values per Annex VI) Acute Tox. 4, H302(LD50 = 450 mg/kg ATE values per Annex VI) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400,M=1 Aquatic Chronic 1, H410,M=1 |

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance.
Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

| Ingredient | Identifier(s) | Specific Concentration Limits |
|------------------------------|---|-----------------------------------|
| 1,2-benzisothiazol-3(2H)-one | (CAS-No.) 2634-33-5 (EC-No.) 220-120-9 | (C >= 0.036%) Skin Sens. 1A, H317 |

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eye contact

If exposed, flush eyes with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms develop, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the CLP classification include:
Dermal defatting (localized redness, itching, drying and cracking of skin).

4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS. Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

Keep from freezing. Store away from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | CAS Nbr | Agency | Limit type | Additional comments |
|---|-----------|--------------|---|---------------------|
| morpholine | 110-91-8 | Ireland OELs | TWA(8 hours):36 mg/m ³ (10 ppm);STEL(15 minutes):72 mg/m ³ (20 ppm) | SKIN |
| Aluminum Oxide Mineral (non-fibrous) | 1344-28-1 | Ireland OELs | TWA(Total inhalable dust)(8 hours):10 mg/m ³ ;TWA(as respirable dust)(8 hours):4 mg/m ³ | |
| Dusts non-specific | 56-81-5 | Ireland OELs | TWA(Total inhalable dust)(8 hours):10 mg/m ³ ;TWA(as respirable dust)(8 hours):4 mg/m ³ | |
| Mineral oil Pure, Highly & Severely Refined | 8042-47-5 | Ireland OELs | TWA(inhalable fraction)(8 hours):5 mg/m ³ | |

Ireland OELs : Ireland. OELs
TWA: Time-Weighted-Average
STEL: Short Term Exposure Limit
CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

Recommended monitoring procedures:Information on recommended monitoring procedures can be obtained from Indust. Inspect./Ministry (IE)

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

| Material | Thickness (mm) | Breakthrough Time |
|------------------|-------------------|-------------------|
| Polymer laminate | No data available | No data available |

When only incidental contact is anticipated, alternative glove material(s) may be used. If contact with the glove does occur, remove immediately and replace with a set of new gloves. For incidental contact, gloves made of the following material(s) may be used:Nitrile rubber.

Applicable Norms/Standards

Use gloves tested to EN 374

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|----------------------------------|
| Physical state | Liquid. |
| Colour | Grey |
| Odor | Slight Solvent |
| Odour threshold | <i>No data available.</i> |
| Melting point/freezing point | <i>No data available.</i> |
| Boiling point/boiling range | approximately 100 °C |
| Flammability | Not applicable. |
| Flammable Limits(LEL) | <i>Not applicable.</i> |
| Flammable Limits(UEL) | <i>Not applicable.</i> |
| Flash point | Flash point > 93 °C (200 °F) |
| Autoignition temperature | <i>Not applicable.</i> |
| Decomposition temperature | <i>No data available.</i> |
| pH | 8.3 - 8.7 |
| Kinematic Viscosity | 14,451 mm ² /sec |
| Water solubility | Negligible |
| Solubility- non-water | <i>No data available.</i> |
| Partition coefficient: n-octanol/water | <i>No data available.</i> |
| Vapour pressure | <i>No data available.</i> |
| Density | 1 - 1.1 kg/l |
| Relative density | 1.014 - 1.062 [Ref Std: WATER=1] |
| Relative Vapour Density | 1 [Ref Std: AIR=1] |
| Particle Characteristics | <i>Not applicable.</i> |

9.2. Other information

9.2.2 Other safety characteristics

| | |
|-------------------------------|---|
| EU Volatile Organic Compounds | <i>No data available.</i> |
| Evaporation rate | 1 [Ref Std: ETHER=1] |
| Molecular weight | <i>No data available.</i> |
| Percent volatile | 75.6 % weight [Details: Calculated including water] |

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| Carbon monoxide | Not specified. |
| Carbon dioxide. | Not specified. |

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Mild Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|--|--------------------------------|------------------------|--|
| Overall product | Inhalation-Vapour(4 hr) | | No data available; calculated ATE >50 mg/l |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Aluminum Oxide Mineral (non-fibrous) | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Aluminum Oxide Mineral (non-fibrous) | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 2.3 mg/l |
| Aluminum Oxide Mineral (non-fibrous) | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Hydrocarbons, C11-C12, isoalkanes, <2% aromatics | Dermal | similar compounds | LD50 > 5,000 mg/kg |
| Hydrocarbons, C11-C12, isoalkanes, <2% aromatics | Ingestion | similar compounds | LD50 > 5,000 mg/kg |
| Glycerin | Dermal | Rabbit | LD50 estimated to be > 5,000 mg/kg |
| Glycerin | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Ingestion | Rat | LD50 > 15,000 mg/kg |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Dermal | similar compounds | LD50 > 5,000 mg/kg |
| Mineral Oil | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| Mineral Oil | Ingestion | Rat | LD50 > 5,000 mg/kg |
| morpholine | Dermal | Rabbit | LD50 500 mg/kg |
| morpholine | Inhalation-Vapour | Rat | LC50 estimated to be 10 - 20 mg/l |
| morpholine | Ingestion | Rat | LD50 1,680 mg/kg |
| Alkyloammonium Salt | Ingestion | Rat | LD50 > 5,385 mg/kg |
| Alkyloammonium Salt | Dermal | similar health hazards | LD50 estimated to be > 5,000 mg/kg |
| 1,2-benzisothiazol-3(2H)-one | Dermal | Rat | LD50 > 2,000 mg/kg |
| 1,2-benzisothiazol-3(2H)-one | Inhalation-Dust/Mist (4 hours) | Rat | LC50 0.21 mg/l |
| 1,2-benzisothiazol-3(2H)-one | Ingestion | Rat | LD50 450 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|--|-------------------|---------------------------|
| Aluminum Oxide Mineral (non-fibrous) | Rabbit | No significant irritation |
| Hydrocarbons, C11-C12, isoalkanes, <2% aromatics | similar compounds | Mild irritant |
| Glycerin | Rabbit | No significant irritation |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | similar compounds | Mild irritant |
| Mineral Oil | Rabbit | No significant irritation |
| morpholine | Rabbit | Corrosive |
| Alkyloammonium Salt | Rabbit | No significant irritation |
| 1,2-benzisothiazol-3(2H)-one | Human | Irritant |

Serious Eye Damage/Irritation

| Name | Species | Value |
|--|---------|---------------------------|
| Aluminum Oxide Mineral (non-fibrous) | Rabbit | No significant irritation |
| Hydrocarbons, C11-C12, isoalkanes, <2% aromatics | similar | No significant irritation |

| | | |
|--|-------------------|---------------------------|
| | compounds | |
| Glycerin | Rabbit | No significant irritation |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | similar compounds | No significant irritation |
| Mineral Oil | Rabbit | Mild irritant |
| morpholine | Rabbit | Corrosive |
| Alkyloammonium Salt | Rabbit | No significant irritation |
| 1,2-benzisothiazol-3(2H)-one | Rabbit | Corrosive |

Skin Sensitisation

| Name | Species | Value |
|--|-------------------|----------------|
| Hydrocarbons, C11-C12, isoalkanes, <2% aromatics | similar compounds | Not classified |
| Glycerin | Guinea pig | Not classified |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | similar compounds | Not classified |
| Mineral Oil | Guinea pig | Not classified |
| morpholine | Guinea pig | Not classified |
| Alkyloammonium Salt | Mouse | Sensitising |
| 1,2-benzisothiazol-3(2H)-one | Human | Sensitising |

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|--|----------|--|
| Aluminum Oxide Mineral (non-fibrous) | In Vitro | Not mutagenic |
| Hydrocarbons, C11-C12, isoalkanes, <2% aromatics | In Vitro | Not mutagenic |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | In Vitro | Not mutagenic |
| Mineral Oil | In Vitro | Not mutagenic |
| morpholine | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| morpholine | In vivo | Some positive data exist, but the data are not sufficient for classification |
| Alkyloammonium Salt | In Vitro | Not mutagenic |
| 1,2-benzisothiazol-3(2H)-one | In vivo | Not mutagenic |
| 1,2-benzisothiazol-3(2H)-one | In Vitro | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|--------------------------------------|------------|-------------------------|--|
| Aluminum Oxide Mineral (non-fibrous) | Inhalation | Rat | Not carcinogenic |
| Glycerin | Ingestion | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Mineral Oil | Dermal | Mouse | Not carcinogenic |
| Mineral Oil | Inhalation | Multiple animal species | Not carcinogenic |
| morpholine | Ingestion | Multiple animal species | Not carcinogenic |
| morpholine | Inhalation | Rat | Not carcinogenic |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test result | Exposure Duration |
|------------------------------|-----------|--|--------------------------|-----------------------------|---------------------------------|
| Glycerin | Ingestion | Not classified for female reproduction | Rat | NOAEL 2,000 mg/kg/day | 2 generation |
| Glycerin | Ingestion | Not classified for male reproduction | Rat | NOAEL 2,000 mg/kg/day | 2 generation |
| Glycerin | Ingestion | Not classified for development | Rat | NOAEL 2,000 mg/kg/day | 2 generation |
| Mineral Oil | Ingestion | Not classified for female reproduction | Rat | NOAEL 4,350 mg/kg/day | 13 weeks |
| Mineral Oil | Ingestion | Not classified for male reproduction | Rat | NOAEL 4,350 mg/kg/day | 13 weeks |
| Mineral Oil | Ingestion | Not classified for development | Rat | NOAEL 4,350 mg/kg/day | during gestation |
| morpholine | Ingestion | Toxic to male reproduction | similar compoun ds | NOAEL 60 mg/kg/day | 2 generation |
| Alkylolammonium Salt | Ingestion | Not classified for female reproduction | Rat | NOAEL 1,000 mg/kg/day | premat ing into lactation |
| Alkylolammonium Salt | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,000 mg/kg/day | 28 days |
| Alkylolammonium Salt | Ingestion | Not classified for development | Rat | NOAEL 1,000 mg/kg/day | gestation into lactation |
| 1,2-benzisothiazol-3(2H)-one | Ingestion | Not classified for female reproduction | Rat | NOAEL 112 mg/kg/day | 2 generation |
| 1,2-benzisothiazol-3(2H)-one | Ingestion | Not classified for male reproduction | Rat | NOAEL 112 mg/kg/day | 2 generation |
| 1,2-benzisothiazol-3(2H)-one | Ingestion | Not classified for development | Rat | NOAEL 112 mg/kg/day | 2 generation |

Target Organ(s)**Specific Target Organ Toxicity - single exposure**

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|--|------------|------------------------|--|------------------------|---------------------|-------------------|
| Hydrocarbons, C11-C12, isoalkanes, <2% aromatics | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |
| morpholine | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |
| 1,2-benzisothiazol-3(2H)-one | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|--------------------------------------|------------|--------------------|--|---------|---------------------|-----------------------|
| Aluminum Oxide Mineral (non-fibrous) | Inhalation | pneumoconiosis | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | occupational exposure |
| Aluminum Oxide Mineral | Inhalation | pulmonary fibrosis | Not classified | Human | NOAEL Not | occupational |

| (non-fibrous) | | | | | available | exposure |
|--|------------|--|--|------------|------------------------|-----------------------|
| Glycerin | Inhalation | respiratory system heart liver kidney and/or bladder | Not classified | Rat | NOAEL 3.91 mg/l | 14 days |
| Glycerin | Ingestion | endocrine system hematopoietic system liver kidney and/or bladder | Not classified | Rat | NOAEL 10,000 mg/kg/day | 2 years |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Inhalation | liver | Not classified | Rat | NOAEL 6 mg/l | 13 weeks |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Inhalation | kidney and/or bladder | Not classified | Rat | LOAEL 1.5 mg/l | 13 weeks |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Inhalation | hematopoietic system | Not classified | Rat | NOAEL 6 mg/l | 13 weeks |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Ingestion | liver | Not classified | Rat | NOAEL 1,000 mg/kg/day | 13 weeks |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Ingestion | kidney and/or bladder | Not classified | Rat | LOAEL 100 mg/kg/day | 13 weeks |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Ingestion | hematopoietic system eyes | Not classified | Rat | NOAEL 1,000 mg/kg/day | 13 weeks |
| Mineral Oil | Ingestion | hematopoietic system | Not classified | Rat | NOAEL 1,381 mg/kg/day | 90 days |
| Mineral Oil | Ingestion | liver immune system | Not classified | Rat | NOAEL 1,336 mg/kg/day | 90 days |
| morpholine | Dermal | liver kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Guinea pig | LOAEL 900 mg/kg/day | 13 days |
| morpholine | Dermal | hematopoietic system | Not classified | Guinea pig | NOAEL 900 mg/kg/day | 13 days |
| morpholine | Inhalation | eyes | Causes damage to organs through prolonged or repeated exposure | Human | NOAEL Not available | occupational exposure |
| morpholine | Inhalation | pulmonary fibrosis | May cause damage to organs though prolonged or repeated exposure | Rat | NOAEL 0.09 mg/l | 13 weeks |
| morpholine | Inhalation | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 64 mg/l | 5 days |
| morpholine | Inhalation | liver | Not classified | Rat | LOAEL 64 mg/l | 5 days |
| morpholine | Inhalation | heart endocrine system | Not classified | Rat | NOAEL 0.9 mg/l | 13 weeks |
| morpholine | Inhalation | gastrointestinal tract nervous system | Not classified | Rat | NOAEL 0.53 mg/l | 104 weeks |
| morpholine | Ingestion | kidney and/or bladder | May cause damage to organs though prolonged or repeated exposure | Rat | LOAEL 160 mg/kg/day | 30 days |
| morpholine | Ingestion | liver respiratory system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 160 mg/kg/day | 30 days |
| morpholine | Ingestion | hematopoietic system | Not classified | Rat | NOAEL 800 mg/kg/day | 30 days |
| morpholine | Ingestion | endocrine system | Not classified | Rat | NOAEL 323 mg/kg/day | 4 weeks |
| Alkylolammonium Salt | Ingestion | hematopoietic system heart endocrine system gastrointestinal tract bone, teeth, nails, and/or hair liver | Not classified | Rat | NOAEL 1,000 mg/kg/day | 35 days |

| | | | | | | |
|------------------------------|-----------|--|----------------|-----|---------------------|---------|
| | | immune system muscles nervous system eyes kidney and/or bladder respiratory system | | | | |
| 1,2-benzisothiazol-3(2H)-one | Ingestion | liver hematopoietic system eyes kidney and/or bladder respiratory system | Not classified | Rat | NOAEL 322 mg/kg/day | 90 days |
| 1,2-benzisothiazol-3(2H)-one | Ingestion | heart endocrine system nervous system | Not classified | Rat | NOAEL 150 mg/kg/day | 28 days |

Aspiration Hazard

| Name | Value |
|--|-------------------|
| Hydrocarbons, C11-C12, isoalkanes, <2% aromatics | Aspiration hazard |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | Aspiration hazard |
| Mineral Oil | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

| Material | CAS # | Organism | Type | Exposure | Test endpoint | Test result |
|--|-----------|---------------|--------------------|----------|---------------|-------------|
| Aluminum Oxide Mineral (non-fibrous) | 1344-28-1 | N/A | Experimental | 96 hours | LC50 | >100 mg/l |
| Aluminum Oxide Mineral (non-fibrous) | 1344-28-1 | Green algae | Experimental | 72 hours | EC50 | >100 mg/l |
| Aluminum Oxide Mineral (non-fibrous) | 1344-28-1 | Water flea | Experimental | 48 hours | LC50 | >100 mg/l |
| Aluminum Oxide Mineral (non-fibrous) | 1344-28-1 | Green algae | Experimental | 72 hours | NOEC | >100 mg/l |
| Glycerin | 56-81-5 | Rainbow trout | Experimental | 96 hours | LC50 | 54,000 mg/l |
| Glycerin | 56-81-5 | Water flea | Experimental | 48 hours | LC50 | 1,955 mg/l |
| Glycerin | 56-81-5 | Bacteria | Experimental | 16 hours | NOEC | 10,000 mg/l |
| Hydrocarbons, C11-C12, isoalkanes, <2% aromatics | 918-167-1 | Green algae | Analogous Compound | 72 hours | EL50 | >1,000 mg/l |
| Hydrocarbons, C11-C12, isoalkanes, <2% aromatics | 918-167-1 | Rainbow trout | Analogous Compound | 96 hours | LL50 | >1,000 mg/l |
| Hydrocarbons, C11-C12, isoalkanes, <2% | 918-167-1 | Water flea | Analogous Compound | 48 hours | EL50 | >1,000 mg/l |

3M™ Finesse-it™ Polish - Final Finish [105]

| | | | | | | |
|--|-----------|-------------------|--------------------|------------|--------------------------------|-------------|
| aromatics | | | | | | |
| Hydrocarbons, C11-C12, isoalkanes, <2% aromatics | 918-167-1 | Fathead minnow | Analogous Compound | 32 days | NOEL | >100 mg/l |
| Hydrocarbons, C11-C12, isoalkanes, <2% aromatics | 918-167-1 | Green algae | Analogous Compound | 72 hours | NOEL | 1,000 mg/l |
| Hydrocarbons, C11-C12, isoalkanes, <2% aromatics | 918-167-1 | Water flea | Experimental | 21 days | NOEL | >1 mg/l |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Green algae | Experimental | 72 hours | EL50 | >1,000 mg/l |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Rainbow trout | Experimental | 96 hours | LL50 | >1,000 mg/l |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Water flea | Experimental | 48 hours | EL50 | >1,000 mg/l |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Green algae | Experimental | 72 hours | NOEL | 1,000 mg/l |
| Mineral Oil | 8042-47-5 | Water flea | Analogous Compound | 48 hours | EL50 | >100 mg/l |
| Mineral Oil | 8042-47-5 | Bluegill | Experimental | 96 hours | LL50 | >100 mg/l |
| Mineral Oil | 8042-47-5 | Green algae | Analogous Compound | 72 hours | NOEL | 100 mg/l |
| Mineral Oil | 8042-47-5 | Water flea | Analogous Compound | 21 days | NOEL | >100 mg/l |
| morpholine | 110-91-8 | Activated sludge | Experimental | 30 minutes | EC20 | >1,000 mg/l |
| morpholine | 110-91-8 | Fish | Experimental | 96 hours | LC50 | 100 mg/l |
| morpholine | 110-91-8 | Green algae | Experimental | 96 hours | ErC50 | 28 mg/l |
| morpholine | 110-91-8 | Rainbow trout | Experimental | 96 hours | LC50 | 180 mg/l |
| morpholine | 110-91-8 | Water flea | Experimental | 48 hours | EC50 | 45 mg/l |
| morpholine | 110-91-8 | Green algae | Experimental | 96 hours | NOEC | 10 mg/l |
| morpholine | 110-91-8 | Water flea | Experimental | 21 days | NOEC | 5 mg/l |
| Alkylolammonium Salt | 701-048-1 | Green algae | Experimental | 72 hours | EL50 | 105 mg/l |
| Alkylolammonium Salt | 701-048-1 | Rainbow trout | Experimental | 96 hours | No tox obs at lmt of water sol | >100 mg/l |
| Alkylolammonium Salt | 701-048-1 | Water flea | Experimental | 48 hours | No tox obs at lmt of water sol | >100 mg/l |
| Alkylolammonium Salt | 701-048-1 | Green algae | Experimental | 72 hours | EL10 | 40 mg/l |
| Alkylolammonium Salt | 701-048-1 | Water flea | Experimental | 21 days | No tox obs at lmt of water sol | >100 mg/l |
| Alkylolammonium Salt | 701-048-1 | Activated sludge | Experimental | 3 hours | EC50 | >1,000 mg/l |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | Green algae | Experimental | 72 hours | ErC50 | 0.11 mg/l |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | Rainbow trout | Experimental | 96 hours | LC50 | 1.6 mg/l |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | Sheepshead Minnow | Experimental | 96 hours | LC50 | 16.7 mg/l |

| | | | | | | |
|------------------------------|-----------|------------------|--------------|----------|------|-----------------------------|
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | Water flea | Experimental | 48 hours | EC50 | 2.9 mg/l |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | Green algae | Experimental | 72 hours | NOEC | 0.0403 mg/l |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | Activated sludge | Experimental | 3 hours | EC50 | 12.8 mg/l |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | Bobwhite quail | Experimental | 14 days | LD50 | 617 mg per kg of bodyweight |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | Cabbage | Experimental | 14 days | EC50 | 200 mg/kg (Dry Weight) |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | Redworm | Experimental | 14 days | LC50 | >410.6 mg/kg (Dry Weight) |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | Soil microbes | Experimental | 28 days | EC50 | >811.5 mg/kg (Dry Weight) |

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|--|-----------|--|----------|--------------------------------|----------------------------------|-------------------------------------|
| Aluminum Oxide Mineral (non-fibrous) | 1344-28-1 | Data not available/insufficient | N/A | N/A | N/A | N/A |
| Glycerin | 56-81-5 | Experimental Biodegradation | 14 days | BOD | 63 %BOD/ThOD | OECD 301C - MITI test (I) |
| Hydrocarbons, C11-C12, isoalkanes, <2% aromatics | 918-167-1 | Analogous Compound Biodegradation | 28 days | BOD | 31.3 %BOD/ThOD | similar to OECD 301F |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Experimental Biodegradation | 28 days | BOD | 69 %BOD/ThOD | OECD 301F - Manometric respirometry |
| Mineral Oil | 8042-47-5 | Experimental Biodegradation | 28 days | CO2 evolution | 0 %CO2 evolution/ThCO2 evolution | OECD 301B - Modified sturm or CO2 |
| morpholine | 110-91-8 | Experimental Biodegradation | 28 days | Dissolv. Organic Carbon Deplet | 93 %removal of DOC | OECD 301E - Modif. OECD Screen |
| morpholine | 110-91-8 | Experimental Biodegradation | 31 days | Dissolv. Organic Carbon Deplet | 98 %removal of DOC | OECD 302B Zahn-Wellens/EVPA |
| Alkylolammonium Salt | 701-048-1 | Experimental Biodegradation | 28 days | BOD | 23 %BOD/ThOD | OECD 301F - Manometric respirometry |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | Experimental Biodegradation | 28 days | BOD | 0 %BOD/ThOD | OECD 301C - MITI test (I) |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | Experimental Aquatic Inherent Biodegrad. | 34 days | Dissolv. Organic Carbon Deplet | 17 %removal of DOC | OECD 302A - Modified SCAS Test |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | Experimental Biodegradation | 21 days | Dissolv. Organic Carbon Deplet | 80 %removal of DOC | OECD 303A - Simulated Aerobic |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | Experimental Biodegradation | | Half-life (t 1/2) | 4 hours (t 1/2) | |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | Experimental Hydrolysis | | Hydrolytic half-life | >1 years (t 1/2) | OECD 111 Hydrolysis func of pH |

12.3 : Bioaccumulative potential

| Material | Cas No. | Test type | Duration | Study Type | Test result | Protocol |
|--|-----------|---|----------|------------------------|-------------|--------------------------|
| Aluminum Oxide Mineral (non-fibrous) | 1344-28-1 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Glycerin | 56-81-5 | Experimental Bioconcentration | | Log Kow | -1.75 | similar to OECD 107 |
| Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics | 926-141-6 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Mineral Oil | 8042-47-5 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| morpholine | 110-91-8 | Experimental BCF - Fish | 42 days | Bioaccumulation factor | <2.8 | OECD305-Bioconcentration |

| | | | | | | |
|------------------------------|-----------|-------------------------------|---------|------------------------|-------|---------------------------------|
| morpholine | 110-91-8 | Experimental Bioconcentration | | Log Kow | -2.55 | OECD 107 log Kow shke flask mtd |
| Alkylolammonium Salt | 701-048-1 | Experimental Bioconcentration | | Log Kow | < 1 | OECD 117 log Kow HPLC method |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | Experimental BCF - Fish | 56 days | Bioaccumulation factor | 6.62 | similar to OECD 305 |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | Experimental Bioconcentration | | Log Kow | 1.45 | OECD 107 log Kow shke flask mtd |

12.4. Mobility in soil

| Material | Cas No. | Test type | Study Type | Test result | Protocol |
|------------------------------|-----------|-------------------------------|------------|-------------|--------------------------------|
| Glycerin | 56-81-5 | Modeled Mobility in Soil | Koc | <1 l/kg | Episuite™ |
| Alkylolammonium Salt | 701-048-1 | Experimental Mobility in Soil | Koc | <316 l/kg | OECD 121 Estim. of Koc by HPLC |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | Experimental Mobility in Soil | Koc | 9.33 l/kg | OECD 121 Estim. of Koc by HPLC |

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

08 01 11* Waste paint and varnish containing organic solvents or other dangerous substances

SECTION 14: Transportation information

Not hazardous for transportation.

| | Ground Transport (ADR) | Air Transport (IATA) | Marine Transport (IMDG) |
|---|--|--|--|
| 14.1 - UN Number or ID number | No data available. | No data available. | No data available. |
| 14.2 UN proper shipping name | No data available. | No data available. | No data available. |
| 14.3 Transport hazard class(es) | No data available. | No data available. | No data available. |
| 14.4 Packing group | No data available. | No data available. | No data available. |
| 14.5 Environmental hazards | No data available. | No data available. | No data available. |
| 14.6 Special precautions for user | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
| 14.7 Marine Transport in bulk according to IMO instruments | No data available. | No data available. | No data available. |
| Control Temperature | No data available. | No data available. | No data available. |
| Emergency Temperature | No data available. | No data available. | No data available. |
| ADR Classification Code | No data available. | No data available. | No data available. |
| IMDG Segregation Code | No data available. | No data available. | No data available. |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity

Ingredient
morpholine

CAS Nbr
110-91-8

Classification
Gr. 3: Not classifiable

Regulation
International Agency
for Research on Cancer

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of the Korea

Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

DIRECTIVE 2012/18/EU

Seveso hazard categories, Annex 1, Part 1

None

Seveso named dangerous substances, Annex 1, Part 2

None

Regulation (EU) No 649/2012

No chemicals listed

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this mixture. Chemical safety assessments for the contained substances may have been carried out by the registrants of the substances in accordance with Regulation (EC) No 1907/2006, as amended.

SECTION 16: Other information

List of relevant H statements

| | |
|--------|---|
| EUH066 | Repeated exposure may cause skin dryness or cracking. |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H332 | Harmful if inhaled. |
| H361f | Suspected of damaging fertility. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Revision information:

- EU Section 14 - Table Data information was added.
- EU Section 14 - Table Headers information was added.
- Section 3: Composition/ Information of ingredients table information was modified.
- Section 8: Occupational exposure limit table information was modified.
- Section 11: Reproductive Toxicity Table information was modified.
- Section 12: Persistence and Degradability information was modified.
- Section 14 Classification Code – Main Heading information was deleted.
- Section 14 Classification Code – Regulation Data information was deleted.
- Section 14 Control Temperature – Main Heading information was deleted.

Section 14 Control Temperature – Regulation Data information was deleted.
Section 14 Emergency Temperature – Main Heading information was deleted.
Section 14 Emergency Temperature – Regulation Data information was deleted.
Section 14 Hazard Class + Sub Risk – Main Heading information was deleted.
Section 14 Hazard Class + Sub Risk – Regulation Data information was deleted.
Section 14 Other Dangerous Goods – Main Heading information was deleted.
Section 14 Other Dangerous Goods – Regulation Data information was deleted.
Section 14 Packing Group – Main Heading information was deleted.
Section 14 Packing Group – Regulation Data information was deleted.
Section 14 Proper Shipping Name information was deleted.
Section 14 Regulations – Main Headings information was deleted.
Section 14 Segregation – Regulation Data information was deleted.
Section 14 Segregation Code – Main Heading information was deleted.
Section 14 Special Precautions – Main Heading information was deleted.
Section 14 Special Precautions – Regulation Data information was deleted.
Section 14 Transport in bulk – Regulation Data information was deleted.
Section 14 Marine transport in bulk according to IMO instruments – Main Heading information was deleted.
Section 14 UN Number Column data information was deleted.
Section 14 UN Number information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

3M Ireland MSDSs are available at www.3M.com