



Safety Data Sheet

Copyright, 2025, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group: 28-7782-7
Revision Date: 05/06/2025
Transportation version number:

Version Number: 1.00
Supersedes Date: Initial Issue

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3M™ Adhesive Sealant 760 UV, White, Gray and Black

Product Identification Numbers

DE-2729-2835-4 DE-2729-2839-6 DE-2729-2846-1 DE-2729-2850-3 DE-2729-2854-5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Sealant

1.3. Details of the supplier of the safety data sheet

ADDRESS: 3M Israel, 91 Medinat Ha'Yehudim Street, Herzeliya 46120
Telephone: 09-961 5000
E Mail: innovation.il@mmm.com
Website: www.3M.com/il

1.4. Emergency telephone number

09-961 5000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

A similar mixture has been tested for eye damage/irritation and the test results do not meet the criteria for classification. The carcinogenicity classification for titanium dioxide is not applicable based on physical form (material is not a powder).

CLASSIFICATION:

Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

2.2. Label elements**CLP REGULATION (EC) No 1272/2008****HAZARD STATEMENTS:**

H412 Harmful to aquatic life with long lasting effects.

SUPPLEMENTAL INFORMATION:**Supplemental Hazard Statements:**

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

EUH208 Contains Tin, dioctylbis(2,4-pentanedionato- κ O2, κ O4)-. | VINYLTRIMETHOXY-SILANE. | 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]-. May produce an allergic reaction.

2.3. Other hazards

Persons previously sensitized to amines may develop a cross-sensitization reaction to certain other amines.
This material does not contain any substances that are assessed to be a PBT or vPvB

SECTION 3: Composition/information on ingredients**3.1. Substances**

Not applicable

3.2. Mixtures

| Ingredient | Identifier(s) | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|----------|--|
| CALCIUM CARBONATE | (CAS-No.) 471-34-1 (EC-No.) 207-439-9 | 25 - 45 | Substance with a national occupational exposure limit |
| Polyether 1 | (CAS-No.) 75009-88-0 | 7 - 30 | Substance not classified as hazardous |
| Polyether 2 | (CAS-No.) 151865-59-7 | 7 - 30 | Substance not classified as hazardous |
| LIMESTONE | (CAS-No.) 1317-65-3 (EC-No.) 215-279-6 | < 15 | Substance with a national occupational exposure limit |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | (CAS-No.) 68515-49-1 (EC-No.) 271-091-4 | 5 - 15 | Substance not classified as hazardous |
| Titanium Dioxide | (CAS-No.) 13463-67-7 (EC-No.) 236-675-5 | < 12.5 | Substance with a national occupational exposure limit |
| CALCIUM OXIDE | (CAS-No.) 1305-78-8 (EC-No.) 215-138-9 | 1 - 5 | EUH071 Skin Corr. 1C, H314 Eye Dam. 1, H318 |
| FATTY ACIDS, C16-18 | (CAS-No.) 67701-03-5 (EC-No.) 266-928-5 | < 2 | Substance not classified as hazardous |
| Fatty acids, C16-18, sodium salts | (CAS-No.) 68424- | < 2 | Substance not classified as hazardous |

| | | | |
|--|---|---------|---|
| | 38-4 (EC-No.) 270-299-2 | | |
| IRON OXIDE (FE ₃ O ₄) | (CAS-No.) 1317-61-9 (EC-No.) 215-277-5 | < 2 | Substance not classified as hazardous |
| Carbon Black | (CAS-No.) 1333-86-4 (EC-No.) 215-609-9 | < 2 | Substance with a national occupational exposure limit |
| C14-17 alkanes, sec-mono- and disulfonic acids, phenyl esters | (EC-No.) 701-257-8 | < 2 | Substance not classified as hazardous |
| Tin, dioctylbis(2,4-pentanedionato- κ O ₂ , κ O ₄)- | (CAS-No.) 54068-28-9 (EC-No.) ELINCS 483-270-6 | < 1 | Skin Sens. 1B, H317 Repr. 2, H361d STOT RE 1, H372 Aquatic Chronic 2, H411 |
| VINYLTRIMETHOXYISILANE | (CAS-No.) 2768-02-7 (EC-No.) 220-449-8 | < 1 | Skin Sens. 1B, H317 Flam. Liq. 3, H226 Acute Tox. 4, H332 |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | (CAS-No.) 1760-24-3 (EC-No.) 217-164-6 | < 1 | Acute Tox. 4, H332 Acute Tox. 4, H302 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 2, H373 |
| Quartz Silica | (CAS-No.) 14808-60-7 (EC-No.) 238-878-4 | < 0.14 | STOT RE 1, H372 |
| HINDERED AMINE | (CAS-No.) 63843-89-0 (EC-No.) 264-513-3 | < 0.1 | Aquatic Chronic 1, H410,M=10 Acute Tox. 4, H302 STOT RE 1, H372 |
| COPPER | (CAS-No.) 7440-50-8 (EC-No.) 231-159-6 | < 0.005 | Aquatic Acute 1, H400,M=10 Aquatic Chronic 1, H410,M=1 |

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance.

Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

| Ingredient | Identifier(s) | Specific Concentration Limits |
|---------------|---|--|
| CALCIUM OXIDE | (CAS-No.) 1305-78-8 (EC-No.) 215-138-9 | (C \geq 50%) EUH071 (C \geq 50%) Skin Corr. 1C, H314 (10% \leq C < 50%) Skin Irrit. 2, H315 (C \geq 3%) Eye Dam. 1, H318 (1% \leq C < 3%) Eye Irrit. 2, H319 (20% \leq C < 50%) STOT SE 3, H335 |

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide
Carbon dioxide
Hydrogen Gas
Irritant Vapors or Gases
Oxides of Nitrogen

Condition

During Combustion
During Combustion
During Combustion
During Combustion
During Combustion

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate

authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Use personal protective equipment (gloves, respirators, etc.) as required.

7.2. Conditions for safe storage including any incompatibilities

Keep container tightly closed to prevent contamination with water or air. If contamination is suspected, do not reseal container. Store away from heat. Store away from amines.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|---|------------|--------|---|---|
| CALCIUM OXIDE | 1305-78-8 | ACGIH | TWA:2 mg/m3 | |
| Particles (insoluble or poorly soluble) not otherwise specified, inhalable particles | 1317-65-3 | ACGIH | TWA(inhalable particulates):10 mg/m3 | |
| Particles (insoluble or poorly soluble) not otherwise specified, respirable particles | 1317-65-3 | ACGIH | TWA(respirable particles):3 mg/m3 | |
| Carbon Black | 1333-86-4 | ACGIH | TWA(inhalable fraction):3 mg/m3 | A3: Confirmed animal carcin. |
| Titanium Dioxide | 13463-67-7 | ACGIH | TWA(Respirable nanoscale particles):0.2 mg/m3;TWA(Respirable finescale particles):2.5 mg/m3 | A3: Confirmed animal carcin. |
| Quartz Silica | 14808-60-7 | ACGIH | TWA(respirable fraction):0.025 mg/m3 | A2: Suspected human carcin. |
| Particles (insoluble or poorly soluble) not otherwise specified, inhalable particles | 471-34-1 | ACGIH | TWA(inhalable particulates):10 mg/m3 | |
| Particles (insoluble or poorly soluble) not otherwise specified, respirable particles | 471-34-1 | ACGIH | TWA(respirable particles):3 mg/m3 | |
| TIN, ORGANIC COMPOUNDS | 54068-28-9 | ACGIH | TWA(as Sn):0.1 mg/m3;STEL(as Sn):0.2 | A4: Not class. as human carcin, Danger of |

| | | | mg/m3 | cutaneous absorption |
|--------------------------------|-----------|-------|---------------------------------|----------------------|
| COPPER, DUSTS AND MISTS, AS CU | 7440-50-8 | ACGIH | TWA(as Cu dust or mist):1 mg/m3 | |
| COPPER, FUME AS CU | 7440-50-8 | ACGIH | TWA(as Cu, fume):0.2 mg/m3 | |

ACGIH : American Conference of Governmental Industrial Hygienists

CMRG : Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

When only incidental contact is anticipated, alternative glove material(s) may be used. If contact with the glove does occur, remove immediately and replace with a set of new gloves. For incidental contact, gloves made of the following material(s) may be used: Nitrile Rubber

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-------------------------|------------------|
| Physical state | Solid |
| Specific Physical Form: | Paste |
| Color | Multicolor |
| Odor | Slight Polyether |

| | |
|---|---|
| Odor threshold | No Data Available |
| Melting point/freezing point | No Data Available |
| Boiling point/boiling range | > 120 °C |
| Flammability | Not Applicable |
| Flammable Limits(LEL) | Not Applicable |
| Flammable Limits(UEL) | Not Applicable |
| Flash Point | No flash point |
| Autoignition temperature | > 200 °C |
| Decomposition temperature | No Data Available |
| pH | substance/mixture is non-soluble (in water) |
| Kinematic Viscosity | No Data Available |
| Water solubility | Negligible |
| Solubility- non-water | No Data Available |
| Partition coefficient: n-octanol/ water | No Data Available |
| Density | 1.61 g/cm3 |
| Relative Density | 1.6 [Ref Std: WATER=1] |
| Relative Vapor Density | 5 [Test Method: Estimated] [Ref Std: AIR=1] |
| Particle Characteristics | Not Applicable |

9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic Compounds

No Data Available

Evaporation rate

No Data Available

Molecular weight

Not Applicable

Percent volatile

1 % weight

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

Alcohols

Water

Amines

10.6. Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Additional Information:

Persons previously sensitized to amines may develop a cross-sensitization reaction to certain other amines.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|-------------------|--------------------------------|------------------------|--|
| Overall product | Dermal | | No data available; calculated ATE >5,000 mg/kg |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| CALCIUM CARBONATE | Dermal | Rat | LD50 > 2,000 mg/kg |
| CALCIUM CARBONATE | Inhalation-Dust/Mist (4 hours) | Rat | LC50 3 mg/l |
| CALCIUM CARBONATE | Ingestion | Rat | LD50 6,450 mg/kg |
| Polyether 1 | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Polyether 2 | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Polyether 1 | Dermal | similar health hazards | LD50 estimated to be 2,000 - 5,000 mg/kg |

3M™ Adhesive Sealant 760 UV, White, Gray and Black

| | | | |
|--|--------------------------------|------------------------|--|
| Polyether 2 | Dermal | similar health hazards | LD50 estimated to be 2,000 - 5,000 mg/kg |
| LIMESTONE | Dermal | Rat | LD50 > 2,000 mg/kg |
| LIMESTONE | Inhalation-Dust/Mist (4 hours) | Rat | LC50 3 mg/l |
| LIMESTONE | Ingestion | Rat | LD50 6,450 mg/kg |
| Titanium Dioxide | Dermal | Rabbit | LD50 > 10,000 mg/kg |
| Titanium Dioxide | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 6.82 mg/l |
| Titanium Dioxide | Ingestion | Rat | LD50 > 10,000 mg/kg |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | Dermal | Rabbit | LD50 > 3,160 mg/kg |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 12.5 mg/l |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | Ingestion | Rat | LD50 > 9,700 mg/kg |
| CALCIUM OXIDE | Ingestion | Rat | LD50 > 2,500 mg/kg |
| CALCIUM OXIDE | Dermal | similar compounds | LD50 > 2,500 mg/kg |
| Fatty acids, C16-18, sodium salts | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Fatty acids, C16-18, sodium salts | Dermal | similar health hazards | LD50 estimated to be > 5,000 mg/kg |
| C14-17 alkanes, sec-mono- and disulfonic acids, phenyl esters | Dermal | Rat | LD50 > 1,000 mg/kg |
| C14-17 alkanes, sec-mono- and disulfonic acids, phenyl esters | Ingestion | Rat | LD50 > 5,000 mg/kg |
| IRON OXIDE (FE3O4) | Dermal | Not available | LD50 3,100 mg/kg |
| IRON OXIDE (FE3O4) | Ingestion | Not available | LD50 3,700 mg/kg |
| FATTY ACIDS, C16-18 | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| FATTY ACIDS, C16-18 | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Carbon Black | Dermal | Rabbit | LD50 > 3,000 mg/kg |
| Carbon Black | Ingestion | Rat | LD50 > 8,000 mg/kg |
| VINYLTRIMETHOXY-SILANE | Dermal | Rabbit | LD50 3,260 mg/kg |
| VINYLTRIMETHOXY-SILANE | Inhalation-Vapor (4 hours) | Rat | LC50 16.8 mg/l |
| VINYLTRIMETHOXY-SILANE | Ingestion | Rat | LD50 7,120 mg/kg |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 1.49, < 2.44 mg/l |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | Ingestion | Rat | LD50 1,897 mg/kg |
| Tin, dioctylbis(2,4-pentanedionato- κ .O2, κ .O4)- | Dermal | Rat | LD50 > 2,000 mg/kg |
| Tin, dioctylbis(2,4-pentanedionato- κ .O2, κ .O4)- | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Quartz Silica | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Quartz Silica | Ingestion | | LD50 estimated to be > 5,000 mg/kg |
| HINDERED AMINE | Dermal | Rat | LD50 > 3,170 mg/kg |
| HINDERED AMINE | Ingestion | Rat | LD50 1,490 mg/kg |
| COPPER | Dermal | Rat | LD50 > 2,000 mg/kg |
| COPPER | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 5.11 mg/l |
| COPPER | Ingestion | Rat | LD50 > 2,000 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|------|---------|-------|
|------|---------|-------|

| | | |
|--|------------------------|---------------------------|
| CALCIUM CARBONATE | Rabbit | No significant irritation |
| LIMESTONE | Rabbit | No significant irritation |
| Titanium Dioxide | Rabbit | No significant irritation |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | Rabbit | Minimal irritation |
| CALCIUM OXIDE | Human | Corrosive |
| Fatty acids, C16-18, sodium salts | Rabbit | No significant irritation |
| IRON OXIDE (FE3O4) | Rabbit | No significant irritation |
| FATTY ACIDS, C16-18 | Rabbit | No significant irritation |
| Carbon Black | Rabbit | No significant irritation |
| VINYLTRIMETHOXSILANE | Rabbit | Minimal irritation |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | Rabbit | Mild irritant |
| Tin, dioctylbis(2,4-pentanedionato- κ .O2, κ .O4)- | Rabbit | No significant irritation |
| Quartz Silica | Professional judgement | No significant irritation |
| HINDERED AMINE | Rabbit | No significant irritation |
| COPPER | Rabbit | No significant irritation |

Serious Eye Damage/Irritation

| Name | Species | Value |
|--|---------------|---------------------------|
| Overall product | In vitro data | No significant irritation |
| CALCIUM CARBONATE | Rabbit | No significant irritation |
| LIMESTONE | Rabbit | No significant irritation |
| Titanium Dioxide | Rabbit | No significant irritation |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | Rabbit | Mild irritant |
| CALCIUM OXIDE | Rabbit | Corrosive |
| Fatty acids, C16-18, sodium salts | Rabbit | No significant irritation |
| IRON OXIDE (FE3O4) | Rabbit | No significant irritation |
| FATTY ACIDS, C16-18 | Rabbit | No significant irritation |
| Carbon Black | Rabbit | No significant irritation |
| VINYLTRIMETHOXSILANE | Rabbit | No significant irritation |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | Rabbit | Corrosive |
| Tin, dioctylbis(2,4-pentanedionato- κ .O2, κ .O4)- | Rabbit | Mild irritant |
| HINDERED AMINE | Rabbit | Mild irritant |
| COPPER | Rabbit | Mild irritant |

Skin Sensitization

| Name | Species | Value |
|--|-------------------------|--|
| Titanium Dioxide | Human and animal | Not classified |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | Guinea pig | Not classified |
| Fatty acids, C16-18, sodium salts | similar compounds | Not classified |
| IRON OXIDE (FE3O4) | Human | Not classified |
| FATTY ACIDS, C16-18 | Guinea pig | Not classified |
| VINYLTRIMETHOXSILANE | Guinea pig | Some positive data exist, but the data are not sufficient for classification |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | Multiple animal species | Sensitizing |
| Tin, dioctylbis(2,4-pentanedionato- κ .O2, κ .O4)- | Mouse | Sensitizing |
| HINDERED AMINE | Guinea pig | Not classified |

Photosensitization

| Name | Species | Value |
|----------------|------------|-----------------|
| HINDERED AMINE | Guinea pig | Not sensitizing |

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|--|----------|--|
| Titanium Dioxide | In Vitro | Not mutagenic |
| Titanium Dioxide | In vivo | Not mutagenic |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | In Vitro | Not mutagenic |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | In vivo | Not mutagenic |
| CALCIUM OXIDE | In Vitro | Not mutagenic |
| Fatty acids, C16-18, sodium salts | In Vitro | Not mutagenic |
| IRON OXIDE (FE3O4) | In Vitro | Not mutagenic |
| FATTY ACIDS, C16-18 | In Vitro | Not mutagenic |
| Carbon Black | In Vitro | Not mutagenic |
| Carbon Black | In vivo | Some positive data exist, but the data are not sufficient for classification |
| VINYLTRIMETHOXSILANE | In vivo | Not mutagenic |
| VINYLTRIMETHOXSILANE | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | In Vitro | Not mutagenic |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | In vivo | Not mutagenic |
| Tin, dioctylbis(2,4-pentanedionato-.kappa.O2,.kappa.O4)- | In Vitro | Not mutagenic |
| Quartz Silica | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Quartz Silica | In vivo | Some positive data exist, but the data are not sufficient for classification |
| HINDERED AMINE | In vivo | Not mutagenic |
| HINDERED AMINE | In Vitro | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|--------------------|------------|-------------------------|--|
| Titanium Dioxide | Ingestion | Multiple animal species | Not carcinogenic |
| Titanium Dioxide | Inhalation | Rat | Carcinogenic |
| IRON OXIDE (FE3O4) | Inhalation | Human | Some positive data exist, but the data are not sufficient for classification |
| Carbon Black | Dermal | Mouse | Not carcinogenic |
| Carbon Black | Ingestion | Mouse | Not carcinogenic |
| Carbon Black | Inhalation | Rat | Carcinogenic |
| Quartz Silica | Inhalation | Human and animal | Carcinogenic |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test Result | Exposure Duration |
|--------------------------|-----------|--|---------|---------------------|------------------------------|
| CALCIUM CARBONATE | Ingestion | Not classified for development | Rat | NOAEL 625 mg/kg/day | premating & during gestation |
| LIMESTONE | Ingestion | Not classified for development | Rat | NOAEL 625 mg/kg/day | premating & during gestation |
| PHTHALIC ACID, DI-C9-11- | Ingestion | Not classified for female reproduction | Rat | NOAEL 927 | 2 generation |

| | | | | | |
|--|------------|--|-------------------|-----------------------|--------------------------|
| BRANCHED ALKYL ESTERS, C10 RICH | | | | mg/kg/day | |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | Ingestion | Not classified for male reproduction | Rat | NOAEL 929 mg/kg/day | 2 generation |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | Ingestion | Toxic to development | Rat | NOAEL 38 mg/kg/day | 2 generation |
| FATTY ACIDS, C16-18 | Ingestion | Not classified for female reproduction | Rat | NOAEL 1,000 mg/kg/day | premating into lactation |
| FATTY ACIDS, C16-18 | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,000 mg/kg/day | 42 days |
| FATTY ACIDS, C16-18 | Ingestion | Not classified for development | Rat | NOAEL 1,000 mg/kg/day | premating into lactation |
| VINYLTRIMETHOXYSILANE | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,000 mg/kg/day | premating into lactation |
| VINYLTRIMETHOXYSILANE | Ingestion | Not classified for development | Rat | NOAEL 1,000 mg/kg/day | premating into lactation |
| VINYLTRIMETHOXYSILANE | Ingestion | Not classified for female reproduction | Rat | NOAEL 1,000 mg/kg/day | premating into lactation |
| VINYLTRIMETHOXYSILANE | Inhalation | Not classified for development | Rat | NOAEL 1.8 mg/l | during organogenesis |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | Ingestion | Not classified for female reproduction | Rat | NOAEL 500 mg/kg/day | premating into lactation |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | Ingestion | Not classified for male reproduction | Rat | NOAEL 500 mg/kg/day | 28 days |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | Ingestion | Not classified for development | Rat | NOAEL 750 mg/kg/day | during gestation |
| Tin, dioctylbis(2,4-pentanedionato-.kappa.O2,.kappa.O4)- | Ingestion | Toxic to development | similar compounds | NOAEL not available | 2 generation |
| HINDERED AMINE | Ingestion | Not classified for female reproduction | Rat | NOAEL 10 mg/kg/day | premating into lactation |
| HINDERED AMINE | Ingestion | Not classified for male reproduction | Rat | NOAEL 10 mg/kg/day | 36 days |
| HINDERED AMINE | Ingestion | Not classified for development | Rat | NOAEL 10 mg/kg/day | premating into lactation |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|--|------------|------------------------|--|------------------------|---------------------|-----------------------|
| CALCIUM CARBONATE | Inhalation | respiratory system | Not classified | Rat | NOAEL 0.812 mg/l | 90 minutes |
| LIMESTONE | Inhalation | respiratory system | Not classified | Rat | NOAEL 0.812 mg/l | 90 minutes |
| CALCIUM OXIDE | Inhalation | respiratory irritation | May cause respiratory irritation | Not available | NOAEL Not available | occupational exposure |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|-------------------|------------|--------------------|--|---------|---------------------|-----------------------|
| CALCIUM CARBONATE | Inhalation | respiratory system | Not classified | Human | NOAEL Not available | occupational exposure |
| LIMESTONE | Inhalation | respiratory system | Not classified | Human | NOAEL Not available | occupational exposure |
| Titanium Dioxide | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 0.01 mg/l | 2 years |

3M™ Adhesive Sealant 760 UV, White, Gray and Black

| | | | | | | |
|--|------------|--|--|-------------------|-----------------------|-----------------------|
| Titanium Dioxide | Inhalation | pulmonary fibrosis | Not classified | Human | NOAEL Not available | occupational exposure |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | Inhalation | respiratory system hematopoietic system liver | Not classified | Rat | NOAEL 0.5 mg/l | 2 weeks |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | Inhalation | kidney and/or bladder | Not classified | Rat | NOAEL 0.5 mg/l | 2 generation |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | Ingestion | endocrine system | Not classified | Rat | NOAEL 686 mg/kg/day | 90 days |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | Ingestion | liver kidney and/or bladder heart | Not classified | Rat | NOAEL 500 mg/kg/day | 90 days |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | Ingestion | hematopoietic system | Not classified | Dog | NOAEL 320 mg/kg/day | 90 days |
| IRON OXIDE (Fe3O4) | Inhalation | pulmonary fibrosis pneumoconiosis | Not classified | Human | NOAEL Not available | occupational exposure |
| FATTY ACIDS, C16-18 | Ingestion | heart endocrine system hematopoietic system liver immune system nervous system kidney and/or bladder | Not classified | Rat | NOAEL 1,000 mg/kg/day | 42 days |
| Carbon Black | Inhalation | pneumoconiosis | Not classified | Human | NOAEL Not available | occupational exposure |
| VINYLTRIMETHOXYSI LANE | Inhalation | kidney and/or bladder | Not classified | Rat | NOAEL mg/l | 14 weeks |
| VINYLTRIMETHOXYSI LANE | Inhalation | hematopoietic system eyes | Not classified | Rat | NOAEL 2.4 mg/l | 14 weeks |
| VINYLTRIMETHOXYSI LANE | Ingestion | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 250 mg/kg/day | 40 days |
| VINYLTRIMETHOXYSI LANE | Ingestion | endocrine system hematopoietic system liver immune system | Not classified | Rat | NOAEL 1,000 mg/kg/day | 40 days |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | Dermal | skin endocrine system hematopoietic system kidney and/or bladder | Not classified | Rat | NOAEL 1,545 mg/kg/day | 11 days |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | Inhalation | respiratory system | May cause damage to organs though prolonged or repeated exposure | Rat | NOAEL 0.015 mg/l | 90 days |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | Inhalation | hematopoietic system eyes kidney and/or bladder | Not classified | Rat | NOAEL 0.044 mg/l | 90 days |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | Ingestion | hematopoietic system nervous system | Not classified | Rat | NOAEL 500 mg/kg/day | 28 days |
| Tin, dioctylbis(2,4-pentanedionato-.kappa.O2,.kappa.O4)- | Ingestion | immune system | Causes damage to organs through prolonged or repeated exposure | similar compounds | NOAEL not available | |
| Quartz Silica | Inhalation | silicosis | Causes damage to organs through prolonged or repeated exposure | Human | NOAEL Not available | occupational exposure |
| HINDERED AMINE | Ingestion | gastrointestinal tract hematopoietic system liver | Causes damage to organs through prolonged or repeated exposure | Rat | NOAEL 2 mg/kg/day | 36 days |

| | | | | | | |
|--|--|---------------|--|--|--|--|
| | | immune system | | | | |
|--|--|---------------|--|--|--|--|

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available

| Material | CAS # | Organism | Type | Exposure | Test Endpoint | Test Result |
|---|-------------|------------------|--------------|------------|---------------|-------------|
| CALCIUM CARBONATE | 471-34-1 | Green algae | Experimental | 72 hours | EC50 | >100 mg/l |
| CALCIUM CARBONATE | 471-34-1 | Rainbow Trout | Experimental | 96 hours | LC50 | >100 mg/l |
| CALCIUM CARBONATE | 471-34-1 | Water flea | Experimental | 48 hours | EC50 | >100 mg/l |
| CALCIUM CARBONATE | 471-34-1 | Green algae | Experimental | 72 hours | EC10 | 100 mg/l |
| Polyether 1 | 75009-88-0 | Green algae | Experimental | 72 hours | ErC50 | >100 mg/l |
| Polyether 1 | 75009-88-0 | Water flea | Experimental | 48 hours | EC50 | >100 mg/l |
| Polyether 2 | 151865-59-7 | Green algae | Experimental | 72 hours | ErC50 | >100 mg/l |
| Polyether 2 | 151865-59-7 | Water flea | Experimental | 48 hours | EC50 | >100 mg/l |
| LIMESTONE | 1317-65-3 | Green algae | Estimated | 72 hours | EC50 | >100 mg/l |
| LIMESTONE | 1317-65-3 | Rainbow Trout | Estimated | 96 hours | LC50 | >100 mg/l |
| LIMESTONE | 1317-65-3 | Water flea | Estimated | 48 hours | EC50 | >100 mg/l |
| LIMESTONE | 1317-65-3 | Green algae | Estimated | 72 hours | EC10 | >100 mg/l |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | 68515-49-1 | Activated sludge | Experimental | 30 minutes | EC50 | >83.3 mg/l |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | 68515-49-1 | Green algae | Experimental | 96 hours | EC50 | >100 mg/l |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | 68515-49-1 | Rainbow Trout | Experimental | 96 hours | LC50 | >100 mg/l |
| PHTHALIC ACID, DI-C9-11-BRANCHED | 68515-49-1 | Water flea | Experimental | 48 hours | EC50 | >100 mg/l |

3M™ Adhesive Sealant 760 UV, White, Gray and Black

| | | | | | | |
|---|------------|------------------|---|------------|--------------------------------|----------------------------|
| ALKYL ESTERS, C10 RICH | | | | | | |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | 68515-49-1 | Green algae | Experimental | 96 hours | NOEC | 100 mg/l |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | 68515-49-1 | Water flea | Experimental | 21 days | NOEC | 100 mg/l |
| Titanium Dioxide | 13463-67-7 | Diatom | Experimental | 72 hours | ErC50 | >10,000 mg/l |
| Titanium Dioxide | 13463-67-7 | Fathead Minnow | Experimental | 96 hours | No tox obs at lmt of water sol | >100 mg/l |
| Titanium Dioxide | 13463-67-7 | Green algae | Experimental | 72 hours | No tox obs at lmt of water sol | >100 mg/l |
| Titanium Dioxide | 13463-67-7 | Water flea | Experimental | 48 hours | No tox obs at lmt of water sol | >100 mg/l |
| Titanium Dioxide | 13463-67-7 | Amphipod | Experimental | 10 days | NOEC | >14,989 mg/kg (Dry Weight) |
| Titanium Dioxide | 13463-67-7 | Diatom | Experimental | 72 hours | NOEC | 5,600 mg/l |
| Titanium Dioxide | 13463-67-7 | Fish | Experimental | 30 days | No tox obs at lmt of water sol | 100 mg/l |
| Titanium Dioxide | 13463-67-7 | Green algae | Experimental | 72 hours | No tox obs at lmt of water sol | 100 mg/l |
| Titanium Dioxide | 13463-67-7 | Water flea | Experimental | 30 days | No tox obs at lmt of water sol | 100 mg/l |
| Titanium Dioxide | 13463-67-7 | Activated sludge | Experimental | 3 hours | NOEC | >=1,000 mg/l |
| Titanium Dioxide | 13463-67-7 | Redworm | Experimental | 14 days | NOEC | >=1,000 mg/kg (Dry Weight) |
| CALCIUM OXIDE | 1305-78-8 | Common Carp | Experimental | 96 hours | LC50 | 1,070 mg/l |
| C14-17 alkanes, sec-mono- and disulfonic acids, phenyl esters | 701-257-8 | N/A | Data not available or insufficient for classification | N/A | N/A | N/A |
| Carbon Black | 1333-86-4 | Green algae | Experimental | 72 hours | No tox obs at lmt of water sol | >100 mg/l |
| Carbon Black | 1333-86-4 | Zebra Fish | Experimental | 96 hours | No tox obs at lmt of water sol | >100 mg/l |
| Carbon Black | 1333-86-4 | Green algae | Experimental | 72 hours | No tox obs at lmt of water sol | 100 mg/l |
| Carbon Black | 1333-86-4 | Activated sludge | Experimental | 3 hours | NOEC | >800 mg/l |
| FATTY ACIDS, C16-18 | 67701-03-5 | Green algae | Analogous Compound | 72 hours | No tox obs at lmt of water sol | >100 mg/l |
| FATTY ACIDS, C16-18 | 67701-03-5 | Water flea | Analogous Compound | 48 hours | No tox obs at lmt of water sol | >100 mg/l |
| FATTY ACIDS, C16-18 | 67701-03-5 | Zebra Fish | Analogous Compound | 96 hours | No tox obs at lmt of water sol | >100 mg/l |
| FATTY ACIDS, C16-18 | 67701-03-5 | Green algae | Analogous Compound | 72 hours | No tox obs at lmt of water sol | 100 mg/l |
| FATTY ACIDS, C16-18 | 67701-03-5 | Water flea | Analogous Compound | 21 days | No tox obs at lmt of water sol | 100 mg/l |
| FATTY ACIDS, C16-18 | 67701-03-5 | Bacteria | Analogous Compound | 18 hours | EC10 | 883 mg/l |
| Fatty acids, C16-18, sodium salts | 68424-38-4 | Green algae | Analogous Compound | 96 hours | EC50 | >100 mg/l |
| Fatty acids, C16-18, sodium salts | 68424-38-4 | Water flea | Analogous Compound | 24 hours | EC50 | 40 mg/l |
| Fatty acids, C16-18, sodium salts | 68424-38-4 | Zebra Fish | Analogous Compound | 96 hours | LC50 | 46 mg/l |
| Fatty acids, C16-18, sodium salts | 68424-38-4 | Green algae | Analogous Compound | 96 hours | EC10 | 48 mg/l |
| Fatty acids, C16-18, sodium salts | 68424-38-4 | Bacteria | Analogous Compound | 30 minutes | EC10 | 850 mg/l |

3M™ Adhesive Sealant 760 UV, White, Gray and Black

| | | | | | | |
|--|------------|------------------|--------------------|----------|--------------------------------|---------------|
| IRON OXIDE (FE3O4) | 1317-61-9 | Green algae | Analogous Compound | 72 hours | No tox obs at lmt of water sol | >100 mg/l |
| IRON OXIDE (FE3O4) | 1317-61-9 | Water flea | Analogous Compound | 48 hours | No tox obs at lmt of water sol | >100 mg/l |
| IRON OXIDE (FE3O4) | 1317-61-9 | Zebra Fish | Analogous Compound | 96 hours | No tox obs at lmt of water sol | >100 mg/l |
| IRON OXIDE (FE3O4) | 1317-61-9 | Green algae | Analogous Compound | 72 hours | No tox obs at lmt of water sol | >100 mg/l |
| IRON OXIDE (FE3O4) | 1317-61-9 | Water flea | Analogous Compound | 21 days | No tox obs at lmt of water sol | >100 mg/l |
| IRON OXIDE (FE3O4) | 1317-61-9 | Activated sludge | Analogous Compound | 3 hours | EC50 | >=10,000 mg/l |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | 1760-24-3 | Bacteria | Experimental | 16 hours | EC50 | 67 mg/l |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | 1760-24-3 | Fathead Minnow | Experimental | 96 hours | LC50 | 168 mg/l |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | 1760-24-3 | Green algae | Experimental | 72 hours | ErC50 | 8.8 mg/l |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | 1760-24-3 | Water flea | Experimental | 48 hours | EC50 | 81 mg/l |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | 1760-24-3 | Green algae | Experimental | 72 hours | NOEC | 3.1 mg/l |
| Tin, dioctylbis(2,4-pentanedionato-.kappa.O2,.kappa.O4)- | 54068-28-9 | Fathead Minnow | Estimated | 96 hours | LC50 | 282 mg/l |
| Tin, dioctylbis(2,4-pentanedionato-.kappa.O2,.kappa.O4)- | 54068-28-9 | Green algae | Estimated | 72 hours | ErC50 | 226 mg/l |
| Tin, dioctylbis(2,4-pentanedionato-.kappa.O2,.kappa.O4)- | 54068-28-9 | Water flea | Estimated | 48 hours | EC50 | 70.2 mg/l |
| Tin, dioctylbis(2,4-pentanedionato-.kappa.O2,.kappa.O4)- | 54068-28-9 | Fathead Minnow | Estimated | 34 days | NOEC | 27 mg/l |
| Tin, dioctylbis(2,4-pentanedionato-.kappa.O2,.kappa.O4)- | 54068-28-9 | Green algae | Estimated | 72 hours | NOEC | 8.7 mg/l |
| Tin, dioctylbis(2,4-pentanedionato-.kappa.O2,.kappa.O4)- | 54068-28-9 | Water flea | Estimated | 21 days | NOEC | 0.62 mg/l |
| VINYLTRIMETHOXYSILANE | 2768-02-7 | Bacteria | Experimental | 5 hours | EC10 | 1.1 mg/l |
| VINYLTRIMETHOXYSILANE | 2768-02-7 | Green algae | Experimental | 72 hours | EC50 | >957 mg/l |
| VINYLTRIMETHOXYSILANE | 2768-02-7 | Rainbow Trout | Experimental | 96 hours | LC50 | 191 mg/l |
| VINYLTRIMETHOXYSILANE | 2768-02-7 | Water flea | Experimental | 48 hours | EC50 | 169 mg/l |
| VINYLTRIMETHOXYSILANE | 2768-02-7 | Green algae | Experimental | 72 hours | NOEC | 957 mg/l |
| VINYLTRIMETHOXYSILANE | 2768-02-7 | Water flea | Experimental | 21 days | NOEC | 28 mg/l |
| Quartz Silica | 14808-60-7 | Green algae | Estimated | 72 hours | EC50 | 440 mg/l |
| Quartz Silica | 14808-60-7 | Water flea | Estimated | 48 hours | EC50 | 7,600 mg/l |
| Quartz Silica | 14808-60-7 | Zebra Fish | Estimated | 96 hours | LC50 | 5,000 mg/l |

3M™ Adhesive Sealant 760 UV, White, Gray and Black

| | | | | | | |
|----------------|------------|------------------|--------------------|----------|-------|-------------|
| Quartz Silica | 14808-60-7 | Green algae | Estimated | 72 hours | NOEC | 60 mg/l |
| HINDERED AMINE | 63843-89-0 | Activated sludge | Experimental | 3 hours | IC20 | >100 mg/l |
| HINDERED AMINE | 63843-89-0 | Water flea | Experimental | 21 days | NOEC | 0.002 mg/l |
| COPPER | 7440-50-8 | Green algae | Analogous Compound | 72 hours | ErC50 | 0.1049 mg/l |
| COPPER | 7440-50-8 | Water flea | Analogous Compound | 48 hours | EC50 | 0.0126 mg/l |
| COPPER | 7440-50-8 | Zebra Fish | Analogous Compound | 96 hours | LC50 | 0.0117 mg/l |
| COPPER | 7440-50-8 | Fathead Minnow | Analogous Compound | 32 days | EC10 | 0.0059 mg/l |
| COPPER | 7440-50-8 | Green algae | Analogous Compound | N/A | NOEC | 0.022 mg/l |
| COPPER | 7440-50-8 | Water flea | Analogous Compound | 7 days | NOEC | 0.004 mg/l |
| COPPER | 7440-50-8 | Activated sludge | Analogous Compound | N/A | EC50 | 7 mg/l |

12.2. Persistence and degradability

| Material | CAS No. | Test Type | Duration | Study Type | Test Result | Protocol |
|---|-------------|-----------------------------------|----------|--------------------------------|--|--------------------------------|
| CALCIUM CARBONATE | 471-34-1 | Data not availbl-insufficient | N/A | N/A | N/A | N/A |
| Polyether 1 | 75009-88-0 | Data not availbl-insufficient | N/A | N/A | N/A | N/A |
| Polyether 2 | 151865-59-7 | Data not availbl-insufficient | N/A | N/A | N/A | N/A |
| LIMESTONE | 1317-65-3 | Data not availbl-insufficient | N/A | N/A | N/A | N/A |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | 68515-49-1 | Experimental Biodegradation | 28 days | Biological Oxygen Demand | 74 %BOD/ThO D | OECD 301F - Manometric Respiro |
| Titanium Dioxide | 13463-67-7 | Data not availbl-insufficient | N/A | N/A | N/A | N/A |
| CALCIUM OXIDE | 1305-78-8 | Data not availbl-insufficient | N/A | N/A | N/A | N/A |
| C14-17 alkanes, sec-mono- and disulfonic acids, phenyl esters | 701-257-8 | Data not availbl-insufficient | N/A | N/A | N/A | N/A |
| Carbon Black | 1333-86-4 | Data not availbl-insufficient | N/A | N/A | N/A | N/A |
| FATTY ACIDS, C16-18 | 67701-03-5 | Analogous Compound Biodegradation | 28 days | Carbon dioxide evolution | 72 %CO2 evolution/THC O2 evolution (does not pass 10-day window) | OECD 301B - Mod. Sturm or CO2 |
| Fatty acids, C16-18, sodium salts | 68424-38-4 | Analogous Compound Biodegradation | 28 days | Dissolv. Organic Carbon Deplet | 86 %removal of DOC | OECD 301E - Modif. OECD Screen |
| IRON OXIDE (FE3O4) | 1317-61-9 | Data not availbl-insufficient | N/A | N/A | N/A | N/A |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | 1760-24-3 | Experimental Biodegradation | 28 days | Dissolv. Organic Carbon Deplet | 39 %removal of DOC | EC C.4.A. DOC Die-Away Test |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | 1760-24-3 | Experimental Hydrolysis | | Hydrolytic half-life (pH 7) | 1.5 minutes (t 1/2) | |
| Tin, dioctylbis(2,4-pentanedionato-.kappa.O2,.kappa.O4)- | 54068-28-9 | Experimental Biodegradation | 28 days | Biological Oxygen Demand | 9 %BOD/ThO D | OECD 301F - Manometric Respiro |
| Tin, dioctylbis(2,4-pentanedionato-.kappa.O2,.kappa.O4)- | 54068-28-9 | Experimental Hydrolysis | | Hydrolytic half-life (pH 7) | <10 minutes (t 1/2) | OECD 111 Hydrolysis func of pH |
| VINYLTRIMETHOXYSIL | 2768-02-7 | Experimental | 28 days | Biological Oxygen | 51 %BOD/ThO | OECD 301F - Manometric |

| | | | | | | |
|----------------|------------|-------------------------------|---------|--------------------------|-----------------------------------|-------------------------------|
| ANE | | Biodegradation | | Demand | D | Respiro |
| Quartz Silica | 14808-60-7 | Data not availbl-insufficient | N/A | N/A | N/A | N/A |
| HINDERED AMINE | 63843-89-0 | Experimental Biodegradation | 28 days | Carbon dioxide evolution | 2 %CO2 evolution/THC O2 evolution | OECD 301B - Mod. Sturm or CO2 |
| COPPER | 7440-50-8 | Data not availbl-insufficient | N/A | N/A | N/A | N/A |

12.3. Bioaccumulative potential

| Material | Cas No. | Test Type | Duration | Study Type | Test Result | Protocol |
|---|-------------|---|----------|--------------------------------|-------------|---------------------------------|
| CALCIUM CARBONATE | 471-34-1 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Polyether 1 | 75009-88-0 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Polyether 2 | 151865-59-7 | Bioconcentration | | Log of Octanol/H2O part. coeff | >1.7 | |
| LIMESTONE | 1317-65-3 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| PHTHALIC ACID, DI-C9-11-BRANCHED ALKYL ESTERS, C10 RICH | 68515-49-1 | Estimated BCF - Fish | 56 days | Bioaccumulation Factor | <14.4 | OECD305-Bioconcentration |
| Titanium Dioxide | 13463-67-7 | Experimental BCF - Fish | 42 days | Bioaccumulation Factor | 9.6 | |
| CALCIUM OXIDE | 1305-78-8 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| C14-17 alkanes, sec-mono- and disulfonic acids, phenyl esters | 701-257-8 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Carbon Black | 1333-86-4 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| FATTY ACIDS, C16-18 | 67701-03-5 | Analogous Compound BCF - Fish | | Bioaccumulation Factor | 242 | similar to OECD 305 |
| Fatty acids, C16-18, sodium salts | 68424-38-4 | Experimental Bioconcentration | | Log of Octanol/H2O part. coeff | 3.3 | OECD 107 log Kow shke flask mtd |
| IRON OXIDE (FE3O4) | 1317-61-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| 1,2-Ethanediamine, N1-[3-(trimethoxysilyl)propyl]- | 1760-24-3 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Tin, dioctylbis(2,4-pentanedionato-.kappa.O2,.kappa.O4)- | 54068-28-9 | Analogous Compound BCF - Fish | 30 days | Bioaccumulation Factor | <100 | OECD305-Bioconcentration |
| Tin, dioctylbis(2,4-pentanedionato-.kappa.O2,.kappa.O4)- | 54068-28-9 | Hydrolysis product Bioconcentration | | Log of Octanol/H2O part. coeff | 0.68 | EC A.8 Partition Coefficient |
| VINYLTRIMETHOXYSILANE | 2768-02-7 | Estimated Bioconcentration | | Log of Octanol/H2O part. coeff | -2 | |
| Quartz Silica | 14808-60-7 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| HINDERED AMINE | 63843-89-0 | Experimental BCF - Fish | 60 days | Bioaccumulation Factor | ≤437.1 | OECD305-Bioconcentration |
| COPPER | 7440-50-8 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |

12.4. Mobility in soil

| Material | Cas No. | Test Type | Study Type | Test Result | Protocol |
|--|------------|-------------------------------------|------------|-----------------|----------------------|
| Tin, dioctylbis(2,4-pentanedionato- κ .O2, κ .O4)- | 54068-28-9 | Analogous Compound Mobility in Soil | Koc | 290,000 l/kg | |
| Tin, dioctylbis(2,4-pentanedionato- κ .O2, κ .O4)- | 54068-28-9 | Analogous Compound Mobility in Soil | Koc | 33 l/kg | ACD/Labs ChemSketch™ |
| VINYLTRIMETHOXYSI LANE | 2768-02-7 | Estimated Mobility in Soil | Koc | 650 l/kg | Episuite™ |
| HINDERED AMINE | 63843-89-0 | Modeled Mobility in Soil | Koc | ≥ 420 l/kg | ACD/Labs ChemSketch™ |

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

12.7. Other adverse effects

No information available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

080409* Waste adhesives and sealants containing organic solvents or other dangerous substances
200127* Paint, inks, adhesives and resins containing dangerous substances

SECTION 14: Transportation information

Not hazardous for transportation.

| | Ground Transport (ADR) | Air Transport (IATA) | Marine Transport (IMDG) |
|--|---------------------------|----------------------|----------------------------|
| | | | |

| | | | |
|---|--|--|--|
| 14.1 UN number or ID number | No Data Available | No Data Available | No Data Available |
| 14.2 UN proper shipping name | No Data Available | No Data Available | No Data Available |
| 14.3 Transport hazard class(es) | No Data Available | No Data Available | No Data Available |
| 14.4 Packing group | No Data Available | No Data Available | No Data Available |
| 14.5 Environmental hazards | No Data Available | No Data Available | No Data Available |
| 14.6 Special precautions for user | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
| 14.7 Marine Transport in bulk according to IMO instruments | No Data Available | No Data Available | No Data Available |
| Control Temperature | No Data Available | No Data Available | No Data Available |
| Emergency Temperature | No Data Available | No Data Available | No Data Available |
| ADR Classification Code | No Data Available | No Data Available | No Data Available |
| IMDG Segregation Code | No Data Available | No Data Available | No Data Available |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity

| <u>Ingredient</u> | <u>C.A.S. No.</u> | <u>Classification</u> | <u>Regulation</u> |
|-------------------|-------------------|--------------------------------|---|
| Carbon Black | 1333-86-4 | Grp. 2B: Possible human carc. | International Agency for Research on Cancer |
| Quartz Silica | 14808-60-7 | Grp. 1: Carcinogenic to humans | International Agency for Research on Cancer |
| Titanium Dioxide | 13463-67-7 | Grp. 2B: Possible human carc. | International Agency for Research on Cancer |

Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject through Annex XVII of REACH regulation to restrictions on the manufacture, placing on the market and use when present in certain dangerous substances, mixtures and articles. Users

of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

Ingredient

PHTHALIC ACID, DI-C9-11-BRANCHED
ALKYL ESTERS, C10 RICH

C.A.S. No.

68515-49-1

Restriction status: listed in REACH Annex XVII

Restricted uses: See Annex XVII to Regulation (EC) No 1907/2006 for Conditions of Restriction

Global inventory status

Contact manufacturer for more information

DIRECTIVE 2012/18/EU

Seveso hazard categories, Annex 1, Part 1

None

Seveso named dangerous substances, Annex 1, Part 2

None

Regulation (EU) No 649/2012

| Chemical | Identifier(s) | Annex I |
|--|---------------|---------|
| Tin, dioctylbis(2,4-pentanedionato- κ O ₂ , κ O ₄)- | 54068-28-9 | Part 1 |

SECTION 16: Other information**List of relevant H statements**

| | |
|--------|--|
| EUH071 | Corrosive to the respiratory tract. |
| H226 | Flammable liquid and vapor. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H332 | Harmful if inhaled. |
| H361d | Suspected of damaging the unborn child. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Revision information:

No revision information

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

3M Israel SDSs are available at www.3M.com/il