



## Safety Data Sheet

Copyright, 2026, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document Group:</b>	06-8477-9	<b>Version Number:</b>	24.02
<b>Issue Date:</b>	03/24/26	<b>Supersedes Date:</b>	05/16/25

### SECTION 1: Identification

#### 1.1. Product identifier

3M™ Deodorizer - Country Day Scent - Concentrate (Product No. 12, Twist 'n Fill™ System)

#### Product Identification Numbers

ID Number	UPC	ID Number	UPC
61-0000-6335-6		61-0000-6376-0	
70-0708-4012-2	00-48011-20119-6	70-0710-0972-7	00-48011-23895-6
70-0716-8287-9	00-48011-20119-6	70-0716-8295-2	00-48011-23895-6

7000002089, 7000029703, 7100049083, 7010342454, 7010295258

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Deodorizer

#### 1.3. Supplier's details

<b>MANUFACTURER:</b>	3M
<b>DIVISION:</b>	Commercial Branding and Transportation Division
<b>ADDRESS:</b>	3M Center, St. Paul, MN 55144-1000, USA
<b>Telephone:</b>	1-888-3M HELPS (1-888-364-3577)

#### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

### SECTION 2: Hazard identification

#### 2.1. Hazard classification

Acute Toxicity (oral): Category 4.  
 Skin Corrosion/Irritation: Category 2.  
 Serious Eye Damage/Irritation: Category 1.  
 Skin Sensitizer: Category 1.  
 Reproductive Toxicity: Category 2.

#### 2.2. Label elements

**Signal word**

Danger

**Symbols**

Corrosion | Exclamation mark | Health Hazard |

**Pictograms****Hazard Statements**

Harmful if swallowed.  
 Causes skin irritation.  
 Causes serious eye damage.  
 May cause an allergic skin reaction.  
 Suspected of damaging fertility or the unborn child.

**Precautionary statements****Prevention:**

Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.  
 Avoid breathing vapor or spray.  
 Wash exposed skin thoroughly after handling.  
 Do not eat, drink or smoke when using this product.  
 Contaminated work clothing should not be allowed out of the workplace.  
 Wear protective gloves, eye protection, and face protection.

**Response:**

IF ON SKIN: Wash with plenty of soap and water.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 IF exposed or concerned: Immediately call a POISON CENTER or doctor.  
 Rinse mouth.  
 If skin irritation or rash occurs: Get medical attention.  
 Take off contaminated clothing and wash it before reuse.

**Storage:**

Store locked up.

**Disposal:**

Dispose of contents and container in accordance with applicable local, regional, national, and international regulations.

7% of the mixture consists of ingredients of unknown acute inhalation toxicity.

**SECTION 3: Composition/information on ingredients**

Ingredient	C.A.S. No.	% by Wt
Fragrance Compound (NJTSRN 004499600-6516)	Trade Secret*	30 - 60
C8-10 Alcohols Ethoxylated Propoxylated	68603-25-8	15 - 40 Trade Secret *
Polysorbate 20	9005-64-5	10 - 30

Water	7732-18-5	10 - 30
2,6-Dimethyl-7-Octen-2-ol	18479-58-8	1 - 5 Trade Secret *
Methoxyisopropanol	107-98-2	1 - 5 Trade Secret *
1H-3A,7-METHANOAZULENE, ETHANONE DERIV.	32388-55-9	0.1 - 1.5 Trade Secret *
Alpha-Isomethyl Ionone	127-51-5	0.1 - 1.5 Trade Secret *
Diethyl Phthalate	84-66-2	0.5 - 1.5
Hexamethylindanopyran	1222-05-5	0.1 - 1.5
Linalool	78-70-6	0.1 - 1.5 Trade Secret *
Linalyl Acetate	115-95-7	0.1 - 1.5 Trade Secret *
Methyl Dihydrojasmonate	24851-98-7	0.1 - 1.5
Orange Terpenes	68647-72-3	0.1 - 1.5 Trade Secret *
Turpentine	8006-64-2	0.1 - 1.5 Trade Secret *
p-Mentha-1,4-Diene	99-85-4	0.1 - 1 Trade Secret *
Citral	5392-40-5	< 0.3
Geraniol	106-24-1	< 0.3
GERANYL ACETATE	105-87-3	< 0.3
Terpineol	98-55-5	< 0.3
Fragrance Component 11	Trade Secret* 3M Unique ID: 598787	< 0.3
Acid Red 52	3520-42-1	< 0.05
Acid Violet 12	6625-46-3	< 0.05

NJTS or NJTSRN: New Jersey Trade Secret Registry Number.

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye Contact:

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

#### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Allergic skin reaction (redness, swelling, blistering, and itching). Serious damage to the eyes (corneal cloudiness, severe pain, tearing, ulcerations, and significantly impaired or loss of vision).

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

## 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

## Hazardous Decomposition or By-Products

### Substance

Aldehydes  
Carbon monoxide  
Carbon dioxide

### Condition

During Combustion  
During Combustion  
During Combustion

## 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Use personal protective equipment based on the results of an exposure assessment. Refer to Section 8 for PPE recommendations. If anticipated exposure resulting from an accidental release exceeds the protective capabilities of the PPE listed in Section 8, or are unknown, select PPE that offers an appropriate level of protection. Consider the physical and chemical hazards of the material when doing so. Examples of PPE ensembles for emergency response could include wearing bunker gear for a release of flammable material; wearing chemical protective clothing if the spilled material is a corrosive, a sensitizer, a significant dermal irritant, or can be absorbed through the skin; or donning a positive pressure supplied-air respirator for chemicals with inhalation hazards. For information regarding physical and health hazards, refer to sections 2 and 11 of the SDS.

### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. This product is not intended to be used without prior dilution as specified on the product label. Grounding or safety shoes with electrostatic dissipating soles (ESD) are not required with a chemical dispensing system. Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (gloves, respirators, etc.) as required.

### 7.2. Conditions for safe storage including any incompatibilities

Store away from oxidizing agents.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
Methoxyisopropanol	107-98-2	ACGIH	TWA:50 ppm;STEL:100 ppm	A4: Not class. as human carcin
Citral	5392-40-5	ACGIH	TWA(inhalable fraction and vapor):5 ppm	A4: Not class. as human carcin, SKIN; Dermal sensitizer
Turpentine	8006-64-2	OSHA	TWA:560 mg/m <sup>3</sup> (100 ppm)	
Turpentine and selected monoterpenes	8006-64-2	ACGIH	TWA:20 ppm	A4: Not class. as human carcin, Dermal Sensitizer
Diethyl Phthalate	84-66-2	ACGIH	TWA:5 mg/m <sup>3</sup>	A4: Not class. as human carcin

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

NOTE: When used with a 3M branded chemical dispensing system, such as 3M(TM) Flow Control System or 3M(TM) Twist 'n Fill(TM) Cleaning Chemical Dispenser as directed, special ventilation is not required. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

NOTE: When used with a 3M branded chemical dispensing system, such as 3M(TM) Flow Control System or 3M(TM) Twist 'n Fill(TM) Cleaning Chemical Dispenser, as directed, eye contact with the concentrate is not expected to occur. The following protection(s) are recommended if the product is not used with a chemical dispensing system or if there is an accidental release, wear protective eye/face protection. Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full Face Shield

Indirect Vented Goggles

##### Skin/hand protection

NOTE: When used with a 3M branded chemical dispensing system, such as 3M(TM) Flow Control System or 3M(TM) Twist 'n Fill(TM) Cleaning Chemical Dispenser as directed, skin contact with the concentrate is not expected to occur.

If product is not used with a chemical dispensing system or if there is an accidental release:

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (e.g., spraying, high splash potential, etc.), then use of a protective apron may be necessary. See recommended glove material(s) for determining appropriate apron material(s). If a glove material is not available as an apron, polymer laminate is a suitable option.

### Respiratory protection

NOTE: When used with a 3M branded chemical dispensing system, such as 3M(TM) Flow Control System or 3M(TM) Twist 'n Fill(TM) Cleaning Chemical Dispenser as directed, respiratory protection is not required.

If product is not used with a chemical dispensing system or if there is an accidental release:

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

Half facepiece or full facepiece supplied-air respirator

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Specific Physical Form:	Liquid
Color	Dark Red
Odor	Strong Floral
Odor threshold	No Data Available
pH	6.5 - 8.5
Melting point/Freezing point	Not Applicable
Boiling point/Initial boiling point/Boiling range	Approximately > 100 °C
Flash Point	No Data Available
Evaporation rate	No Data Available
Flammability	Not Applicable
Flammable Limits(LEL)	No Data Available
Flammable Limits(UEL)	No Data Available
Vapor Pressure	<=27 psia [@ 131 °F]
Relative Vapor Density	No Data Available
Density	No Data Available
Relative Density	1 [Ref Std: WATER=1]
Water solubility	Complete
Solubility- non-water	No Data Available
Partition coefficient: n-octanol/ water	No Data Available
Autoignition temperature	No Data Available
Decomposition temperature	No Data Available
Kinematic Viscosity	No Data Available
Volatile Organic Compounds	10 - 15 % weight [Test Method:calculated per CARB title 2]
Percent volatile	No Data Available
VOC Less H2O & Exempt Solvents	150 - 200 g/l [Test Method:calculated per CARB title 2]

**Particle Characteristics***Not Applicable***SECTION 10: Stability and reactivity****10.1. Reactivity**

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

**10.2. Chemical stability**

Stable.

**10.3. Possibility of hazardous reactions**

Hazardous polymerization will not occur.

**10.4. Conditions to avoid**

None known.

**10.5. Incompatible materials**

Strong oxidizing agents

**10.6. Hazardous decomposition products****Substance****Condition**

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

**SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

**11.1. Information on Toxicological effects****Signs and Symptoms of Exposure**

Based on test data and/or information on the components, this material may produce the following health effects:

**Inhalation:**

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

**Skin Contact:**

May be harmful in contact with skin.

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.  
Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

**Eye Contact:**

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

**Ingestion:**

Harmful if swallowed. Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

#### Additional Health Effects:

#### Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

#### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >2,000 - =5,000 mg/kg
Overall product	Inhalation-Vapor(4 hr)		No data available; calculated ATE >50 mg/l
Overall product	Ingestion		No data available; calculated ATE >300 - =2,000 mg/kg
C8-10 Alcohols Ethoxylated Propoxylated	Dermal	Rabbit	LD50 >= 1,680 mg/kg
C8-10 Alcohols Ethoxylated Propoxylated	Ingestion	Rat	LD50 >= 810 mg/kg
Polysorbate 20	Ingestion	Hamster	LD50 18,000 mg/kg
Polysorbate 20	Dermal	Professional judgement	LD50 estimated to be > 5,000 mg/kg
Polysorbate 20	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 5.1 mg/l
Methoxyisopropanol	Dermal	Rabbit	LD50 11,000-13,800 mg/kg
Methoxyisopropanol	Inhalation-Vapor (4 hours)	Rat	LC50 56 mg/l
Methoxyisopropanol	Ingestion	Rat	LD50 6,100 mg/kg
2,6-Dimethyl-7-Octen-2-ol	Dermal	Rabbit	LD50 > 5,000 mg/kg
2,6-Dimethyl-7-Octen-2-ol	Ingestion	Rat	LD50 3,020 mg/kg
Turpentine	Dermal	Rabbit	LD50 > 2,000 mg/kg
Turpentine	Inhalation-Vapor (4 hours)	Rat	LC50 13.7 mg/l
Turpentine	Ingestion	Rat	LD50 3,956 mg/kg
Linalool	Dermal	Rabbit	LD50 5,610 mg/kg
Linalool	Ingestion	Rat	LD50 2,790 mg/kg
Orange Terpenes	Inhalation-Vapor (4 hours)	Mouse	LC50 > 3.14 mg/l
1H-3A,7-METHANOAZULENE, ETHANONE DERIV.	Dermal	Rabbit	LD50 > 5,000 mg/kg
Alpha-Isomethyl Ionone	Dermal	Rabbit	LD50 > 5,000 mg/kg
Linalyl Acetate	Dermal	Rabbit	LD50 5,610 mg/kg
Methyldihydrojasmonate	Dermal	Rabbit	LD50 > 5,000 mg/kg
Orange Terpenes	Dermal	Rabbit	LD50 > 5,000 mg/kg
1H-3A,7-METHANOAZULENE, ETHANONE DERIV.	Ingestion	Rat	LD50 4,500 mg/kg
Alpha-Isomethyl Ionone	Ingestion	Rat	LD50 > 5,000 mg/kg
Hexamethylindanopyran	Dermal	Rat	LD50 > 2,000 mg/kg
Hexamethylindanopyran	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 5.04 mg/l
Hexamethylindanopyran	Ingestion	Rat	LD50 > 2,000 mg/kg
Linalyl Acetate	Ingestion	Rat	LD50 > 9,000 mg/kg
Methyldihydrojasmonate	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 4.93 mg/l

Methyl Dihydrojasmonate	Ingestion	Rat	LD50 > 10,000 mg/kg
Orange Terpenes	Ingestion	Rat	LD50 4,400 mg/kg
Diethyl Phthalate	Dermal	Rat	LD50 11,200 mg/kg
Diethyl Phthalate	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 6.9 mg/l
Diethyl Phthalate	Ingestion	Rat	LD50 8,200 mg/kg
Citral	Dermal	Rabbit	LD50 2,250 mg/kg
Geraniol	Dermal	Rabbit	LD50 > 5,000 mg/kg
Citral	Ingestion	Rat	LD50 6,800 mg/kg
Fragrance Component 11	Dermal	Rat	LD50 > 2,000 mg/kg
Fragrance Component 11	Inhalation-Dust/Mist (4 hours)	Rat	LC50 0.43 mg/l
Fragrance Component 11	Ingestion	Rat	LD50 >300, <2000 mg/kg
Geraniol	Ingestion	Rat	LD50 3,600 mg/kg
GERANYL ACETATE	Ingestion	Rat	LD50 6,330 mg/kg
GERANYL ACETATE	Dermal	similar compounds	LD50 > 5,460 mg/kg
Terpineol	Dermal	similar compounds	LD50 > 2,000 mg/kg
Terpineol	Ingestion	similar compounds	LD50 > 2,000 mg/kg
p-Mentha-1,4-Diene	Dermal	Rat	LD50 > 2,000 mg/kg
p-Mentha-1,4-Diene	Ingestion	Rat	LD50 > 2,000 mg/kg

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

Name	Species	Value
C8-10 Alcohols Ethoxylated Propoxylated	Rabbit	Irritant
Polysorbate 20	Rabbit	Minimal irritation
Methoxyisopropanol	Not available	Minimal irritation
2,6-Dimethyl-7-Octen-2-ol	In vitro data	Irritant
Turpentine	In vitro data	Irritant
Linalool	Rabbit	Irritant
1H-3A,7-METHANOAZULENE, ETHANONE DERIV.	Rabbit	Minimal irritation
Alpha-Isomethyl Ionone	Rabbit	Mild irritant
Hexamethylindanopyran	In vitro data	No significant irritation
Linalyl Acetate	Rabbit	Irritant
Methyl Dihydrojasmonate	Rabbit	No significant irritation
Orange Terpenes	Rabbit	Irritant
Diethyl Phthalate	Rabbit	Minimal irritation
Citral	Rabbit	Irritant
Fragrance Component 11	Rat	No significant irritation
Geraniol	Rabbit	Irritant
GERANYL ACETATE	Rabbit	Irritant
Terpineol	Rabbit	Irritant
p-Mentha-1,4-Diene	In vitro data	No significant irritation

### Serious Eye Damage/Irritation

Name	Species	Value
C8-10 Alcohols Ethoxylated Propoxylated	Rabbit	Corrosive
Polysorbate 20	Rabbit	No significant irritation
Methoxyisopropanol	Not	Mild irritant

	available	
2,6-Dimethyl-7-Octen-2-ol	Rabbit	Severe irritant
Turpentine	Rabbit	Mild irritant
Linalool	Rabbit	Moderate irritant
1H-3A,7-METHANOAZULENE, ETHANONE DERIV.	Rabbit	No significant irritation
Alpha-Isomethyl Ionone	Rabbit	Moderate irritant
Hexamethylindanopyran	In vitro data	No significant irritation
Linalyl Acetate	Rabbit	Mild irritant
Methyl Dihydrojasmonate	Rabbit	Mild irritant
Orange Terpenes	Rabbit	Mild irritant
Diethyl Phthalate	Rabbit	Mild irritant
Citral	Rabbit	Severe irritant
Geraniol	Rabbit	Corrosive
GERANYL ACETATE	similar compounds	No significant irritation
Terpineol	similar compounds	Moderate irritant
p-Mentha-1,4-Diene	In vitro data	No significant irritation

### Skin Sensitization

Name	Species	Value
Polysorbate 20	Guinea pig	Not classified
Methoxyisopropanol	Guinea pig	Not classified
2,6-Dimethyl-7-Octen-2-ol	Guinea pig	Not classified
Turpentine	Multiple animal species	Sensitizing
Linalool	Mouse	Sensitizing
1H-3A,7-METHANOAZULENE, ETHANONE DERIV.	Mouse	Sensitizing
Alpha-Isomethyl Ionone	Mouse	Sensitizing
Hexamethylindanopyran	Guinea pig	Not classified
Linalyl Acetate	Mouse	Sensitizing
Methyl Dihydrojasmonate	Multiple animal species	Not classified
Orange Terpenes	Mouse	Sensitizing
Diethyl Phthalate	Human and animal	Not classified
Citral	Human and animal	Sensitizing
Geraniol	Human and animal	Sensitizing
GERANYL ACETATE	Mouse	Sensitizing
Terpineol	Mouse	Not classified
p-Mentha-1,4-Diene	In vitro data	Not classified

### Photosensitization

Name	Species	Value
Hexamethylindanopyran	Guinea pig	Not sensitizing

**Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity**

Name	Route	Value
Polysorbate 20	In Vitro	Not mutagenic
Methoxyisopropanol	In Vitro	Not mutagenic
2,6-Dimethyl-7-Octen-2-ol	In Vitro	Not mutagenic
Turpentine	In Vitro	Not mutagenic
Linalool	In Vitro	Not mutagenic
Linalool	In vivo	Not mutagenic
1H-3A,7-METHANOAZULENE, ETHANONE DERIV.	In Vitro	Not mutagenic
Alpha-Isomethyl Ionone	In Vitro	Not mutagenic
Hexamethylindanopyran	In Vitro	Not mutagenic
Hexamethylindanopyran	In vivo	Not mutagenic
Linalyl Acetate	In Vitro	Not mutagenic
Methyldihydrojasmonate	In Vitro	Not mutagenic
Methyldihydrojasmonate	In vivo	Not mutagenic
Orange Terpenes	In Vitro	Not mutagenic
Orange Terpenes	In vivo	Not mutagenic
Diethyl Phthalate	In Vitro	Some positive data exist, but the data are not sufficient for classification
Citral	In vivo	Not mutagenic
Citral	In Vitro	Some positive data exist, but the data are not sufficient for classification
Fragrance Component 11	In Vitro	Not mutagenic
Geraniol	In Vitro	Not mutagenic
GERANYL ACETATE	In Vitro	Not mutagenic
GERANYL ACETATE	In vivo	Not mutagenic
Terpineol	In Vitro	Not mutagenic
p-Mentha-1,4-Diene	In Vitro	Not mutagenic

**Carcinogenicity**

Name	Route	Species	Value
Methoxyisopropanol	Inhalation	Multiple animal species	Some positive data exist, but the data are not sufficient for classification
Orange Terpenes	Ingestion	Rat	Some positive data exist, but the data are not sufficient for classification
Diethyl Phthalate	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification
Citral	Ingestion	Mouse	Some positive data exist, but the data are not sufficient for classification

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test Result	Exposure Duration
Polysorbate 20	Ingestion	Not classified for development	Rat	NOAEL 500 mg/kg/day	during organogenesis
Methoxyisopropanol	Inhalation	Not classified for male reproduction	Rat	NOAEL 11 mg/l	2 generation
Methoxyisopropanol	Ingestion	Not classified for female reproduction	Mouse	NOAEL 3,328 mg/kg/day	2 generation
Methoxyisopropanol	Inhalation	Not classified for female reproduction	Rat	NOAEL 3.7 mg/l	2 generation
Methoxyisopropanol	Ingestion	Not classified for male reproduction	Mouse	NOAEL 3,328 mg/kg	2 generation
Methoxyisopropanol	Ingestion	Not classified for development	Rat	NOAEL 370 mg/kg	during gestation

Methoxyisopropanol	Inhalation	Not classified for development	Rat	NOAEL 3.7 mg/l	2 generation
2,6-Dimethyl-7-Octen-2-ol	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,140 mg/kg/day	1 generation
2,6-Dimethyl-7-Octen-2-ol	Ingestion	Not classified for development	Rat	NOAEL 1,068 mg/kg/day	1 generation
2,6-Dimethyl-7-Octen-2-ol	Ingestion	Not classified for female reproduction	Rat	NOAEL 524 mg/kg/day	1 generation
Turpentine	Ingestion	Not classified for development	Rat	NOAEL 250 mg/kg/day	during organogenesis
Linalool	Ingestion	Not classified for female reproduction	Rat	NOAEL 365 mg/kg/day	prematuring into lactation
Linalool	Ingestion	Not classified for development	Rat	NOAEL 365 mg/kg/day	prematuring into lactation
1H-3A,7-METHANOAZULENE, ETHANONE DERIV.	Ingestion	Not classified for development	Rat	NOAEL 100 mg/kg/day	during gestation
Alpha-Isomethyl Ionone	Ingestion	Not classified for female reproduction	Rat	NOAEL 500 mg/kg/day	prematuring into lactation
Alpha-Isomethyl Ionone	Ingestion	Not classified for male reproduction	Rat	NOAEL 500 mg/kg/day	42 days
Alpha-Isomethyl Ionone	Ingestion	Not classified for development	Rat	NOAEL 30 mg/kg/day	during gestation
Hexamethylindanopyran	Ingestion	Not classified for female reproduction	Rat	NOAEL 92 mg/kg/day	2 generation
Hexamethylindanopyran	Ingestion	Not classified for male reproduction	Rat	NOAEL 94 mg/kg/day	2 generation
Hexamethylindanopyran	Ingestion	Not classified for development	Rat	NOAEL 150 mg/kg/day	during gestation
Methyl Dihydrojasmonate	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	prematuring into lactation
Methyl Dihydrojasmonate	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	42 days
Methyl Dihydrojasmonate	Ingestion	Not classified for development	Rat	NOAEL 120 mg/kg/day	during gestation
Orange Terpenes	Ingestion	Not classified for female reproduction	Rat	NOAEL 750 mg/kg/day	prematuring & during gestation
Orange Terpenes	Ingestion	Not classified for development	Multiple animal species	NOAEL 591 mg/kg/day	during organogenesis
Diethyl Phthalate	Ingestion	Not classified for female reproduction	Mouse	NOAEL 1,625 mg/kg/day	2 generation
Diethyl Phthalate	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,625 mg/kg	2 generation
Diethyl Phthalate	Ingestion	Not classified for development	Rat	NOAEL 1,900 mg/kg/day	during organogenesis
Citral	Ingestion	Not classified for female reproduction	Rat	NOAEL 250 mg/kg/day	2 generation
Citral	Ingestion	Not classified for male reproduction	Rat	NOAEL 250 mg/kg/day	2 generation
Citral	Ingestion	Not classified for development	Rabbit	NOAEL 60 mg/kg/day	during gestation
Citral	Inhalation	Not classified for development	Rat	NOAEL 0.21 mg/l	during organogenesis
Geraniol	Dermal	Not classified for female reproduction	Rat	NOAEL 300 mg/kg/day	prematuring into lactation
Geraniol	Ingestion	Not classified for female reproduction	Rat	NOAEL 800 mg/kg/day	2 generation
Geraniol	Dermal	Not classified for male reproduction	Rat	NOAEL 300 mg/kg/day	28 days
Geraniol	Ingestion	Not classified for male reproduction	Rat	NOAEL 800 mg/kg/day	2 generation
Geraniol	Dermal	Not classified for development	Rat	NOAEL 300 mg/kg/day	prematuring into lactation

Geraniol	Ingestion	Not classified for development	Rat	NOAEL 300 mg/kg/day	during gestation
Terpineol	Ingestion	Toxic to male reproduction	similar compounds	NOAEL 250 mg/kg/day	5 weeks
p-Mentha-1,4-Diene	Ingestion	Not classified for male reproduction	Rat	NOAEL 250 mg/kg/day	28 days
p-Mentha-1,4-Diene	Ingestion	Toxic to female reproduction	Rat	NOAEL 100 mg/kg/day	premating into lactation

### Target Organ(s)

#### Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
C8-10 Alcohols Ethoxylated Propoxylated	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Methoxyisopropanol	Dermal	central nervous system depression	Not classified	Rabbit	NOAEL 1,800 mg/kg	13 weeks
Methoxyisopropanol	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human	NOAEL Not available	
2,6-Dimethyl-7-Octen-2-ol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL not available	
2,6-Dimethyl-7-Octen-2-ol	Ingestion	central nervous system depression	May cause drowsiness or dizziness	Rat	NOAEL Not available	
Turpentine	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human and animal	NOAEL Not available	
Turpentine	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Turpentine	Ingestion	central nervous system depression	May cause drowsiness or dizziness	Human	NOAEL Not available	
Linalool	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL not available	
Alpha-Isomethyl Ionone	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not Available	
Hexamethylindanopyran	Dermal	photoirritation	Not classified	Multiple animal species	NOAEL Not Available	
Linalyl Acetate	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL not available	
Orange Terpenes	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Orange Terpenes	Ingestion	nervous system	Not classified		NOAEL Not available	
Citral	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL not available	
Geraniol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL not available	
GERANYL ACETATE	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Terpineol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not Available	

#### Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Polysorbate 20	Ingestion	heart	Not classified	Rat	NOAEL 2,000 mg/kg/day	2 years
Polysorbate 20	Ingestion	endocrine system	Not classified	Rat	NOAEL 2,000 mg/kg/day	2 years
Polysorbate 20	Ingestion	gastrointestinal tract	Not classified	Rat	NOAEL 2,000 mg/kg/day	2 years
Polysorbate 20	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 2,000 mg/kg/day	2 years
Polysorbate 20	Ingestion	liver	Not classified	Rat	NOAEL 2,000 mg/kg/day	2 years
Polysorbate 20	Ingestion	muscles	Not classified	Rat	NOAEL 2,000 mg/kg/day	2 years
Polysorbate 20	Ingestion	nervous system	Not classified	Rat	NOAEL 2,000 mg/kg/day	2 years
Polysorbate 20	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 2,000 mg/kg/day	2 years
Polysorbate 20	Ingestion	respiratory system	Not classified	Rat	NOAEL 2,000 mg/kg/day	2 years
Methoxyisopropanol	Dermal	kidney and/or bladder	Not classified	Rabbit	NOAEL 1,800 mg/kg/day	13 weeks
Methoxyisopropanol	Dermal	hematopoietic system	Not classified	Rabbit	NOAEL 1,000 mg/kg/day	3 weeks
Methoxyisopropanol	Inhalation	kidney and/or bladder	Not classified	Rat	NOAEL 3.7 mg/l	13 weeks
Methoxyisopropanol	Inhalation	liver	Not classified	Rat	NOAEL 11 mg/l	13 weeks
Methoxyisopropanol	Inhalation	hematopoietic system	Not classified	Rat	NOAEL 2.2 mg/l	10 days
Methoxyisopropanol	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 920 mg/kg/day	13 weeks
Methoxyisopropanol	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 920 mg/kg/day	13 weeks
2,6-Dimethyl-7-Octen-2-ol	Ingestion	liver	Not classified	Rat	NOAEL 842 mg/kg/day	21 days
Turpentine	Inhalation	liver	Not classified	Rat	NOAEL 2.2 mg/l	14 weeks
Turpentine	Inhalation	immune system	Not classified	Rat	NOAEL 2.2 mg/l	14 weeks
Turpentine	Inhalation	respiratory system	Not classified	Rat	NOAEL 2.2 mg/l	14 weeks
Turpentine	Inhalation	kidney and/or bladder	Not classified	Rat	LOAEL 0.14 mg/l	14 weeks
Linalool	Dermal	skin	Not classified	Rat	NOAEL 1,000 mg/kg/day	91 days
Linalool	Dermal	heart	Not classified	Rat	NOAEL 1,000 mg/kg/day	91 days
Linalool	Dermal	endocrine system	Not classified	Rat	NOAEL 1,000 mg/kg/day	91 days
Linalool	Dermal	hematopoietic system	Not classified	Rat	NOAEL 1,000	91 days

					mg/kg/day	
Linalool	Dermal	liver	Not classified	Rat	NOAEL 1,000 mg/kg/day	91 days
Linalool	Dermal	immune system	Not classified	Rat	NOAEL 1,000 mg/kg/day	91 days
Linalool	Dermal	muscles	Not classified	Rat	NOAEL 1,000 mg/kg/day	91 days
Linalool	Dermal	nervous system	Not classified	Rat	NOAEL 1,000 mg/kg/day	91 days
Linalool	Dermal	kidney and/or bladder	Not classified	Rat	NOAEL 1,000 mg/kg/day	91 days
Linalool	Dermal	respiratory system	Not classified	Rat	NOAEL 1,000 mg/kg/day	91 days
Linalool	Ingestion	kidney and/or bladder	Not classified	Rat	LOAEL 53 mg/kg/day	95 days
Linalool	Ingestion	endocrine system	Not classified	Rat	NOAEL 498 mg/kg/day	95 days
Linalool	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 498 mg/kg/day	95 days
Linalool	Ingestion	liver	Not classified	Rat	NOAEL 498 mg/kg/day	95 days
Linalool	Ingestion	nervous system	Not classified	Rat	NOAEL 498 mg/kg/day	95 days
Linalool	Ingestion	eyes	Not classified	Rat	NOAEL 498 mg/kg/day	95 days
Linalool	Ingestion	immune system	Not classified	Mouse	NOAEL 375 mg/kg/day	5 days
1H-3A,7- METHANOAZULENE, ETHANONE DERIV.	Dermal	kidney and/or bladder	Not classified	Rat	NOAEL 300 mg/kg/day	90 days
1H-3A,7- METHANOAZULENE, ETHANONE DERIV.	Dermal	hematopoietic system	Not classified	Rat	NOAEL 300 mg/kg/day	90 days
1H-3A,7- METHANOAZULENE, ETHANONE DERIV.	Dermal	eyes	Not classified	Rat	NOAEL 300 mg/kg/day	90 days
1H-3A,7- METHANOAZULENE, ETHANONE DERIV.	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 80 mg/kg/day	90 days
1H-3A,7- METHANOAZULENE, ETHANONE DERIV.	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 80 mg/kg/day	90 days
1H-3A,7- METHANOAZULENE, ETHANONE DERIV.	Ingestion	endocrine system	Not classified	Rat	NOAEL 250 mg/kg/day	90 days
1H-3A,7- METHANOAZULENE, ETHANONE DERIV.	Ingestion	heart	Not classified	Rat	NOAEL 250 mg/kg/day	90 days
1H-3A,7- METHANOAZULENE, ETHANONE DERIV.	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 250 mg/kg/day	90 days
1H-3A,7- METHANOAZULENE, ETHANONE DERIV.	Ingestion	immune system	Not classified	Rat	NOAEL 250 mg/kg/day	90 days
1H-3A,7- METHANOAZULENE, ETHANONE DERIV.	Ingestion	nervous system	Not classified	Rat	NOAEL 250 mg/kg/day	90 days
1H-3A,7- METHANOAZULENE, ETHANONE DERIV.	Ingestion	eyes	Not classified	Rat	NOAEL 250 mg/kg/day	90 days
Alpha-Isomethyl Ionone	Dermal	skin	Not classified	Rat	NOAEL 50	90 days

					mg/kg/day	
Alpha-Isomethyl Ionone	Dermal	hematopoietic system	Not classified	Rat	NOAEL 50 mg/kg/day	90 days
Alpha-Isomethyl Ionone	Dermal	liver	Not classified	Rat	NOAEL 50 mg/kg/day	90 days
Alpha-Isomethyl Ionone	Dermal	kidney and/or bladder	Not classified	Rat	NOAEL 50 mg/kg/day	90 days
Alpha-Isomethyl Ionone	Ingestion	endocrine system	Not classified	Rat	NOAEL 500 mg/kg/day	90 days
Alpha-Isomethyl Ionone	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 500 mg/kg/day	90 days
Alpha-Isomethyl Ionone	Ingestion	liver	Not classified	Rat	NOAEL 500 mg/kg/day	90 days
Alpha-Isomethyl Ionone	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 500 mg/kg/day	90 days
Alpha-Isomethyl Ionone	Ingestion	heart	Not classified	Rat	NOAEL 500 mg/kg/day	90 days
Alpha-Isomethyl Ionone	Ingestion	skin	Not classified	Rat	NOAEL 500 mg/kg/day	90 days
Alpha-Isomethyl Ionone	Ingestion	gastrointestinal tract	Not classified	Rat	NOAEL 500 mg/kg/day	90 days
Alpha-Isomethyl Ionone	Ingestion	bone, teeth, nails, and/or hair	Not classified	Rat	NOAEL 500 mg/kg/day	90 days
Alpha-Isomethyl Ionone	Ingestion	immune system	Not classified	Rat	NOAEL 500 mg/kg/day	90 days
Alpha-Isomethyl Ionone	Ingestion	muscles	Not classified	Rat	NOAEL 500 mg/kg/day	90 days
Alpha-Isomethyl Ionone	Ingestion	nervous system	Not classified	Rat	NOAEL 500 mg/kg/day	90 days
Alpha-Isomethyl Ionone	Ingestion	eyes	Not classified	Rat	NOAEL 500 mg/kg/day	90 days
Alpha-Isomethyl Ionone	Ingestion	respiratory system	Not classified	Rat	NOAEL 500 mg/kg/day	90 days
Alpha-Isomethyl Ionone	Ingestion	vascular system	Not classified	Rat	NOAEL 500 mg/kg/day	90 days
Hexamethylindanopyran	Ingestion	heart	Not classified	Rat	NOAEL 150 mg/kg/day	90 days
Hexamethylindanopyran	Ingestion	skin	Not classified	Rat	NOAEL 150 mg/kg/day	90 days
Hexamethylindanopyran	Ingestion	endocrine system	Not classified	Rat	NOAEL 150 mg/kg/day	90 days
Hexamethylindanopyran	Ingestion	gastrointestinal tract	Not classified	Rat	NOAEL 150 mg/kg/day	90 days
Hexamethylindanopyran	Ingestion	bone, teeth, nails, and/or hair	Not classified	Rat	NOAEL 150 mg/kg/day	90 days
Hexamethylindanopyran	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 150 mg/kg/day	90 days
Hexamethylindanopyran	Ingestion	liver	Not classified	Rat	NOAEL 150 mg/kg/day	90 days
Hexamethylindanopyran	Ingestion	immune system	Not classified	Rat	NOAEL 150 mg/kg/day	90 days
Hexamethylindanopyran	Ingestion	muscles	Not classified	Rat	NOAEL 150 mg/kg/day	90 days
Hexamethylindanopyran	Ingestion	nervous system	Not classified	Rat	NOAEL 150 mg/kg/day	90 days
Hexamethylindanopyran	Ingestion	eyes	Not classified	Rat	NOAEL 150 mg/kg/day	90 days
Hexamethylindanopyran	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 150 mg/kg/day	90 days
Hexamethylindanopyran	Ingestion	respiratory system	Not classified	Rat	NOAEL 150 mg/kg/day	90 days
Hexamethylindanopyran	Ingestion	vascular system	Not classified	Rat	NOAEL 150 mg/kg/day	90 days
Methyl Dihydrojasmonate	Ingestion	heart	Not classified	Rat	NOAEL 100 mg/kg/day	90 days
Methyl Dihydrojasmonate	Ingestion	skin	Not classified	Rat	NOAEL 100 mg/kg/day	90 days

Methyl Dihydrojasmonate	Ingestion	endocrine system	Not classified	Rat	NOAEL 100 mg/kg/day	90 days
Methyl Dihydrojasmonate	Ingestion	gastrointestinal tract	Not classified	Rat	NOAEL 100 mg/kg/day	90 days
Methyl Dihydrojasmonate	Ingestion	bone, teeth, nails, and/or hair	Not classified	Rat	NOAEL 100 mg/kg/day	90 days
Methyl Dihydrojasmonate	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 100 mg/kg/day	90 days
Methyl Dihydrojasmonate	Ingestion	liver	Not classified	Rat	NOAEL 100 mg/kg/day	90 days
Methyl Dihydrojasmonate	Ingestion	immune system	Not classified	Rat	NOAEL 100 mg/kg/day	90 days
Methyl Dihydrojasmonate	Ingestion	muscles	Not classified	Rat	NOAEL 100 mg/kg/day	90 days
Methyl Dihydrojasmonate	Ingestion	nervous system	Not classified	Rat	NOAEL 100 mg/kg/day	90 days
Methyl Dihydrojasmonate	Ingestion	eyes	Not classified	Rat	NOAEL 100 mg/kg/day	90 days
Methyl Dihydrojasmonate	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 100 mg/kg/day	90 days
Methyl Dihydrojasmonate	Ingestion	respiratory system	Not classified	Rat	NOAEL 100 mg/kg/day	90 days
Methyl Dihydrojasmonate	Ingestion	vascular system	Not classified	Rat	NOAEL 100 mg/kg/day	90 days
Orange Terpenes	Ingestion	kidney and/or bladder	Not classified	Rat	LOAEL 75 mg/kg/day	103 weeks
Orange Terpenes	Ingestion	liver	Not classified	Mouse	NOAEL 1,000 mg/kg/day	103 weeks
Orange Terpenes	Ingestion	heart	Not classified	Rat	NOAEL 600 mg/kg/day	103 weeks
Orange Terpenes	Ingestion	endocrine system	Not classified	Rat	NOAEL 600 mg/kg/day	103 weeks
Orange Terpenes	Ingestion	bone, teeth, nails, and/or hair	Not classified	Rat	NOAEL 600 mg/kg/day	103 weeks
Orange Terpenes	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 600 mg/kg/day	103 weeks
Orange Terpenes	Ingestion	immune system	Not classified	Rat	NOAEL 600 mg/kg/day	103 weeks
Orange Terpenes	Ingestion	muscles	Not classified	Rat	NOAEL 600 mg/kg/day	103 weeks
Orange Terpenes	Ingestion	nervous system	Not classified	Rat	NOAEL 600 mg/kg/day	103 weeks
Orange Terpenes	Ingestion	respiratory system	Not classified	Rat	NOAEL 600 mg/kg/day	103 weeks
Diethyl Phthalate	Dermal	skin	Not classified	Rat	NOAEL 855 mg/kg/day	2 years
Diethyl Phthalate	Dermal	liver	Not classified	Rat	NOAEL 855 mg/kg	2 years
Diethyl Phthalate	Dermal	kidney and/or bladder	Not classified	Rat	NOAEL 855 mg/kg	2 years
Diethyl Phthalate	Dermal	heart	Not classified	Rat	NOAEL 855 mg/kg/day	2 years
Diethyl Phthalate	Dermal	gastrointestinal tract	Not classified	Rat	NOAEL 855 mg/kg	2 years
Diethyl Phthalate	Dermal	nervous system	Not classified	Rat	NOAEL 855 mg/kg	2 years
Diethyl Phthalate	Dermal	respiratory system	Not classified	Rat	NOAEL 855 mg/kg	2 years
Diethyl Phthalate	Ingestion	heart	Not classified	Rat	NOAEL 3,710 mg/kg/day	16 weeks
Diethyl Phthalate	Ingestion	nervous system	Not classified	Rat	NOAEL 3,710 mg/kg	16 weeks
Diethyl Phthalate	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 3,710 mg/kg	16 weeks
Diethyl Phthalate	Ingestion	hematopoietic	Not classified	Rat	NOAEL	6 weeks

		system			3,160 mg/kg	
Diethyl Phthalate	Ingestion	liver	Not classified	Rat	NOAEL 1,753 mg/kg	3 weeks
Diethyl Phthalate	Ingestion	endocrine system	Not classified	Rat	NOAEL 3,710 mg/kg/day	16 weeks
Diethyl Phthalate	Ingestion	muscles	Not classified	Rat	NOAEL 3,710 mg/kg	16 weeks
Diethyl Phthalate	Ingestion	respiratory system	Not classified	Rat	NOAEL 3,710 mg/kg	16 weeks
Citral	Ingestion	gastrointestinal tract	Not classified	Rat	NOAEL 1,330 mg/kg/day	90 days
Citral	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 1,330 mg/kg/day	90 days
Citral	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 1,330 mg/kg/day	90 days
Citral	Ingestion	heart	Not classified	Rat	NOAEL 1,330 mg/kg/day	90 days
Citral	Ingestion	skin	Not classified	Rat	NOAEL 1,330 mg/kg/day	90 days
Citral	Ingestion	endocrine system	Not classified	Rat	NOAEL 1,330 mg/kg/day	90 days
Citral	Ingestion	bone, teeth, nails, and/or hair	Not classified	Rat	NOAEL 1,330 mg/kg/day	90 days
Citral	Ingestion	liver	Not classified	Rat	NOAEL 1,330 mg/kg/day	90 days
Citral	Ingestion	immune system	Not classified	Rat	NOAEL 1,330 mg/kg/day	90 days
Citral	Ingestion	nervous system	Not classified	Rat	NOAEL 1,330 mg/kg/day	90 days
Citral	Ingestion	respiratory system	Not classified	Rat	NOAEL 1,330 mg/kg/day	90 days
Citral	Ingestion	vascular system	Not classified	Rat	NOAEL 1,330 mg/kg/day	90 days
Fragrance Component 11	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 100 mg/kg/day	28 days
Geraniol	Ingestion	endocrine system	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days
Geraniol	Ingestion	liver	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days
Geraniol	Ingestion	heart	Not classified	Rat	NOAEL 550 mg/kg/day	112 days
Geraniol	Ingestion	bone, teeth, nails, and/or hair	Not classified	Rat	NOAEL 550 mg/kg/day	112 days
Geraniol	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 550 mg/kg/day	112 days
Geraniol	Ingestion	muscles	Not classified	Rat	NOAEL 550 mg/kg/day	112 days
Geraniol	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 550 mg/kg/day	112 days
p-Mentha-1,4-Diene	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 250 mg/kg/day	28 days
p-Mentha-1,4-Diene	Ingestion	liver	Not classified	Rat	NOAEL 250	28 days

					mg/kg/day	
p-Mentha-1,4-Diene	Ingestion	immune system	Not classified	Rat	NOAEL 250 mg/kg/day	28 days
p-Mentha-1,4-Diene	Ingestion	nervous system	Not classified	Rat	NOAEL 250 mg/kg/day	28 days
p-Mentha-1,4-Diene	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 250 mg/kg/day	28 days

**Aspiration Hazard**

Name	Value
Turpentine	Aspiration hazard
Orange Terpenes	Aspiration hazard
p-Mentha-1,4-Diene	Aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information****Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

**Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

**SECTION 13: Disposal considerations****13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

**SECTION 14: Transport Information**

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

**SECTION 15: Regulatory information****15.1. US Federal Regulations**

Contact 3M for more information.

**EPCRA 311/312 Hazard Classifications:****Physical Hazards**

Not Applicable.

**Health Hazards**

Acute toxicity
Reproductive toxicity
Respiratory or Skin Sensitization
Serious eye damage or eye irritation
Skin Corrosion or Irritation

**Section 313 Toxic Chemicals subject to the reporting requirements of that section and 40 CFR part 372 (EPCRA):**

<b>Ingredient</b>	<b>C.A.S. No</b>	<b>% by Wt</b>
Hexamethylindanopyran	1222-05-5	0.1 - 1.5

**15.2. State Regulations**

Contact 3M for more information.

**15.3. Chemical Inventories**

The components of this product are in compliance with the new substance notification requirements of CEPA.

The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact 3M for more information.

**15.4. International Regulations**

Contact 3M for more information.

**This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.**

**SECTION 16: Other information****NFPA Hazard Classification**

**Health:** 3 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

<b>Document Group:</b>	06-8477-9	<b>Version Number:</b>	24.02
<b>Issue Date:</b>	03/24/26	<b>Supersedes Date:</b>	05/16/25

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to

determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

**3M USA SDSs are available at [www.3M.com](http://www.3M.com)**